WEBVTT

NOTE duration:"01:19:23"

NOTE recognizability:0.864

NOTE language:en-us

NOTE Confidence: 0.85702869944444

00:00:35.390 --> 00:00:37.358 So good afternoon, I'm David Philly

NOTE Confidence: 0.85702869944444

 $00:00:37.358 \longrightarrow 00:00:39.967$  now and I'm the director of the

NOTE Confidence: 0.857028699444444

 $00:00:39.967 \dashrightarrow 00:00:42.017$  Yale Program in Addiction medicine.

NOTE Confidence: 0.85702869944444

 $00:00:42.020 \rightarrow 00:00:44.268$  I want to welcome you to today's talk

NOTE Confidence: 0.85702869944444

 $00{:}00{:}44.268 \dashrightarrow 00{:}00{:}46.535$  in our finding solutions series to

NOTE Confidence: 0.85702869944444

 $00:00:46.535 \longrightarrow 00:00:48.816$  the opioid crisis in collaboration

NOTE Confidence: 0.85702869944444

 $00{:}00{:}48.816 \dashrightarrow 00{:}00{:}50.908$  with the Sandgaard foundation.

NOTE Confidence: 0.85702869944444

00:00:50.910 --> 00:00:52.730 We're joined today by Doctor

NOTE Confidence: 0.85702869944444

00:00:52.730 --> 00:00:54.550 Edward Coupet and Don Stader,

NOTE Confidence: 0.85702869944444

 $00:00:54.550 \longrightarrow 00:00:56.698$  who will speak on the topic

NOTE Confidence: 0.85702869944444

00:00:56.698 --> 00:00:57.772 emergency department based

NOTE Confidence: 0.85702869944444

 $00{:}00{:}57.772 \dashrightarrow 00{:}00{:}59.249$  treatment and harm reduction.

NOTE Confidence: 0.85702869944444

 $00:00:59.250 \dashrightarrow 00:01:03.130$  Interventions for opioid use disorder.

 $00:01:03.130 \longrightarrow 00:01:04.054$  Before we get started,

NOTE Confidence: 0.85702869944444

 $00:01:04.054 \rightarrow 00:01:06.155$  we just want to review a few housekeeping

NOTE Confidence: 0.85702869944444

00:01:06.155 --> 00:01:07.805 items on the following slides.

NOTE Confidence: 0.923202523571429

 $00:01:10.020 \rightarrow 00:01:12.292$  So as a reminder, you can learn more

NOTE Confidence: 0.923202523571429

 $00:01:12.292 \dashrightarrow 00:01:14.481$  about the Yale program in addiction

NOTE Confidence: 0.923202523571429

00:01:14.481 --> 00:01:16.815 medicine and the finding solutions to

NOTE Confidence: 0.923202523571429

 $00:01:16.881 \rightarrow 00:01:19.425$  the opioid crisis speakers series by

NOTE Confidence: 0.923202523571429

 $00:01:19.425 \longrightarrow 00:01:20.967$  visiting addiction medicine.yale.edu.

NOTE Confidence: 0.923202523571429

00:01:20.967 --> 00:01:25.089 Following our program in the Sandgaard

NOTE Confidence: 0.923202523571429

 $00{:}01{:}25{.}089 \dashrightarrow 00{:}01{:}28{.}205$  Foundation on Twitter at

NOTE Confidence: 0.923202523571429

00:01:28.205 --> 00:01:31.067 @YaleADM and @SandgaardFnd.

NOTE Confidence: 0.923202523571429

00:01:31.070 --> 00:01:33.434 And by joining our program listserv

NOTE Confidence: 0.923202523571429

 $00:01:33.434 \rightarrow 00:01:36.759$  and just send an email to emma.biegacki@

NOTE Confidence: 0.923202523571429

 $00:01:36.760 \longrightarrow 00:01:38.580$  yale.edu to be added.

NOTE Confidence: 0.82574050625

 $00:01:40.820 \rightarrow 00:01:42.876$  If you will be live tweeting about today's talk,

NOTE Confidence: 0.82574050625

 $00:01:42.880 \rightarrow 00:01:46.246$  be sure to tag us and include event hashtags,

- NOTE Confidence: 0.82574050625
- 00:01:46.250 --> 00:01:48.464 #FindingSolutions
- NOTE Confidence: 0.82574050625
- $00:01:48.464 \longrightarrow 00:01:51.416$  and #BandTogether.
- NOTE Confidence: 0.82574050625
- 00:01:51.420 --> 00:01:52.888 Second, as a reminder,
- NOTE Confidence: 0.82574050625
- $00:01:52.888 \rightarrow 00:01:55.628$  coming up in this series on December
- NOTE Confidence: 0.82574050625
- 00:01:55.628 --> 00:01:58.394 14th will be welcoming Gary Mendell,
- NOTE Confidence: 0.82574050625
- $00:01:58.400 \dashrightarrow 00:02:00.955$  who's the founder and CEO of Shatterproof
- NOTE Confidence: 0.82574050625
- $00:02:00.955 \rightarrow 00:02:04.019$  and who will be speaking about the topic,
- NOTE Confidence: 0.82574050625
- 00:02:04.020 --> 00:02:06.000 stigma and substance use disorder,
- NOTE Confidence: 0.82574050625
- $00:02:06.000 \longrightarrow 00:02:07.194$  the silent killer.
- NOTE Confidence: 0.82574050625
- 00:02:07.194 --> 00:02:10.879 I encourage you to join us for that talk.
- NOTE Confidence: 0.82574050625
- $00:02:10.880 \rightarrow 00:02:13.160$  So to participate in today's session,
- NOTE Confidence: 0.82574050625
- $00{:}02{:}13.160 \dashrightarrow 00{:}02{:}14.640$  use the chat box.
- NOTE Confidence: 0.82574050625
- $00{:}02{:}14.640 \dashrightarrow 00{:}02{:}16.490$  Please to share comments and
- NOTE Confidence: 0.82574050625
- $00{:}02{:}16.490 \dashrightarrow 00{:}02{:}18.618$  observations with your fellow attendees.
- NOTE Confidence: 0.82574050625
- $00:02:18.620 \longrightarrow 00:02:20.438$  And if you have a question,
- NOTE Confidence: 0.82574050625

 $00:02:20.440 \longrightarrow 00:02:24.450$  please put that in the Q&A box.

NOTE Confidence: 0.82574050625

00:02:24.450 --> 00:02:27.090 Finally, CME credit is available for

NOTE Confidence: 0.82574050625

 $00:02:27.090 \rightarrow 00:02:31.780$  today's event and to receive credit just.

NOTE Confidence: 0.82574050625

 $00:02:31.780 \longrightarrow 00:02:34.144$  Please text the code in red

NOTE Confidence: 0.82574050625

 $00:02:34.144 \longrightarrow 00:02:36.400$  to the phone number in red.

NOTE Confidence: 0.82574050625

 $00:02:36.400 \longrightarrow 00:02:37.540$  And this information will be

NOTE Confidence: 0.82574050625

 $00{:}02{:}37{.}540 \dashrightarrow 00{:}02{:}39{.}020$  provided in the chat at the

NOTE Confidence: 0.82574050625

 $00:02:39.020 \rightarrow 00:02:40.180$  beginning of today's session.

NOTE Confidence: 0.828067364285714

 $00{:}02{:}42.240 \dashrightarrow 00{:}02{:}44.620$  Now I'd like to introduce and invite

NOTE Confidence: 0.828067364285714

00:02:44.620 --> 00:02:45.619 Kyle Henderson,

NOTE Confidence: 0.828067364285714

 $00{:}02{:}45.619 \dashrightarrow 00{:}02{:}47.617$  who's the executive director of the

NOTE Confidence: 0.828067364285714

 $00{:}02{:}47.617 \dashrightarrow 00{:}02{:}49.600$ Sandgaard Foundation to see a

NOTE Confidence: 0.828067364285714

 $00{:}02{:}49{.}600 \dashrightarrow 00{:}02{:}51{.}576$  few words unsure about the mission and

NOTE Confidence: 0.828067364285714

 $00:02:51.576 \dashrightarrow 00:02:53.389$  work of the foundation, I'll go ahead.

NOTE Confidence: 0.89879578555556

00:02:54.470 -> 00:02:56.012 Thank you David and thank you

NOTE Confidence: 0.89879578555556

 $00:02:56.012 \rightarrow 00:02:57.590$  everyone for joining us today.

 $00:02:57.590 \rightarrow 00:03:00.210$  It's an honor for the Sandgaarrd Foundation

NOTE Confidence: 0.89879578555556

 $00{:}03{:}00{.}210 \dashrightarrow 00{:}03{:}01{.}940$  to align with the Yale Program and

NOTE Confidence: 0.946597574285714

 $00:03:01.950 \longrightarrow 00:03:03.702$  addiction medicine for this

NOTE Confidence: 0.946597574285714

 $00:03:03.702 \rightarrow 00:03:05.150$  wonderful speaker series. The

NOTE Confidence: 0.798254349

 $00{:}03{:}05{.}160 \dashrightarrow 00{:}03{:}06{.}688$ Sandgaard Foundation was founded

NOTE Confidence: 0.798254349

00:03:06.688 --> 00:03:08.980 by Thomas Sandgaard in 2018,

NOTE Confidence: 0.798254349

 $00:03:08.980 \longrightarrow 00:03:11.672$  but that story really started 25 years

NOTE Confidence: 0.798254349

 $00:03:11.672 \rightarrow 00:03:13.500$  ago when he founded Zynex Medical.

NOTE Confidence: 0.798254349

00:03:13.500 --> 00:03:15.976 So it's a publicly traded medical device

NOTE Confidence: 0.798254349

 $00:03:15.976 \dashrightarrow 00:03:18.004$  company that helps with Electro the rapy

NOTE Confidence: 0.798254349

 $00:03:18.004 \rightarrow 00:03:20.138$  for pain management gets people off

NOTE Confidence: 0.888287695

 $00{:}03{:}20{.}150 \dashrightarrow 00{:}03{:}22{.}610$  of addictive, potentially lethal

NOTE Confidence: 0.9543551075

00:03:22.620 --> 00:03:24.880 painkilling drugs like oxy,

NOTE Confidence: 0.9543551075

 $00{:}03{:}24.880 \dashrightarrow 00{:}03{:}27.600$  and we started the foundation to really

NOTE Confidence: 0.9543551075

 $00{:}03{:}27.600 \dashrightarrow 00{:}03{:}30.720$  focus on the opioid epidemic exclusively

 $00:03:30.720 \longrightarrow 00:03:32.679$  to really broaden the impact that

NOTE Confidence: 0.9543551075

 $00:03:32.680 \rightarrow 00:03:34.000$  we're already having through Zynex.

NOTE Confidence: 0.9543551075

00:03:34.000 --> 00:03:35.975 So I also run Sandgaard Capital,

NOTE Confidence: 0.9543551075

 $00:03:35.975 \rightarrow 00:03:38.330$  which is his private equity group.

NOTE Confidence: 0.9543551075

 $00:03:38.330 \rightarrow 00:03:41.342$  And with the foundation this year alone,

NOTE Confidence: 0.9543551075

 $00:03:41.342 \longrightarrow 00:03:42.910$  we've distributed over 500,000

NOTE Confidence: 0.9543551075

00:03:42.910 --> 00:03:44.495 units of Narcan

NOTE Confidence: 0.9543551075

 $00:03:44.495 \rightarrow 00:03:46.038$  around the country in partnership

NOTE Confidence: 0.9543551075

 $00{:}03{:}46{.}038 \dashrightarrow 00{:}03{:}50{.}340$  with direct relief and the Voices

NOTE Confidence: 0.9543551075

 $00{:}03{:}50{.}340 \dashrightarrow 00{:}03{:}52{.}380$  Out Loud project with Ryan Hampton,

NOTE Confidence: 0.884255094285714

 $00:03:52.390 \dashrightarrow 00:03:54.224$  who's been a past speaker as well.

NOTE Confidence: 0.884255094285714

 $00:03:54.230 \longrightarrow 00:03:55.725$  And we're also working on a

NOTE Confidence: 0.884255094285714

 $00{:}03{:}55{.}725 \dashrightarrow 00{:}03{:}57{.}238$  large initiative with Doctor

NOTE Confidence: 0.89046132

00:03:57.250 --> 00:03:59.248 Stader who is joining us today.

NOTE Confidence: 0.89046132

 $00{:}03{:}59{.}250 \dashrightarrow 00{:}04{:}01{.}014$  Doctor Stader is the founder and

NOTE Confidence: 0.89046132

 $00:04:01.014 \rightarrow 00:04:02.074$  visionary behind the Colorado naloxone

- NOTE Confidence: 0.89046132
- $00:04:02.074 \longrightarrow 00:04:03.276$  project that we're
- NOTE Confidence: 0.89046132
- $00:04:03.276 \longrightarrow 00:04:04.501$  also honored to be a part of.
- NOTE Confidence: 0.89046132
- $00:04:04.510 \longrightarrow 00:04:06.460$  So doctor Stader, thank you for
- NOTE Confidence: 0.89046132
- $00:04:06.460 \longrightarrow 00:04:07.684$  joining us and taking the time.
- NOTE Confidence: 0.89046132
- 00:04:07.684 --> 00:04:09.378 And I look forward to hearing from.
- NOTE Confidence: 0.89046132
- $00:04:09.380 \longrightarrow 00:04:10.424$  Doctor Coupet as well.
- NOTE Confidence: 0.89046132
- $00:04:10.424 \rightarrow 00:04:12.010$  So thank you everyone for coming.
- NOTE Confidence: 0.846374238333333
- 00:04:14.050 --> 00:04:16.468 Thank you, Kyle. We appreciate it.
- NOTE Confidence: 0.846374238333333
- 00:04:16.470 --> 00:04:18.175 So I would like to
- NOTE Confidence: 0.846374238333333
- 00:04:18.175 --> 00:04:19.198 introduce today's speakers.
- NOTE Confidence: 0.846374238333333
- $00:04:19.200 \longrightarrow 00:04:20.515$  Our first speaker is going
- NOTE Confidence: 0.846374238333333
- 00:04:20.515 --> 00:04:21.830 to be Doctor Edward Coupet.
- NOTE Confidence: 0.846374238333333
- 00:04:21.830 --> 00:04:24.378 Jr. Doctor Coupet is a NIDA
- NOTE Confidence: 0.846374238333333
- $00{:}04{:}24.378$  -->  $00{:}04{:}26.779$  sponsored Yale drug use addiction and
- NOTE Confidence: 0.846374238333333
- $00{:}04{:}26.779 \dashrightarrow 00{:}04{:}29.257$  HIV scholar and an assistant professor
- NOTE Confidence: 0.846374238333333

 $00:04:29.257 \rightarrow 00:04:31.910$  in the emergency medicine at Yale.

NOTE Confidence: 0.846374238333333

 $00:04:31.910 \rightarrow 00:04:34.654$  Dr Coupet graduated from the University of

NOTE Confidence: 0.846374238333333

00:04:34.654 --> 00:04:36.896 Illinois at Urbana Champaign completed

NOTE Confidence: 0.846374238333333

00:04:36.896 --> 00:04:39.884 medical school at University of Chicago,

NOTE Confidence: 0.846374238333333

 $00:04:39.890 \longrightarrow 00:04:41.654$  and his residency training

NOTE Confidence: 0.846374238333333

 $00:04:41.654 \longrightarrow 00:04:43.418$  in emergency medicine at

NOTE Confidence: 0.846374238333333

 $00:04:43.420 \longrightarrow 00:04:45.144$  Montefiore subsequent to

NOTE Confidence: 0.846374238333333

 $00:04:45.144 \longrightarrow 00:04:47.730$  that he completed a Center for

NOTE Confidence: 0.846374238333333

 $00:04:47.803 \rightarrow 00:04:50.098$  emergency care policy and research

NOTE Confidence: 0.846374238333333

 $00:04:50.098 \rightarrow 00:04:52.393$  fellowship at the University of

NOTE Confidence: 0.846374238333333

 $00:04:52.463 \dashrightarrow 00:04:54.619$  Pennsylvania. Doctor Coupet's

NOTE Confidence: 0.846374238333333

 $00{:}04{:}54{.}620 \dashrightarrow 00{:}04{:}57{.}134$  Research interests are that in the

NOTE Confidence: 0.846374238333333

 $00{:}04{:}57{.}134 \dashrightarrow 00{:}04{:}59{.}311$  intersection between substance use and

NOTE Confidence: 0.846374238333333

 $00:04:59.311 \rightarrow 00:05:01.059$  community violence and disparities

NOTE Confidence: 0.846374238333333

 $00:05:01.059 \dashrightarrow 00:05:03.244$  in access to addiction treatment.

NOTE Confidence: 0.846374238333333

 $00:05:03.250 \rightarrow 00:05:05.440$  We'll also be joined by Doctor

- NOTE Confidence: 0.846374238333333
- $00:05:05.440 \longrightarrow 00:05:06.170$  Donald Stader.
- NOTE Confidence: 0.846374238333333
- 00:05:06.170 --> 00:05:08.300 Dr Stader is an emergency
- NOTE Confidence: 0.846374238333333
- $00:05:08.300 \rightarrow 00:05:10.004$  physician in opioid expert.
- NOTE Confidence: 0.846374238333333
- $00{:}05{:}10.010 \dashrightarrow 00{:}05{:}11.560$  Don works at the Swedish
- NOTE Confidence: 0.846374238333333
- 00:05:11.560 --> 00:05:12.800 Medical Center in Englewood,
- NOTE Confidence: 0.846374238333333
- 00:05:12.800 --> 00:05:13.418 Englewood, Co,
- NOTE Confidence: 0.846374238333333
- $00{:}05{:}13.418 \dashrightarrow 00{:}05{:}15.890$  where he serves as a section chair of
- NOTE Confidence: 0.846374238333333
- $00{:}05{:}15.955 \dashrightarrow 00{:}05{:}18.435$  emergency medicine and the Associate
- NOTE Confidence: 0.846374238333333
- 00:05:18.435 --> 00:05:20.419 Emergency Department medical director.
- NOTE Confidence: 0.846374238333333
- $00{:}05{:}20{.}420 \dashrightarrow 00{:}05{:}22{.}592$  Don holds a medical degree with
- NOTE Confidence: 0.846374238333333
- 00:05:22.592 --> 00:05:24.969 honors from Baylor College of Medicine
- NOTE Confidence: 0.846374238333333
- $00:05:24.969 \longrightarrow 00:05:26.693$  and attended emergency residency
- NOTE Confidence: 0.846374238333333
- $00{:}05{:}26.693 \dashrightarrow 00{:}05{:}28.920$  at the Carolinas Medical Center.
- NOTE Confidence: 0.846374238333333
- 00:05:28.920 --> 00:05:31.188 He's founder and past chair of
- NOTE Confidence: 0.846374238333333
- 00:05:31.188 --> 00:05:32.700 the Colorado American College
- NOTE Confidence: 0.846374238333333

00:05:32.767 --> 00:05:34.279 of Emergency Physicians,

NOTE Confidence: 0.846374238333333

00:05:34.280 --> 00:05:36.041 Opioid Task Force,

NOTE Confidence: 0.846374238333333

00:05:36.041 --> 00:05:38.976 leader of the Colorado Cure,

NOTE Confidence: 0.846374238333333

 $00{:}05{:}38{.}980 \dashrightarrow 00{:}05{:}41{.}320$  which is an effort to create

NOTE Confidence: 0.846374238333333

 $00{:}05{:}41{.}320 \dashrightarrow 00{:}05{:}42{.}490$  multidisciplinary opioid prescribing

NOTE Confidence: 0.846374238333333

 $00{:}05{:}42{.}490 \dashrightarrow 00{:}05{:}45{.}044$  and treatment treatment guidelines for

NOTE Confidence: 0.846374238333333

 $00{:}05{:}45{.}044 \dashrightarrow 00{:}05{:}47{.}629$  the state of Colorado and he's chair

NOTE Confidence: 0.846374238333333

 $00:05:47.629 \dashrightarrow 00:05:49.244$  of the Colorado Naloxone Project.

NOTE Confidence: 0.846374238333333

 $00{:}05{:}49{.}250 \dashrightarrow 00{:}05{:}50{.}730$  As we hear about more.

NOTE Confidence: 0.846374238333333

 $00{:}05{:}50{.}730 \dashrightarrow 00{:}05{:}52{.}998$  Don is a senior pain management and

NOTE Confidence: 0.846374238333333

 $00:05:52.998 \longrightarrow 00:05:54.814$  opioid policy physician

NOTE Confidence: 0.846374238333333

 $00{:}05{:}54{.}814 \dashrightarrow 00{:}05{:}56{.}774$  advisor for the Colorado Hospital

NOTE Confidence: 0.846374238333333

 $00:05:56.774 \dashrightarrow 00:05:58.831$  Association and serves on multiple

NOTE Confidence: 0.846374238333333

 $00{:}05{:}58.831 \dashrightarrow 00{:}06{:}00.467$  national local committees addressing

NOTE Confidence: 0.846374238333333

00:06:00.467 --> 00:06:02.535 the opioid epidemic in

NOTE Confidence: 0.846374238333333

 $00{:}06{:}02.535 \dashrightarrow 00{:}06{:}04.660$  Colorado and across the nation.

- NOTE Confidence: 0.846374238333333
- $00:06:04.660 \longrightarrow 00:06:07.360$  So we're really pleased to have
- NOTE Confidence: 0.846374238333333
- 00:06:07.360 --> 00:06:09.160 two expert emergency medicine
- NOTE Confidence: 0.846374238333333
- $00:06:09.242 \longrightarrow 00:06:11.347$  physicians to address the what
- NOTE Confidence: 0.846374238333333
- $00:06:11.347 \rightarrow 00:06:13.146$  can be done to address the opioid
- NOTE Confidence: 0.846374238333333
- $00:06:13.146 \rightarrow 00:06:15.060$  crisis in the emergency department.
- NOTE Confidence: 0.846374238333333
- 00:06:15.060 --> 00:06:15.576 So Eddie,
- NOTE Confidence: 0.846374238333333
- $00:06:15.576 \rightarrow 00:06:17.640$  with that I'll let you take it away.
- NOTE Confidence: 0.8267688
- 00:06:19.860 --> 00:06:25.500 Right, thank you. Finish share my screen.
- NOTE Confidence: 0.813056418
- 00:06:30.000 --> 00:06:32.024 Alright, thank you doctor.
- NOTE Confidence: 0.813056418
- $00:06:32.024 \rightarrow 00:06:35.060$  Thank you Dave for that introduction.
- NOTE Confidence: 0.813056418
- 00:06:35.060 --> 00:06:38.820 Yeah, so we'll just get right into it.
- NOTE Confidence: 0.813056418
- 00:06:38.820 --> 00:06:40.044 Before I begin,
- NOTE Confidence: 0.813056418
- $00{:}06{:}40.044 \dashrightarrow 00{:}06{:}42.900$  I should add I have no financial
- NOTE Confidence: 0.813056418
- $00{:}06{:}42.988 \dashrightarrow 00{:}06{:}45.878$  conflicts of interest to disclose.
- NOTE Confidence: 0.813056418
- $00:06:45.880 \longrightarrow 00:06:47.428$  I'm going to be covering a
- NOTE Confidence: 0.813056418

00:06:47.428 --> 00:06:48.460 pretty large topic today,

NOTE Confidence: 0.813056418

00:06:48.460 --> 00:06:49.708 e.g., initiated buprenorphine.

NOTE Confidence: 0.813056418

00:06:49.708 --> 00:06:53.300 It's going to be a really broad overview,

NOTE Confidence: 0.813056418

 $00:06:53.300 \longrightarrow 00:06:54.950$  so there's so many things to

NOTE Confidence: 0.813056418

00:06:54.950 -> 00:06:56.400 discuss really within this topic,

NOTE Confidence: 0.813056418

 $00:06:56.400 \dashrightarrow 00:06:58.896$  so I'm gonna touch upon each of these NOTE Confidence: 0.813056418

 $00{:}06{:}58.896 \dashrightarrow 00{:}07{:}01.614$  points at a very high level and starting

NOTE Confidence: 0.813056418

 $00:07:01.614 \rightarrow 00:07:04.296$  off with why the emergency department

NOTE Confidence: 0.813056418

 $00{:}07{:}04.296 \dashrightarrow 00{:}07{:}06.827$  is important and then getting into.

NOTE Confidence: 0.813056418

 $00{:}07{:}06.830 \dashrightarrow 00{:}07{:}09.005$  Can prescribing and the importance

NOTE Confidence: 0.813056418

 $00{:}07{:}09{.}005 \dashrightarrow 00{:}07{:}10{.}745$  of protocols lessons learned,

NOTE Confidence: 0.813056418

 $00{:}07{:}10.750 \dashrightarrow 00{:}07{:}13.402$  illegal policy updates and then wrapping

NOTE Confidence: 0.813056418

 $00{:}07{:}13.402 \dashrightarrow 00{:}07{:}16.130$  things up with disparities in addiction

NOTE Confidence: 0.813056418

 $00{:}07{:}16.130 \dashrightarrow 00{:}07{:}18.345$  care and future considerations so.

NOTE Confidence: 0.813056418

 $00{:}07{:}18.350 \dashrightarrow 00{:}07{:}20.800$  So I the larger question is you

NOTE Confidence: 0.813056418

00:07:20.800 --> 00:07:23.798 step back is why should we focus

- NOTE Confidence: 0.813056418
- $00:07:23.798 \longrightarrow 00:07:26.228$  on the emergency department in our

 $00{:}07{:}26.228 \dashrightarrow 00{:}07{:}27.902$  efforts to really fight and address

NOTE Confidence: 0.813056418

 $00:07:27.902 \longrightarrow 00:07:29.609$  this opioid crisis that we're in?

NOTE Confidence: 0.813056418

 $00:07:29.610 \rightarrow 00:07:33.867$  Well, the Ed is open 24 hours a day,

NOTE Confidence: 0.813056418

 $00:07:33.870 \longrightarrow 00:07:35.270$  seven days a week,

NOTE Confidence: 0.813056418

 $00:07:35.270 \longrightarrow 00:07:38.151$  365 days over the course of the year

NOTE Confidence: 0.813056418

 $00{:}07{:}38.151 \dashrightarrow 00{:}07{:}40.951$  and so over that time we see patients

NOTE Confidence: 0.813056418

 $00:07:41.032 \rightarrow 00:07:43.467$  who have overdosed from opioids.

NOTE Confidence: 0.813056418

 $00{:}07{:}43{.}470 \dashrightarrow 00{:}07{:}45{.}390$  We also see patients who may

NOTE Confidence: 0.813056418

 $00:07:45.390 \rightarrow 00:07:47.313$  come to the emergency department

NOTE Confidence: 0.813056418

 $00{:}07{:}47.313 \dashrightarrow 00{:}07{:}48.772$  seeking addiction treatment.

NOTE Confidence: 0.813056418

 $00{:}07{:}48.772 \dashrightarrow 00{:}07{:}51.859$  And then we also have the opportunity

NOTE Confidence: 0.813056418

00:07:51.859 - 00:07:54.580 to identify patients who may have

NOTE Confidence: 0.813056418

 $00:07:54.580 \dashrightarrow 00:07:56.785$  been coming into the emergency

NOTE Confidence: 0.813056418

 $00{:}07{:}56.860 \dashrightarrow 00{:}07{:}58.712$  department for other unrelated

 $00:07:58.712 \rightarrow 00:08:01.027$  concerns such as ankle sprains

NOTE Confidence: 0.813056418

 $00{:}08{:}01{.}027 \dashrightarrow 00{:}08{:}03{.}050$  or chest pain through screening.

NOTE Confidence: 0.813056418

 $00:08:03.050 \rightarrow 00:08:05.900$  And it's through that we can identify

NOTE Confidence: 0.813056418

 $00:08:05.900 \rightarrow 00:08:08.115$  patients with untreated opioid use

NOTE Confidence: 0.813056418

 $00{:}08{:}08{.}115 \dashrightarrow 00{:}08{:}10.969$  disorder and link them into treatment.

NOTE Confidence: 0.813056418

 $00{:}08{:}10{.}970 \dashrightarrow 00{:}08{:}14{.}092$  So back in 2015 there was this

NOTE Confidence: 0.813056418

 $00:08:14.092 \longrightarrow 00:08:16.084$  landmark randomized controlled trial

NOTE Confidence: 0.813056418

00:08:16.084 --> 00:08:18.368 of Eddie initiated buprenorphine,

NOTE Confidence: 0.813056418

 $00{:}08{:}18{.}370 \dashrightarrow 00{:}08{:}20{.}446$  which essentially found that

NOTE Confidence: 0.813056418

 $00{:}08{:}20{.}446 \dashrightarrow 00{:}08{:}22{.}522$  patients who received bup renorphine

NOTE Confidence: 0.813056418

 $00:08:22.522 \rightarrow 00:08:25.408$  are from the emergency department.

NOTE Confidence: 0.813056418

 $00:08:25.410 \longrightarrow 00:08:27.636$  The first dose of Jupiter from the

NOTE Confidence: 0.813056418

 $00:08:27.636 \rightarrow 00:08:29.226$  emergency department were twice as

NOTE Confidence: 0.813056418

 $00:08:29.226 \rightarrow 00:08:30.972$  likely to be engaged in addiction

NOTE Confidence: 0.813056418

 $00:08:30.972 \longrightarrow 00:08:32.907$  treatment at 30 days compared to those

NOTE Confidence: 0.813056418

00:08:32.907 - > 00:08:34.657 who had just received a referral.

- NOTE Confidence: 0.813056418
- 00:08:34.657 --> 00:08:38.233 And so this trial took us into today,
- NOTE Confidence: 0.813056418
- $00:08:38.240 \longrightarrow 00:08:40.488$  which essentially shows a.
- NOTE Confidence: 0.813056418
- 00:08:40.488 --> 00:08:43.298 A burgeoning role of buprenorphine
- NOTE Confidence: 0.813056418
- $00:08:43.298 \rightarrow 00:08:46.179$  really across emergency department
- NOTE Confidence: 0.813056418
- $00:08:46.180 \longrightarrow 00:08:48.004$  in emergency departments across
- NOTE Confidence: 0.813056418
- $00:08:48.004 \rightarrow 00:08:51.350$  the US and so in this study.
- NOTE Confidence: 0.813056418
- 00:08:51.350 --> 00:08:52.586 Back in 2002,
- NOTE Confidence: 0.813056418
- $00{:}08{:}52.586 \dashrightarrow 00{:}08{:}55.470$  refound that there were they found that
- NOTE Confidence: 0.813056418
- $00:08:55.553 \rightarrow 00:08:58.013$  there were there were approximately
- NOTE Confidence: 0.813056418
- $00:08:58.013 \rightarrow 00:09:00.118$  12 times at which bup renorphine
- NOTE Confidence: 0.813056418
- $00{:}09{:}00{.}118 \dashrightarrow 00{:}09{:}02{.}128$  was administered in the emergency
- NOTE Confidence: 0.813056418
- 00:09:02.128 --> 00:09:04.055 department per 100,000 PD visits,
- NOTE Confidence: 0.813056418
- $00:09:04.055 \rightarrow 00:09:07.100$  and that number is nearly quadrupled to
- NOTE Confidence: 0.813056418
- 00:09:07.180 --> 00:09:10.798 nearly 43 times per 100,000 Ed visits and,
- NOTE Confidence: 0.813056418
- $00:09:10.798 \longrightarrow 00:09:11.726$  as you can see,
- NOTE Confidence: 0.813056418

 $00:09:11.730 \longrightarrow 00:09:14.150$  this is really remarkable in

NOTE Confidence: 0.813056418

 $00{:}09{:}14.150 \dashrightarrow 00{:}09{:}16.086$  that how Ed initiated.

NOTE Confidence: 0.813056418

00:09:16.090 --> 00:09:17.326 Buprenorphine has really

NOTE Confidence: 0.813056418

 $00:09:17.326 \longrightarrow 00:09:18.974$  expanded across the US.

NOTE Confidence: 0.820998325714286

 $00:09:21.400 \dashrightarrow 00:09:24.430$  With that said, we recognize the

NOTE Confidence: 0.820998325714286

 $00:09:24.430 \longrightarrow 00:09:26.450$  importance of professional organizations

NOTE Confidence: 0.820998325714286

 $00:09:26.522 \rightarrow 00:09:29.342$  really in establishing standards of care

NOTE Confidence: 0.820998325714286

 $00:09:29.342 \rightarrow 00:09:31.990$  through specialties and the emergency.

NOTE Confidence: 0.820998325714286

00:09:31.990 --> 00:09:34.190 Emergency medicine is no different.

NOTE Confidence: 0.820998325714286

00:09:34.190 --> 00:09:37.070 The American College of Emergency Physicians,

NOTE Confidence: 0.820998325714286

00:09:37.070 --> 00:09:39.594 our largest or ASAP,

NOTE Confidence: 0.820998325714286

 $00:09:39.594 \longrightarrow 00:09:42.118$  our largest professional organization.

NOTE Confidence: 0.820998325714286

 $00:09:42.120 \dashrightarrow 00:09:44.560$  Push this publish these guidelines

NOTE Confidence: 0.820998325714286

 $00:09:44.560 \longrightarrow 00:09:46.512$  recently and within them.

NOTE Confidence: 0.820998325714286

00:09:46.520 --> 00:09:48.011 It essentially recommended

NOTE Confidence: 0.820998325714286

 $00:09:48.011 \dashrightarrow 00:09:49.999$  that emergency physicians offer

- NOTE Confidence: 0.820998325714286
- 00:09:49.999 --> 00:09:52.379 treatment for opioid use disorder,
- NOTE Confidence: 0.820998325714286
- $00:09:52.380 \rightarrow 00:09:54.512$  specifically bup renorphine to the
- NOTE Confidence: 0.820998325714286
- $00:09:54.512 \rightarrow 00:09:57.428$  appropriate patients as well as a
- NOTE Confidence: 0.820998325714286
- $00:09:57.428 \rightarrow 00:09:59.738$  referral to ongoing addiction care.
- NOTE Confidence: 0.820998325714286
- $00:09:59.740 \dashrightarrow 00:10:05.108$  And so this this paper, I feel, was very.
- NOTE Confidence: 0.820998325714286
- $00{:}10{:}05{.}110 \dashrightarrow 00{:}10{:}07{.}546$  Very critical in terms of scaling up.
- NOTE Confidence: 0.820998325714286
- 00:10:07.550 --> 00:10:11.995 Ed initiated buprenorphine as ASAP or ASAP.
- NOTE Confidence: 0.820998325714286
- 00:10:12.000 --> 00:10:14.995 Really is instrumental in establishing
- NOTE Confidence: 0.820998325714286
- $00:10:14.995 \rightarrow 00:10:17.990$  guidelines from rule from academic
- NOTE Confidence: 0.820998325714286
- $00:10:18.073 \rightarrow 00:10:21.860$  physicians all the way out to rural
- NOTE Confidence: 0.820998325714286
- $00:10:21.860 \rightarrow 00:10:23.483$  emergency medicine physicians.
- NOTE Confidence: 0.820998325714286
- $00:10:23.490 \longrightarrow 00:10:24.894$  So then the larger question is
- NOTE Confidence: 0.820998325714286
- $00:10:24.894 \rightarrow 00:10:26.608$  how did we get to this point?
- NOTE Confidence: 0.820998325714286
- $00{:}10{:}26.610 \dashrightarrow 00{:}10{:}28.650$  Well, the emergency department is
- NOTE Confidence: 0.820998325714286
- $00:10:28.650 \rightarrow 00:10:31.140$  quite a quite challenging setting to
- NOTE Confidence: 0.820998325714286

 $00:10:31.140 \longrightarrow 00:10:33.070$  really establish standards of care.

NOTE Confidence: 0.820998325714286

 $00{:}10{:}33{.}070 \dashrightarrow 00{:}10{:}35{.}408$  In that we see patients who present

NOTE Confidence: 0.820998325714286

00:10:35.408 --> 00:10:37.379 in acute illness or extremists.

NOTE Confidence: 0.820998325714286

 $00:10:37.380 \longrightarrow 00:10:39.714$  We also see patients who deal

NOTE Confidence: 0.820998325714286

 $00{:}10{:}39{.}714 \dashrightarrow 00{:}10{:}41{.}270$  with multiple social challenges,

NOTE Confidence: 0.820998325714286

 $00:10:41.270 \rightarrow 00:10:43.682$  specifically housing and stability

NOTE Confidence: 0.820998325714286

00:10:43.682 --> 00:10:44.888 and unemployment,

NOTE Confidence: 0.820998325714286

 $00:10:44.890 \longrightarrow 00:10:46.650$  as well as insurance issues.

NOTE Confidence: 0.820998325714286

 $00{:}10{:}46.650 \dashrightarrow 00{:}10{:}48.370$  There's also the pressure for

NOTE Confidence: 0.820998325714286

 $00:10:48.370 \longrightarrow 00:10:50.090$  throughput in terms of seeing

NOTE Confidence: 0.820998325714286

 $00:10:50.149 \rightarrow 00:10:52.044$  patients as quickly as possible

NOTE Confidence: 0.820998325714286

 $00:10:52.044 \rightarrow 00:10:53.939$  and getting them either admitted.

NOTE Confidence: 0.820998325714286

 $00:10:53.940 \longrightarrow 00:10:56.803$  Or home safely as quickly as possible

NOTE Confidence: 0.820998325714286

 $00{:}10{:}56.803 \dashrightarrow 00{:}10{:}59.527$  and then now more than ever there

NOTE Confidence: 0.820998325714286

 $00:10:59.527 \rightarrow 00:11:01.396$  is this issue of crowding as we're

NOTE Confidence: 0.820998325714286

 $00:11:01.396 \rightarrow 00:11:03.479$  in a national boarding crisis,

- NOTE Confidence: 0.820998325714286
- $00:11:03.480 \longrightarrow 00:11:07.808$  and so with that said.
- NOTE Confidence: 0.820998325714286
- $00:11:07.810 \longrightarrow 00:11:11.968$  Protocols are really key in terms of
- NOTE Confidence: 0.820998325714286
- 00:11:11.968 --> 00:11:14.144 establishing establishing standards of
- NOTE Confidence: 0.820998325714286
- $00:11:14.144 \rightarrow 00:11:16.662$  care and establishing standards of care,
- NOTE Confidence: 0.820998325714286
- $00:11:16.662 \rightarrow 00:11:18.574$  particularly with media initiated
- NOTE Confidence: 0.820998325714286
- $00:11:18.574 \rightarrow 00:11:19.530$  people norfin.
- NOTE Confidence: 0.820998325714286
- $00:11:19.530 \longrightarrow 00:11:23.690$  So this study there was a study that
- NOTE Confidence: 0.820998325714286
- $00:11:23.690 \rightarrow 00:11:27.246$  that was across of Ed initiative group
- NOTE Confidence: 0.820998325714286
- $00:11:27.250 \longrightarrow 00:11:29.542$  protocols across several geographically
- NOTE Confidence: 0.820998325714286
- $00:11:29.542 \rightarrow 00:11:32.407$  diverse sites and essentially found
- NOTE Confidence: 0.820998325714286
- $00:11:32.407 \rightarrow 00:11:35.570$  that all protocols contain 3 components,
- NOTE Confidence: 0.820998325714286
- $00{:}11{:}35{.}570 \dashrightarrow 00{:}11{:}37{.}502$  one of which was the identification
- NOTE Confidence: 0.820998325714286
- $00{:}11{:}37{.}502 \dashrightarrow 00{:}11{:}38{.}146$  of treatment.
- NOTE Confidence: 0.820998325714286
- $00:11:38.150 \longrightarrow 00:11:39.112$  Eligible patients,
- NOTE Confidence: 0.820998325714286
- $00{:}11{:}39{.}112 \dashrightarrow 00{:}11{:}41{.}998$  the second of which was instructions
- NOTE Confidence: 0.820998325714286

 $00:11:41.998 \rightarrow 00:11:44.173$  surrounding human orphan initiation and

NOTE Confidence: 0.820998325714286

 $00:11:44.173 \rightarrow 00:11:46.847$  then a discharge plan and follow up.

NOTE Confidence: 0.820998325714286

 $00{:}11{:}46.850 \dashrightarrow 00{:}11{:}50.552$  There was some variability between each

NOTE Confidence: 0.820998325714286

 $00{:}11{:}50{.}552 \dashrightarrow 00{:}11{:}54{.}516$  amongst each of these components in

NOTE Confidence: 0.820998325714286

 $00{:}11{:}54{.}516$  -->  $00{:}11{:}57{.}148$  that most of them relied on physician

NOTE Confidence: 0.820998325714286

 $00{:}11{:}57{.}148 \dashrightarrow 00{:}11{:}59{.}161$  judgment for the identification

NOTE Confidence: 0.820998325714286

 $00:11:59.161 \rightarrow 00:12:01.529$  of treatment eligible patients.

NOTE Confidence: 0.820998325714286

 $00:12:01.530 \rightarrow 00:12:03.145$  There was variability in terms

NOTE Confidence: 0.820998325714286

 $00:12:03.145 \longrightarrow 00:12:05.250$  of dosing for group in orphan,

NOTE Confidence: 0.820998325714286

 $00:12:05.250 \rightarrow 00:12:07.539$  the timing between doses as well as

NOTE Confidence: 0.820998325714286

 $00{:}12{:}07{.}539 \dashrightarrow 00{:}12{:}10{.}128$  the Mex first day dose between sites.

NOTE Confidence: 0.820998325714286

 $00:12:10.130 \longrightarrow 00:12:13.070$  And it also found that most protocols

NOTE Confidence: 0.820998325714286

 $00{:}12{:}13.070 \dashrightarrow 00{:}12{:}16.285$  really had very explicit structions for

NOTE Confidence: 0.820998325714286

 $00:12:16.285 \rightarrow 00:12:19.405$  the discharge dosing for bup renorphine,

NOTE Confidence: 0.820998325714286

 $00:12:19.410 \rightarrow 00:12:21.305$  as well as instructions surrounding

NOTE Confidence: 0.820998325714286

 $00:12:21.305 \rightarrow 00:12:23.760$  follow-up care and prescribing of naloxone.

- NOTE Confidence: 0.963891904285714
- $00:12:26.210 \rightarrow 00:12:28.926$  So as we think about scaling up,
- NOTE Confidence: 0.963891904285714
- 00:12:28.930 --> 00:12:30.874 Ed initiated buprenorphine,
- NOTE Confidence: 0.963891904285714
- $00:12:30.874 \longrightarrow 00:12:33.466$  we recognize that technology,
- NOTE Confidence: 0.963891904285714
- $00:12:33.470 \rightarrow 00:12:35.962$  specifically the electronic health
- NOTE Confidence: 0.963891904285714
- $00:12:35.962 \rightarrow 00:12:38.454$  records and and applications,
- NOTE Confidence: 0.963891904285714
- 00:12:38.460 --> 00:12:40.320 really play an enormous role in
- NOTE Confidence: 0.963891904285714
- 00:12:40.320 --> 00:12:42.509 terms of in terms of scaling up,
- NOTE Confidence: 0.963891904285714
- $00:12:42.510 \rightarrow 00:12:44.690$  Ed initiated bup renorphine and so
- NOTE Confidence: 0.963891904285714
- $00{:}12{:}44.690 \dashrightarrow 00{:}12{:}47.315$  really have the opportunity to leverage
- NOTE Confidence: 0.963891904285714
- $00:12:47.315 \rightarrow 00:12:50.215$  it to really establish and implement
- NOTE Confidence: 0.963891904285714
- $00:12:50.215 \rightarrow 00:12:53.141$  continue to implement standards of care
- NOTE Confidence: 0.963891904285714
- $00:12:53.141 \longrightarrow 00:12:56.012$  and so to come there is there will be.
- NOTE Confidence: 0.963891904285714
- $00{:}12{:}56{.}020 \dashrightarrow 00{:}12{:}58{.}348$  With desktop as well as phone
- NOTE Confidence: 0.963891904285714
- $00{:}12{:}58{.}348 \dashrightarrow 00{:}12{:}59{.}900$  apps to provide instructions
- NOTE Confidence: 0.963891904285714
- $00:12:59.970 \rightarrow 00:13:02.379$  surrounding bup renorphine induction.
- NOTE Confidence: 0.963891904285714

- $00:13:02.380 \longrightarrow 00:13:04.330$  And initiation.
- NOTE Confidence: 0.963891904285714
- $00{:}13{:}04{.}330 \dashrightarrow 00{:}13{:}07{.}070$  So looking back thus far,
- NOTE Confidence: 0.963891904285714
- $00:13:07.070 \longrightarrow 00:13:09.398$  what lessons have we learned as far as
- NOTE Confidence: 0.963891904285714
- 00:13:09.398 --> 00:13:11.330 implementing Ed initiated buprenorphine?
- NOTE Confidence: 0.963891904285714
- 00:13:11.330 --> 00:13:13.150 Well, as I mentioned before,
- NOTE Confidence: 0.963891904285714
- $00{:}13{:}13{.}150 \dashrightarrow 00{:}13{:}15{.}278$  make it as easy as possible and that
- NOTE Confidence: 0.963891904285714
- $00:13:15.278 \longrightarrow 00:13:16.812$  includes by leveraging electronic
- NOTE Confidence: 0.963891904285714
- $00{:}13{:}16.812 \dashrightarrow 00{:}13{:}18.696$  health records and protocols.
- NOTE Confidence: 0.963891904285714
- $00:13:18.700 \longrightarrow 00:13:21.678$  As I touched upon before really
- NOTE Confidence: 0.963891904285714
- $00:13:21.678 \rightarrow 00:13:23.550$  identifying local champions including
- NOTE Confidence: 0.963891904285714
- $00:13:23.550 \longrightarrow 00:13:27.323$  those in the Ed as well as community
- NOTE Confidence: 0.963891904285714
- $00{:}13{:}27{.}323 \dashrightarrow 00{:}13{:}30{.}041$  stakeholders who can help guide in
- NOTE Confidence: 0.963891904285714
- $00:13:30.041 \rightarrow 00:13:33.094$  protocol development as well as improve
- NOTE Confidence: 0.963891904285714
- $00:13:33.094 \rightarrow 00:13:35.619$  patient engagement in addiction care.
- NOTE Confidence: 0.963891904285714
- $00:13:35.620 \rightarrow 00:13:38.610$  We've also recognized the importance
- NOTE Confidence: 0.963891904285714
- $00:13:38.610 \rightarrow 00:13:41.002$  of multi level interdisciplinary

- NOTE Confidence: 0.963891904285714
- 00:13:41.002 --> 00:13:42.220 interdisciplinary support,
- NOTE Confidence: 0.963891904285714
- 00:13:42.220 --> 00:13:45.615 particularly in terms of getting our nursing,
- NOTE Confidence: 0.963891904285714
- 00:13:45.620 --> 00:13:46.132 nursing,
- NOTE Confidence: 0.963891904285714
- 00:13:46.132 --> 00:13:48.692 pharmacy and social work colleagues
- NOTE Confidence: 0.963891904285714
- $00:13:48.692 \rightarrow 00:13:51.540$  involved as much as possible.
- NOTE Confidence: 0.963891904285714
- $00{:}13{:}51{.}540 \dashrightarrow 00{:}13{:}53{.}664$  And then we also recognize that
- NOTE Confidence: 0.963891904285714
- 00:13:53.664 --> 00:13:55.080 while it's improving still,
- NOTE Confidence: 0.963891904285714
- $00{:}13{:}55{.}080 \dashrightarrow 00{:}13{:}58{.}650$  stigma still remains a large barrier
- NOTE Confidence: 0.963891904285714
- $00:13:58.650 \longrightarrow 00:14:01.500$  to receiving addiction care for.
- NOTE Confidence: 0.963891904285714
- $00:14:01.500 \rightarrow 00:14:04.760$  For our patients so.
- NOTE Confidence: 0.963891904285714
- $00:14:04.760 \longrightarrow 00:14:07.230$  Earlier this year we published
- NOTE Confidence: 0.963891904285714
- $00:14:07.230 \rightarrow 00:14:09.700$  this paper identifying Ed patients
- NOTE Confidence: 0.963891904285714
- $00{:}14{:}09{.}779 \dashrightarrow 00{:}14{:}12{.}439$  with untreated opioid use disorder,
- NOTE Confidence: 0.963891904285714
- $00{:}14{:}12{.}440 \dashrightarrow 00{:}14{:}14{.}996$  and within it we essentially found
- NOTE Confidence: 0.963891904285714
- 00:14:14.996 --> 00:14:17.156 across 4 geographically diverse sites
- NOTE Confidence: 0.963891904285714

 $00:14:17.156 \rightarrow 00:14:19.008$  that most patients with untreated

NOTE Confidence: 0.963891904285714

00:14:19.008 --> 00:14:21.416 opioid used to sort of present it

NOTE Confidence: 0.963891904285714

 $00:14:21.416 \longrightarrow 00:14:24.033$  to the Ed not seeking or referral

NOTE Confidence: 0.963891904285714

 $00:14:24.033 \longrightarrow 00:14:26.403$  for addiction care and less than

NOTE Confidence: 0.963891904285714

 $00:14:26.403 \longrightarrow 00:14:28.508$  half of them actually identified

NOTE Confidence: 0.963891904285714

 $00:14:28.510 \longrightarrow 00:14:30.253$  less than half of those who actually

NOTE Confidence: 0.963891904285714

 $00:14:30.253 \rightarrow 00:14:31.480$  identified as seeking addiction.

NOTE Confidence: 0.963891904285714

 $00:14:31.480 \rightarrow 00:14:35.344$  Care actually had an ICD 10 diagnosis code.

NOTE Confidence: 0.963891904285714

 $00{:}14{:}35{.}350 \dashrightarrow 00{:}14{:}37{.}632$  For opioid use disorder and so it

NOTE Confidence: 0.963891904285714

 $00{:}14{:}37.632 \dashrightarrow 00{:}14{:}39.645$  really speaks to the importance

NOTE Confidence: 0.963891904285714

 $00{:}14{:}39{.}645 \dashrightarrow 00{:}14{:}41{.}577$  again of leveraging electronic

NOTE Confidence: 0.963891904285714

 $00{:}14{:}41{.}577 \dashrightarrow 00{:}14{:}43{.}966$  health records and protocols to

NOTE Confidence: 0.963891904285714

 $00:14:43.966 \rightarrow 00:14:46.520$  really identify patients with opioid

NOTE Confidence: 0.963891904285714

 $00:14:46.520 \longrightarrow 00:14:48.290$  use disorder better.

NOTE Confidence: 0.963891904285714

 $00:14:48.290 \rightarrow 00:14:50.411$  And also we found that many individuals

NOTE Confidence: 0.963891904285714

 $00:14:50.411 \rightarrow 00:14:52.530$  were challenged by multiple social risks,

 $00:14:52.530 \rightarrow 00:14:55.410 \text{ most notably housing and stability}$ 

NOTE Confidence: 0.963891904285714

 $00:14:55.410 \longrightarrow 00:14:57.714$  as well as unemployment.

NOTE Confidence: 0.963891904285714

 $00:14:57.720 \longrightarrow 00:14:59.862$  In this study looked we looked

NOTE Confidence: 0.963891904285714

 $00:14:59.862 \longrightarrow 00:15:01.948$  at clinician barriers to Ed

NOTE Confidence: 0.963891904285714

00:15:01.948 --> 00:15:03.118 initiated buprenorphine,

NOTE Confidence: 0.963891904285714

 $00{:}15{:}03{.}120 \dashrightarrow 00{:}15{:}07{.}040$  and we found that only four percent were

NOTE Confidence: 0.963891904285714

 $00{:}15{:}07.040 \dashrightarrow 00{:}15{:}09.920$  of clinicians were trained were received,

NOTE Confidence: 0.963891904285714

 $00{:}15{:}09{.}920 \dashrightarrow 00{:}15{:}13{.}161$ a data 2000X waiver training to be

NOTE Confidence: 0.963891904285714

 $00{:}15{:}13{.}161 \dashrightarrow 00{:}15{:}16{.}354$  able to prescribe bup renorphine from

NOTE Confidence: 0.963891904285714

 $00{:}15{:}16{.}354 \dashrightarrow 00{:}15{:}19{.}966$  the Ed and 21% only 21% at least

NOTE Confidence: 0.963891904285714

 $00:15:19.966 \rightarrow 00:15:21.711$  reported high levels of readiness

NOTE Confidence: 0.963891904285714

 $00{:}15{:}21{.}711 \dashrightarrow 00{:}15{:}23{.}877$  to prescribe you pain or fear.

NOTE Confidence: 0.930215877142857

 $00{:}15{:}26{.}430 \dashrightarrow 00{:}15{:}28{.}124$  So as far as looking at barriers,

NOTE Confidence: 0.930215877142857

 $00{:}15{:}28{.}130 \dashrightarrow 00{:}15{:}30{.}265$  we found that there was an overall

NOTE Confidence: 0.930215877142857

 $00{:}15{:}30{.}265 \dashrightarrow 00{:}15{:}32{.}024$  lack of training and experience

00:15:32.024 --> 00:15:33.969 in treating opioid use disorder

NOTE Confidence: 0.930215877142857

 $00{:}15{:}33{.}969 \dashrightarrow 00{:}15{:}35{.}860$  from the emergency department.

NOTE Confidence: 0.930215877142857

00:15:35.860 --> 00:15:38.036 Many participants also expressed

NOTE Confidence: 0.930215877142857

 $00:15:38.036 \rightarrow 00:15:39.668$  concerns regarding linking

NOTE Confidence: 0.930215877142857

 $00:15:39.668 \rightarrow 00:15:42.410$  patients to ongoing addiction care.

NOTE Confidence: 0.930215877142857

 $00{:}15{:}42{.}410 \dashrightarrow 00{:}15{:}46{.}314$  And many also spoke up on the challenges

NOTE Confidence: 0.930215877142857

 $00:15:46.314 \rightarrow 00:15:48.630$  of meeting the other competing

NOTE Confidence: 0.930215877142857

 $00:15:48.630 \rightarrow 00:15:51.360$  needs and resources within the very

NOTE Confidence: 0.930215877142857

 $00:15:51.434 \rightarrow 00:15:53.890$  busy emergency department setting.

NOTE Confidence: 0.930215877142857

00:15:53.890 - > 00:15:56.390 Some key facilitators we found

NOTE Confidence: 0.930215877142857

00:15:56.390 --> 00:15:57.890 were receiving addiction,

NOTE Confidence: 0.930215877142857

 $00{:}15{:}57{.}890 \dashrightarrow 00{:}16{:}00{.}242$  receiving education and training

NOTE Confidence: 0.930215877142857

 $00:16:00.242 \longrightarrow 00:16:02.006$  surrounding addiction care.

NOTE Confidence: 0.930215877142857

 $00{:}16{:}02{.}010 \dashrightarrow 00{:}16{:}05{.}882$  We also found that the development of local

NOTE Confidence: 0.930215877142857

 $00{:}16{:}05{.}882 \dashrightarrow 00{:}16{:}08{.}940$  protocols that can kind of streamlined.

NOTE Confidence: 0.930215877142857

 $00:16:08.940 \longrightarrow 00:16:11.124$  Streamlined Ed initiated

- NOTE Confidence: 0.930215877142857
- $00:16:11.124 \rightarrow 00:16:13.308$  buprenorphine for clinicians.
- NOTE Confidence: 0.930215877142857
- 00:16:13.310 --> 00:16:15.680 And we also found that receiving
- NOTE Confidence: 0.930215877142857
- 00:16:15.680 --> 00:16:17.260 feedback on patient experiences
- NOTE Confidence: 0.930215877142857
- $00:16:17.326 \longrightarrow 00:16:19.180$  from those who have opioid use
- NOTE Confidence: 0.930215877142857
- $00:16:19.180 \longrightarrow 00:16:21.423$  disorder as well as gaps in quality
- NOTE Confidence: 0.930215877142857
- $00:16:21.423 \longrightarrow 00:16:23.313$  of care was also very helpful.
- NOTE Confidence: 0.865403073333333
- $00:16:25.350 \longrightarrow 00:16:29.524$  So now looking at policy updates back
- NOTE Confidence: 0.865403073333333
- 00:16:29.524 --> 00:16:33.392 in January on January 14th of 2021,
- NOTE Confidence: 0.865403073333333
- $00{:}16{:}33{.}392 \dashrightarrow 00{:}16{:}35{.}080$  the outgoing Trump administration
- NOTE Confidence: 0.865403073333333
- $00:16:35.080 \rightarrow 00:16:37.657$  lifted many of the barriers surrounding
- NOTE Confidence: 0.865403073333333
- 00:16:37.657 --> 00:16:40.039 procuring an X waiver and over
- NOTE Confidence: 0.865403073333333
- $00{:}16{:}40.039 \dashrightarrow 00{:}16{:}42.003$  that time physicians could simply
- NOTE Confidence: 0.865403073333333
- $00{:}16{:}42.003 \dashrightarrow 00{:}16{:}44.474$  place an X on their prescription to
- NOTE Confidence: 0.865403073333333
- $00{:}16{:}44{.}474 \dashrightarrow 00{:}16{:}46{.}501$  suggest that bup renorphine would
- NOTE Confidence: 0.865403073333333
- $00:16:46.501 \rightarrow 00:16:49.843$  be used for opioid use disorder.
- NOTE Confidence: 0.865403073333333

00:16:49.850 --> 00:16:50.930 It should be noted though,

NOTE Confidence: 0.865403073333333

 $00{:}16{:}50{.}930 \dashrightarrow 00{:}16{:}53{.}401$  that for those who did not receive

NOTE Confidence: 0.865403073333333

 $00:16:53.401 \longrightarrow 00:16:56.260$  the 8 hour training course which

NOTE Confidence: 0.865403073333333

 $00:16:56.260 \rightarrow 00:16:58.548$  was previously a requirement,

NOTE Confidence: 0.865403073333333

 $00:16:58.550 \longrightarrow 00:17:00.250$  we're still we're still,

NOTE Confidence: 0.865403073333333

 $00{:}17{:}00{.}250 \dashrightarrow 00{:}17{:}03{.}635$  we're still not able to treat any more

NOTE Confidence: 0.865403073333333

 $00:17:03.635 \longrightarrow 00:17:06.267$  than 30 patients at the same time.

NOTE Confidence: 0.865403073333333

00:17:06.270 --> 00:17:07.470 However, as you can imagine,

NOTE Confidence: 0.865403073333333

 $00:17:07.470 \longrightarrow 00:17:10.434$  this didn't necessarily apply to the

NOTE Confidence: 0.865403073333333

 $00:17:10.434 \rightarrow 00:17:12.410$  emergency department setting where

NOTE Confidence: 0.865403073333333

 $00{:}17{:}12.484 \dashrightarrow 00{:}17{:}15.130$  oftentimes we don't see many patients.

NOTE Confidence: 0.865403073333333

 $00{:}17{:}15{.}130 \dashrightarrow 00{:}17{:}18{.}820$  Many of the same patients again.

NOTE Confidence: 0.865403073333333

 $00:17:18.820 \longrightarrow 00:17:19.942$  Two weeks later,

NOTE Confidence: 0.865403073333333

 $00:17:19.942 \rightarrow 00:17:21.438$  the Biden administration expressed

NOTE Confidence: 0.865403073333333

 $00{:}17{:}21.438 \dashrightarrow 00{:}17{:}23.016$  expressed plans to reinstate

NOTE Confidence: 0.865403073333333

 $00:17:23.016 \rightarrow 00:17:24.600$  many of these requirements,

- NOTE Confidence: 0.865403073333333
- $00:17:24.600 \rightarrow 00:17:28.578$  notably the 8 hour training course.
- NOTE Confidence: 0.865403073333333
- $00{:}17{:}28.580 \dashrightarrow 00{:}17{:}33.227$  And then most recently we the on April 29th,
- NOTE Confidence: 0.865403073333333
- $00{:}17{:}33{.}227 \dashrightarrow 00{:}17{:}35{.}572$  the most recent guidelines were
- NOTE Confidence: 0.865403073333333
- $00{:}17{:}35{.}572 \dashrightarrow 00{:}17{:}37{.}449$  established under which clinicians
- NOTE Confidence: 0.865403073333333
- $00:17:37.449 \longrightarrow 00:17:40.473$  could apply for an X waiver through
- NOTE Confidence: 0.865403073333333
- $00{:}17{:}40{.}473 \dashrightarrow 00{:}17{:}42{.}770$  SAMHSA and no longer had to receive
- NOTE Confidence: 0.865403073333333
- $00{:}17{:}42.770 \dashrightarrow 00{:}17{:}44.530$  the 8 hour training course.
- NOTE Confidence: 0.882728986
- $00:17:47.310 \rightarrow 00:17:50.817$  So the legal Action Center published
- NOTE Confidence: 0.882728986
- $00{:}17{:}50{.}817 \dashrightarrow 00{:}17{:}53{.}652$  this report surrounding some legal
- NOTE Confidence: 0.882728986
- $00{:}17{:}53.652 \dashrightarrow 00{:}17{:}55.920$  legal ramifications and guidelines
- NOTE Confidence: 0.882728986
- 00:17:55.992 --> 00:17:57.930 surrounding addiction care.
- NOTE Confidence: 0.882728986
- 00:17:57.930 --> 00:18:01.656 For me, emergency department and under
- NOTE Confidence: 0.882728986
- $00:18:01.656 \rightarrow 00:18:04.756$  which the report essentially stated
- NOTE Confidence: 0.882728986
- $00{:}18{:}04.756 \dashrightarrow 00{:}18{:}07.851$  that hospital that hospitals should
- NOTE Confidence: 0.882728986
- $00{:}18{:}07{.}851 \dashrightarrow 00{:}18{:}09{.}972$  practice evidence based standards
- NOTE Confidence: 0.882728986

 $00:18:09.972 \rightarrow 00:18:12.198$  of care for substance use disorders

NOTE Confidence: 0.882728986

 $00:18:12.198 \rightarrow 00:18:15.144$  in the Ed most notably screening and

NOTE Confidence: 0.882728986

 $00{:}18{:}15{.}144 \dashrightarrow 00{:}18{:}17{.}284$  diagnosis of substance use disorders.

NOTE Confidence: 0.882728986

 $00:18:17.290 \rightarrow 00:18:19.802$  Offering bup renorphine as well

NOTE Confidence: 0.882728986

 $00{:}18{:}19{.}802 \dashrightarrow 00{:}18{:}23{.}150$  as facilitating a referral to

NOTE Confidence: 0.882728986

 $00:18:23.150 \longrightarrow 00:18:25.190$  ongoing addiction care.

NOTE Confidence: 0.882728986

 $00{:}18{:}25{.}190 \dashrightarrow 00{:}18{:}27{.}310$  Failure to adopt these evidence?

NOTE Confidence: 0.882728986

 $00:18:27.310 \longrightarrow 00:18:29.968$  Some of these evidence based practices

NOTE Confidence: 0.882728986

 $00{:}18{:}29{.}968 \dashrightarrow 00{:}18{:}31{.}297$  really exacerbated disparities,

NOTE Confidence: 0.882728986

 $00:18:31.300 \rightarrow 00:18:33.635$  and specifically the report touches

NOTE Confidence: 0.882728986

 $00:18:33.635 \longrightarrow 00:18:36.552$  upon racial ethnic disparities as well

NOTE Confidence: 0.882728986

 $00:18:36.552 \rightarrow 00:18:38.608$  as disability related disparities

NOTE Confidence: 0.882728986

 $00:18:38.610 \longrightarrow 00:18:41.688$  and hospitals that did not adopt

NOTE Confidence: 0.882728986

 $00:18:41.688 \longrightarrow 00:18:43.740$  these evidence based practices

NOTE Confidence: 0.882728986

 $00:18:43.826 \rightarrow 00:18:46.384$  were subject to violate many laws.

NOTE Confidence: 0.882728986

00:18:46.384 --> 00:18:47.410 But most notably,

- NOTE Confidence: 0.882728986
- $00:18:47.410 \longrightarrow 00:18:49.118$  the emergency medical treatment

 $00{:}18{:}49{.}118 \dashrightarrow 00{:}18{:}51{.}253$  and Labor Act or EMTALA.

NOTE Confidence: 0.833106136

 $00:18:54.560 \longrightarrow 00:18:56.488$  So touched upon disparities.

NOTE Confidence: 0.833106136

00:18:56.488 --> 00:18:59.380 Let's look into some disparity surrounding

NOTE Confidence: 0.833106136

 $00:18:59.380 \dashrightarrow 00:19:02.860$  care for opioid use disorder in the Ed.

NOTE Confidence: 0.833106136

 $00{:}19{:}02{.}860 \dashrightarrow 00{:}19{:}05{.}436$  So as we as there has been

NOTE Confidence: 0.833106136

00:19:05.436 --> 00:19:07.340 an expansion of funding,

NOTE Confidence: 0.833106136

00:19:07.340 --> 00:19:09.992 particularly surrounding Community access

NOTE Confidence: 0.833106136

 $00{:}19{:}09{.}992 \dashrightarrow 00{:}19{:}13{.}970$  to treatment for opioid use disorder.

NOTE Confidence: 0.833106136

 $00{:}19{:}13{.}970 \dashrightarrow 00{:}19{:}16{.}315$  It should still be noted that the

NOTE Confidence: 0.833106136

 $00:19:16.315 \longrightarrow 00:19:18.453$  adoption of medications for opioid use

NOTE Confidence: 0.833106136

00:19:18.453 --> 00:19:20.601 disorder still remains low in certain

NOTE Confidence: 0.833106136

 $00{:}19{:}20.601 \dashrightarrow 00{:}19{:}22.787$  settings and as a result of that we

NOTE Confidence: 0.833106136

00:19:22.787 --> 00:19:25.874 still have large gaps in addiction care,

NOTE Confidence: 0.833106136

 $00{:}19{:}25{.}874 \dashrightarrow 00{:}19{:}28{.}198$  specifically along regional and

00:19:28.198 --> 00:19:30.710 racial ethnic regional lines,

NOTE Confidence: 0.833106136

 $00{:}19{:}30{.}710 \dashrightarrow 00{:}19{:}34{.}370$  as well as racial ethnic groups.

NOTE Confidence: 0.833106136

00:19:34.370 --> 00:19:35.459 So this study,

NOTE Confidence: 0.833106136

 $00:19:35.459 \rightarrow 00:19:37.637$  basically this was from a study

NOTE Confidence: 0.833106136

 $00:19:37.637 \longrightarrow 00:19:40.256$  which basically looked at geographic

NOTE Confidence: 0.833106136

 $00:19:40.256 \longrightarrow 00:19:42.436$  proximity to a bup renorphine

NOTE Confidence: 0.833106136

00:19:42.436 - 00:19:44.579 treatment provider across the US,

NOTE Confidence: 0.833106136

 $00{:}19{:}44{.}580 \dashrightarrow 00{:}19{:}47{.}094$  and each black dot represents a

NOTE Confidence: 0.833106136

 $00{:}19{:}47.094 \dashrightarrow 00{:}19{:}49.020$  bu prenorphine treatment provider and is,

NOTE Confidence: 0.833106136

 $00{:}19{:}49{.}020 \dashrightarrow 00{:}19{:}50{.}908$  as you can see along the East Coast

NOTE Confidence: 0.833106136

 $00{:}19{:}50{.}908 \dashrightarrow 00{:}19{:}53{.}082$  there are there are cluster of

NOTE Confidence: 0.833106136

 $00:19:53.082 \rightarrow 00:19:54.318$  bup renorphine treatment providers.

NOTE Confidence: 0.833106136

 $00:19:54.320 \longrightarrow 00:19:56.336$  However as you move further out

NOTE Confidence: 0.833106136

 $00{:}19{:}56{.}336 \dashrightarrow 00{:}19{:}59{.}353$  West you can see there is there are

NOTE Confidence: 0.833106136

 $00:19:59.353 \rightarrow 00:20:01.348$  dearth of areas where buprenorphine

NOTE Confidence: 0.833106136

 $00:20:01.348 \longrightarrow 00:20:03.650$  is available to our patients.

 $00:20:06.500 \rightarrow 00:20:10.028$  In this step, this study was a single

NOTE Confidence: 0.767458253

 $00{:}20{:}10.028 \dashrightarrow 00{:}20{:}14.087$  site study of a pro evaluating a program

NOTE Confidence: 0.767458253

 $00:20:14.087 \longrightarrow 00:20:16.595$  that administered care for patients

NOTE Confidence: 0.767458253

 $00:20:16.595 \rightarrow 00:20:18.820$  with untreated opioid use disorder,

NOTE Confidence: 0.767458253

 $00:20:18.820 \longrightarrow 00:20:20.962$  and it essentially found that young

NOTE Confidence: 0.767458253

 $00{:}20{:}20{.}962 \dashrightarrow 00{:}20{:}23{.}528$  white males were most likely to have

NOTE Confidence: 0.767458253

 $00{:}20{:}23{.}528 \dashrightarrow 00{:}20{:}25{.}313$  their opioid use disorder addressed

NOTE Confidence: 0.767458253

00:20:25.313 - 00:20:27.409 in the emergency department.

NOTE Confidence: 0.866614038333333

 $00:20:29.980 \longrightarrow 00:20:31.870$  And in this study at another,

NOTE Confidence: 0.866614038333333

00:20:31.870 --> 00:20:34.768 in a separate study at another site,

NOTE Confidence: 0.866614038333333

 $00:20:34.770 \longrightarrow 00:20:38.417$  also evaluating a program for Ed initiated

NOTE Confidence: 0.866614038333333

 $00{:}20{:}38{.}417 \dashrightarrow 00{:}20{:}41{.}069$  bu prenorphine for opioid use disorder.

NOTE Confidence: 0.866614038333333

 $00{:}20{:}41.070 \dashrightarrow 00{:}20{:}43.824$  It found that black patient black

NOTE Confidence: 0.866614038333333

 $00:20:43.824 \longrightarrow 00:20:46.361$  patients were less likely to

NOTE Confidence: 0.866614038333333

 $00{:}20{:}46{.}361 \dashrightarrow 00{:}20{:}48{.}227$  receive behavioral counseling

 $00:20:48.227 \rightarrow 00:20:51.023$  surrounding opioid use disorder in

NOTE Confidence: 0.866614038333333

 $00{:}20{:}51{.}023 \dashrightarrow 00{:}20{:}52{.}538$  the in the emergency department.

NOTE Confidence: 0.851552875

00:20:56.260 --> 00:20:58.660 So now, in touching upon disparities,

NOTE Confidence: 0.851552875

 $00:20:58.660 \longrightarrow 00:21:01.740$  one major issue that still

NOTE Confidence: 0.851552875

 $00:21:01.740 \longrightarrow 00:21:04.780$  exists is stigma, and last year,

NOTE Confidence: 0.851552875

 $00{:}21{:}04{.}780 \dashrightarrow 00{:}21{:}06{.}568$  Doctor Nora vocal published this paper NOTE Confidence: 0.851552875

00:21:06.568 --> 00:21:08.858 in the New England Journal of Medicine,

NOTE Confidence: 0.851552875

00:21:08.860 --> 00:21:11.401 which I felt was really impactful and

NOTE Confidence: 0.851552875

 $00:21:11.401 \rightarrow 00:21:13.612$  moving in terms of highlighting this

NOTE Confidence: 0.851552875

 $00{:}21{:}13.612 \dashrightarrow 00{:}21{:}17.036$  big issue of stigma and how it remains a NOTE Confidence: 0.851552875

 $00{:}21{:}17.036 \dashrightarrow 00{:}21{:}19.748$  barrier to our patients receiving ongoing NOTE Confidence: 0.851552875

 $00:21:19.748 \longrightarrow 00:21:21.908$  addiction care and really providing the

NOTE Confidence: 0.851552875

 $00{:}21{:}21{.}908 \dashrightarrow 00{:}21{:}24{.}360$  best care as possible for our patients.

NOTE Confidence: 0.851552875

 $00{:}21{:}24{.}360 \dashrightarrow 00{:}21{:}26{.}512$  And it really identified.

NOTE Confidence: 0.851552875

 $00:21:26.512 \rightarrow 00:21:30.859$  Many areas of improvement for us as a whole.

NOTE Confidence: 0.851552875

 $00:21:30.860 \rightarrow 00:21:34.228$  In terms of delivering care to our patients.

- NOTE Confidence: 0.851552875
- $00:21:34.230 \rightarrow 00:21:38.028$  With your use disorder looking forward,
- NOTE Confidence: 0.851552875
- $00{:}21{:}38{.}030 \dashrightarrow 00{:}21{:}41{.}089$  there is an expanded role for looking
- NOTE Confidence: 0.851552875
- 00:21:41.089 --> 00:21:43.464 at injectable, VUPEN orphan or
- NOTE Confidence: 0.851552875
- $00:21:43.464 \rightarrow 00:21:44.958$  extended release buprenorphine.
- NOTE Confidence: 0.851552875
- 00:21:44.960 --> 00:21:46.172 It treats.
- NOTE Confidence: 0.851552875
- $00{:}21{:}46.172 \dashrightarrow 00{:}21{:}49.202$  Addiction addiction symptom for opioid
- NOTE Confidence: 0.851552875
- $00:21:49.202 \longrightarrow 00:21:52.678$  use disorder for up to seven days.
- NOTE Confidence: 0.851552875
- 00:21:52.680 --> 00:21:55.122 And currently underway there's a randomized
- NOTE Confidence: 0.851552875
- $00{:}21{:}55{.}122 \dashrightarrow 00{:}21{:}57{.}620$  control trial that that is comparing
- NOTE Confidence: 0.851552875
- $00:21:57.620 \longrightarrow 00:21:59.620$  the efficacy of extended release.
- NOTE Confidence: 0.851552875
- $00{:}21{:}59{.}620 \dashrightarrow 00{:}22{:}02{.}724$  Bup renorphine to sublingual bup renorphine
- NOTE Confidence: 0.851552875
- 00:22:02.724 --> 00:22:05.356 across 27 US emergency departments
- NOTE Confidence: 0.851552875
- $00:22:05.356 \rightarrow 00:22:07.676$  with their primary outcome being
- NOTE Confidence: 0.851552875
- $00:22:07.676 \longrightarrow 00:22:10.108$  engagement informal addiction treatment.
- NOTE Confidence: 0.851552875
- 00:22:10.110 -> 00:22:11.590 And as you can imagine,
- NOTE Confidence: 0.851552875

 $00:22:11.590 \rightarrow 00:22:13.190$  extended release buprenorphine has

NOTE Confidence: 0.851552875

 $00{:}22{:}13.190 \dashrightarrow 00{:}22{:}15.190$  the potential to really alleviate

NOTE Confidence: 0.851552875

 $00{:}22{:}15{.}190 \dashrightarrow 00{:}22{:}17{.}189$  some of these real-world barriers

NOTE Confidence: 0.851552875

 $00:22:17.190 \longrightarrow 00:22:19.086$  that many of us clinicians face,

NOTE Confidence: 0.851552875

 $00:22:19.090 \longrightarrow 00:22:21.229$  most notably treatment,

NOTE Confidence: 0.851552875

 $00{:}22{:}21{.}229 \dashrightarrow 00{:}22{:}24{.}794$  availability and and insurance issues.

NOTE Confidence: 0.90685511

 $00:22:27.620 \longrightarrow 00:22:29.300$  So with that said,

NOTE Confidence: 0.90685511

00:22:29.300 --> 00:22:32.308 I know I touched upon many, many,

NOTE Confidence: 0.90685511

 $00{:}22{:}32{.}308 \dashrightarrow 00{:}22{:}34{.}748$  many of the facets surrounding

NOTE Confidence: 0.90685511

 $00:22:34.748 \longrightarrow 00:22:36.212$  Edie initiated buprenorphine.

NOTE Confidence: 0.90685511

00:22:36.220 --> 00:22:38.060 However, I shouldn't should

NOTE Confidence: 0.90685511

 $00:22:38.060 \longrightarrow 00:22:39.128$  acknowledge that addiction.

NOTE Confidence: 0.90685511

 $00{:}22{:}39{.}128 \dashrightarrow 00{:}22{:}41{.}560$  Care is not a one size fits all

NOTE Confidence: 0.90685511

 $00:22:41.630 \rightarrow 00:22:43.844$  approach and that there are many

NOTE Confidence: 0.90685511

 $00{:}22{:}43.844 \dashrightarrow 00{:}22{:}46.651$  different facets to kind of managing and

NOTE Confidence: 0.90685511

 $00:22:46.651 \rightarrow 00:22:48.335$  delivering addiction care specifically

- NOTE Confidence: 0.90685511
- $00:22:48.335 \rightarrow 00:22:50.480$  out of the emergency department.

 $00:22:50.480 \longrightarrow 00:22:52.680$  And so. With that said,

NOTE Confidence: 0.90685511

 $00{:}22{:}52{.}680 \dashrightarrow 00{:}22{:}55{.}848$  I'm going to pass it off to my colleague,

NOTE Confidence: 0.90685511

00:22:55.850 --> 00:22:58.148 Doctor Don Stater, who will touch.

NOTE Confidence: 0.90685511

 $00{:}22{:}58{.}150 \dashrightarrow 00{:}23{:}00{.}190$  On harm reduction strategies.

NOTE Confidence: 0.90685511

 $00:23:00.190 \longrightarrow 00:23:03.250$  I thank you all for listening.

NOTE Confidence: 0.90685511

 $00{:}23{:}03{.}250 \dashrightarrow 00{:}23{:}05{.}470$  I welcome any comments questions.

NOTE Confidence: 0.90685511

 $00:23:05.470 \longrightarrow 00:23:06.850$  Please feel free to email me.

NOTE Confidence: 0.90685511

 $00{:}23{:}06{.}850 \dashrightarrow 00{:}23{:}08{.}398$  Here's my email address.

NOTE Confidence: 0.90685511

00:23:08.398 --> 00:23:09.559 Thank you all.

NOTE Confidence: 0.822871547142857

00:23:12.450 --> 00:23:13.750 Thank you Doctor coupe.

NOTE Confidence: 0.822871547142857

00:23:13.750 --> 00:23:15.050 Appreciate appreciate that that

NOTE Confidence: 0.822871547142857

 $00{:}23{:}15.050 \dashrightarrow 00{:}23{:}16.949$  knowledge in the introduction as well.

NOTE Confidence: 0.822871547142857

 $00{:}23{:}16{.}950 \dashrightarrow 00{:}23{:}19{.}182$  I'm going to go ahead and share my screen.

NOTE Confidence: 0.822871547142857

 $00:23:19.190 \longrightarrow 00:23:21.098$  Can everyone see that?

 $00:23:21.098 \rightarrow 00:23:23.200$  Is that yes, OK, great.

NOTE Confidence: 0.822871547142857

 $00{:}23{:}23{.}200 \dashrightarrow 00{:}23{:}25{.}545$  Well, let's go ahead and get started

NOTE Confidence: 0.822871547142857

00:23:25.545 -> 00:23:27.626 so so my name is Don Stater.

NOTE Confidence: 0.822871547142857

 $00:23:27.630 \longrightarrow 00:23:29.098$  I'm an emergency physician

NOTE Confidence: 0.822871547142857

00:23:29.098 --> 00:23:30.199 practicing in Colorado.

NOTE Confidence: 0.822871547142857

00:23:30.200 --> 00:23:32.035 I'm gonna also aborted in

NOTE Confidence: 0.822871547142857

 $00:23:32.035 \rightarrow 00:23:33.503$  addiction and emergency medicine.

NOTE Confidence: 0.822871547142857

00:23:33.510 --> 00:23:35.065 I'm the chair of Colorado

NOTE Confidence: 0.822871547142857

 $00{:}23{:}35{.}065 \dashrightarrow 00{:}23{:}36{.}309$  and locks on project.

NOTE Confidence: 0.822871547142857

 $00{:}23{:}36{.}310 \dashrightarrow 00{:}23{:}38{.}314$  I've got several other roles which

NOTE Confidence: 0.822871547142857

 $00{:}23{:}38{.}314 \dashrightarrow 00{:}23{:}40{.}727$  which we will mention and they do have.

NOTE Confidence: 0.822871547142857

00:23:40.730 --> 00:23:42.182 I guess a declared conflict in

NOTE Confidence: 0.822871547142857

 $00{:}23{:}42{.}182 \dashrightarrow 00{:}23{:}43{.}530$  that the Colorado and Waxman.

NOTE Confidence: 0.822871547142857

 $00{:}23{:}43{.}530 \dashrightarrow 00{:}23{:}46{.}195$  Project has received donated a

NOTE Confidence: 0.822871547142857

00:23:46.195 --> 00:23:48.860 loxone from Bio Emergent Solutions.

NOTE Confidence: 0.822871547142857

 $00{:}23{:}48.860 \dashrightarrow 00{:}23{:}51.188$  We've used that donated Milax own

 $00:23:51.188 \rightarrow 00:23:53.181$  to actually provide free naloxone

NOTE Confidence: 0.822871547142857

 $00{:}23{:}53{.}181 \dashrightarrow 00{:}23{:}55{.}365$  to mothers who struggle with with

NOTE Confidence: 0.822871547142857

00:23:55.365 --> 00:23:57.180 substance use and opioid use

NOTE Confidence: 0.822871547142857

 $00:23:57.250 \longrightarrow 00:23:59.005$  disorders through our labor and

NOTE Confidence: 0.822871547142857

 $00:23:59.005 \rightarrow 00:24:01.319$  delivery wards as part of a pilot.

NOTE Confidence: 0.822871547142857

 $00:24:01.320 \longrightarrow 00:24:03.427$  Now I've here to talk with you

NOTE Confidence: 0.822871547142857

 $00:24:03.427 \rightarrow 00:24:05.162$  about something that is literally

NOTE Confidence: 0.822871547142857

00:24:05.162 --> 00:24:06.698 changed my medical career,

NOTE Confidence: 0.822871547142857

 $00:24:06.700 \longrightarrow 00:24:08.326$  which is this concept of harm

NOTE Confidence: 0.822871547142857

 $00:24:08.326 \rightarrow 00:24:09.934$  reduction and how we actually

NOTE Confidence: 0.822871547142857

 $00:24:09.934 \longrightarrow 00:24:11.320$  introduce harm reduction.

NOTE Confidence: 0.822871547142857

 $00{:}24{:}11{.}320 \dashrightarrow 00{:}24{:}13{.}378$  2 patients who struggle with opioid

NOTE Confidence: 0.822871547142857

00:24:13.378 --> 00:24:15.574 use and substance use disorders which

NOTE Confidence: 0.822871547142857

 $00{:}24{:}15{.}574 \dashrightarrow 00{:}24{:}17{.}848$  still remain the number one killer

NOTE Confidence: 0.822871547142857

 $00:24:17.848 \longrightarrow 00:24:19.879$  of Americans under the age of 50.

 $00:24:19.880 \longrightarrow 00:24:22.519$  And what harm reduction is is really.

NOTE Confidence: 0.822871547142857

 $00{:}24{:}22{.}520 \dashrightarrow 00{:}24{:}23{.}858$  It's just all in the name.

NOTE Confidence: 0.822871547142857

00:24:23.860 --> 00:24:27.070 Harm reduction is just about reducing

NOTE Confidence: 0.822871547142857

 $00{:}24{:}27.070 \dashrightarrow 00{:}24{:}29.210$  harms of dangerous activities

NOTE Confidence: 0.822871547142857

 $00:24:29.293 \longrightarrow 00:24:31.525$  and it's a set of practical.

NOTE Confidence: 0.822871547142857

00:24:31.530 --> 00:24:33.118 Knowledge based interventions that

NOTE Confidence: 0.822871547142857

 $00:24:33.118 \longrightarrow 00:24:35.923$  you can use on patients who may

NOTE Confidence: 0.822871547142857

 $00:24:35.923 \rightarrow 00:24:37.713$  are struggling with substance use

NOTE Confidence: 0.822871547142857

00:24:37.713 $\operatorname{-->}$ 00:24:40.137 to help make their use safer and

NOTE Confidence: 0.822871547142857

 $00:24:40.137 \longrightarrow 00:24:41.979$  till the day that they're ready

NOTE Confidence: 0.822871547142857

 $00{:}24{:}41{.}979 \dashrightarrow 00{:}24{:}45{.}272$  to recover and what it does is it

NOTE Confidence: 0.822871547142857

 $00{:}24{:}45{.}272 \dashrightarrow 00{:}24{:}47{.}190$  emphasizes science over stigma.

NOTE Confidence: 0.822871547142857

 $00:24:47.190 \longrightarrow 00:24:48.822$  Understanding the patient rather

NOTE Confidence: 0.822871547142857

00:24:48.822 --> 00:24:51.270 than just judging them and doing

NOTE Confidence: 0.822871547142857

 $00{:}24{:}51{.}340 \dashrightarrow 00{:}24{:}53{.}580$  so much better for them than we

NOTE Confidence: 0.822871547142857

 $00:24:53.580 \rightarrow 00:24:55.488$  are doing currently with our with

- NOTE Confidence: 0.822871547142857
- $00:24:55.488 \longrightarrow 00:24:57.456$  the status quo because this is
- NOTE Confidence: 0.822871547142857
- $00{:}24{:}57{.}456 \dashrightarrow 00{:}24{:}59{.}990$  what I learned about drug use and
- NOTE Confidence: 0.822871547142857
- 00:25:00.071 --> 00:25:02.439 specifically injection drug use.
- NOTE Confidence: 0.822871547142857
- 00:25:02.440 --> 00:25:05.680 In my medical school and residency,
- NOTE Confidence: 0.822871547142857
- $00{:}25{:}05{.}680 \dashrightarrow 00{:}25{:}07{.}997$  I learned all the complications of it.
- NOTE Confidence: 0.822871547142857
- $00{:}25{:}08{.}000 \dashrightarrow 00{:}25{:}09{.}122$  I learned overdose.
- NOTE Confidence: 0.822871547142857
- $00:25:09.122 \longrightarrow 00:25:10.618$  I learned about hepatitis.
- NOTE Confidence: 0.822871547142857
- $00{:}25{:}10.620 \dashrightarrow 00{:}25{:}12.138$  CI learned about the fact that
- NOTE Confidence: 0.822871547142857
- $00:25:12.138 \longrightarrow 00:25:13.899$  it's the number 2 cause of HIV.
- NOTE Confidence: 0.822871547142857
- 00:25:13.900 --> 00:25:15.280 I learned about abscesses,
- NOTE Confidence: 0.822871547142857
- 00:25:15.280 --> 00:25:17.350 which I drained on almost weekly
- NOTE Confidence: 0.822871547142857
- $00{:}25{:}17.412 \dashrightarrow 00{:}25{:}18.290$  basis shooters.
- NOTE Confidence: 0.822871547142857
- $00:25:18.290 \rightarrow 00:25:20.060$  Abscesses in the emergency department.
- NOTE Confidence: 0.822871547142857
- $00{:}25{:}20.060 \dashrightarrow 00{:}25{:}21.680$  I've seen several cases of
- NOTE Confidence: 0.822871547142857
- $00{:}25{:}21.680 \dashrightarrow 00{:}25{:}22.976$  injection related neck fashion,
- NOTE Confidence: 0.822871547142857

00:25:22.980 --> 00:25:24.285 Botulism about endocarditis,

NOTE Confidence: 0.822871547142857

00:25:24.285 --> 00:25:27.330 which which still is driven by Ivy

NOTE Confidence: 0.822871547142857

 $00:25:27.401 \rightarrow 00:25:29.676$  drug use about spinal infections,

NOTE Confidence: 0.822871547142857

 $00:25:29.680 \longrightarrow 00:25:30.266$  about death.

NOTE Confidence: 0.822871547142857

 $00{:}25{:}30{.}266 \dashrightarrow 00{:}25{:}32{.}024$  I learned all these things and

NOTE Confidence: 0.822871547142857

 $00{:}25{:}32{.}024 \dashrightarrow 00{:}25{:}33{.}499$  how to deal with the.

NOTE Confidence: 0.822871547142857

 $00{:}25{:}33{.}500 \dashrightarrow 00{:}25{:}35{.}796$  Ramifications and the disasters

NOTE Confidence: 0.822871547142857

 $00:25:35.796 \rightarrow 00:25:39.240$  that Ivy drug use sometimes creates.

NOTE Confidence: 0.822871547142857

 $00{:}25{:}39{.}240 \dashrightarrow 00{:}25{:}40{.}860$  What no one ever taught me,

NOTE Confidence: 0.822871547142857

 $00:25:40.860 \longrightarrow 00:25:42.345$  which is actually the most

NOTE Confidence: 0.822871547142857

 $00:25:42.345 \longrightarrow 00:25:43.236$  important darn thing,

NOTE Confidence: 0.822871547142857

 $00:25:43.240 \longrightarrow 00:25:45.304$  is how you discuss these with

NOTE Confidence: 0.822871547142857

 $00:25:45.304 \rightarrow 00:25:47.071$  patients and prevent them because

NOTE Confidence: 0.822871547142857

 $00:25:47.071 \longrightarrow 00:25:49.346$  an ounce of prevention sure as heck

NOTE Confidence: 0.822871547142857

 $00:25:49.346 \longrightarrow 00:25:51.380$  is still with a pound of cure.

NOTE Confidence: 0.822871547142857

 $00:25:51.380 \longrightarrow 00:25:52.236$  And really,

 $00:25:52.236 \longrightarrow 00:25:54.804$  what I should have learned what

NOTE Confidence: 0.822871547142857

00:25:54.804 --> 00:25:56.180 every physician, clinician,

NOTE Confidence: 0.822871547142857

 $00:25:56.180 \rightarrow 00:25:59.820$  person in who deals with this patient

NOTE Confidence: 0.822871547142857

 $00:25:59.820 \rightarrow 00:26:02.389$  population should know is how to

NOTE Confidence: 0.822871547142857

 $00:26:02.389 \rightarrow 00:26:05.669$  inject heroin and how to inject drugs safely.

NOTE Confidence: 0.822871547142857

00:26:05.670 - 00:26:07.254 And while some people like like

NOTE Confidence: 0.822871547142857

 $00:26:07.254 \longrightarrow 00:26:08.046$  wait a second,

NOTE Confidence: 0.822871547142857

 $00{:}26{:}08.050 \dashrightarrow 00{:}26{:}09.400$  I am a medical provider.

NOTE Confidence: 0.822871547142857

 $00:26:09.400 \longrightarrow 00:26:11.542$  Why the heck should I know how

NOTE Confidence: 0.822871547142857

 $00:26:11.542 \rightarrow 00:26:13.466$  to inject drugs is because you

NOTE Confidence: 0.822871547142857

 $00:26:13.466 \longrightarrow 00:26:15.650$  have to know how to discuss drug

NOTE Confidence: 0.932779101538461

 $00{:}26{:}15.726 \dashrightarrow 00{:}26{:}17.988$  use with patients in a legitimate,

NOTE Confidence: 0.932779101538461

 $00{:}26{:}17{.}990 \dashrightarrow 00{:}26{:}20{.}498$  real and scientific way and not

NOTE Confidence: 0.932779101538461

00:26:20.498 --> 00:26:22.670 just give people as inine advice

NOTE Confidence: 0.932779101538461

 $00{:}26{:}22.670 \dashrightarrow 00{:}26{:}25.226$  like you should stop using drugs.

 $00{:}26{:}25{.}230 \dashrightarrow 00{:}26{:}27{.}878$  'cause that's what I did for the first

NOTE Confidence: 0.932779101538461

 $00:26:27.878 \rightarrow 00:26:29.888$  five years of my career and whenever

NOTE Confidence: 0.932779101538461

 $00{:}26{:}29{.}888 \dashrightarrow 00{:}26{:}31{.}491$  someone came in and they were a

NOTE Confidence: 0.932779101538461

00:26:31.491 --> 00:26:33.165 drug user and I drained an Abscess.

NOTE Confidence: 0.932779101538461

 $00:26:33.170 \longrightarrow 00:26:36.320$  My only advice to them was stop using drugs.

NOTE Confidence: 0.932779101538461

 $00:26:36.320 \longrightarrow 00:26:38.148$  Totally neglecting the deep

NOTE Confidence: 0.932779101538461

00:26:38.148 --> 00:26:39.976 science behind the neural,

NOTE Confidence: 0.932779101538461

 $00:26:39.980 \rightarrow 00:26:42.458$  the the addiction and the changes that

NOTE Confidence: 0.932779101538461

 $00{:}26{:}42{.}458 \dashrightarrow 00{:}26{:}44{.}998$  occur with the disease of addiction.

NOTE Confidence: 0.932779101538461

 $00:26:45.000 \rightarrow 00:26:46.950$  And we actually have a great

NOTE Confidence: 0.932779101538461

 $00{:}26{:}46{.}950 \dashrightarrow 00{:}26{:}49{.}510$  model to follow when it comes to

NOTE Confidence: 0.932779101538461

 $00{:}26{:}49{.}510$  -->  $00{:}26{:}51{.}500$  implementing this into our practice.

NOTE Confidence: 0.932779101538461

 $00{:}26{:}51{.}500 \dashrightarrow 00{:}26{:}53{.}194$  And it's a model that comes from

NOTE Confidence: 0.932779101538461

 $00:26:53.194 \longrightarrow 00:26:55.876$  the 1980s where we had the scariest

NOTE Confidence: 0.932779101538461

 $00:26:55.876 \rightarrow 00:26:58.349$  epidemic at that time before COVID

NOTE Confidence: 0.932779101538461

 $00{:}26{:}58{.}349 \dashrightarrow 00{:}27{:}01{.}030$  that has struck our nation and and

 $00:27:01.030 \longrightarrow 00:27:03.714$  we had a lot of panic around it.

NOTE Confidence: 0.932779101538461

00:27:03.720 --> 00:27:06.440 Which is HIV AIDS disease,

NOTE Confidence: 0.932779101538461

 $00:27:06.440 \longrightarrow 00:27:08.824$  for which we had no cures for decades.

NOTE Confidence: 0.932779101538461

00:27:08.830 --> 00:27:11.668 And during that HIV AIDS epidemic,

NOTE Confidence: 0.932779101538461

 $00:27:11.670 \longrightarrow 00:27:14.379$  we decided in medicine that we actually

NOTE Confidence: 0.932779101538461

 $00{:}27{:}14.379 \dashrightarrow 00{:}27{:}17.578$  had to start discussing safe sex with

NOTE Confidence: 0.932779101538461

 $00{:}27{:}17.578 \dashrightarrow 00{:}27{:}19.918$  patients and in my medical school I

NOTE Confidence: 0.932779101538461

 $00{:}27{:}19{.}918 \dashrightarrow 00{:}27{:}22{.}089$  always taught nitty gritty about safe sex.

NOTE Confidence: 0.932779101538461

 $00{:}27{:}22.090 \dashrightarrow 00{:}27{:}24.454$  About the different HIV transmission rates

NOTE Confidence: 0.932779101538461

 $00{:}27{:}24{.}454 \dashrightarrow 00{:}27{:}27{.}037$  between oral sex and vaginal sex and

NOTE Confidence: 0.932779101538461

 $00:27:27.037 \longrightarrow 00:27:29.060$  \*\*\*\* \*\*\* and the different risk factors.

NOTE Confidence: 0.932779101538461

 $00{:}27{:}29{.}060 \dashrightarrow 00{:}27{:}32{.}340$  So I can ask my patients the uncomfortable

NOTE Confidence: 0.932779101538461

 $00{:}27{:}32{.}340 \dashrightarrow 00{:}27{:}34{.}245$  questions and give them the knowledge

NOTE Confidence: 0.932779101538461

 $00{:}27{:}34.245 \dashrightarrow 00{:}27{:}36.729$  that they needed to keep themselves safe,

NOTE Confidence: 0.932779101538461

 $00:27:36.730 \longrightarrow 00:27:37.990$  their community safe,

 $00{:}27{:}37{.}990 \dashrightarrow 00{:}27{:}40{.}090$  and to not acquire a

NOTE Confidence: 0.932779101538461

00:27:40.090 -> 00:27:41.550 potentially deadly disease.

NOTE Confidence: 0.932779101538461

 $00:27:41.550 \longrightarrow 00:27:43.566$  We need to do the same thing

NOTE Confidence: 0.932779101538461

00:27:43.566 - 00:27:45.388 for our patients who use drugs.

NOTE Confidence: 0.932779101538461

 $00:27:45.390 \longrightarrow 00:27:47.574$  If we ever went to actually

NOTE Confidence: 0.932779101538461

00:27:47.574 --> 00:27:49.030 start addressing the HIV,

NOTE Confidence: 0.932779101538461

 $00:27:49.030 \rightarrow 00:27:51.350$  the continued HIV epidemic hepatitis

NOTE Confidence: 0.932779101538461

 $00:27:51.350 \longrightarrow 00:27:53.670$  C epidemic that is currently

NOTE Confidence: 0.932779101538461

 $00{:}27{:}53.749 \dashrightarrow 00{:}27{:}55.249$  ravaging our country.

NOTE Confidence: 0.932779101538461

 $00{:}27{:}55{.}250 \dashrightarrow 00{:}27{:}57{.}770$  Not to mention the overdose epidemic.

NOTE Confidence: 0.932779101538461

 $00:27:57.770 \longrightarrow 00:27:59.538$  So let's do this.

NOTE Confidence: 0.932779101538461

 $00{:}27{:}59{.}538 \dashrightarrow 00{:}28{:}01{.}306$  Patient based is one.

NOTE Confidence: 0.932779101538461

 $00:28:01.310 \longrightarrow 00:28:03.046$  You have something we see every single

NOTE Confidence: 0.932779101538461

 $00:28:03.046 \rightarrow 00:28:04.909$  day in the emergency department.

NOTE Confidence: 0.932779101538461

 $00:28:04.910 \longrightarrow 00:28:07.450$  You have a patient who's

NOTE Confidence: 0.932779101538461

 $00:28:07.450 \longrightarrow 00:28:09.482$  there overdosed on opioids,

00:28:09.490 --> 00:28:11.352 and right now fentanyl is of course

NOTE Confidence: 0.932779101538461

00:28:11.352 --> 00:28:12.630 driving our overdose epidemic.

NOTE Confidence: 0.932779101538461

 $00:28:12.630 \longrightarrow 00:28:13.850$  We won't get into that.

NOTE Confidence: 0.932779101538461

 $00:28:13.850 \rightarrow 00:28:15.560$  But besides trying to encourage

NOTE Confidence: 0.932779101538461

00:28:15.560 -> 00:28:17.830 the patient to enter into recovery

NOTE Confidence: 0.932779101538461

 $00:28:17.830 \rightarrow 00:28:19.830$  besides offering buprenorphine and

NOTE Confidence: 0.932779101538461

00:28:19.830 --> 00:28:21.830 real legitimate drug treatment,

NOTE Confidence: 0.932779101538461

 $00:28:21.830 \longrightarrow 00:28:23.520$  what else can you do?

NOTE Confidence: 0.932779101538461

 $00{:}28{:}23{.}520 \dashrightarrow 00{:}28{:}25{.}716$  You can sit down at the bed side and say

NOTE Confidence: 0.932779101538461

00:28:25.716 --> 00:28:28.580 I would never want to see you overdose again,

NOTE Confidence: 0.932779101538461

 $00{:}28{:}28{.}580 \dashrightarrow 00{:}28{:}30{.}694$  and these are the simple steps that

NOTE Confidence: 0.932779101538461

 $00{:}28{:}30{.}694 \dashrightarrow 00{:}28{:}32{.}680$  practical steps that I want you to take.

NOTE Confidence: 0.932779101538461

00:28:32.680 --> 00:28:34.616 If you are to continue with your drug,

NOTE Confidence: 0.932779101538461

 $00:28:34.620 \longrightarrow 00:28:35.574$  use one.

NOTE Confidence: 0.932779101538461

 $00{:}28{:}35{.}574 \dashrightarrow 00{:}28{:}38{.}436$  Never use alone because people who

 $00:28:38.436 \rightarrow 00:28:41.559$  use alone and overdose alone die.

NOTE Confidence: 0.932779101538461

00:28:41.560 --> 00:28:43.234 So always use with people that

NOTE Confidence: 0.932779101538461

 $00:28:43.234 \rightarrow 00:28:44.960$  you know people that you trust.

NOTE Confidence: 0.932779101538461

 $00:28:44.960 \longrightarrow 00:28:46.759$  If you have many people who are

NOTE Confidence: 0.932779101538461

 $00:28:46.759 \longrightarrow 00:28:48.378$  using drugs at the same time,

NOTE Confidence: 0.932779101538461

 $00{:}28{:}48{.}380 \dashrightarrow 00{:}28{:}50{.}389$  try to have one person who stays

NOTE Confidence: 0.932779101538461

 $00:28:50.389 \longrightarrow 00:28:52.594$  sober for a period of time so

NOTE Confidence: 0.932779101538461

 $00:28:52.594 \rightarrow 00:28:54.189$  that they can watch there.

NOTE Confidence: 0.932779101538461

 $00{:}28{:}54{.}190 \dashrightarrow 00{:}28{:}55{.}933$  Are there there other friends who might

NOTE Confidence: 0.932779101538461

 $00:28:55.933 \rightarrow 00:28:57.962$  be using and make sure that you don't

NOTE Confidence: 0.932779101538461

 $00{:}28{:}57{.}962 \dashrightarrow 00{:}29{:}00{.}099$  have a potent batch that's been cut with car,

NOTE Confidence: 0.932779101538461

 $00:29:00.100 \longrightarrow 00:29:00.452$  fentanyl,

NOTE Confidence: 0.932779101538461

00:29:00.452 --> 00:29:01.860 or fentanyl or something?

NOTE Confidence: 0.932779101538461

 $00:29:01.860 \longrightarrow 00:29:03.430$  That's a lot more potent,

NOTE Confidence: 0.932779101538461

 $00:29:03.430 \longrightarrow 00:29:04.785$  and that's practical knowledge that

NOTE Confidence: 0.932779101538461

00:29:04.785 - 00:29:06.630 you can give to your patients.

 $00:29:06.630 \rightarrow 00:29:09.654$  Two is when you actually have new product,

NOTE Confidence: 0.932779101538461

 $00:29:09.660 \longrightarrow 00:29:11.700$  you require a new product from

NOTE Confidence: 0.932779101538461

00:29:11.700 - 00:29:13.060 from whatever source you're

NOTE Confidence: 0.878867746153846

 $00:29:13.121 \rightarrow 00:29:14.060$  getting it from.

NOTE Confidence: 0.878867746153846

00:29:14.060 - 00:29:16.556 Or if you've been trying to to enter

NOTE Confidence: 0.878867746153846

00:29:16.556 --> 00:29:18.560 into recovery and have been absent,

NOTE Confidence: 0.878867746153846

 $00:29:18.560 \longrightarrow 00:29:19.712$  either self imposed because

NOTE Confidence: 0.878867746153846

00:29:19.712 --> 00:29:21.152 you're trying to enter recovery,

NOTE Confidence: 0.878867746153846

 $00{:}29{:}21{.}160 \dashrightarrow 00{:}29{:}23{.}176$  or maybe it's imposed by someone else,

NOTE Confidence: 0.878867746153846

 $00:29:23.180 \longrightarrow 00:29:25.406$  you get admitted to the hospital.

NOTE Confidence: 0.878867746153846

 $00:29:25.410 \longrightarrow 00:29:27.780$  For an infection in your

NOTE Confidence: 0.878867746153846

00:29:27.780 --> 00:29:29.676 not getting getting opioids,

NOTE Confidence: 0.878867746153846

 $00:29:29.680 \longrightarrow 00:29:30.850$  or if you've been jailed,

NOTE Confidence: 0.878867746153846

 $00{:}29{:}30{.}850 \dashrightarrow 00{:}29{:}32{.}308$  then you'd have to get opioids.

NOTE Confidence: 0.878867746153846

 $00:29:32.310 \rightarrow 00:29:34.098$  Then your your tolerance is either

 $00:29:34.098 \rightarrow 00:29:36.010$  decrease or the product you're using.

NOTE Confidence: 0.878867746153846

00:29:36.010 --> 00:29:36.943 Might be very,

NOTE Confidence: 0.878867746153846

 $00:29:36.943 \rightarrow 00:29:39.553$  very potent so user testers shot or use

NOTE Confidence: 0.878867746153846

 $00:29:39.553 \rightarrow 00:29:42.122$  a smaller dose initially so that you

NOTE Confidence: 0.878867746153846

 $00:29:42.122 \rightarrow 00:29:43.855$  don't accidentally overdose fentanyl.

NOTE Confidence: 0.878867746153846

 $00{:}29{:}43.855 \dashrightarrow 00{:}29{:}45.160$  We've talked about,

NOTE Confidence: 0.878867746153846

 $00{:}29{:}45.160 \dashrightarrow 00{:}29{:}47.770$  as has infiltrated the great majority

NOTE Confidence: 0.878867746153846

00:29:47.837 --> 00:29:49.882 of illicit drug supplies across

NOTE Confidence: 0.878867746153846

 $00{:}29{:}49{.}882 \dashrightarrow 00{:}29{:}51{.}927$  the United States and fentanyl.

NOTE Confidence: 0.878867746153846

 $00:29:51.930 \longrightarrow 00:29:53.652$  Test strips are a great way for

NOTE Confidence: 0.878867746153846

 $00:29:53.652 \rightarrow 00:29:55.455$  people to test whether their heroin

NOTE Confidence: 0.878867746153846

00:29:55.455 - 00:29:57.130 that they may have purchased.

NOTE Confidence: 0.878867746153846

00:29:57.130 - 00:29:59.682 Has fentanyl in it or even other drugs

NOTE Confidence: 0.878867746153846

 $00:29:59.682 \rightarrow 00:30:02.270$  such as ecstasy or methamphetamine,

NOTE Confidence: 0.878867746153846

 $00{:}30{:}02{.}270 \dashrightarrow 00{:}30{:}04{.}300$  which often it's more common

NOTE Confidence: 0.878867746153846

 $00:30:04.300 \longrightarrow 00:30:05.238$  in 2021 and beyond,

00:30:05.238 --> 00:30:06.670 are going to be cut if that's all,

NOTE Confidence: 0.878867746153846

 $00:30:06.670 \longrightarrow 00:30:08.110$  because that's always so

NOTE Confidence: 0.878867746153846

 $00:30:08.110 \dashrightarrow 00:30:09.910$  ubiquitous and so darn cheap.

NOTE Confidence: 0.878867746153846

 $00:30:09.910 \longrightarrow 00:30:12.899$  So people should be empowered to know

NOTE Confidence: 0.878867746153846

 $00:30:12.899 \longrightarrow 00:30:15.439$  what they're putting in their bodies.

NOTE Confidence: 0.878867746153846

 $00:30:15.440 \longrightarrow 00:30:15.842$  Lastly,

NOTE Confidence: 0.878867746153846

 $00{:}30{:}15{.}842 \dashrightarrow 00{:}30{:}19{.}058$  and this is one of the most neglected

NOTE Confidence: 0.878867746153846

 $00:30:19.058 \rightarrow 00:30:21.239$  interventions that we have in medicine,

NOTE Confidence: 0.878867746153846

 $00{:}30{:}21{.}240 \dashrightarrow 00{:}30{:}23{.}242$  as we have an antidote that we

NOTE Confidence: 0.878867746153846

 $00:30:23.242 \rightarrow 00:30:25.220$  can send home with every single

NOTE Confidence: 0.878867746153846

00:30:25.220 --> 00:30:27.677 patient who is at risk for overdose,

NOTE Confidence: 0.878867746153846

00:30:27.680 - 00:30:30.655 which is meloxicam or in our CAP.

NOTE Confidence: 0.878867746153846

00:30:30.660 --> 00:30:31.218 You know,

NOTE Confidence: 0.878867746153846

 $00{:}30{:}31{.}218$  -->  $00{:}30{:}33{.}171$  you can send that home with every

NOTE Confidence: 0.878867746153846

 $00:30:33.171 \longrightarrow 00:30:35.047$  patient and it's been shown to

 $00:30:35.047 \rightarrow 00:30:36.275$  have really beneficial effects

NOTE Confidence: 0.878867746153846

00:30:36.275 --> 00:30:38.118 at decreasing overdose deaths,

NOTE Confidence: 0.878867746153846

 $00:30:38.120 \longrightarrow 00:30:39.480$  encouraging safer use, etc.

NOTE Confidence: 0.878867746153846

 $00:30:39.480 \longrightarrow 00:30:42.443$  But we are not using that tool as much

NOTE Confidence: 0.878867746153846

 $00{:}30{:}42.443 \dashrightarrow 00{:}30{:}44.810$  as we should and put the second half.

NOTE Confidence: 0.878867746153846

 $00{:}30{:}44.810 \dashrightarrow 00{:}30{:}45.788$  I'm going to give a broad.

NOTE Confidence: 0.878867746153846

00:30:45.790 --> 00:30:47.230 Overview of harm reduction.

NOTE Confidence: 0.878867746153846

 $00:30:47.230 \rightarrow 00:30:49.970$  But then for the second half lecture,

NOTE Confidence: 0.878867746153846

 $00{:}30{:}49{.}970 \dashrightarrow 00{:}30{:}52{.}010$  we'll talk a little bit more about the

NOTE Confidence: 0.878867746153846

 $00:30:52.010 \dashrightarrow 00:30:54.005$  locks on in general because the the

NOTE Confidence: 0.878867746153846

 $00{:}30{:}54.005 \dashrightarrow 00{:}30{:}56.070$  current standard of care of just time.

NOTE Confidence: 0.878867746153846

00:30:56.070 - 00:30:57.598 People don't use drugs,

NOTE Confidence: 0.878867746153846

 $00{:}30{:}57{.}598 \dashrightarrow 00{:}30{:}59{.}890$  and discharging them after two hour

NOTE Confidence: 0.878867746153846

 $00:30:59.964 \rightarrow 00:31:02.094$  observation when they present with

NOTE Confidence: 0.878867746153846

 $00:31:02.094 \rightarrow 00:31:04.314$  an overdose results in people dying.

NOTE Confidence: 0.878867746153846

 $00:31:04.314 \rightarrow 00:31:06.753$  And we know that the mortality rate

 $00:31:06.753 \rightarrow 00:31:08.691$  for a young person who struggles

NOTE Confidence: 0.878867746153846

 $00{:}31{:}08.691 \dashrightarrow 00{:}31{:}11.188$  with an opioid use disorder and is

NOTE Confidence: 0.878867746153846

 $00{:}31{:}11{.}188 \dashrightarrow 00{:}31{:}13{.}018$  seen in an emergency department

NOTE Confidence: 0.878867746153846

 $00:31:13.018 \rightarrow 00:31:16.090$  borders on between 5 to 10% a year.

NOTE Confidence: 0.878867746153846

 $00:31:16.090 \rightarrow 00:31:18.890$  As few percentage in the first month,

NOTE Confidence: 0.878867746153846

 $00{:}31{:}18.890 \dashrightarrow 00{:}31{:}20.948$  so these are people who are amongst

NOTE Confidence: 0.878867746153846

 $00{:}31{:}20{.}948 \dashrightarrow 00{:}31{:}22{.}922$  the sickest that we're seeing in

NOTE Confidence: 0.878867746153846

 $00:31:22.922 \rightarrow 00:31:24.647$  their marriage department and were

NOTE Confidence: 0.878867746153846

 $00:31:24.647 \rightarrow 00:31:26.495$  failing at basic interventions and

NOTE Confidence: 0.878867746153846

00:31:26.495 --> 00:31:28.330 basic knowledge sharing to keep

NOTE Confidence: 0.878867746153846

 $00:31:28.330 \dashrightarrow 00:31:31.478$  them safe and decrease death rates.

NOTE Confidence: 0.878867746153846

 $00:31:31.480 \longrightarrow 00:31:33.762$  So we know now how to counsel

NOTE Confidence: 0.878867746153846

 $00:31:33.762 \rightarrow 00:31:35.759$  patients to reduce their ability,

NOTE Confidence: 0.878867746153846

 $00{:}31{:}35{.}760 \dashrightarrow 00{:}31{:}37{.}780$  their their likelihood of overdose.

NOTE Confidence: 0.878867746153846

 $00:31:37.780 \longrightarrow 00:31:40.529$  How about soft tissue infections there?

- 00:31:40.529 --> 00:31:41.367 The classic,
- NOTE Confidence: 0.878867746153846
- $00{:}31{:}41{.}367 \dashrightarrow 00{:}31{:}43{.}462$  merciless spider that only bites
- NOTE Confidence: 0.878867746153846
- $00:31:43.462 \longrightarrow 00:31:45.659$  in the antecubital fossa,
- NOTE Confidence: 0.878867746153846
- 00:31:45.660 --> 00:31:48.360 how do you actually discuss with
- NOTE Confidence: 0.878867746153846
- $00:31:48.360 \longrightarrow 00:31:51.232$  patients safe drug use so that
- NOTE Confidence: 0.878867746153846
- $00:31:51.232 \longrightarrow 00:31:53.196$  they don't get endocarditis,
- NOTE Confidence: 0.878867746153846
- 00:31:53.200 --> 00:31:55.872 epidural Abscess, necrotizing fasciitis,
- NOTE Confidence: 0.878867746153846
- $00:31:55.872 \rightarrow 00:31:57.876$  soft tissue infections?
- NOTE Confidence: 0.878867746153846
- 00:31:57.880 --> 00:31:59.656 How did, besides draining an Abscess,
- NOTE Confidence: 0.878867746153846
- $00:31:59.660 \rightarrow 00:32:01.430$  do you actually bridge that gap?
- NOTE Confidence: 0.878867746153846
- $00{:}32{:}01{.}430 \dashrightarrow 00{:}32{:}03{.}254$  Knowledge gap and it starts with
- NOTE Confidence: 0.878867746153846
- $00:32:03.254 \rightarrow 00:32:05.136$  really getting into the nitty gritty
- NOTE Confidence: 0.878867746153846
- $00:32:05.136 \longrightarrow 00:32:06.966$  of how patients are using drugs.
- NOTE Confidence: 0.878867746153846
- 00:32:06.970 --> 00:32:07.894 So like I said,
- NOTE Confidence: 0.878867746153846
- $00:32:07.894 \rightarrow 00:32:09.630$  everyone should know how to use drugs,
- NOTE Confidence: 0.919340015
- 00:32:09.630 --> 00:32:12.030 but you know who's a clinician.

- NOTE Confidence: 0.919340015
- $00:32:12.030 \rightarrow 00:32:14.088$  Oftentimes when you buy an illicit
- NOTE Confidence: 0.919340015
- $00{:}32{:}14.088 \dashrightarrow 00{:}32{:}16.460$  illicit drug that you're going to inject,
- NOTE Confidence: 0.919340015
- $00:32:16.460 \longrightarrow 00:32:18.420$  it comes in a more solid form,
- NOTE Confidence: 0.919340015
- $00:32:18.420 \longrightarrow 00:32:20.452$  or black tar heroin attire form that you
- NOTE Confidence: 0.919340015
- $00:32:20.452 \rightarrow 00:32:22.864$  have to dissolve so that you can inject it.
- NOTE Confidence: 0.919340015
- $00{:}32{:}22{.}870 \dashrightarrow 00{:}32{:}24{.}442$  So oftentimes you'll take your hair
- NOTE Confidence: 0.919340015
- $00:32:24.442 \longrightarrow 00:32:26.128$  when you'll put it in a cooker,
- NOTE Confidence: 0.919340015
- $00:32:26.130 \longrightarrow 00:32:28.550$  which can be a spoon or a more formal cooker.
- NOTE Confidence: 0.919340015
- $00{:}32{:}28.550 \dashrightarrow 00{:}32{:}30.806$  You'll dissolve the ham with a little water.
- NOTE Confidence: 0.919340015
- 00:32:30.810 --> 00:32:33.274 You'll. Either mix it up towards dissolved,
- NOTE Confidence: 0.919340015
- $00:32:33.280 \rightarrow 00:32:35.644$  or commonly you'll heat your heroin
- NOTE Confidence: 0.919340015
- $00:32:35.644 \rightarrow 00:32:38.564$  so that it aids dissolving in Europe
- NOTE Confidence: 0.919340015
- $00{:}32{:}38{.}564 \dashrightarrow 00{:}32{:}40{.}016$  where they have more basic heroin,
- NOTE Confidence: 0.919340015
- $00:32:40.020 \longrightarrow 00:32:41.034$  sometimes you have to add an
- NOTE Confidence: 0.919340015
- $00:32:41.034 \rightarrow 00:32:42.279$  acid here in the United States,
- NOTE Confidence: 0.919340015

 $00:32:42.280 \longrightarrow 00:32:44.176$  that's not what not as common.

NOTE Confidence: 0.919340015

00:32:44.180 --> 00:32:46.378 You'll put a continent to help filter,

NOTE Confidence: 0.919340015

 $00:32:46.380 \longrightarrow 00:32:48.012$  and then you'll put your needle

NOTE Confidence: 0.919340015

 $00:32:48.012 \rightarrow 00:32:49.793$  and syringe in and you'll actually

NOTE Confidence: 0.919340015

 $00:32:49.793 \dashrightarrow 00:32:52.005$  drop your drop your heroin and then

NOTE Confidence: 0.919340015

 $00:32:52.005 \dashrightarrow 00:32:53.954$  you'll find a vein and go inject it.

NOTE Confidence: 0.919340015

00:32:53.960 --> 00:32:54.932 Or more dangerously,

NOTE Confidence: 0.919340015

00:32:54.932 --> 00:32:56.876 if you fried all your veins,

NOTE Confidence: 0.919340015

 $00:32:56.880 \rightarrow 00:32:58.770$  you might actually inject it directly

NOTE Confidence: 0.919340015

 $00:32:58.770 \longrightarrow 00:33:00.757$  into a muscle which actually has

NOTE Confidence: 0.919340015

 $00:33:00.757 \longrightarrow 00:33:02.417$  a much higher infection risk.

NOTE Confidence: 0.919340015

 $00:33:02.420 \longrightarrow 00:33:04.172$  So how do we know that you know

NOTE Confidence: 0.919340015

 $00:33:04.172 \longrightarrow 00:33:05.480$  how to inject heroin?

NOTE Confidence: 0.919340015

 $00:33:05.480 \rightarrow 00:33:08.328$  Each one of those steps is actually an

NOTE Confidence: 0.919340015

 $00{:}33{:}08{.}328 \dashrightarrow 00{:}33{:}10{.}410$  intervention point that you can discuss

NOTE Confidence: 0.919340015

 $00:33:10.410 \rightarrow 00:33:12.740$  with your patients to keep them safe,

 $00:33:12.740 \longrightarrow 00:33:14.420$  and some of the most common things

NOTE Confidence: 0.919340015

 $00:33:14.420 \longrightarrow 00:33:16.768$  that I do when I go and drain an

NOTE Confidence: 0.919340015

 $00{:}33{:}16.768 \dashrightarrow 00{:}33{:}18.415$  Abscess from an injection drug users

NOTE Confidence: 0.919340015

 $00:33:18.415 \rightarrow 00:33:20.319$  as I actually get into the nitty

NOTE Confidence: 0.919340015

 $00{:}33{:}20{.}319 \dashrightarrow 00{:}33{:}22{.}510$  gritty of how they're using with

NOTE Confidence: 0.919340015

 $00{:}33{:}22.510 \dashrightarrow 00{:}33{:}25.280$  the only intent to keep them safe,

NOTE Confidence: 0.919340015

 $00:33:25.280 \longrightarrow 00:33:26.088$  and I'll ask them.

NOTE Confidence: 0.919340015

 $00:33:26.088 \dashrightarrow 00:33:27.500$  And these are common things I'll say.

NOTE Confidence: 0.919340015

 $00{:}33{:}27{.}500 \dashrightarrow 00{:}33{:}29{.}388$  So tell me how you use and they'll

NOTE Confidence: 0.919340015

00:33:29.388 --> 00:33:30.752 start kind of walking through

NOTE Confidence: 0.919340015

 $00:33:30.752 \longrightarrow 00:33:32.420$  their process and I'll ask them

NOTE Confidence: 0.919340015

 $00:33:32.420 \longrightarrow 00:33:34.068$  if they use fresh equipment.

NOTE Confidence: 0.919340015

00:33:34.070 --> 00:33:35.960 Because fresh equipment of course

NOTE Confidence: 0.919340015

 $00{:}33{:}35{.}960 \dashrightarrow 00{:}33{:}37{.}850$  doesn't carry as much bacteria.

NOTE Confidence: 0.919340015

 $00:33:37.850 \rightarrow 00:33:38.954$  Once they say, OK.

00:33:38.954 --> 00:33:40.170 Well, I've drawn up my heroin.

NOTE Confidence: 0.919340015

00:33:40.170 --> 00:33:41.545 I'll say where are you

NOTE Confidence: 0.919340015

 $00:33:41.545 \longrightarrow 00:33:42.645$  getting your water from?

NOTE Confidence: 0.919340015

00:33:42.650 --> 00:33:44.672 Because so often times you'll find

NOTE Confidence: 0.919340015

 $00:33:44.672 \rightarrow 00:33:46.970$  people have really bad water supplies.

NOTE Confidence: 0.919340015

00:33:46.970 --> 00:33:48.830 Some people will use to ilet water,

NOTE Confidence: 0.919340015

 $00:33:48.830 \longrightarrow 00:33:49.982$  some people river water.

NOTE Confidence: 0.919340015

 $00:33:49.982 \rightarrow 00:33:51.710$  Those are the most extreme cases,

NOTE Confidence: 0.919340015

 $00{:}33{:}51{.}710$  -->  $00{:}33{:}53{.}756$  but often times here's one thing that

NOTE Confidence: 0.919340015

 $00{:}33{:}53.756 \dashrightarrow 00{:}33{:}55.800$  I've discovered over and over again.

NOTE Confidence: 0.919340015

00:33:55.800 -> 00:33:56.436 Let's say, oh,

NOTE Confidence: 0.919340015

 $00{:}33{:}56{.}436 \dashrightarrow 00{:}33{:}57{.}284$  I'll use sink water.

NOTE Confidence: 0.919340015

 $00:33:57.290 \rightarrow 00:33:58.900$  I use bottled water and I'll say,

NOTE Confidence: 0.919340015

 $00{:}33{:}58{.}900 \dashrightarrow 00{:}34{:}01{.}228$  if we with your bottled water.

NOTE Confidence: 0.919340015

 $00{:}34{:}01{.}230 \dashrightarrow 00{:}34{:}02{.}945$  Do you actually drink the water before

NOTE Confidence: 0.919340015

 $00:34:02.945 \rightarrow 00:34:04.909$  sometimes you use it and they'll say Oh yeah,

 $00{:}34{:}04{.}910 \dashrightarrow 00{:}34{:}05{.}914$  sometimes they'll say that's

NOTE Confidence: 0.919340015

 $00:34:05.914 \longrightarrow 00:34:07.169$  why you have an Abscess,

NOTE Confidence: 0.919340015

00:34:07.170 --> 00:34:08.700 because if you drink water before

NOTE Confidence: 0.919340015

 $00:34:08.700 \rightarrow 00:34:10.538$  you actually use it to solve heroin,

NOTE Confidence: 0.919340015

 $00{:}34{:}10{.}540 \dashrightarrow 00{:}34{:}12{.}502$  it's contaminated water in the dirtiest

NOTE Confidence: 0.919340015

 $00:34:12.502 \longrightarrow 00:34:14.659$  place on your body is your mouth.

NOTE Confidence: 0.919340015

 $00:34:14.660 \rightarrow 00:34:16.328$  The other thing that's a very

NOTE Confidence: 0.919340015

00:34:16.328 --> 00:34:18.038 common practice is people who lick

NOTE Confidence: 0.919340015

00:34:18.038 --> 00:34:19.676 needles so often times when people

NOTE Confidence: 0.919340015

 $00:34:19.676 \longrightarrow 00:34:21.585$  drop their drug and they start

NOTE Confidence: 0.919340015

 $00:34:21.585 \rightarrow 00:34:22.897$  pushing depressing their syringe

NOTE Confidence: 0.919340015

 $00{:}34{:}22{.}897 \dashrightarrow 00{:}34{:}24{.}580$  mobile small drop that happens at

NOTE Confidence: 0.919340015

 $00{:}34{:}24{.}580 \dashrightarrow 00{:}34{:}26{.}463$  the top of the needle and people

NOTE Confidence: 0.919340015

 $00{:}34{:}26{.}463 \dashrightarrow 00{:}34{:}28{.}197$  often leak the needle before they

NOTE Confidence: 0.919340015

 $00{:}34{:}28.197 \dashrightarrow 00{:}34{:}29.898$  find a vein and inject it.

 $00:34:29.900 \rightarrow 00:34:31.976$  That's how they have an Abscess.

NOTE Confidence: 0.919340015

 $00{:}34{:}31{.}980 \dashrightarrow 00{:}34{:}33{.}610$  You should discuss with patients

NOTE Confidence: 0.919340015

 $00:34:33.610 \longrightarrow 00:34:34.914$  not licking their needles

NOTE Confidence: 0.919340015

00:34:34.914 --> 00:34:36.500 before putting it in their arm,

NOTE Confidence: 0.91015222222222

 $00:34:36.500 \dashrightarrow 00:34:39.098$  and you can prevent people from

00:34:39.098 --> 00:34:40.397 developing recurrent abscesses.

 $00{:}34{:}40{.}400 \dashrightarrow 00{:}34{:}42{.}788$  Lastly, muscling is a really dangerous

NOTE Confidence: 0.91015222222222

 $00:34:42.788 \longrightarrow 00:34:45.130$  practice because that bacteria is injected.

NOTE Confidence: 0.91015222222222

 $00{:}34{:}45{.}130 \dashrightarrow 00{:}34{:}46{.}250$  Into a muscle and doesn't

NOTE Confidence: 0.91015222222222

 $00:34:46.250 \longrightarrow 00:34:47.146$  have anywhere to go.

NOTE Confidence: 0.91015222222222

 $00{:}34{:}47.150 \dashrightarrow 00{:}34{:}49.220$  It's and often times that results

NOTE Confidence: 0.91015222222222

 $00:34:49.220 \longrightarrow 00:34:51.290$  in more danger of infection.

 $00{:}34{:}51{.}290 \dashrightarrow 00{:}34{:}53{.}144$  So again, practical information you can

NOTE Confidence: 0.91015222222222

 $00{:}34{:}53{.}144 \dashrightarrow 00{:}34{:}55{.}130$  discuss with your patients at the bed side.

NOTE Confidence: 0.91015222222222

 $00{:}34{:}55{.}130 \dashrightarrow 00{:}34{:}57{.}083$  So I tell them that the mouth is a

NOTE Confidence: 0.91015222222222

 $00:34:57.083 \rightarrow 00:34:58.826$  dangerous place of webs that need cough.

 $00:34:58.830 \dashrightarrow 00:35:01.168$  I tell them to use fresh equipment.

NOTE Confidence: 0.91015222222222

 $00:35:01.170 \longrightarrow 00:35:02.350$  I'll ask them what they're

NOTE Confidence: 0.91015222222222

 $00:35:02.350 \longrightarrow 00:35:03.530$  doing to clean their skin,

NOTE Confidence: 0.91015222222222

 $00{:}35{:}03{.}530 \dashrightarrow 00{:}35{:}06{.}379$  and if the person is homeless or

NOTE Confidence: 0.91015222222222

 $00:35:06.379 \rightarrow 00:35:08.250$  struggles with resources I reach,

NOTE Confidence: 0.91015222222222

 $00{:}35{:}08{.}250 \dashrightarrow 00{:}35{:}10{.}284$  read into my Ed drawer and I send them

NOTE Confidence: 0.91015222222222

 $00{:}35{:}10{.}284 \dashrightarrow 00{:}35{:}12{.}119$  home with a handful of alcohol pads

NOTE Confidence: 0.91015222222222

00:35:12.119<br/>  $-\!>$  00:35:14.137 and I'll tell them you can buy these

00:35:14.137 --> 00:35:16.164 for a buck at any pharmacy for 100

NOTE Confidence: 0.91015222222222

 $00{:}35{:}16{.}164 \dashrightarrow 00{:}35{:}18{.}383$  or get them out of syringe exchange

NOTE Confidence: 0.91015222222222

00:35:18.383 --> 00:35:20.390 program if you have access to one,

 $00{:}35{:}20{.}390 \dashrightarrow 00{:}35{:}22{.}567$  and I'll instruct them on how to

NOTE Confidence: 0.91015222222222

 $00{:}35{:}22{.}567 \dashrightarrow 00{:}35{:}24{.}780$  clean their skin before they inject.

NOTE Confidence: 0.91015222222222

 $00{:}35{:}24.780 \dashrightarrow 00{:}35{:}25.836$  Lastly, if they're there,

NOTE Confidence: 0.91015222222222

00:35:25.836 --> 00:35:27.740 if they are cooking product or if

 $00:35:27.740 \rightarrow 00:35:29.354$  they're scared to cook their product,

NOTE Confidence: 0.91015222222222

 $00:35:29.360 \longrightarrow 00:35:30.860$  which is another common thing,

NOTE Confidence: 0.91015222222222

 $00:35:30.860 \longrightarrow 00:35:32.060$  there's this treatment that, hey,

NOTE Confidence: 0.91015222222222

00:35:32.060 --> 00:35:33.398 you're going to boil off all

NOTE Confidence: 0.91015222222222

00:35:33.398 --> 00:35:34.620 your heroin or your fence,

 $00{:}35{:}34{.}620 \dashrightarrow 00{:}35{:}37{.}236$  and I'll I'll reassure them by telling about

NOTE Confidence: 0.91015222222222

 $00:35:37.236 \rightarrow 00:35:39.755$  the boiling point of heroin is 400 degrees,

NOTE Confidence: 0.91015222222222

 $00{:}35{:}39{.}760 \dashrightarrow 00{:}35{:}41{.}980$  whereas water is 100 or

NOTE Confidence: 0.91015222222222

00:35:41.980 --> 00:35:43.756 fentanyl is also much,

NOTE Confidence: 0.91015222222222

 $00:35:43.760 \longrightarrow 00:35:44.864$  much higher than water,

NOTE Confidence: 0.91015222222222

 $00:35:44.864 \longrightarrow 00:35:46.244$  so they can actually cook

NOTE Confidence: 0.91015222222222

 $00:35:46.244 \longrightarrow 00:35:47.618$  and boil their fentanyl,

NOTE Confidence: 0.91015222222222

 $00:35:47.620 \rightarrow 00:35:49.398$  and they're not going to or heroin,

NOTE Confidence: 0.91015222222222

 $00:35:49.400 \longrightarrow 00:35:50.720$  and they're not going to boil

 $00:35:50.720 \longrightarrow 00:35:52.140$  it off and decrease the dosage.

NOTE Confidence: 0.91015222222222

 $00:35:52.140 \rightarrow 00:35:54.456$  And by doing that, they'll actually

 $00:35:54.456 \rightarrow 00:35:56.480$  somewhat sterilize their drug supply.

NOTE Confidence: 0.91015222222222

 $00:35:56.480 \longrightarrow 00:35:57.452$  And then finally,

NOTE Confidence: 0.91015222222222

 $00:35:57.452 \rightarrow 00:35:58.748$  it's where you're injecting.

NOTE Confidence: 0.91015222222222

 $00{:}35{:}58{.}750 \dashrightarrow 00{:}36{:}00{.}148$  We talk about the fact that

NOTE Confidence: 0.91015222222222

 $00:36:00.148 \longrightarrow 00:36:01.739$  injecting in the hands is dangerous.

NOTE Confidence: 0.91015222222222

 $00{:}36{:}01.740 \dashrightarrow 00{:}36{:}03.936$  The fact that mainlining is dangerous.

NOTE Confidence: 0.91015222222222

 $00:36:03.940 \rightarrow 00:36:06.308$  The fact injecting in the groin is dangerous,

NOTE Confidence: 0.91015222222222

 $00:36:06.310 \longrightarrow 00:36:09.160$  and the fact that they should

NOTE Confidence: 0.91015222222222

 $00:36:09.160 \longrightarrow 00:36:11.060$  always keep one vein.

NOTE Confidence: 0.91015222222222

00:36:11.060 --> 00:36:13.080 That's for the medical community,

NOTE Confidence: 0.91015222222222

 $00{:}36{:}13.080 \dashrightarrow 00{:}36{:}14.942$  so I always talk about keeping one

NOTE Confidence: 0.91015222222222

 $00:36:14.942 \longrightarrow 00:36:16.720$  vein that they just don't touch.

NOTE Confidence: 0.91015222222222

 $00:36:16.720 \longrightarrow 00:36:18.640$  So if they ever get really sick that

NOTE Confidence: 0.91015222222222

 $00:36:18.640 \longrightarrow 00:36:20.397$  they can come into the hospital,

NOTE Confidence: 0.91015222222222

 $00:36:20.400 \longrightarrow 00:36:21.840$  tell us where that vein is,

 $00:36:21.840 \longrightarrow 00:36:23.832$  and we can use it to help provide

NOTE Confidence: 0.91015222222222

 $00{:}36{:}23.832 \dashrightarrow 00{:}36{:}26.000$  them the medical care that they need

NOTE Confidence: 0.91015222222222

 $00:36:26.000 \longrightarrow 00:36:28.664$  so we can prevent a lot of these

NOTE Confidence: 0.91015222222222

 $00:36:28.664 \rightarrow 00:36:30.762$  infections by actually just giving

NOTE Confidence: 0.91015222222222

 $00{:}36{:}30{.}762 \dashrightarrow 00{:}36{:}33{.}462$  patients the knowledge that they need

NOTE Confidence: 0.91015222222222

 $00{:}36{:}33{.}462 \dashrightarrow 00{:}36{.}36{.}380$  and the consequence of standard care.

 $00{:}36{:}36{.}380 \dashrightarrow 00{:}36{:}38{.}557$  And this is all stuff that's been

NOTE Confidence: 0.91015222222222

 $00{:}36{:}38{.}557 \dashrightarrow 00{:}36{:}40{.}050$  increasing dramatically over the course

NOTE Confidence: 0.91015222222222

 $00:36:40.050 \dashrightarrow 00:36:41.807$  of the last few years is terrible.

NOTE Confidence: 0.91015222222222

 $00:36:41.810 \rightarrow 00:36:44.025$  Life threatening infections that costs

NOTE Confidence: 0.91015222222222

 $00{:}36{:}44.025 \dashrightarrow 00{:}36{:}46.672$  us billions upon billions of year

NOTE Confidence: 0.91015222222222

 $00:36:46.672 \rightarrow 00:36:48.826$  and each of which is preventable.

NOTE Confidence: 0.91015222222222

 $00:36:48.830 \rightarrow 00:36:50.838$  So the third patient we're going to talk,

NOTE Confidence: 0.91015222222222

 $00:36:50.840 \rightarrow 00:36:52.849$  we're going to talk about how to

NOTE Confidence: 0.91015222222222

 $00:36:52.849 \rightarrow 00:36:54.802$  prevent viral infections is you have

NOTE Confidence: 0.91015222222222

 $00{:}36{:}54.802 \dashrightarrow 00{:}36{:}56.986$  your favorite nurse who's comes to

 $00:36:56.986 \rightarrow 00:36:59.566$  you panicked because she's been stuck

NOTE Confidence: 0.91015222222222

 $00{:}36{:}59{.}566 \dashrightarrow 00{:}37{:}03{.}270$  with a needle with a person who's a

NOTE Confidence: 0.91015222222222

00:37:03.270 --> 00:37:06.290 known Ivy drug user and who's had

NOTE Confidence: 0.91015222222222

 $00:37:06.290 \rightarrow 00:37:08.800$  multiple visits to the Ed and your

NOTE Confidence: 0.91015222222222

00:37:08.800 --> 00:37:11.285 nurses just passed because she have HIV?

NOTE Confidence: 0.91015222222222

00:37:11.290 --> 00:37:13.050 Do I need to go in HIV prophylaxis?

NOTE Confidence: 0.91015222222222

00:37:13.050 - 00:37:15.030 Do I have hepatitis C?

NOTE Confidence: 0.91015222222222

 $00:37:15.030 \rightarrow 00:37:16.850$  And the answer is possible,

NOTE Confidence: 0.883268178333333

 $00:37:16.850 \longrightarrow 00:37:19.265$  so if nothing that I've said resonates

NOTE Confidence: 0.883268178333333

00:37:19.265 --> 00:37:21.350 with you about taking actually

NOTE Confidence: 0.883268178333333

00:37:21.350 - 00:37:23.640 better care of these patients.

NOTE Confidence: 0.883268178333333

 $00{:}37{:}23.640 \dashrightarrow 00{:}37{:}25.579$  Here's another reason you want to take

NOTE Confidence: 0.883268178333333

 $00{:}37{:}25.579 \dashrightarrow 00{:}37{:}27.529$  better care of these patients so that

NOTE Confidence: 0.883268178333333

 $00{:}37{:}27.529 \dashrightarrow 00{:}37{:}29.500$  you take better care of your staff,

NOTE Confidence: 0.883268178333333

 $00:37:29.500 \rightarrow 00:37:31.348$  because we know that patients who

 $00:37:31.348 \dashrightarrow 00:37:34.208$  have Ivy drug use often have have hot

NOTE Confidence: 0.883268178333333

 $00:37:34.208 \rightarrow 00:37:36.158$  hyperalgesia if they're using opioids,

NOTE Confidence: 0.883268178333333

 $00:37:36.160 \rightarrow 00:37:37.744$  they oftentimes they're difficult.

NOTE Confidence: 0.883268178333333

 $00:37:37.744 \rightarrow 00:37:40.175$  Ivy starts, and you're oftentimes at much

NOTE Confidence: 0.883268178333333

 $00{:}37{:}40.175 \dashrightarrow 00{:}37{:}42.295$  greater likelihood to have an accidental

NOTE Confidence: 0.883268178333333

 $00:37:42.295 \dashrightarrow 00:37:44.815$  needle stick with that patient population, NOTE Confidence: 0.883268178333333

 $00:37:44.820 \rightarrow 00:37:47.718$  and if that patient has not been kept safe

NOTE Confidence: 0.883268178333333

 $00:37:47.718 \rightarrow 00:37:50.800$  and they have hepatitis or HIV, then that

NOTE Confidence: 0.883268178333333

 $00{:}37{:}50.800 \dashrightarrow 00{:}37{:}53.200$  endangers your medical staff as well.

NOTE Confidence: 0.883268178333333

 $00{:}37{:}53{.}200 \dashrightarrow 00{:}37{:}54{.}080$  And I've been the victim

NOTE Confidence: 0.883268178333333

 $00{:}37{:}54.080 \dashrightarrow 00{:}37{:}55.110$  of a needle stick with it.

NOTE Confidence: 0.883268178333333

00:37:55.110 --> 00:37:56.031 Heavy drug user.

NOTE Confidence: 0.883268178333333

 $00{:}37{:}56{.}031 \dashrightarrow 00{:}37{:}58{.}899$  It is not a great situation to deal with,

NOTE Confidence: 0.883268178333333

 $00:37:58.900 \rightarrow 00:38:01.805$  so we want to keep this medical.

NOTE Confidence: 0.883268178333333

 $00:38:01.810 \longrightarrow 00:38:03.585$  This this cohort of patients

NOTE Confidence: 0.883268178333333

 $00:38:03.585 \rightarrow 00:38:05.770$  safe not just for their sake,

 $00:38:05.770 \rightarrow 00:38:08.098$  which is the first duty that we have,

NOTE Confidence: 0.883268178333333

 $00:38:08.100 \longrightarrow 00:38:09.829$  but also for the sake of our

NOTE Confidence: 0.883268178333333

 $00:38:09.829 \longrightarrow 00:38:10.930$  communities and our staff.

NOTE Confidence: 0.883268178333333

 $00:38:10.930 \longrightarrow 00:38:13.840$  So how do you actually prevent people

NOTE Confidence: 0.883268178333333

 $00:38:13.840 \rightarrow 00:38:17.410$  from getting hepatitis and HIV is,

NOTE Confidence: 0.883268178333333

 $00{:}38{:}17{.}410 \dashrightarrow 00{:}38{:}20{.}273$  we know that sharing anything when it

NOTE Confidence: 0.883268178333333

 $00:38:20.273 \dashrightarrow 00:38:23.668$  comes to drug use leads to these things,

NOTE Confidence: 0.883268178333333

 $00{:}38{:}23.670 \dashrightarrow 00{:}38{:}25.450$  and we know that.

NOTE Confidence: 0.883268178333333

 $00:38:25.450 \longrightarrow 00:38:26.340$  Hepatitis C.

NOTE Confidence: 0.883268178333333

00:38:26.340 --> 00:38:30.106 There's a much hardier virus than HIV,

NOTE Confidence: 0.883268178333333

 $00:38:30.110 \longrightarrow 00:38:31.524$  so here in Denver and I'll just

NOTE Confidence: 0.883268178333333

 $00{:}38{:}31{.}524 \dashrightarrow 00{:}38{:}32{.}799$  talk about our local members.

NOTE Confidence: 0.883268178333333

 $00:38:32.800 \dashrightarrow 00:38:36.384$  We know that amongst Ivy drug users.

NOTE Confidence: 0.883268178333333

 $00{:}38{:}36{.}390 \dashrightarrow 00{:}38{:}40{.}470$  HIV runs at less than 1% because most

NOTE Confidence: 0.883268178333333

 $00:38:40.470 \longrightarrow 00:38:42.690$  people know not to share needles,

 $00{:}38{:}42.690 \dashrightarrow 00{:}38{:}45.553$  but amongst that same cohort of patients

NOTE Confidence: 0.883268178333333

 $00:38:45.553 \rightarrow 00:38:48.756$  are hepatitis C rate is between 20 and 25%,

NOTE Confidence: 0.883268178333333

 $00:38:48.756 \rightarrow 00:38:51.044$  so it goes to show you two things.

NOTE Confidence: 0.883268178333333

 $00:38:51.050 \rightarrow 00:38:54.662$  One hour advice to not directly share

NOTE Confidence: 0.883268178333333

 $00{:}38{:}54.662 \dashrightarrow 00{:}38{:}58.557$  needles is good and has been working to

NOTE Confidence: 0.883268178333333

 $00{:}38{:}58{.}560 \dashrightarrow 00{:}39{:}01{.}710$  HIV is a much less virulent disease.

NOTE Confidence: 0.883268178333333

 $00{:}39{:}01{.}710 \dashrightarrow 00{:}39{:}03{.}824$  Virulent virus when it comes to or

NOTE Confidence: 0.883268178333333

 $00:39:03.824 \rightarrow 00:39:05.366$  much less contagious virus when

NOTE Confidence: 0.883268178333333

 $00{:}39{:}05{.}366 \dashrightarrow 00{:}39{:}07{.}094$  it comes to injection drug use.

NOTE Confidence: 0.883268178333333

 $00:39{:}07.100 \dashrightarrow 00{:}39{:}08.565$  But because it survives outside

NOTE Confidence: 0.883268178333333

00:39:08.565 --> 00:39:10.898 the body for only a minute or two,

NOTE Confidence: 0.883268178333333

00:39:10.900 - 00:39:13.203 but hepatitis C has been shown to

NOTE Confidence: 0.883268178333333

 $00{:}39{:}13.203 \dashrightarrow 00{:}39{:}15.692$  survive in a cooker in a cotton in

NOTE Confidence: 0.883268178333333

 $00:39:15.692 \longrightarrow 00:39:18.265$  a needle for up to three weeks for

NOTE Confidence: 0.883268178333333

 $00:39:18.265 \dashrightarrow 00:39:20.764$  two to three weeks after last use.

NOTE Confidence: 0.883268178333333

00:39:20.770 --> 00:39:23.754 So hepatitis C is like a Navy SEAL.

 $00:39:23.760 \longrightarrow 00:39:26.250$  It's just waiting there and has

NOTE Confidence: 0.883268178333333

00:39:26.250 --> 00:39:27.080 infected large,

NOTE Confidence: 0.883268178333333

 $00:39:27.080 \rightarrow 00:39:28.800$  large populations of people because

NOTE Confidence: 0.883268178333333

00:39:28.800 --> 00:39:31.163 it's just such a Hardy virus and

NOTE Confidence: 0.883268178333333

 $00:39:31.163 \longrightarrow 00:39:33.193$  that just goes to show and I'll

NOTE Confidence: 0.883268178333333

 $00{:}39{:}33{.}193 \dashrightarrow 00{:}39{:}35{.}364$  discuss all this with patients at the

NOTE Confidence: 0.883268178333333

 $00:39:35.364 \rightarrow 00:39:37.594$  bedside that you have to be really,

NOTE Confidence: 0.883268178333333

 $00:39:37.594 \rightarrow 00:39:39.284$  really cautious about saving anything.

NOTE Confidence: 0.883268178333333

 $00:39:39.290 \longrightarrow 00:39:41.290$  Sharing anything, in this case,

NOTE Confidence: 0.883268178333333

 $00:39:41.290 \rightarrow 00:39:42.282$  sharing is not caring,

NOTE Confidence: 0.883268178333333

 $00:39:42.282 \longrightarrow 00:39:44.112$  so we need to discuss that you

NOTE Confidence: 0.883268178333333

 $00{:}39{:}44.112 \dashrightarrow 00{:}39{:}45.248$  don't share your cooker.

NOTE Confidence: 0.883268178333333

00:39:45.250 --> 00:39:46.350 You don't share your cotton,

NOTE Confidence: 0.883268178333333

 $00{:}39{:}46{.}350 \dashrightarrow 00{:}39{:}48{.}786$  you don't share a syringe beyond.

NOTE Confidence: 0.883268178333333

 $00{:}39{:}48.790 \dashrightarrow 00{:}39{:}50.142$  Just don't share needles.

 $00:39:50.142 \rightarrow 00:39:52.555$  The other thing that I often discuss

NOTE Confidence: 0.883268178333333

 $00:39:52.555 \rightarrow 00:39:55.107$  people is that the need to to actually

NOTE Confidence: 0.883268178333333

 $00:39:55.107 \rightarrow 00:39:57.339$  know how to inject yourself because

NOTE Confidence: 0.883268178333333

 $00:39:57.339 \rightarrow 00:39:59.458$  something we want to discuss here,

NOTE Confidence: 0.883268178333333

 $00:39:59.458 \longrightarrow 00:40:00.530$  but which is very,

NOTE Confidence: 0.883268178333333

 $00:40:00.530 \longrightarrow 00:40:02.966$  very prevalent is drug use and

NOTE Confidence: 0.883268178333333

 $00:40:02.966 \rightarrow 00:40:06.563$  injection use as a way to either control

NOTE Confidence: 0.883268178333333

 $00:40:06.563 \rightarrow 00:40:09.395$  women who are being sex trafficked.

NOTE Confidence: 0.883268178333333

 $00:40:09.400 \longrightarrow 00:40:11.338$  Or women who are being abused.

NOTE Confidence: 0.883268178333333

 $00{:}40{:}11{.}340 \dashrightarrow 00{:}40{:}13{.}310$  And I if you are a woman who comes in

NOTE Confidence: 0.925490560454546

00:40:13.367 --> 00:40:15.367 and you are and you have one of

NOTE Confidence: 0.925490560454546

 $00:40:15.367 \longrightarrow 00:40:16.939$  these injection related complaints,

NOTE Confidence: 0.925490560454546

 $00{:}40{:}16.940 \dashrightarrow 00{:}40{:}19.298$  I ask about self sex trafficking.

NOTE Confidence: 0.925490560454546

00:40:19.300 --> 00:40:21.232 I ask about abuse because we know

NOTE Confidence: 0.925490560454546

 $00:40:21.232 \longrightarrow 00:40:22.729$  that the numbers are behind.

NOTE Confidence: 0.925490560454546

 $00:40:22.730 \longrightarrow 00:40:25.299$  Those are extremely high and and it's

 $00:40:25.299 \rightarrow 00:40:27.560$  another way that you can tile it.

NOTE Confidence: 0.925490560454546

00:40:27.560 --> 00:40:28.664 Target your interventions.

NOTE Confidence: 0.925490560454546

 $00:40:28.664 \longrightarrow 00:40:30.872$  So let's get back to viral.

NOTE Confidence: 0.925490560454546

 $00:40:30.880 \longrightarrow 00:40:32.485$  Viral infections is you just

NOTE Confidence: 0.925490560454546

 $00{:}40{:}32{.}485 \dashrightarrow 00{:}40{:}34{.}607$  have to talk with your patients

NOTE Confidence: 0.925490560454546

 $00:40:34.607 \longrightarrow 00:40:36.419$  about not sharing anything.

NOTE Confidence: 0.925490560454546

 $00{:}40{:}36{.}420 \dashrightarrow 00{:}40{:}38{.}366$  You have to talk with them about

NOTE Confidence: 0.925490560454546

 $00:40:38.366 \rightarrow 00:40:39.770$  going to syringe exchange.

NOTE Confidence: 0.925490560454546

 $00:40:39.770 \longrightarrow 00:40:40.760$  You have to talk with them.

NOTE Confidence: 0.925490560454546

00:40:40.760 --> 00:40:42.489 If you don't have a syringe exchange

NOTE Confidence: 0.925490560454546

 $00:40:42.489 \longrightarrow 00:40:44.243$  about going to the pharmacy and

NOTE Confidence: 0.925490560454546

 $00:40:44.243 \longrightarrow 00:40:45.843$  actually getting their supplies and

NOTE Confidence: 0.925490560454546

 $00:40:45.843 \rightarrow 00:40:47.650$  when patients some patients will say,

NOTE Confidence: 0.925490560454546

 $00:40:47.650 \longrightarrow 00:40:48.242$  well Doc,

NOTE Confidence: 0.925490560454546

 $00:40:48.242 \longrightarrow 00:40:50.314$  I've been to the pharmacy and they

 $00:40:50.314 \rightarrow 00:40:52.276$  won't give me any injection materials

NOTE Confidence: 0.925490560454546

 $00{:}40{:}52.276$  -->  $00{:}40{:}54.710$  because I don't have a prescription.

NOTE Confidence: 0.925490560454546

 $00{:}40{:}54{.}710 \dashrightarrow 00{:}40{:}56{.}891$  I read them a prescription because

NOTE Confidence: 0.925490560454546

00:40:56.891 - 00:40:58.718 I want to keep that patient safe.

NOTE Confidence: 0.925490560454546

 $00{:}40{:}58.720 \dashrightarrow 00{:}41{:}00.520$  I want to make sure that they don't get

NOTE Confidence: 0.925490560454546

 $00{:}41{:}00{.}520 \dashrightarrow 00{:}41{:}02{.}490$  any of these diseases that we talk about.

NOTE Confidence: 0.925490560454546

00:41:02.490 --> 00:41:03.180 And finally,

NOTE Confidence: 0.925490560454546

 $00:41:03.180 \rightarrow 00:41:05.595$  there's big news in terms of something

NOTE Confidence: 0.925490560454546

 $00:41:05.595 \rightarrow 00:41:07.358$  that's happened overseas and that's

NOTE Confidence: 0.925490560454546

 $00:41:07.358 \rightarrow 00:41:09.930$  been proven for now going on decades.

NOTE Confidence: 0.925490560454546

 $00{:}41{:}09{.}930 \dashrightarrow 00{:}41{:}12{.}840$  Is the fact that that supervised

NOTE Confidence: 0.925490560454546

 $00:41:12.840 \longrightarrow 00:41:14.295$  injection facilities decrease

NOTE Confidence: 0.925490560454546

 $00:41:14.295 \longrightarrow 00:41:15.900$  disease and save lives?

NOTE Confidence: 0.925490560454546

 $00{:}41{:}15{.}900 \dashrightarrow 00{:}41{:}18{.}092$  And here in the United States we have

NOTE Confidence: 0.925490560454546

 $00:41:18.092 \rightarrow 00:41:19.789$  our first supervised injection facility

NOTE Confidence: 0.925490560454546

 $00:41:19.789 \longrightarrow 00:41:22.470$  in New York and we're excited to

 $00:41:22.536 \rightarrow 00:41:24.808$  see how that plays out over the next

NOTE Confidence: 0.925490560454546

 $00:41:24.808 \rightarrow 00:41:27.090$  few years because the consequences

NOTE Confidence: 0.925490560454546

00:41:27.090 -> 00:41:29.805 of not addressing unsafe drug use,

NOTE Confidence: 0.925490560454546

00:41:29.805 --> 00:41:30.140 injection,

NOTE Confidence: 0.925490560454546

 $00:41:30.140 \longrightarrow 00:41:31.480$  drug use with people.

NOTE Confidence: 0.925490560454546

 $00:41:31.480 \longrightarrow 00:41:33.995$  Are you have these tremendous

NOTE Confidence: 0.925490560454546

 $00{:}41{:}33{.}995 \dashrightarrow 00{:}41{:}36{.}860$  outbreaks of hepatitis C and HIV

NOTE Confidence: 0.925490560454546

 $00:41:36.860 \rightarrow 00:41:39.924$  such as what we saw in Austin IN.

NOTE Confidence: 0.925490560454546

00:41:39.930 --> 00:41:42.360 Community of 4000 people that had

NOTE Confidence: 0.925490560454546

 $00:41:42.360 \longrightarrow 00:41:44.713$  a problem with sharing a supplies

NOTE Confidence: 0.925490560454546

 $00:41:44.713 \longrightarrow 00:41:46.995$  and and had one of the largest

NOTE Confidence: 0.925490560454546

 $00{:}41{:}46{.}995 \dashrightarrow 00{:}41{:}49{.}124$  HIV epidemics we've seen in the

NOTE Confidence: 0.925490560454546

00:41:49.124 --> 00:41:51.398 lot in the last last decade.

NOTE Confidence: 0.925490560454546

 $00{:}41{:}51{.}398 \dashrightarrow 00{:}41{:}54{.}260$  Where 400 people got HIV from

NOTE Confidence: 0.925490560454546

00:41:54.260 --> 00:41:55.790 unsafe drug use,

 $00:41:55.790 \longrightarrow 00:41:57.692$  and that's happened again and again

NOTE Confidence: 0.925490560454546

00:41:57.692 --> 00:41:59.694 across the across the country where

NOTE Confidence: 0.925490560454546

 $00{:}41{:}59{.}694 \dashrightarrow 00{:}42{:}01{.}389$  we've seen these small outbreaks

NOTE Confidence: 0.925490560454546

 $00:42:01.389 \longrightarrow 00:42:03.203$  all related to too unsafe drug

NOTE Confidence: 0.925490560454546

 $00:42:03.203 \longrightarrow 00:42:04.860$  use that we can 100% prevent.

NOTE Confidence: 0.925490560454546

 $00{:}42{:}04{.}860 \dashrightarrow 00{:}42{:}07{.}205$  The last one is a person who

NOTE Confidence: 0.925490560454546

00:42:07.205 --> 00:42:09.150 has long term opioid use,

NOTE Confidence: 0.925490560454546

 $00:42:09.150 \rightarrow 00:42:11.614$  is brought in by the family withdrawing.

NOTE Confidence: 0.925490560454546

 $00:42:11.620 \rightarrow 00:42:14.469$  Wants to quit and and is begging

NOTE Confidence: 0.925490560454546

 $00:42:14.469 \rightarrow 00:42:15.690$  you for help.

NOTE Confidence: 0.925490560454546

00:42:15.690 --> 00:42:17.610 And before what I did for

NOTE Confidence: 0.925490560454546

 $00:42:17.610 \rightarrow 00:42:19.230$  these patients is say hey,

NOTE Confidence: 0.925490560454546

 $00{:}42{:}19{.}230 \dashrightarrow 00{:}42{:}20{.}270$  glad you want to quit.

NOTE Confidence: 0.925490560454546

00:42:20.270 --> 00:42:21.614 Never use drugs again.

NOTE Confidence: 0.925490560454546

 $00:42:21.614 \longrightarrow 00:42:24.622$  And here is a pamphlet of 20 places

NOTE Confidence: 0.925490560454546

 $00:42:24.622 \rightarrow 00:42:27.610$  you can call to try to get help and

 $00:42:27.610 \longrightarrow 00:42:28.937$  patients would get frustrated 'cause

NOTE Confidence: 0.925490560454546

 $00:42:28.937 \rightarrow 00:42:30.605$  they start calling these places and

NOTE Confidence: 0.925490560454546

 $00{:}42{:}30.605 \dashrightarrow 00{:}42{:}32.408$  they don't have any access to care.

NOTE Confidence: 0.925490560454546

 $00{:}42{:}32{.}410 \dashrightarrow 00{:}42{:}34{.}786$  So we set people up for failure who

NOTE Confidence: 0.925490560454546

 $00{:}42{:}34.786 \dashrightarrow 00{:}42{:}36.893$  are looking for a recovery time and

NOTE Confidence: 0.925490560454546

 $00{:}42{:}36{.}893 \dashrightarrow 00{:}42{:}39{.}295$  time again in the past and we just

NOTE Confidence: 0.925490560454546

 $00{:}42{:}39{.}295 \dashrightarrow 00{:}42{:}41{.}500$  have to do what we've been trained

NOTE Confidence: 0.925490560454546

 $00{:}42{:}41.568 \dashrightarrow 00{:}42{:}44.165$  to do for every other medical disease.

NOTE Confidence: 0.925490560454546

00:42:44.170 --> 00:42:44.924 Treat it,

NOTE Confidence: 0.925490560454546

 $00:42:44.924 \rightarrow 00:42:47.186$  treat it like a medical disease.

NOTE Confidence: 0.925490560454546

 $00:42:47.190 \longrightarrow 00:42:49.290$  We have lifes aving medications that we can

NOTE Confidence: 0.925490560454546

NOTE Confidence: 0.925490560454546

 $00:42:51.730 \longrightarrow 00:42:53.848$  In some places that are doing

NOTE Confidence: 0.925490560454546

 $00{:}42{:}53{.}848 \dashrightarrow 00{:}42{:}55{.}260$  methadone and then referring

NOTE Confidence: 0.925490560454546

 $00:42:55.321 \longrightarrow 00:42:57.451$  that patient to legitimate care

 $00:42:57.451 \longrightarrow 00:42:58.729$  with their relationship.

NOTE Confidence: 0.925490560454546

 $00{:}42{:}58.730 \dashrightarrow 00{:}43{:}00.745$  That you've actually formed with

NOTE Confidence: 0.925490560454546

00:43:00.745 --> 00:43:02.760 an accepting clinic and accepting

NOTE Confidence: 0.925490560454546

 $00:43:02.823 \longrightarrow 00:43:05.019$  provider instead of a list of

NOTE Confidence: 0.925490560454546

 $00:43:05.019 \rightarrow 00:43:06.483$  resources that does absolutely

NOTE Confidence: 0.872593158695652

 $00:43:06.549 \longrightarrow 00:43:07.710$  nothing for people.

NOTE Confidence: 0.872593158695652

00:43:07.710 --> 00:43:10.153 Lastly, you can, even if the patient

NOTE Confidence: 0.872593158695652

00:43:10.153 --> 00:43:12.668 says you know I went to do heroin.

NOTE Confidence: 0.872593158695652

00:43:12.670 --> 00:43:14.070 Anonymous and Narcotics Anonymous,

NOTE Confidence: 0.872593158695652

 $00:43:14.070 \longrightarrow 00:43:16.170$  and they're not going to accept

NOTE Confidence: 0.872593158695652

 $00{:}43{:}16.228 \dashrightarrow 00{:}43{:}17.944$  the fact that I'm on bup renorphine

NOTE Confidence: 0.872593158695652

 $00{:}43{:}17{.}944 \dashrightarrow 00{:}43{:}19{.}701$  then send them home with naloxone

NOTE Confidence: 0.872593158695652

00:43:19.701 -> 00:43:21.633 and make sure that they that they

NOTE Confidence: 0.872593158695652

 $00:43:21.633 \rightarrow 00:43:24.178$  have access to a life saving drug.

NOTE Confidence: 0.872593158695652

 $00:43:24.180 \rightarrow 00:43:25.712$  There's peer recovery organizations

NOTE Confidence: 0.872593158695652

 $00:43:25.712 \longrightarrow 00:43:28.010$  that we need to start figuring

 $00:43:28.076 \rightarrow 00:43:30.393$  out how to bridge that gap between

NOTE Confidence: 0.872593158695652

00:43:30.393 - > 00:43:32.007 the recovery community and the

NOTE Confidence: 0.872593158695652

 $00:43:32.007 \rightarrow 00:43:33.960$  treatment community in a way that we

NOTE Confidence: 0.872593158695652

 $00:43:33.960 \longrightarrow 00:43:36.060$  can provide patients the best care

NOTE Confidence: 0.872593158695652

 $00:43:36.060 \rightarrow 00:43:38.273$  possible that aligns with their own

NOTE Confidence: 0.872593158695652

 $00:43:38.273 \rightarrow 00:43:40.235$  vision of what recovery looks like.

NOTE Confidence: 0.872593158695652

 $00:43:40.240 \longrightarrow 00:43:42.585$  And then finally we have to actually

NOTE Confidence: 0.872593158695652

 $00:43:42.585 \rightarrow 00:43:44.609$  start affirming humanity in people and

NOTE Confidence: 0.872593158695652

 $00{:}43{:}44{.}609 \dashrightarrow 00{:}43{:}46{.}523$  leaving the judgment behind and telling

NOTE Confidence: 0.872593158695652

 $00:43:46.523 \rightarrow 00:43:48.439$  them that they're worth recovery.

NOTE Confidence: 0.872593158695652

 $00:43:48.440 \longrightarrow 00:43:50.440$  That we're here for you as a medical

NOTE Confidence: 0.872593158695652

 $00:43:50.440 \rightarrow 00:43:52.078$  community that we're pulling for you,

NOTE Confidence: 0.872593158695652

 $00:43:52.080 \longrightarrow 00:43:53.700$  and that if anything happens,

NOTE Confidence: 0.872593158695652

 $00{:}43{:}53{.}700 \dashrightarrow 00{:}43{:}55{.}506$  we want to see you back here.

NOTE Confidence: 0.872593158695652

 $00{:}43{:}55{.}510$  -->  $00{:}43{:}57{.}769$  And that's a message that I give to every

 $00:43:57.769 \rightarrow 00:44:00.070$  person who I see who struggles with drug use,

NOTE Confidence: 0.872593158695652

 $00{:}44{:}00{.}070 \dashrightarrow 00{:}44{:}01{.}290$  whether they're ready to quit

NOTE Confidence: 0.872593158695652

 $00:44:01.290 \longrightarrow 00:44:03.039$  on the day that I see them,

NOTE Confidence: 0.872593158695652

 $00:44:03.040 \rightarrow 00:44:06.204$  or try to attempt to enter recovery,

NOTE Confidence: 0.872593158695652

 $00:44:06.210 \longrightarrow 00:44:07.374$  or whether they're going

NOTE Confidence: 0.872593158695652

 $00{:}44{:}07{.}374 \dashrightarrow 00{:}44{:}08{.}829$  to remain in active use.

NOTE Confidence: 0.872593158695652

 $00:44:08.830 \longrightarrow 00:44:10.170$  We have an open door,

NOTE Confidence: 0.872593158695652

00:44:10.170 --> 00:44:10.936 nonjudgmental policy,

NOTE Confidence: 0.872593158695652

 $00:44:10.936 \longrightarrow 00:44:13.234$  but I've worked very hard to

NOTE Confidence: 0.872593158695652

 $00{:}44{:}13{.}234 \dashrightarrow 00{:}44{:}15{.}656$  build in a hospital so that people

NOTE Confidence: 0.872593158695652

00:44:15.656 --> 00:44:18.090 who use drugs know that we are a

NOTE Confidence: 0.872593158695652

 $00:44:18.090 \longrightarrow 00:44:19.903$  safe place for them to to come.

NOTE Confidence: 0.872593158695652

 $00:44:19.910 \longrightarrow 00:44:21.690$  And the whole premise behind

NOTE Confidence: 0.872593158695652

 $00:44:21.690 \rightarrow 00:44:24.090$  this is because we know success,

NOTE Confidence: 0.872593158695652

 $00:44:24.090 \longrightarrow 00:44:25.985$  especially in this place in

NOTE Confidence: 0.872593158695652

 $00:44:25.985 \longrightarrow 00:44:28.322$  population is a winding path that

00:44:28.322 --> 00:44:30.530 many people have to attempt more,

NOTE Confidence: 0.872593158695652

 $00{:}44{:}30{.}530 \dashrightarrow 00{:}44{:}33{.}008$  have multiple attempts to enter recovery.

NOTE Confidence: 0.872593158695652

 $00:44:33.010 \rightarrow 00:44:35.690$  Some people never get into a period of

NOTE Confidence: 0.872593158695652

00:44:35.690 --> 00:44:37.010 absence, but if they're functional,

NOTE Confidence: 0.872593158695652

 $00:44:37.010 \longrightarrow 00:44:38.480$  if they're living what there is

NOTE Confidence: 0.872593158695652

 $00:44:38.528 \rightarrow 00:44:40.010$  their best life for their function,

NOTE Confidence: 0.872593158695652

 $00:44:40.010 \longrightarrow 00:44:42.635$  then that is a success to me.

NOTE Confidence: 0.872593158695652

00:44:42.640 --> 00:44:44.250 Finally, I want to end with just

NOTE Confidence: 0.872593158695652

 $00:44:44.250 \longrightarrow 00:44:44.940$  some parting thoughts.

NOTE Confidence: 0.872593158695652

 $00{:}44{:}44{.}940 \dashrightarrow 00{:}44{:}48{.}210$  As is, you know, I was taught my whole life.

NOTE Confidence: 0.872593158695652

 $00:44:48.210 \rightarrow 00:44:50.850$  That people who use drugs are bad people.

NOTE Confidence: 0.872593158695652

 $00{:}44{:}50{.}850 \dashrightarrow 00{:}44{:}53{.}766$  And that's really something a stigma

NOTE Confidence: 0.872593158695652

 $00{:}44{:}53.766 \dashrightarrow 00{:}44{:}57.690$  that drove my own approach to patients.

NOTE Confidence: 0.872593158695652

 $00{:}44{:}57.690 \dashrightarrow 00{:}45{:}00.154$  For the first part of my career.

NOTE Confidence: 0.872593158695652

 $00{:}45{:}00{.}160 \dashrightarrow 00{:}45{:}02{.}218$  And every time that a patient came

 $00:45:02.218 \longrightarrow 00:45:04.259$  in and they were a drug user,

NOTE Confidence: 0.872593158695652

00:45:04.260 --> 00:45:06.868 what I saw was the drug and I

NOTE Confidence: 0.872593158695652

 $00:45:06.868 \longrightarrow 00:45:08.499$  didn't see the person.

NOTE Confidence: 0.872593158695652

00:45:08.500 --> 00:45:09.800 And just like this picture,

NOTE Confidence: 0.872593158695652

 $00:45:09.800 \longrightarrow 00:45:11.700$  that's focused on the needle,

NOTE Confidence: 0.872593158695652

 $00:45:11.700 \rightarrow 00:45:13.814$  we'd have to stop focusing on drugs,

NOTE Confidence: 0.872593158695652

 $00:45:13.820 \longrightarrow 00:45:15.482$  and we have to start focusing

NOTE Confidence: 0.872593158695652

 $00:45:15.482 \longrightarrow 00:45:17.219$  on the person using the drugs.

NOTE Confidence: 0.872593158695652

 $00:45:17.220 \rightarrow 00:45:20.356$  If we ever want to provide legitimate,

NOTE Confidence: 0.872593158695652

00:45:20.360 --> 00:45:21.756 good, compassionate,

NOTE Confidence: 0.872593158695652

 $00{:}45{:}21.756$  -->  $00{:}45{:}24.548$  scientific based medical care.

NOTE Confidence: 0.872593158695652

 $00:45:24.550 \longrightarrow 00:45:26.210$  And if we do,

NOTE Confidence: 0.872593158695652

 $00:45:26.210 \longrightarrow 00:45:27.870$  the outcomes are amazing.

NOTE Confidence: 0.872593158695652

 $00:45:27.870 \longrightarrow 00:45:29.780$  They're every bit as miraculous

NOTE Confidence: 0.872593158695652

 $00:45:29.780 \longrightarrow 00:45:31.690$  as curing someone from cancer.

NOTE Confidence: 0.872593158695652

00:45:31.690 --> 00:45:34.063 As as as saving a person who's

- NOTE Confidence: 0.872593158695652
- 00:45:34.063 --> 00:45:35.690 having a heart attack,
- NOTE Confidence: 0.872593158695652
- $00{:}45{:}35{.}690 \dashrightarrow 00{:}45{:}37{.}950$  it's it's something in medicine.
- NOTE Confidence: 0.872593158695652
- $00:45:37.950 \longrightarrow 00:45:40.904$  It's a miracle that we failed to
- NOTE Confidence: 0.872593158695652
- $00:45:40.904 \rightarrow 00:45:43.338$  actually capitalize upon time and time
- NOTE Confidence: 0.872593158695652
- $00{:}45{:}43{.}338 \dashrightarrow 00{:}45{:}45{.}879$  again because of the stigma that we
- NOTE Confidence: 0.872593158695652
- $00:45:45.956 \rightarrow 00:45:48.548$  have for people with use disorders.
- NOTE Confidence: 0.872593158695652
- $00{:}45{:}48{.}550 \dashrightarrow 00{:}45{:}51{.}161$  And I will say that that bridging
- NOTE Confidence: 0.872593158695652
- $00:45:51.161 \longrightarrow 00:45:54.307$  kind of that gap to that intellectual
- NOTE Confidence: 0.872593158695652
- $00{:}45{:}54{.}310 \dashrightarrow 00{:}45{:}56{.}185$ emotional stigma based gap is
- NOTE Confidence: 0.872593158695652
- $00:45:56.185 \longrightarrow 00:45:58.872$  when you actually sit down at the
- NOTE Confidence: 0.872593158695652
- $00:45:58.872 \longrightarrow 00:45:59.610$  patient bedside
- NOTE Confidence: 0.951066668
- $00{:}45{:}59.610 \dashrightarrow 00{:}46{:}01.930$  and you discuss harm reduction.
- NOTE Confidence: 0.951066668
- $00{:}46{:}01{.}930 \dashrightarrow 00{:}46{:}04{.}079$  You discuss how to keep that patient
- NOTE Confidence: 0.951066668
- $00{:}46{:}04.079 \dashrightarrow 00{:}46{:}06.606$  safe in the midst of their drug use.
- NOTE Confidence: 0.951066668
- $00{:}46{:}06{.}610 \dashrightarrow 00{:}46{:}09{.}683$  It takes what is often an extremely
- NOTE Confidence: 0.951066668

 $00:46:09.683 \rightarrow 00:46:11.468$  contentious relationship that between

NOTE Confidence: 0.951066668

 $00{:}46{:}11.468 \dashrightarrow 00{:}46{:}13.428$  medical providers and persons who

NOTE Confidence: 0.951066668

 $00:46:13.428 \longrightarrow 00:46:16.104$  use drugs and it actually helps

NOTE Confidence: 0.951066668

 $00:46:16.104 \rightarrow 00:46:18.176$  provide a therapeutic alliance.

NOTE Confidence: 0.951066668

 $00:46:18.180 \rightarrow 00:46:21.100$  Because that person now knows that I care,

NOTE Confidence: 0.951066668

00:46:21.100 --> 00:46:22.780 and as a good friend of mine,

NOTE Confidence: 0.951066668

00:46:22.780 --> 00:46:24.475 Steve Anderson says is people

NOTE Confidence: 0.951066668

 $00:46:24.475 \longrightarrow 00:46:26.812$  people won't care how much you know

NOTE Confidence: 0.951066668

 $00{:}46{:}26.812 \dashrightarrow 00{:}46{:}28.835$  until they know how much you care.

NOTE Confidence: 0.951066668

 $00:46:28.840 \rightarrow 00:46:30.160$  And that's very true.

NOTE Confidence: 0.951066668

 $00{:}46{:}30{.}160 \dashrightarrow 00{:}46{:}31{.}480$  With this patient population.

NOTE Confidence: 0.951066668

 $00:46:31.480 \longrightarrow 00:46:34.035$  And by actually putting the patient first,

NOTE Confidence: 0.951066668

 $00:46:34.040 \rightarrow 00:46:35.996$  discussing how to keep them safe,

NOTE Confidence: 0.951066668

 $00:46:36.000 \rightarrow 00:46:37.890$  showing them that you're not

NOTE Confidence: 0.951066668

 $00:46:37.890 \rightarrow 00:46:40.120$  judging them for their drug use,

NOTE Confidence: 0.951066668

 $00:46:40.120 \rightarrow 00:46:42.460$  you can build a the rapeutic alliance

- NOTE Confidence: 0.951066668
- $00:46:42.460 \longrightarrow 00:46:44.437$  that actually helps people enter
- NOTE Confidence: 0.951066668
- $00{:}46{:}44{.}437 \dashrightarrow 00{:}46{.}46{.}172$  into recovery and seek medical
- NOTE Confidence: 0.951066668
- $00:46:46.172 \rightarrow 00:46:48.050$  care when they need it because.
- NOTE Confidence: 0.951066668
- $00:46:48.050 \rightarrow 00:46:50.150$  The world is not black and white,
- NOTE Confidence: 0.951066668
- $00:46:50.150 \longrightarrow 00:46:52.058$  and that's the other thing that
- NOTE Confidence: 0.951066668
- $00{:}46{:}52.058 \dashrightarrow 00{:}46{:}53.672$  harm reduction teaches me is
- NOTE Confidence: 0.951066668
- $00:46:53.672 \longrightarrow 00:46:56.256$  the world is full of color that
- NOTE Confidence: 0.951066668
- $00:46:56.256 \rightarrow 00:46:59.404$  there's a full spectrum to people's
- NOTE Confidence: 0.951066668
- $00:46:59.404 \longrightarrow 00:47:01.460$  motivations to using drugs.
- NOTE Confidence: 0.951066668
- $00:47:01.460 \longrightarrow 00:47:02.930$  There's a full spectrum to
- NOTE Confidence: 0.951066668
- $00:47:02.930 \longrightarrow 00:47:04.750$  how to keep that patient safe,
- NOTE Confidence: 0.951066668
- 00:47:04.750 --> 00:47:07.300 and we in the medical community.
- NOTE Confidence: 0.951066668
- $00:47:07.300 \longrightarrow 00:47:10.216$  Need to realize that it's not
- NOTE Confidence: 0.951066668
- 00:47:10.216 --> 00:47:12.620 just abstinence or drug use,
- NOTE Confidence: 0.951066668
- $00:47:12.620 \longrightarrow 00:47:16.360$  that is just not M 80 or no M 80,
- NOTE Confidence: 0.951066668

 $00:47:16.360 \longrightarrow 00:47:18.896$  but that we have to accept people where

NOTE Confidence: 0.951066668

 $00:47:18.896 \rightarrow 00:47:21.824$  they are on that path and that every step,

NOTE Confidence: 0.951066668

 $00{:}47{:}21.824 \dashrightarrow 00{:}47{:}22.180$ no.

NOTE Confidence: 0.951066668

 $00{:}47{:}22.180 \dashrightarrow 00{:}47{:}23.960$  The interventions that we can

NOTE Confidence: 0.951066668

 $00:47:23.960 \longrightarrow 00:47:25.948$  take to maximize that patients

NOTE Confidence: 0.951066668

 $00{:}47{:}25{.}948 \dashrightarrow 00{:}47{:}28{.}912$  help keep them as safe as healthy

NOTE Confidence: 0.951066668

 $00:47:28.912 \longrightarrow 00:47:31.546$  as possible and really help be

NOTE Confidence: 0.951066668

 $00:47:31.546 \longrightarrow 00:47:34.542$  be good stewards to our to our

NOTE Confidence: 0.951066668

 $00{:}47{:}34{.}542 \dashrightarrow 00{:}47{:}36{.}936$  patients and advocates for them.

NOTE Confidence: 0.951066668

 $00:47:36.940 \longrightarrow 00:47:39.700$  And the next party that I have for NOTE Confidence: 0.951066668

 $00:47:39.700 \longrightarrow 00:47:42.874$  you is that we have a lot of work to NOTE Confidence: 0.951066668

 $00{:}47{:}42.874$  -->  $00{:}47{:}45.028$  do and this is a recent publication NOTE Confidence: 0.9510666668

00:47:45.028 --> 00:47:47.269 that came out just I believe those

NOTE Confidence: 0.951066668

00:47:47.269 --> 00:47:49.464 last month that talked about the

NOTE Confidence: 0.951066668

 $00{:}47{:}49{.}464 \dashrightarrow 00{:}47{:}51{.}810$  the rate that we're giving patients

NOTE Confidence: 0.951066668

 $00{:}47{:}51{.}882 \dashrightarrow 00{:}47{:}54{.}477$  bu prenorphine or naloxone in the

- NOTE Confidence: 0.951066668
- $00:47:54.477 \rightarrow 00:47:56.936$  emergency department and it compares
- NOTE Confidence: 0.951066668
- $00{:}47{:}56{.}936 \dashrightarrow 00{:}47{:}59{.}296$  it very appropriately to epinephrine
- NOTE Confidence: 0.951066668
- $00:47:59.300 \rightarrow 00:48:01.568$  and it what it did is it took people
- NOTE Confidence: 0.951066668
- $00:48:01.568 \longrightarrow 00:48:03.598$  who had overdosed on an opioid.
- NOTE Confidence: 0.951066668
- $00:48:03.600 \longrightarrow 00:48:05.615$  So the highest risk patient
- NOTE Confidence: 0.951066668
- $00:48:05.615 \longrightarrow 00:48:07.056$  population and it looked at.
- NOTE Confidence: 0.951066668
- $00{:}48{:}07{.}056 \dashrightarrow 00{:}48{:}09{.}152$  Which one of those patients was either
- NOTE Confidence: 0.951066668
- $00:48:09.152 \rightarrow 00:48:11.096$  prescribed buprenorphine or prescribed?
- NOTE Confidence: 0.951066668
- $00{:}48{:}11.100 \dashrightarrow 00{:}48{:}15.390$  Duloxetine and the answer is not very many.
- NOTE Confidence: 0.951066668
- $00:48:15.390 \rightarrow 00:48:18.190$  We're failing terribly as a nation in
- NOTE Confidence: 0.951066668
- $00:48:18.271 \rightarrow 00:48:20.771$  using evidence based treatment for
- NOTE Confidence: 0.951066668
- $00:48:20.771 \rightarrow 00:48:23.970$  people with a life threatening disease,
- NOTE Confidence: 0.951066668
- $00{:}48{:}23{.}970 \dashrightarrow 00{:}48{:}26{.}147$  and that should make us all curious.
- NOTE Confidence: 0.951066668
- $00:48:26.150 \longrightarrow 00:48:28.112$  And when you look at another
- NOTE Confidence: 0.951066668
- $00{:}48{:}28.112 \dashrightarrow 00{:}48{:}29.420$  life threatening disease which
- NOTE Confidence: 0.951066668

 $00:48:29.483 \rightarrow 00:48:31.148$  is anaphylaxis from let's say,

NOTE Confidence: 0.951066668

00:48:31.150 -> 00:48:31.587 peanuts,

NOTE Confidence: 0.951066668

 $00{:}48{:}31{.}587 \dashrightarrow 00{:}48{:}35{.}083$  we do a decent job at sending around

NOTE Confidence: 0.951066668

00:48:35.090 - 00:48:37.714 50% of those patients home with an EpiPen.

NOTE Confidence: 0.951066668

 $00{:}48{:}37{.}720 \dashrightarrow 00{:}48{:}40{.}123$  But we do not do that when it comes

NOTE Confidence: 0.951066668

 $00:48:40.123 \rightarrow 00:48:42.111$  to people who struggle with drug

NOTE Confidence: 0.951066668

00:48:42.111 -> 00:48:45.099 use and a lot has to do with stigma,

NOTE Confidence: 0.951066668

 $00{:}48{:}45{.}100 \dashrightarrow 00{:}48{:}47{.}506$  both personal stigma and then also

NOTE Confidence: 0.951066668

00:48:47.506 --> 00:48:49.535 systematic stigma that we've erected

NOTE Confidence: 0.951066668

 $00{:}48{:}49{.}535 \dashrightarrow 00{:}48{:}51{.}671$  around people who use drugs and

NOTE Confidence: 0.951066668

 $00{:}48{:}51{.}671 \dashrightarrow 00{:}48{:}54{.}078$  allowing them to access the treatment

NOTE Confidence: 0.951066668

 $00:48:54.078 \longrightarrow 00:48:56.188$  that actually saved their lives.

NOTE Confidence: 0.951066668

 $00:48:56.190 \longrightarrow 00:48:58.180$  I'm going to provide a.

NOTE Confidence: 0.951066668

00:48:58.180 --> 00:48:59.780 You know my contact information.

NOTE Confidence: 0.951066668

 $00{:}48{:}59{.}780 \dashrightarrow 00{:}49{:}00{.}626$  Please feel free.

NOTE Confidence: 0.951066668

 $00:49:00.626 \rightarrow 00:49:02.600$  Feel free to reach out to us.

 $00:49:02.600 \rightarrow 00:49:05.256$  I want to thank the Sun Gard Foundation,

NOTE Confidence: 0.79607737

 $00{:}49{:}05{.}260 \dashrightarrow 00{:}49{:}07{.}720$  both with Kyle and Thomas Vanguard,

NOTE Confidence: 0.79607737

 $00{:}49{:}07{.}720 \dashrightarrow 00{:}49{:}09{.}771$  who have helped fund the next project

NOTE Confidence: 0.79607737

00:49:09.771 --> 00:49:11.983 that I'm going to just take 2 seconds

NOTE Confidence: 0.79607737

 $00{:}49{:}11{.}983 \dashrightarrow 00{:}49{:}14{.}037$  to talk about and then I'll go ahead

NOTE Confidence: 0.79607737

 $00{:}49{:}14.037 \dashrightarrow 00{:}49{:}16.805$  and wrap wrap it up and we'll do a Q&A.

NOTE Confidence: 0.79607737

 $00{:}49{:}16.805 \dashrightarrow 00{:}49{:}19.809$  So one of the things we've done here

NOTE Confidence: 0.79607737

 $00:49:19.809 \rightarrow 00:49:22.833$  in Colorado to try to address that.

NOTE Confidence: 0.79607737

00:49:22.840 --> 00:49:25.822 Terrible failure we have for now locks

NOTE Confidence: 0.79607737

 $00{:}49{:}25{.}822 \dashrightarrow 00{:}49{:}28{.}551$  own distribution as we've started a

NOTE Confidence: 0.79607737

 $00{:}49{:}28.551 \dashrightarrow 00{:}49{:}30.836$  project that tries to systematically

NOTE Confidence: 0.79607737

00:49:30.836 --> 00:49:32.544 get every hospital and emergency

NOTE Confidence: 0.79607737

 $00{:}49{:}32{.}544 \dashrightarrow 00{:}49{:}35{.}000$  department to give out in the locks own.

NOTE Confidence: 0.79607737

00:49:35.000 --> 00:49:37.716 And what we've done is we've passed

NOTE Confidence: 0.79607737

 $00:49:37.716 \longrightarrow 00:49:41.029$  a law back in 2019 that stipulates

- $00:49:41.029 \rightarrow 00:49:43.604$  that every every Colorado insurer
- NOTE Confidence: 0.79607737
- $00:49:43.604 \longrightarrow 00:49:46.400$  has to reimburse hospitals for
- NOTE Confidence: 0.79607737
- 00:49:46.400 --> 00:49:47.195 Norwalk's own dispensed,
- NOTE Confidence: 0.79607737
- $00{:}49{:}47.195 \dashrightarrow 00{:}49{:}49.838$  and when the locks on when it comes to locks.
- NOTE Confidence: 0.79607737
- $00{:}49{:}49{.}840 \dashrightarrow 00{:}49{:}51{.}418$  And here's a key take home
- NOTE Confidence: 0.79607737
- $00{:}49{:}51{.}420 \dashrightarrow 00{:}49{:}53{.}132$  prescribed the lock zone.
- NOTE Confidence: 0.79607737
- $00:49:53.132 \longrightarrow 00:49:54.844$  In our patient population
- NOTE Confidence: 0.79607737
- $00:49:54.850 \longrightarrow 00:49:57.310$  is not a good intervention.
- NOTE Confidence: 0.79607737
- 00:49:57.310 --> 00:49:58.954 I've got to plot it if
- NOTE Confidence: 0.79607737
- 00:49:58.954 --> 00:50:00.050 you're prescribing it great,
- NOTE Confidence: 0.79607737
- $00{:}50{:}00{.}050 \dashrightarrow 00{:}50{:}03{.}106$  but it's also an intervention that ends in
- NOTE Confidence: 0.79607737
- $00{:}50{:}03.106 \dashrightarrow 00{:}50{:}05{.}960$  failure much more than it ends in success.
- NOTE Confidence: 0.79607737
- 00:50:05.960 --> 00:50:08.120 Because people who you prescribe
- NOTE Confidence: 0.79607737
- $00:50:08.120 \longrightarrow 00:50:10.280$  under locks on kit two,
- NOTE Confidence: 0.79607737
- 00:50:10.280 --> 00:50:12.552 or Narcan or Naloxone 2 don't want to
- NOTE Confidence: 0.79607737
- $00:50:12.552 \rightarrow 00:50:14.801$  go and out themselves out of pharmacy

- NOTE Confidence: 0.79607737
- $00:50:14.801 \rightarrow 00:50:17.320$  by trying to fill a prescription.

 $00:50:17.320 \longrightarrow 00:50:18.084$  For Narcan.

NOTE Confidence: 0.79607737

 $00:50:18.084 \rightarrow 00:50:20.758$  And that's especially true in small rural

NOTE Confidence: 0.79607737

 $00:50:20.758 \rightarrow 00:50:23.079$  communities where everyone knows each other.

NOTE Confidence: 0.79607737

 $00:50:23.080 \longrightarrow 00:50:24.364$  And when you go into the

NOTE Confidence: 0.79607737

00:50:24.364 --> 00:50:25.799 pharmacy and you ask for Narcan,

NOTE Confidence: 0.79607737

 $00:50:25.800 \longrightarrow 00:50:26.936$  suddenly everyone knows that

NOTE Confidence: 0.79607737

 $00:50:26.936 \longrightarrow 00:50:28.356$  you struggle with drug use.

NOTE Confidence: 0.79607737

 $00:50:28.360 \longrightarrow 00:50:30.614$  If they don't already know it already.

NOTE Confidence: 0.79607737

 $00:50:30.620 \longrightarrow 00:50:33.437$  So we have to take that off the table,

NOTE Confidence: 0.79607737

 $00{:}50{:}33.440 \dashrightarrow 00{:}50{:}35.762$  and our program asks every single

NOTE Confidence: 0.79607737

 $00{:}50{:}35{.}762 \dashrightarrow 00{:}50{:}37{.}310$  hospital to dispense naloxone

NOTE Confidence: 0.79607737

00:50:37.377 - 00:50:39.097 in the emergency department.

NOTE Confidence: 0.79607737

 $00{:}50{:}39{.}100 \dashrightarrow 00{:}50{:}40{.}940$  So when patients are identified

NOTE Confidence: 0.79607737

 $00{:}50{:}40{.}940 \dashrightarrow 00{:}50{:}42{.}356$  at high risk for drug use,

 $00:50:42.360 \rightarrow 00:50:45.012$  either from chronic opioid therapy from

NOTE Confidence: 0.79607737

00:50:45.012 --> 00:50:47.510 illicit from from illicit drug use,

NOTE Confidence: 0.79607737

 $00{:}50{:}47{.}510 \dashrightarrow 00{:}50{:}49{.}690$  or from from even methamphetamine

NOTE Confidence: 0.79607737

 $00:50:49.690 \longrightarrow 00:50:51.434$  or Ivy drug use.

NOTE Confidence: 0.79607737

 $00:50:51.440 \longrightarrow 00:50:53.480$  I've put Narcan and the lock

NOTE Confidence: 0.79607737

 $00:50:53.480 \longrightarrow 00:50:55.760$  zone in their hands before they

NOTE Confidence: 0.79607737

 $00:50:55.760 \longrightarrow 00:50:57.460$  ever leave the hospital.

NOTE Confidence: 0.79607737

 $00:50:57.460 \rightarrow 00:50:59.160$  And what we've done is,

NOTE Confidence: 0.79607737

 $00:50:59.160 \longrightarrow 00:51:00.339$  as we've passed,

NOTE Confidence: 0.79607737

 $00:51:00.339 \rightarrow 00:51:03.112$  that we've had a concrete push where

NOTE Confidence: 0.79607737

 $00{:}51{:}03.112 \dashrightarrow 00{:}51{:}05.518$  we've asked all these hospitals to

NOTE Confidence: 0.79607737

 $00:51:05.518 \rightarrow 00:51:07.973$  join building a collaboration between

NOTE Confidence: 0.79607737

 $00{:}51{:}07{.}973 \dashrightarrow 00{:}51{:}10.608$  over 21 different sponsoring agencies.

NOTE Confidence: 0.79607737

 $00:51:10.610 \longrightarrow 00:51:12.254$  We've written guidelines for

NOTE Confidence: 0.79607737

 $00{:}51{:}12{.}254 \dashrightarrow 00{:}51{:}13{.}898$  hospitals and emergency departments,

NOTE Confidence: 0.79607737

 $00:51:13.900 \rightarrow 00:51:18.028$  and now we have over 110 of our hospitals

- NOTE Confidence: 0.79607737
- $00:51:18.028 \rightarrow 00:51:19.676$  and emergency departments enrolled.
- NOTE Confidence: 0.79607737
- $00:51:19.680 \longrightarrow 00:51:22.100$  And as of January 1st,
- NOTE Confidence: 0.79607737
- $00:51:22.100 \longrightarrow 00:51:23.004$  we'll have.
- NOTE Confidence: 0.79607737
- $00:51:23.004 \rightarrow 00:51:24.812$  Basically 95% of hospitals
- NOTE Confidence: 0.79607737
- 00:51:24.812 --> 00:51:27.620 giving out Narcan to our highest
- NOTE Confidence: 0.79607737
- $00{:}51{:}27.620 \dashrightarrow 00{:}51{:}29.920$  risk patients in the hospital,
- NOTE Confidence: 0.79607737
- $00:51:29.920 \longrightarrow 00:51:31.344$  and that's also tremendously
- NOTE Confidence: 0.79607737
- $00:51:31.344 \rightarrow 00:51:33.124$  important because as the study,
- NOTE Confidence: 0.79607737
- $00{:}51{:}33{.}130 \dashrightarrow 00{:}51{:}35{.}218$  there's a study from Delaware that
- NOTE Confidence: 0.79607737
- $00:51:35.218 \longrightarrow 00:51:37.520$  shows that for 50% of patients
- NOTE Confidence: 0.79607737
- $00{:}51{:}37{.}520 \dashrightarrow 00{:}51{:}39{.}520$  who overdose on an opioid,
- NOTE Confidence: 0.79607737
- $00{:}51{:}39{.}520 \dashrightarrow 00{:}51{:}41{.}515$  they're seen in the emergency department in
- NOTE Confidence: 0.79607737
- $00{:}51{:}41{.}515 \dashrightarrow 00{:}51{:}43{.}559$  the three months prior to their overdose.
- NOTE Confidence: 0.79607737
- $00{:}51{:}43{.}560 \dashrightarrow 00{:}51{:}46{.}500$  And if we on those patients with
- NOTE Confidence: 0.79607737
- 00:51:46.500 --> 00:51:47.760 overdose awareness education,
- NOTE Confidence: 0.79607737

 $00:51:47.760 \rightarrow 00:51:50.460$  and with Narcan in their hand,

NOTE Confidence: 0.79607737

 $00{:}51{:}50{.}460 \dashrightarrow 00{:}51{:}52{.}203$  it is my thought that we're going

NOTE Confidence: 0.79607737

 $00:51:52.203 \longrightarrow 00:51:53.970$  to be able to significantly.

NOTE Confidence: 0.79607737

 $00{:}51{:}53{.}970 \dashrightarrow 00{:}51{:}56{.}217$  Impact a lot of those lives and

NOTE Confidence: 0.79607737

 $00{:}51{:}56{.}217 \dashrightarrow 00{:}51{:}58{.}766$  prevent a lot of those steps and and

NOTE Confidence: 0.79607737

 $00:51:58.766 \longrightarrow 00:52:00.830$  it's a very hard number to get to,

NOTE Confidence: 0.79607737

 $00:52:00.830 \longrightarrow 00:52:02.254$  but it's around 20.

NOTE Confidence: 0.79607737

 $00{:}52{:}02{.}254 \dashrightarrow 00{:}52{:}04{.}390$  The best studies or the studies

NOTE Confidence: 0.79607737

 $00{:}52{:}04{.}464 \dashrightarrow 00{:}52{:}06{.}627$  show that it's around 20 to 30%

NOTE Confidence: 0.79607737

 $00{:}52{:}06{.}630 \dashrightarrow 00{:}52{:}08{.}800$  of people or or more.

NOTE Confidence: 0.79607737

00:52:08.800 --> 00:52:09.273 Sorry,

NOTE Confidence: 0.79607737

00:52:09.273 --> 00:52:11.638 no locks own decreases mortality

NOTE Confidence: 0.79607737

00:52:11.638 --> 00:52:13.530 by 20 to 30%

NOTE Confidence: 0.888600444

 $00:52:13.530 \dashrightarrow 00:52:14.940$  in these high risk populations.

NOTE Confidence: 0.888600444

 $00{:}52{:}14{.}940 \dashrightarrow 00{:}52{:}17{.}130$ 20 Send people home that

NOTE Confidence: 0.888600444

 $00:52:17.130 \longrightarrow 00:52:19.430$  we've given over 10,000 doses.

- NOTE Confidence: 0.888600444
- $00:52:19.430 \longrightarrow 00:52:22.090$  Of Narcan to hospitals and.
- NOTE Confidence: 0.888600444
- $00{:}52{:}22{.}090 \dashrightarrow 00{:}52{:}24{.}618$  And that's the patients over the last year.
- NOTE Confidence: 0.888600444
- $00{:}52{:}24.620 \dashrightarrow 00{:}52{:}26.836$  We have a tool kit and we have
- NOTE Confidence: 0.888600444
- $00:52:26.836 \longrightarrow 00:52:29.302$  videos that are that kind of help
- NOTE Confidence: 0.888600444
- $00{:}52{:}29{.}302 \dashrightarrow 00{:}52{:}31{.}147$  educate clinicians and and educate
- NOTE Confidence: 0.888600444
- $00{:}52{:}31{.}219 \dashrightarrow 00{:}52{:}33{.}655$  patients both in English and Spanish,
- NOTE Confidence: 0.888600444
- $00:52:33.660 \rightarrow 00:52:35.795$  and I only tell you about this
- NOTE Confidence: 0.888600444
- $00{:}52{:}35{.}795 \dashrightarrow 00{:}52{:}38{.}891$  because if you want to start a Narcan
- NOTE Confidence: 0.888600444
- $00{:}52{:}38{.}891 \dashrightarrow 00{:}52{:}40{.}579$  or naloxone distribution program,
- NOTE Confidence: 0.888600444
- $00:52:40.580 \longrightarrow 00:52:41.800$  please use our resources.
- NOTE Confidence: 0.888600444
- $00{:}52{:}41.800 \dashrightarrow 00{:}52{:}44.020$  You don't have to start from scratch
- NOTE Confidence: 0.888600444
- $00{:}52{:}44.020 \dashrightarrow 00{:}52{:}46.295$  and we're happy to further develop it.
- NOTE Confidence: 0.888600444
- $00{:}52{:}46{.}300 \dashrightarrow 00{:}52{:}48{.}577$  And last thing I'm going to plug is with
- NOTE Confidence: 0.888600444
- $00{:}52{:}48{.}577 \dashrightarrow 00{:}52{:}50{.}959$  the support of the Scanguard Foundation.
- NOTE Confidence: 0.888600444
- $00:52:50.960 \longrightarrow 00:52:53.162$  We have a.
- NOTE Confidence: 0.888600444

 $00:52:53.162 \longrightarrow 00:52:58.286$  Video series that we've also created that

NOTE Confidence: 0.888600444

00:52:58.286 --> 00:53:01.866 discusses opioid policy around overdose,

NOTE Confidence: 0.888600444

 $00:53:01.870 \longrightarrow 00:53:02.442$  especially,

NOTE Confidence: 0.888600444

 $00:53:02.442 \rightarrow 00:53:05.681$  and in the next actually three months.

NOTE Confidence: 0.888600444

 $00{:}53{:}05{.}681 \dashrightarrow 00{:}53{:}07{.}900$  We're doing a series that does the

NOTE Confidence: 0.888600444

 $00:53:07.962 \longrightarrow 00:53:10.076$  same thing that this lecture has done,

NOTE Confidence: 0.888600444

 $00{:}53{:}10.080 \dashrightarrow 00{:}53{:}12.018$  which is we discuss harm reduction

NOTE Confidence: 0.888600444

 $00:53:12.018 \rightarrow 00:53:13.829$  and how to actually implement

NOTE Confidence: 0.888600444

 $00{:}53{:}13.829 \dashrightarrow 00{:}53{:}15.649$  harm reduction for patients.

NOTE Confidence: 0.888600444

 $00{:}53{:}15.650 \dashrightarrow 00{:}53{:}17.526$  So I have the YouTube link there.

NOTE Confidence: 0.888600444

00:53:17.530 --> 00:53:19.427 Or if you search in the YouTube,

NOTE Confidence: 0.888600444

 $00{:}53{:}19{.}430 \dashrightarrow 00{:}53{:}21{.}440$  you search the antidote and even

NOTE Confidence: 0.888600444

 $00:53:21.440 \longrightarrow 00:53:23.290$  the locks own opioid crisis,

NOTE Confidence: 0.888600444

 $00:53:23.290 \longrightarrow 00:53:25.131$  you should be able to find and

NOTE Confidence: 0.888600444

 $00:53:25.131 \dashrightarrow 00:53:26.820$  subscribe to our YouTube series.

NOTE Confidence: 0.888600444

 $00:53:26.820 \longrightarrow 00:53:29.668$  So hope to see a few of you

- NOTE Confidence: 0.888600444
- $00:53:29.668 \rightarrow 00:53:32.248$  subscribed and tuning into that.

00:53:32.250 --> 00:53:32.740 Finally,

NOTE Confidence: 0.888600444

 $00:53:32.740 \rightarrow 00:53:35.870$  I want to thank thank yell emergency,

NOTE Confidence: 0.888600444

 $00:53:35.870 \longrightarrow 00:53:37.910$  sorry yell at yell for the

NOTE Confidence: 0.888600444

 $00{:}53{:}37{.}910 \dashrightarrow 00{:}53{:}39{.}967$  opportunity to present with you guys.

NOTE Confidence: 0.888600444

 $00{:}53{:}39{.}970 \dashrightarrow 00{:}53{:}41{.}993$  I'll go ahead and end so that

NOTE Confidence: 0.888600444

 $00:53:41.993 \longrightarrow 00:53:43.360$  we can get to a Q&A.

NOTE Confidence: 0.728404161428571

00:53:45.580 --> 00:53:49.094 Thank you Doctor Stader and Doctor Khupe.

NOTE Confidence: 0.728404161428571

 $00{:}53{:}49{.}100 \dashrightarrow 00{:}53{:}51{.}876$  We've got a number of questions in the

NOTE Confidence: 0.728404161428571

 $00{:}53{:}51{.}876$  -->  $00{:}53{:}55{.}626$  quest Q&A and in the the chat and I'll.

NOTE Confidence: 0.728404161428571

 $00:53:55.630 \longrightarrow 00:53:57.744$  I'm happy to curate them for you.

NOTE Confidence: 0.728404161428571

 $00{:}53{:}57{.}750 \dashrightarrow 00{:}54{:}00{.}014$  The first one was from Lynn Kelly and

NOTE Confidence: 0.728404161428571

 $00{:}54{:}00{.}014 \dashrightarrow 00{:}54{:}02{.}216$  I think this was to doctor Khupe.

NOTE Confidence: 0.728404161428571

00:54:02.220 --> 00:54:03.892 When you mentioned stigma

NOTE Confidence: 0.728404161428571

 $00{:}54{:}03.892 \dashrightarrow 00{:}54{:}05.564$  as a barrier barrier,

 $00:54:05.570 \rightarrow 00:54:08.666$  are you referring to the community at large,

NOTE Confidence: 0.728404161428571

 $00:54:08.670 \longrightarrow 00:54:10.730$  the provider community or

NOTE Confidence: 0.728404161428571

 $00:54:10.730 \rightarrow 00:54:13.305$  individuals with opioid use disorder?

NOTE Confidence: 0.728404161428571

 $00{:}54{:}13{.}310 \dashrightarrow 00{:}54{:}15{.}088$  So I think this is the issue

NOTE Confidence: 0.728404161428571

 $00:54:15.090 \longrightarrow 00:54:18.546$  around stigma and the use of

NOTE Confidence: 0.728404161428571

 $00{:}54{:}18{.}546 \dashrightarrow 00{:}54{:}20{.}274$  medications like bup renorphine.

NOTE Confidence: 0.820435461428571

 $00:54:21.430 \longrightarrow 00:54:23.250$  Yeah, that's a that's a great question.

NOTE Confidence: 0.820435461428571

 $00:54:23.250 \rightarrow 00:54:26.426$  I think that particularly a stigma becomes a,

NOTE Confidence: 0.820435461428571

 $00{:}54{:}26{.}430 \dashrightarrow 00{:}54{:}28{.}070$  you know, an enormous issue.

NOTE Confidence: 0.820435461428571

00:54:28.070 --> 00:54:30.050 Just as Doctor Stayter discussed,

NOTE Confidence: 0.820435461428571

 $00:54:30.050 \rightarrow 00:54:32.858$  I think that we have stigma,

NOTE Confidence: 0.820435461428571

00:54:32.860 --> 00:54:35.005 internalized stigma or self stigma

NOTE Confidence: 0.820435461428571

00:54:35.005 - 00:54:38.396 that many people may call it and that

NOTE Confidence: 0.820435461428571

 $00{:}54{:}38{.}396 \dashrightarrow 00{:}54{:}41{.}987$  is the stigma that is self directed.

NOTE Confidence: 0.820435461428571

 $00:54:41.990 \longrightarrow 00:54:43.253$  For people who,

NOTE Confidence: 0.820435461428571

 $00:54:43.253 \rightarrow 00:54:45.779$  with opioid use disorder and then

 $00:54:45.779 \rightarrow 00:54:48.428$  there's stigma that may exist between

NOTE Confidence: 0.820435461428571

 $00:54:48.430 \longrightarrow 00:54:50.512$  individuals who both have opioid use

NOTE Confidence: 0.820435461428571

 $00:54:50.512 \rightarrow 00:54:52.307$  disorder and then obviously there's

NOTE Confidence: 0.820435461428571

 $00:54:52.307 \rightarrow 00:54:54.067$  stigma at the larger community.

NOTE Confidence: 0.820435461428571

 $00{:}54{:}54{.}070 \dashrightarrow 00{:}54{:}56{.}320$  And then there's also stigma

NOTE Confidence: 0.820435461428571

 $00:54:56.320 \dashrightarrow 00:54:58.970$  that may exist amongst providers,

NOTE Confidence: 0.820435461428571

 $00:54:58.970 \rightarrow 00:55:03.330$  and so I think that it exists on many levels.

NOTE Confidence: 0.820435461428571

 $00:55:03.330 \longrightarrow 00:55:05.794$  When I was touching up on it,

NOTE Confidence: 0.820435461428571

00:55:05.800 --> 00:55:09.300 I was really touching upon it really

NOTE Confidence: 0.820435461428571

 $00{:}55{:}09{.}300 \dashrightarrow 00{:}55{:}11.995$  within individuals who with opioid use

NOTE Confidence: 0.820435461428571

 $00:55:11.995 \dashrightarrow 00:55:15.010$  disorder as well as amongst providers.

NOTE Confidence: 0.820435461428571

 $00{:}55{:}15{.}010 \dashrightarrow 00{:}55{:}17{.}674$  But I think they all have the same effects

NOTE Confidence: 0.820435461428571

 $00{:}55{:}17.674 \dashrightarrow 00{:}55{:}20.090$  in terms of serving as a barrier to

NOTE Confidence: 0.820435461428571

 $00{:}55{:}20.090 \dashrightarrow 00{:}55{:}22.170$  really delivering the best care possible,

NOTE Confidence: 0.820435461428571

 $00{:}55{:}22.170 \dashrightarrow 00{:}55{:}27.679$  particularly in terms of in terms of.

00:55:27.680 --> 00:55:31.070 Allowing individuals to receive treatment

NOTE Confidence: 0.820435461428571

 $00{:}55{:}31.070 \dashrightarrow 00{:}55{:}34.828$  and stigma can exist as a barrier

NOTE Confidence: 0.820435461428571

 $00:55:34.828 \longrightarrow 00:55:37.274$  for people to feel like they they

NOTE Confidence: 0.820435461428571

 $00{:}55{:}37{.}274 \dashrightarrow 00{:}55{:}39{.}458$  treatment would be beneficial for them.

NOTE Confidence: 0.820435461428571

 $00:55:39.460 \longrightarrow 00:55:40.346$  So yeah,

NOTE Confidence: 0.820435461428571

 $00:55:40.346 \rightarrow 00:55:43.750$  that's kind of what I was touching upon.

NOTE Confidence: 0.820435461428571

 $00{:}55{:}43{.}750 \dashrightarrow 00{:}55{:}44{.}490$  But yeah,

NOTE Confidence: 0.820435461428571

 $00:55:44.490 \rightarrow 00:55:46.710$  it exists really in many angles.

NOTE Confidence: 0.676176907

00:55:48.080 --> 00:55:51.896 I agree, thank you Eddie or Doctor Coupe.

NOTE Confidence: 0.676176907

 $00:55:51.900 \rightarrow 00:55:53.223$  The second question,

NOTE Confidence: 0.676176907

00:55:53.223 --> 00:55:56.760 I think again to you was how many

NOTE Confidence: 0.676176907

 $00:55:56.760 \dashrightarrow 00:55:58.656$  days of medication or bup renorphine

NOTE Confidence: 0.676176907

 $00:55:58.656 \rightarrow 00:56:01.400$  are you are dispensed at the Ed?

NOTE Confidence: 0.676176907

 $00:56:01.400 \rightarrow 00:56:03.960$  In other words, how long does someone have

NOTE Confidence: 0.676176907

 $00:56:03.960 \rightarrow 00:56:06.358$  to connect with the treatment provider?

NOTE Confidence: 0.676176907

 $00:56:06.360 \longrightarrow 00:56:07.764$  Any recommendations from the

 $00:56:07.764 \dashrightarrow 00:56:09.519$  guidelines and the protocols and

NOTE Confidence: 0.676176907

 $00{:}56{:}09{.}519 \dashrightarrow 00{:}56{:}11{.}597$  the practices that you've observed?

NOTE Confidence: 0.80571723777778

 $00:56:12.540 \rightarrow 00:56:17.496$  Yeah, usually if ideally you'd like an

NOTE Confidence: 0.80571723777778

 $00:56:17.496 \rightarrow 00:56:21.312$  agreement between the emergency department as

NOTE Confidence: 0.80571723777778

 $00:56:21.312 \longrightarrow 00:56:25.880$  well as a an outpatient addiction provider.

NOTE Confidence: 0.80571723777778

 $00{:}56{:}25{.}880 \dashrightarrow 00{:}56{:}28{.}855$  If you have an agreement established and

NOTE Confidence: 0.80571723777778

 $00:56:28.860 \rightarrow 00:56:30.600$  agreement established to where you will

NOTE Confidence: 0.80571723777778

00:56:30.600 - 00:56:32.744 refer your patients 2, then three to

NOTE Confidence: 0.80571723777778

 $00{:}56{:}32.744 \dashrightarrow 00{:}56{:}35.590$  four days typically is the the standard.

NOTE Confidence: 0.80571723777778

00:56:35.590 --> 00:56:38.140 However, if that takes longer,

NOTE Confidence: 0.80571723777778

 $00:56:38.140 \longrightarrow 00:56:39.982$  you know definitely have been instances

NOTE Confidence: 0.80571723777778

 $00{:}56{:}39{.}982 \dashrightarrow 00{:}56{:}42{.}311$  where it's been up to seven days where

NOTE Confidence: 0.80571723777778

 $00{:}56{:}42.311 \dashrightarrow 00{:}56{:}44.190$  you may prescribe you pain or fear.

NOTE Confidence: 0.80571723777778

 $00{:}56{:}44{.}190 \dashrightarrow 00{:}56{:}46{.}440$  So the real answer is,

NOTE Confidence: 0.80571723777778

 $00{:}56{:}46{.}440 \dashrightarrow 00{:}56{:}49{.}456$  as long as it takes to get a

 $00:56:49.456 \longrightarrow 00:56:51.640$  patient into treatment. So

NOTE Confidence: 0.869876343333333

00:56:52.790 --> 00:56:55.688 great, thank you, that's very helpful.

NOTE Confidence: 0.869876343333333

00:56:55.690 --> 00:56:57.126 Doctor Stayter, let's see.

NOTE Confidence: 0.869876343333333

 $00:56:57.126 \longrightarrow 00:56:59.280$  I think there was a question

NOTE Confidence: 0.869876343333333

 $00:56:59.350 \longrightarrow 00:57:01.306$  that you answered in the chat,

NOTE Confidence: 0.869876343333333

 $00:57:01.310 \longrightarrow 00:57:03.910$  but others may be curious.

NOTE Confidence: 0.869876343333333

00:57:03.910 --> 00:57:06.890 Have you created patient facing,

NOTE Confidence: 0.869876343333333

 $00:57:06.890 \rightarrow 00:57:08.530$  safer injection materials that

NOTE Confidence: 0.869876343333333

 $00{:}57{:}08{.}530 \dashrightarrow 00{:}57{:}10{.}990$  you share with patients who come

NOTE Confidence: 0.869876343333333

 $00:57:11.057 \rightarrow 00:57:13.009$  into the emergency department?

NOTE Confidence: 0.869660868571429

00:57:15.620 --> 00:57:18.098 Yes, so it's part of our education.

NOTE Confidence: 0.869660868571429

 $00{:}57{:}18.100 \dashrightarrow 00{:}57{:}19.774$  Our education efforts as we went

NOTE Confidence: 0.869660868571429

 $00:57:19.774 \rightarrow 00:57:21.763$  to not only discuss drug use with

NOTE Confidence: 0.869660868571429

00:57:21.763 -> 00:57:23.674 patients when they're in front of us,

NOTE Confidence: 0.869660868571429

 $00:57:23.680 \longrightarrow 00:57:26.227$  but we want to be able to provide them

NOTE Confidence: 0.869660868571429

 $00:57:26.227 \rightarrow 00:57:28.218$  information that they can take home,

 $00:57:28.220 \rightarrow 00:57:29.111$  share with others,

NOTE Confidence: 0.869660868571429

 $00:57:29.111 \rightarrow 00:57:31.190$  share with family members and we do

NOTE Confidence: 0.869660868571429

 $00:57:31.254 \rightarrow 00:57:33.124$  have a patient information materials

NOTE Confidence: 0.869660868571429

 $00:57:33.124 \rightarrow 00:57:35.013$  that we've developed for previous

NOTE Confidence: 0.869660868571429

 $00:57:35.013 \rightarrow 00:57:37.332$  project called Yarnall Locks on that

NOTE Confidence: 0.869660868571429

 $00:57:37.332 \longrightarrow 00:57:39.796$  that that has patient handouts for both

NOTE Confidence: 0.869660868571429

 $00:57:39.796 \rightarrow 00:57:42.265$  injection drug use and then also for

NOTE Confidence: 0.869660868571429

 $00:57:42.265 \rightarrow 00:57:43.965$  chronic pain patients because those

NOTE Confidence: 0.869660868571429

 $00{:}57{:}44.030 \dashrightarrow 00{:}57{:}46.298$  two patients also see themselves very,

NOTE Confidence: 0.869660868571429

 $00:57:46.300 \longrightarrow 00:57:46.958$  very differently.

NOTE Confidence: 0.869660868571429

 $00{:}57{:}46{.}958 \dashrightarrow 00{:}57{:}49{.}590$  When it comes to their risk of overdose

NOTE Confidence: 0.869660868571429

 $00{:}57{:}49.650 \dashrightarrow 00{:}57{:}51.792$  and and we have to have different

NOTE Confidence: 0.869660868571429

 $00:57:51.792 \longrightarrow 00:57:53.514$  messaging for these different patient

NOTE Confidence: 0.869660868571429

 $00{:}57{:}53{.}514 \dashrightarrow 00{:}57{:}56{.}118$  populations for it to be most effective.

NOTE Confidence: 0.869660868571429

 $00:57:56.120 \longrightarrow 00:57:57.695$  So I just shared one of those.

- $00{:}57{:}57{.}700 \dashrightarrow 00{:}58{:}00{.}436$  We also have this on Noxon
- NOTE Confidence: 0.869660868571429
- $00{:}58{:}00{.}440 \dashrightarrow 00{:}58{:}01{.}673$  project.com we have.
- NOTE Confidence: 0.869660868571429
- $00:58:01.673 \rightarrow 00:58:04.139$  We have other patient discharge materials.
- NOTE Confidence: 0.869660868571429
- $00:58:04.140 \longrightarrow 00:58:05.208$  Here are no locks.
- NOTE Confidence: 0.869660868571429
- $00{:}58{:}05{.}208 \dashrightarrow 00{:}58{:}06{.}276$  Own has discharge materials.
- NOTE Confidence: 0.869660868571429
- $00{:}58{:}06{.}280 \dashrightarrow 00{:}58{:}09{.}020$  I also want to address a comment
- NOTE Confidence: 0.869660868571429
- $00:58:09.020 \longrightarrow 00:58:13.080$  rough by by Mr or doctor Robert
- NOTE Confidence: 0.869660868571429
- $00{:}58{:}13.080 \dashrightarrow 00{:}58{:}15.812$  Heimer which talks about HIV
- NOTE Confidence: 0.869660868571429
- $00{:}58{:}15{.}812 \dashrightarrow 00{:}58{:}17{.}426$  and hepatitis transmissibility.
- NOTE Confidence: 0.570501068
- 00:58:17.960 --> 00:58:18.932 Yes, give you warning.
- NOTE Confidence: 0.570501068
- $00:58:18.932 \rightarrow 00:58:20.390$  I'll give you a warning there.
- NOTE Confidence: 0.570501068
- $00{:}58{:}20{.}390 \dashrightarrow 00{:}58{:}22{.}581$  He's he's done. A lot of this
- NOTE Confidence: 0.570501068
- 00:58:22.581 --> 00:58:24.360 work himself so great yeah,
- NOTE Confidence: 0.9207388166666667
- $00{:}58{:}24{.}410 \dashrightarrow 00{:}58{:}26{.}237$  and and I'm looking forward to reading
- NOTE Confidence: 0.9207388166666667
- $00{:}58{:}26{.}237 \dashrightarrow 00{:}58{:}28{.}842$  those I I do say that during these
- NOTE Confidence: 0.9207388166666667
- $00:58:28.842 \rightarrow 00:58:30.607$  presentations rather than ranting people

- NOTE Confidence: 0.9207388166666667
- $00:58:30.669 \rightarrow 00:58:33.486$  through through kind of the nitty gritty

 $00:58:33.486 \dashrightarrow 00:58:35.830$  of of every transmission rate etc.

NOTE Confidence: 0.9207388166666667

 $00{:}58{:}35{.}830 \dashrightarrow 00{:}58{:}37{.}741$  As I speak in generalities because the

NOTE Confidence: 0.9207388166666667

 $00{:}58{:}37{.}741 \dashrightarrow 00{:}58{:}40{.}200$  point that I want to make is that we

NOTE Confidence: 0.9207388166666667

 $00:58:40.200 \rightarrow 00:58:41.907$  should be discussing this with patients

NOTE Confidence: 0.9207388166666667

 $00:58:41.907 \dashrightarrow 00:58:43.566$  at the bedside every single time.

NOTE Confidence: 0.9207388166666667

 $00:58:43.566 \longrightarrow 00:58:45.078$  Even if the numbers might be

NOTE Confidence: 0.9207388166666667

 $00:58:45.078 \rightarrow 00:58:46.429$  might be slightly erroneous,

NOTE Confidence: 0.9207388166666667

 $00{:}58{:}46{.}430 \dashrightarrow 00{:}58{:}49{.}204$  but the concepts there are very, very true.

NOTE Confidence: 0.9207388166666667

 $00:58:49.204 \rightarrow 00:58:51.773$  That HIV is less transmissible than hepatitis

NOTE Confidence: 0.9207388166666667

 $00{:}58{:}51{.}773 \dashrightarrow 00{:}58{:}54{.}359$  C when it comes to 2 Ivy drug users,

NOTE Confidence: 0.9207388166666667

 $00:58:54.360 \longrightarrow 00:58:55.280$  so that's really the point

NOTE Confidence: 0.9207388166666667

 $00{:}58{:}55{.}280 \dashrightarrow 00{:}58{:}56{.}200$  that I wanted to make,

NOTE Confidence: 0.9207388166666667

 $00{:}58{:}56{.}200 \dashrightarrow 00{:}58{:}58{.}118$  but thank you for for correcting that.

NOTE Confidence: 0.9207388166666667

 $00:58:58.120 \dashrightarrow 00:59:00.094$  I look forward to diving into those.

 $00:59:00.100 \longrightarrow 00:59:01.220$  Those resources you shared.

NOTE Confidence: 0.796261421

 $00{:}59{:}01{.}940 \dashrightarrow 00{:}59{:}03{.}112$  We're indebted to Doctor

NOTE Confidence: 0.796261421

00:59:03.112 --> 00:59:04.870 Heimer and some of his early,

NOTE Confidence: 0.796261421

 $00{:}59{:}04{.}870 \dashrightarrow 00{:}59{:}08{.}517$  early early work that he did to

NOTE Confidence: 0.796261421

 $00{:}59{:}08{.}517 \dashrightarrow 00{:}59{:}11{.}490$  demonstrate the value of syringe service

NOTE Confidence: 0.796261421

00:59:11.490 --> 00:59:14.265 programs in decreasing HIV transmission,

NOTE Confidence: 0.796261421

 $00{:}59{:}14.270 \dashrightarrow 00{:}59{:}15.957$  and this is work done in the

NOTE Confidence: 0.796261421

 $00:59:15.960 \longrightarrow 00:59:18.730$  early 90s and late 80s.

NOTE Confidence: 0.796261421

00:59:18.730 --> 00:59:21.656 And then there's another question in the

NOTE Confidence: 0.796261421

 $00{:}59{:}21.656 \dashrightarrow 00{:}59{:}23.904$  chat, and this is open to both of you.

NOTE Confidence: 0.796261421

 $00{:}59{:}23{.}910 \dashrightarrow 00{:}59{:}26{.}442$  Are you using peer support services

NOTE Confidence: 0.796261421

00:59:26.442 --> 00:59:28.130 in your emergency department,

NOTE Confidence: 0.796261421

 $00{:}59{:}28{.}130 \dashrightarrow 00{:}59{:}29{.}744$  and if So what is their

NOTE Confidence: 0.796261421

 $00:59:29.744 \longrightarrow 00:59:30.820$  role in these processes?

NOTE Confidence: 0.89034063125

 $00{:}59{:}37{.}720 \dashrightarrow 00{:}59{:}39{.}400$  I'll go ahead and go first is yes,

NOTE Confidence: 0.89034063125

 $00:59:39.400 \rightarrow 00:59:41.206$  we have a recovery support specialist

 $00:59:41.206 \rightarrow 00:59:43.720$  that we have in our mental department.

NOTE Confidence: 0.89034063125

 $00{:}59{:}43.720 \dashrightarrow 00{:}59{:}46.140$  We we've had one for going on a year and

NOTE Confidence: 0.89034063125

 $00:59:46.204 \rightarrow 00:59:48.328$  a half now we use them for all types

NOTE Confidence: 0.89034063125

 $00:59:48.328 \rightarrow 00:59:50.640$  of substance use disorders we have

NOTE Confidence: 0.89034063125

 $00:59:50.640 \rightarrow 00:59:52.810$  have worked very hard to make sure.

NOTE Confidence: 0.89034063125

 $00{:}59{:}52{.}810 \dashrightarrow 00{:}59{:}54{.}728$  Also and this is a mistake that

NOTE Confidence: 0.89034063125

 $00:59:54.728 \longrightarrow 00:59:55.780$  I think sometimes is.

NOTE Confidence: 0.89034063125

 $00{:}59{:}55{.}780 \dashrightarrow 00{:}59{:}57{.}658$  I've had a few other colleagues

NOTE Confidence: 0.89034063125

 $00:59:57.658 \longrightarrow 00:59:58.910$  report back to me.

NOTE Confidence: 0.89034063125

00:59:58.910 -> 01:00:01.382 Which is you have to have a peer

NOTE Confidence: 0.89034063125

 $01{:}00{:}01{.}382 \dashrightarrow 01{:}00{:}03{.}189$  recovery specialist who is supportive

NOTE Confidence: 0.89034063125

 $01{:}00{:}03.189 \dashrightarrow 01{:}00{:}04.700$  of medical treatment because.

NOTE Confidence: 0.89034063125

 $01:00:04.700 \dashrightarrow 01:00:06.980$  We have heard stories of people

NOTE Confidence: 0.89034063125

 $01:00:06.980 \longrightarrow 01:00:08.851$  who are abstinence only and

NOTE Confidence: 0.89034063125

 $01:00:08.851 \rightarrow 01:00:10.506$  have been invited into ERS,

 $01:00:10.510 \longrightarrow 01:00:12.070$  and then the advice that they're

NOTE Confidence: 0.89034063125

01:00:12.070 --> 01:00:13.785 giving a patient might be absolutely

NOTE Confidence: 0.89034063125

 $01{:}00{:}13.785 \dashrightarrow 01{:}00{:}15.033$  contrary to the recommendations

NOTE Confidence: 0.89034063125

 $01:00:15.033 \rightarrow 01:00:16.771$  of the clinician who says, oh,

NOTE Confidence: 0.89034063125

 $01:00:16.771 \longrightarrow 01:00:18.178$  we should put you on people in

NOTE Confidence: 0.89034063125

 $01:00:18.178 \longrightarrow 01:00:20.406$  our feeder method up so we have a NOTE Confidence: 0.89034063125

 $01:00:20.406 \rightarrow 01:00:22.126$  recovery support specialist who is

NOTE Confidence: 0.89034063125

01:00:22.126 --> 01:00:24.427 very much in support of treatment

NOTE Confidence: 0.89034063125

 $01{:}00{:}24{.}427 \dashrightarrow 01{:}00{:}26{.}729$  for for opioid use disorders and

NOTE Confidence: 0.89034063125

 $01{:}00{:}26.729$  -->  $01{:}00{:}29.137$  then who follows up with patients and NOTE Confidence: 0.89034063125

 $01:00:29.137 \rightarrow 01:00:31.306$  helps form a relationship with them

NOTE Confidence: 0.89034063125

 $01{:}00{:}31{.}306 \dashrightarrow 01{:}00{:}33{.}520$  and introduce them into a community

NOTE Confidence: 0.89034063125

 $01{:}00{:}33{.}591 \dashrightarrow 01{:}00{:}35{.}439$  of people who are in recovery.

NOTE Confidence: 0.89034063125

 $01{:}00{:}35{.}440 \dashrightarrow 01{:}00{:}37{.}858$  And helps change the fishbowl that

NOTE Confidence: 0.89034063125

 $01:00:37.858 \rightarrow 01:00:39.931$  the patient is hopefully living

NOTE Confidence: 0.89034063125

 $01{:}00{:}39{.}931 \dashrightarrow 01{:}00{:}42{.}229$  in and and helps really provide

01:00:42.229 --> 01:00:44.340 role modeling for for recovery.

NOTE Confidence: 0.89034063125

 $01{:}00{:}44.340 \dashrightarrow 01{:}00{:}46.710$  So the recovery specialist has been

NOTE Confidence: 0.89034063125

 $01{:}00{:}46.710 \dashrightarrow 01{:}00{:}49.506$  a great addition to what we do and

NOTE Confidence: 0.89034063125

01:00:49.506 --> 01:00:52.914 really works as part of a multi multi NOTE Confidence: 0.89034063125

 $01:00:52.920 \rightarrow 01:00:54.792$  in disciplinary team to provide these

NOTE Confidence: 0.89034063125

 $01{:}00{:}54.792 \dashrightarrow 01{:}00{:}56.591$  patients with the best care that

NOTE Confidence: 0.89034063125

 $01{:}00{:}56{.}591 \dashrightarrow 01{:}00{:}58{.}334$  we can and then give this reports

NOTE Confidence: 0.89034063125

 $01{:}00{:}58.334 \dashrightarrow 01{:}01{:}00.278$  back which is also very reinforcing

NOTE Confidence: 0.89034063125

 $01{:}01{:}00{.}278 \dashrightarrow 01{:}01{:}01{.}913$  which is our clinicians actually

NOTE Confidence: 0.89034063125

 $01:01:01.920 \longrightarrow 01:01:04.076$  here hey you know James that you

NOTE Confidence: 0.89034063125

 $01{:}01{:}04{.}076 \dashrightarrow 01{:}01{:}06{.}048$  referred to me two months ago.

NOTE Confidence: 0.89034063125

 $01{:}01{:}06.050 \dashrightarrow 01{:}01{:}08.201$  He is not used for a month and he's

NOTE Confidence: 0.89034063125

01:01:08.201 --> 01:01:10.460 actually really participating in our program,

NOTE Confidence: 0.89034063125

 $01{:}01{:}10{.}460 \dashrightarrow 01{:}01{:}12{.}374$  so so our clinicians actually get

NOTE Confidence: 0.89034063125

 $01{:}01{:}12.374 \dashrightarrow 01{:}01{:}13.650$  sometimes feedback that otherwise

 $01:01:13.706 \longrightarrow 01:01:15.086$  they would never have gotten.

NOTE Confidence: 0.879613671428572

 $01:01:17.050 \rightarrow 01:01:18.688$  I think that's a really important point.

NOTE Confidence: 0.879613671428572

 $01:01:18.690 \dashrightarrow 01:01:21.357$  You know, having worked with Doctor Khupe NOTE Confidence: 0.879613671428572

01:01:21.357 --> 01:01:23.730 and Doctor D'onofrio and Doctor Hawk on,

NOTE Confidence: 0.879613671428572

01:01:23.730 --> 01:01:26.238 you know getting emergency departments up NOTE Confidence: 0.879613671428572

 $01{:}01{:}26.238$  -->  $01{:}01{:}28.810$  and running with prescribing bup renorphine. NOTE Confidence: 0.879613671428572

01:01:28.810 $\operatorname{-->}$ 01:01:32.806 I think. You know the the challenge in

NOTE Confidence: 0.879613671428572

 $01:01:32.806 \longrightarrow 01:01:35.247$  the acute medical setting is that we

NOTE Confidence: 0.879613671428572

01:01:35.247 --> 01:01:37.732 never or rarely see folks who are doing

NOTE Confidence: 0.879613671428572

 $01:01:37.732 \rightarrow 01:01:40.702$  well after they've initiated treatment,

NOTE Confidence: 0.879613671428572

 $01{:}01{:}40.702 \dashrightarrow 01{:}01{:}44.374$  and that's even augmented in settings

NOTE Confidence: 0.879613671428572

 $01:01:44.374 \longrightarrow 01:01:45.870$  like the emergency department,

NOTE Confidence: 0.879613671428572

 $01{:}01{:}45.870 \dashrightarrow 01{:}01{:}47.680$  and so getting that feedback.

NOTE Confidence: 0.879613671428572

01:01:47.680 --> 01:01:50.620 Getting to meet patient, you know,

NOTE Confidence: 0.879613671428572

 $01{:}01{:}50.620 \dashrightarrow 01{:}01{:}55.180$  in a different frame in a different state.

NOTE Confidence: 0.879613671428572

 $01:01:55.180 \rightarrow 01:01:56.800$  Is really important in getting the

- NOTE Confidence: 0.879613671428572
- $01:01:56.800 \rightarrow 01:01:58.558$  feedback that Oh yes, by the way,
- NOTE Confidence: 0.879613671428572
- $01:01:58.558 \rightarrow 01:02:00.140$  that person that you referred to me,
- NOTE Confidence: 0.879613671428572
- $01:02:00.140 \longrightarrow 01:02:01.939$  you know 2 two months down the
- NOTE Confidence: 0.879613671428572
- $01:02:01.939 \rightarrow 01:02:03.399$  line they're doing much better.
- NOTE Confidence: 0.879613671428572
- $01:02:03.400 \longrightarrow 01:02:05.120$  They're back with their family.
- NOTE Confidence: 0.879613671428572
- $01{:}02{:}05{.}120 \dashrightarrow 01{:}02{:}06{.}992$  I've always thought you know we
- NOTE Confidence: 0.879613671428572
- 01:02:06.992 --> 01:02:09.549 do a lot of cancer survivors,
- NOTE Confidence: 0.879613671428572
- 01:02:09.550 --> 01:02:11.770 you know events at hospitals,
- NOTE Confidence: 0.879613671428572
- $01{:}02{:}11.770 \dashrightarrow 01{:}02{:}13.528$  we should probably do some opioid
- NOTE Confidence: 0.879613671428572
- $01:02:13.528 \longrightarrow 01:02:14.973$  overdose survivor events so that
- NOTE Confidence: 0.879613671428572
- $01:02:14.973 \rightarrow 01:02:16.701$  people can can see what how lives are
- NOTE Confidence: 0.879613671428572
- 01:02:16.701 --> 01:02:18.344 so dramatically changed with the care
- NOTE Confidence: 0.879613671428572
- $01{:}02{:}18.344 \dashrightarrow 01{:}02{:}22.320$  that that you guys are talking about.
- NOTE Confidence: 0.879613671428572
- $01{:}02{:}22{.}320 \dashrightarrow 01{:}02{:}25{.}860$  Uhm? Question from Mary Ellen Lyon.
- NOTE Confidence: 0.879613671428572
- $01{:}02{:}25.860 \dashrightarrow 01{:}02{:}29.010$  Are there particular ideas for addressing
- NOTE Confidence: 0.879613671428572

 $01:02:29.010 \rightarrow 01:02:31.110$  the differentiating patient willingness

NOTE Confidence: 0.879613671428572

01:02:31.183 --> 01:02:34.039 uptake of buprenorphine according to gender,

NOTE Confidence: 0.879613671428572

 $01{:}02{:}34.040 \dashrightarrow 01{:}02{:}34.910$  race, etc.

NOTE Confidence: 0.879613671428572

 $01:02:34.910 \longrightarrow 01:02:37.085$  I'm stuck by the disparity

NOTE Confidence: 0.879613671428572

 $01:02:37.085 \longrightarrow 01:02:37.955$  disparity mentioned,

NOTE Confidence: 0.879613671428572

 $01{:}02{:}37{.}960 \dashrightarrow 01{:}02{:}39{.}724$  such as higher rates of intervention

NOTE Confidence: 0.879613671428572

 $01:02:39.724 \rightarrow 01:02:41.560$  for white males and wondering how

NOTE Confidence: 0.879613671428572

 $01:02:41.560 \longrightarrow 01:02:43.384$  it might be addressed beyond our

NOTE Confidence: 0.879613671428572

 $01:02:43.384 \rightarrow 01:02:45.310$  willing own willingness to initiate.

NOTE Confidence: 0.864275038571429

 $01{:}02{:}47{.}200 \dashrightarrow 01{:}02{:}49{.}440$  Yeah, that's a that's a great question.

NOTE Confidence: 0.864275038571429

 $01{:}02{:}49{.}440 \dashrightarrow 01{:}02{:}51{.}416$  I think that that that's an area really

NOTE Confidence: 0.864275038571429

01:02:51.416 --> 01:02:53.200 ripe for research moving forward,

NOTE Confidence: 0.864275038571429

 $01:02:53.200 \longrightarrow 01:02:55.503$  but I think that you know this

NOTE Confidence: 0.864275038571429

 $01{:}02{:}55{.}503 \dashrightarrow 01{:}02{:}57{.}958$  kind of exists at multiple levels.

NOTE Confidence: 0.864275038571429

 $01{:}02{:}57{.}960 \dashrightarrow 01{:}03{:}00{.}336$  There's some evidence to show that

NOTE Confidence: 0.864275038571429

 $01:03:00.340 \longrightarrow 01:03:03.176$  within minority communities they're

 $01:03:03.176 \rightarrow 01:03:06.012$  really dearth of buprenorphine

NOTE Confidence: 0.864275038571429

01:03:06.012 --> 01:03:08.419 treatment providers as a whole,

NOTE Confidence: 0.864275038571429

 $01:03:08.420 \longrightarrow 01:03:11.120$  and that within communities within

NOTE Confidence: 0.864275038571429

 $01:03:11.120 \rightarrow 01:03:13.154$  minority communities, there's also.

NOTE Confidence: 0.864275038571429

 $01{:}03{:}13{.}154 \dashrightarrow 01{:}03{:}15{.}974$  They're also more likely to receive

NOTE Confidence: 0.864275038571429

 $01{:}03{:}15{.}974 \dashrightarrow 01{:}03{:}17{.}710$  methadone RV offered methadone.

NOTE Confidence: 0.864275038571429

 $01:03:17.710 \longrightarrow 01:03:18.354$  For treatment,

NOTE Confidence: 0.864275038571429

 $01:03:18.354 \dashrightarrow 01:03:21.450$  and so I think that's you know I we

NOTE Confidence: 0.864275038571429

 $01{:}03{:}21{.}450 \dashrightarrow 01{:}03{:}23{.}670$  like to move towards this standard

NOTE Confidence: 0.864275038571429

01:03:23.756 --> 01:03:26.444 where everyone has access to the

NOTE Confidence: 0.864275038571429

 $01:03:26.444 \longrightarrow 01:03:29.009$  treatment that works best for them.

NOTE Confidence: 0.864275038571429

01:03:29.010 --> 01:03:31.208 I think also along those same lines,

NOTE Confidence: 0.864275038571429

 $01{:}03{:}31{.}210 \dashrightarrow 01{:}03{:}33{.}406$  there's when we touched upon stigma.

NOTE Confidence: 0.864275038571429

01:03:33.410 --> 01:03:36.272 There's this idea of double stigma

NOTE Confidence: 0.864275038571429

 $01{:}03{:}36{.}272 \dashrightarrow 01{:}03{:}39{.}678$  that minority groups as a whole may

 $01:03:39.678 \rightarrow 01:03:42.462$  face in terms of also dealing with

NOTE Confidence: 0.864275038571429

01:03:42.462 --> 01:03:43.990 the stigma surrounding addiction,

NOTE Confidence: 0.864275038571429

 $01:03:43.990 \rightarrow 01:03:46.876$  as well as being a minority

NOTE Confidence: 0.864275038571429

 $01:03:46.876 \rightarrow 01:03:48.800$  with with addiction,

NOTE Confidence: 0.864275038571429

 $01{:}03{:}48.800 \dashrightarrow 01{:}03{:}50.893$  and so these are many areas that

NOTE Confidence: 0.864275038571429

 $01:03:50.893 \rightarrow 01:03:52.979$  are really ripe for interventions,

NOTE Confidence: 0.864275038571429

01:03:52.980 --> 01:03:54.288 and I think that you know,

NOTE Confidence: 0.864275038571429

 $01:03:54.290 \longrightarrow 01:03:56.523$  we can look as large as like

NOTE Confidence: 0.864275038571429

01:03:56.523 --> 01:03:58.296 the Community approach in terms

NOTE Confidence: 0.864275038571429

 $01:03:58.296 \longrightarrow 01:03:59.796$  of access to bup renorphine.

NOTE Confidence: 0.864275038571429

 $01{:}03{:}59{.}800 \dashrightarrow 01{:}04{:}02{.}832$  Or even a small is addressed at the

NOTE Confidence: 0.864275038571429

 $01:04:02.832 \longrightarrow 01:04:04.993$  individual approach in terms of

NOTE Confidence: 0.864275038571429

 $01:04:04.993 \rightarrow 01:04:07.645$  addressing like stigma and stigma within

NOTE Confidence: 0.864275038571429

 $01{:}04{:}07.645 \dashrightarrow 01{:}04{:}09.996$  individuals and within provider to

NOTE Confidence: 0.864275038571429

 $01:04:09.996 \rightarrow 01:04:12.296$  individuals with opioid use disorder.

NOTE Confidence: 0.864275038571429

 $01:04:12.300 \longrightarrow 01:04:13.376$  So yeah,

- NOTE Confidence: 0.864275038571429
- $01:04:13.376 \rightarrow 01:04:16.410$  I think that's an area that we really
- NOTE Confidence: 0.864275038571429
- $01:04:16.410 \longrightarrow 01:04:18.400$  need to look at moving forward.
- NOTE Confidence: 0.864275038571429
- $01:04:18.400 \longrightarrow 01:04:19.672$  So great question though.
- NOTE Confidence: 0.864275038571429
- 01:04:19.672 --> 01:04:19.990 Yeah,
- NOTE Confidence: 0.87791225
- $01:04:20.000 \longrightarrow 01:04:21.320$  that's a great great point.
- NOTE Confidence: 0.87791225
- 01:04:21.320 --> 01:04:23.250 Dr Coupe and appreciate your
- NOTE Confidence: 0.87791225
- $01:04:23.250 \rightarrow 01:04:25.180$  discussion of sort of intersectional
- NOTE Confidence: 0.87791225
- $01{:}04{:}25{.}246 \dashrightarrow 01{:}04{:}27{.}738$  stigma and how that can impact the
- NOTE Confidence: 0.87791225
- $01{:}04{:}27.738 \dashrightarrow 01{:}04{:}29.350$  individual experience and just to.
- NOTE Confidence: 0.87791225
- 01:04:29.350 --> 01:04:31.569 Just a brief reminder that our next
- NOTE Confidence: 0.87791225
- $01{:}04{:}31{.}569 \dashrightarrow 01{:}04{:}33{.}783$  talk on December 14th will be from
- NOTE Confidence: 0.87791225
- $01{:}04{:}33.783 \dashrightarrow 01{:}04{:}35.976$  Gary Mandel and address some of the NOTE Confidence: 0.87791225
- $01{:}04{:}35{.}976 \dashrightarrow 01{:}04{:}37{.}651$  work that shatter proof and others
- NOTE Confidence: 0.87791225
- $01{:}04{:}37{.}651 \dashrightarrow 01{:}04{:}41{.}620$  are doing on this issue of of stigma.
- NOTE Confidence: 0.87791225
- $01{:}04{:}41{.}620 \dashrightarrow 01{:}04{:}44{.}990$  Uhm? And Linda says thank you.
- NOTE Confidence: 0.87791225

 $01:04:44.990 \rightarrow 01:04:47.084$  She's in the process of establishing

NOTE Confidence: 0.87791225

01:04:47.084 --> 01:04:49.420 a milax own peer support program

NOTE Confidence: 0.87791225

 $01{:}04{:}49{.}420 \dashrightarrow 01{:}04{:}51{.}585$  in her rural Arizona hospital.

NOTE Confidence: 0.87791225

01:04:51.590 --> 01:04:53.190 So you've provided guidance.

NOTE Confidence: 0.87791225

01:04:53.190 --> 01:04:55.278 I you know, I will say,

NOTE Confidence: 0.87791225

 $01{:}04{:}55{.}278 \dashrightarrow 01{:}04{:}57{.}350$  I'm I'm struck by the success of

NOTE Confidence: 0.87791225

 $01:04:57.426 \longrightarrow 01:04:59.450$  the Colorado naloxone project.

NOTE Confidence: 0.87791225

 $01:04:59.450 \longrightarrow 01:04:59.946$  I'm envious.

NOTE Confidence: 0.87791225

01:04:59.946 --> 01:05:01.930 I think we could keep the same acronym

NOTE Confidence: 0.87791225

 $01{:}05{:}01{.}982 \dashrightarrow 01{:}05{:}03{.}536$  and just move it to Connecticut.

NOTE Confidence: 0.87791225

 $01{:}05{:}03{.}540 \dashrightarrow 01{:}05{:}08{.}097$  It'll be the Connecticut null Oxone project.

NOTE Confidence: 0.87791225

 $01:05:08.100 \longrightarrow 01:05:09.387$  And you know,

NOTE Confidence: 0.87791225

 $01:05:09.387 \rightarrow 01:05:12.390$  it's a little bit frustrating to think

NOTE Confidence: 0.87791225

 $01{:}05{:}12.479 \dashrightarrow 01{:}05{:}15.944$  that I may need to get the legislature to,

NOTE Confidence: 0.87791225

 $01{:}05{:}15{.}950 \dashrightarrow 01{:}05{:}18{.}190$  you know, embark on legislation.

NOTE Confidence: 0.87791225

01:05:18.190 --> 01:05:18.898 Visa V.

- NOTE Confidence: 0.87791225
- $01:05:18.898 \longrightarrow 01:05:19.960$  The the payers.
- NOTE Confidence: 0.87791225
- 01:05:19.960 --> 01:05:23.418 But I that's just more of a
- NOTE Confidence: 0.87791225
- $01:05:23.420 \longrightarrow 01:05:24.500$  point of ignorance for me.
- NOTE Confidence: 0.87791225
- $01{:}05{:}24.500 \dashrightarrow 01{:}05{:}25.620$  I'd have to see whether or not
- NOTE Confidence: 0.87791225
- $01{:}05{:}25{.}620 \dashrightarrow 01{:}05{:}26{.}828$  that would be a requirement here,
- NOTE Confidence: 0.879827024
- $01{:}05{:}27{.}420 \dashrightarrow 01{:}05{:}29{.}660$  you know so, so there's two ways to do it.
- NOTE Confidence: 0.879827024
- $01:05:29.660 \rightarrow 01:05:31.700$  Is there's actually an extremely
- NOTE Confidence: 0.879827024
- $01{:}05{:}31{.}700 \dashrightarrow 01{:}05{:}33{.}740$  successful in Milwaukee and distribution
- NOTE Confidence: 0.879827024
- $01{:}05{:}33{.}801 \dashrightarrow 01{:}05{:}36{.}034$  program that's run out of of California.
- NOTE Confidence: 0.879827024
- $01:05:36.040 \longrightarrow 01:05:37.716$  That's 100% grant based.
- NOTE Confidence: 0.879827024
- $01{:}05{:}37.716 \dashrightarrow 01{:}05{:}39.811$  Which is there's grant purchase
- NOTE Confidence: 0.879827024
- $01{:}05{:}39{.}811 \dashrightarrow 01{:}05{:}42.095$  Milax own that's dispensed to
- NOTE Confidence: 0.879827024
- $01{:}05{:}42.095 \dashrightarrow 01{:}05{:}43.887$  hospitals and then hospitals.
- NOTE Confidence: 0.879827024
- $01{:}05{:}43{.}890 \dashrightarrow 01{:}05{:}46{.}090$  Give it out to patients.
- NOTE Confidence: 0.879827024
- $01{:}05{:}46.090 \dashrightarrow 01{:}05{:}47.596$  And and I think that's right
- NOTE Confidence: 0.879827024

 $01:05:47.596 \rightarrow 01:05:49.211$  now where we're at is actually

NOTE Confidence: 0.879827024

01:05:49.211 --> 01:05:50.855 a hybrid model where we have.

NOTE Confidence: 0.270017211166667

01:05:53.010 --> 01:05:55.638 500,000 of donated of of funding.

NOTE Confidence: 0.270017211166667

 $01{:}05{:}55{.}640 \dashrightarrow 01{:}05{:}56{.}815$  The locks own through the

NOTE Confidence: 0.270017211166667

 $01:05:56.815 \longrightarrow 01:05:57.990$  state that we're giving out,

NOTE Confidence: 0.270017211166667

 $01{:}05{:}57{.}990 \dashrightarrow 01{:}06{:}00{.}573$  but my own bias is that if we want

NOTE Confidence: 0.270017211166667

 $01{:}06{:}00.573 \dashrightarrow 01{:}06{:}03.055$  this to be durable and we want this

NOTE Confidence: 0.270017211166667

01:06:03.055 --> 01:06:05.588 to just be part of medical care,

NOTE Confidence: 0.270017211166667

 $01:06:05.590 \rightarrow 01:06:07.950$  then you got to make it part of medical care.

NOTE Confidence: 0.270017211166667

 $01{:}06{:}07{.}950 \dashrightarrow 01{:}06{:}10{.}726$  And that means that payers gotta pay for

NOTE Confidence: 0.270017211166667

 $01{:}06{:}10.726 \dashrightarrow 01{:}06{:}13.618$  a proven intervention that saves lives.

NOTE Confidence: 0.270017211166667

 $01:06:13.620 \longrightarrow 01:06:15.024$  And that's cost effective.

NOTE Confidence: 0.270017211166667

 $01:06:15.024 \longrightarrow 01:06:17.559$  And that's been a big push that

NOTE Confidence: 0.270017211166667

 $01:06:17.559 \longrightarrow 01:06:19.329$  we've had here in Colorado.

NOTE Confidence: 0.270017211166667

 $01{:}06{:}19{.}330 \dashrightarrow 01{:}06{:}22{.}725$  We just passed a resolution this year.

NOTE Confidence: 0.270017211166667

 $01:06:22.730 \rightarrow 01:06:24.505$  Between myself and several other

- NOTE Confidence: 0.270017211166667
- $01{:}06{:}24.505 \dashrightarrow 01{:}06{:}25.925$  colleagues for the American
- NOTE Confidence: 0.270017211166667
- 01:06:25.925 --> 01:06:27.590 College of Emergency Physicians,
- NOTE Confidence: 0.270017211166667
- $01{:}06{:}27.590 \dashrightarrow 01{:}06{:}29.654$  and that's going to be something
- NOTE Confidence: 0.270017211166667
- $01:06:29.654 \rightarrow 01:06:31.030$  that we're pushing forward.
- NOTE Confidence: 0.270017211166667
- 01:06:31.030 --> 01:06:33.697 You know, as a sa a potential
- NOTE Confidence: 0.270017211166667
- $01:06:33.697 \rightarrow 01:06:35.459$  federal legislative effort as well.
- NOTE Confidence: 0.270017211166667
- $01{:}06{:}35{.}460 \dashrightarrow 01{:}06{:}37{.}796$  And I think the more places that that
- NOTE Confidence: 0.270017211166667
- $01:06:37.796 \rightarrow 01:06:40.498$  kind of start saying, hey, we this is.
- NOTE Confidence: 0.270017211166667
- $01:06:40.498 \longrightarrow 01:06:41.404$  This is now.
- NOTE Confidence: 0.270017211166667
- $01{:}06{:}41{.}410 \dashrightarrow 01{:}06{:}42{.}990$  The evidence shows this defective.
- NOTE Confidence: 0.270017211166667
- $01:06:42.990 \longrightarrow 01:06:44.410$  We should be demanding it,
- NOTE Confidence: 0.270017211166667
- $01{:}06{:}44{.}410 \dashrightarrow 01{:}06{:}46{.}454$  and then we should look at all
- NOTE Confidence: 0.270017211166667
- $01{:}06{:}46{.}454 \dashrightarrow 01{:}06{:}47{.}599$  these regulatory changes that
- NOTE Confidence: 0.270017211166667
- $01{:}06{:}47.599 \dashrightarrow 01{:}06{:}50.028$  we have to make to to actually
- NOTE Confidence: 0.270017211166667
- $01:06:50.028 \dashrightarrow 01:06:52.658$  implement it and operationalize it.
- NOTE Confidence: 0.270017211166667

01:06:52.660 --> 01:06:55.198 Doctor Heimer also, please email me.

NOTE Confidence: 0.270017211166667

 $01:06:55.200 \rightarrow 01:06:58.063$  I would love to chat with you and learn so,

NOTE Confidence: 0.270017211166667

 $01:06:58.063 \longrightarrow 01:07:00.329$  so please.

NOTE Confidence: 0.270017211166667

01:07:00.330 --> 01:07:01.878 Yeah yeah it's connected to us

NOTE Confidence: 0.7353122766666667

 $01{:}07{:}02{.}400 \dashrightarrow 01{:}07{:}05{.}424$  and Don, I can't under score

NOTE Confidence: 0.7353122766666667

 $01:07:05.424 \rightarrow 01:07:08.479$  the the message that you gave.

NOTE Confidence: 0.7353122766666667

 $01:07:08.480 \longrightarrow 01:07:10.210$  With respect to null Oxone,

NOTE Confidence: 0.7353122766666667

 $01:07:10.210 \longrightarrow 01:07:13.516$  it's been demonstrated among people who

NOTE Confidence: 0.7353122766666667

 $01:07:13.516 \longrightarrow 01:07:15.982$  are receiving medications for opioid

NOTE Confidence: 0.7353122766666667

 $01{:}07{:}15.982 \dashrightarrow 01{:}07{:}18.764$  use disorder and among opioid overdose

NOTE Confidence: 0.7353122766666667

 $01:07:18.764 \rightarrow 01:07:21.174$  survivors in the emergency department.

NOTE Confidence: 0.7353122766666667

 $01:07:21.180 \longrightarrow 01:07:23.760$  If you only write a script,

NOTE Confidence: 0.7353122766666667

 $01:07:23.760 \longrightarrow 01:07:27.304$  then only up to 10 to 20% of those

NOTE Confidence: 0.7353122766666667

 $01:07:27.304 \rightarrow 01:07:29.716$  prescriptions will be filled for naloxone.

NOTE Confidence: 0.7353122766666667

 $01{:}07{:}29.720 \dashrightarrow 01{:}07{:}32.436$  If you place it in their hand,

NOTE Confidence: 0.7353122766666667

 $01:07:32.440 \rightarrow 01:07:33.917$  they will have it when they leave,

 $01:07:33.920 \longrightarrow 01:07:36.831$  and so it's it.

NOTE Confidence: 0.7353122766666667

01:07:36.831 --> 01:07:39.486 I applaud as you did.

NOTE Confidence: 0.7353122766666667

 $01:07:39.490 \rightarrow 01:07:41.020$  People who are writing prescriptions,

NOTE Confidence: 0.7353122766666667

 $01:07:41.020 \rightarrow 01:07:42.994$  but recognize that we're in a state

NOTE Confidence: 0.7353122766666667

 $01:07:42.994 \rightarrow 01:07:45.113$  where we need to be able to provide

NOTE Confidence: 0.7353122766666667

 $01{:}07{:}45{.}113 \dashrightarrow 01{:}07{:}47{.}276$  it in their hands to really make a

NOTE Confidence: 0.7353122766666667

 $01{:}07{:}47.276 \dashrightarrow 01{:}07{:}49.370$  difference at the at the bed side or

NOTE Confidence: 0.7353122766666667

 $01:07:49.370 \dashrightarrow 01:07:51.420$  on the curbside in other places so.

NOTE Confidence: 0.74106319875

 $01{:}07{:}53{.}190 \dashrightarrow 01{:}07{:}55{.}438$  Now we have several programs that also have

NOTE Confidence: 0.74106319875

 $01:07:55.438 \rightarrow 01:07:57.866$  a mess with leave behind the locks own,

NOTE Confidence: 0.74106319875

 $01:07:57.870 \longrightarrow 01:08:00.390$  so they respond to us to an overdose,

NOTE Confidence: 0.74106319875

 $01{:}08{:}00{.}390 \dashrightarrow 01{:}08{:}03{.}006$  or they respond to a site where people

NOTE Confidence: 0.74106319875

 $01:08:03.010 \dashrightarrow 01:08:04.850$  other people are actively using.

NOTE Confidence: 0.74106319875

 $01{:}08{:}04{.}850 \dashrightarrow 01{:}08{:}07{.}738$  We actually have some places that we leave

NOTE Confidence: 0.74106319875

 $01{:}08{:}07{.}738 \dashrightarrow 01{:}08{:}10{.}048$  behind several blocks on kits for them.

 $01:08:10.050 \rightarrow 01:08:11.800$  Really, we wouldn't get in the locks

NOTE Confidence: 0.74106319875

 $01:08:11.800 \longrightarrow 01:08:14.229$  own in the hands of the true first

NOTE Confidence: 0.74106319875

 $01:08:14.229 \dashrightarrow 01:08:15.529$  responders from most overdoses,

NOTE Confidence: 0.74106319875

 $01:08:15.530 \rightarrow 01:08:17.546$  which is other people who are using

NOTE Confidence: 0.74106319875

 $01{:}08{:}17.546$  -->  $01{:}08{:}20.270$  drugs or who are rattler who love and who

NOTE Confidence: 0.74106319875

 $01:08:20.270 \rightarrow 01:08:22.490$  are around people who are using drugs?

NOTE Confidence: 0.74106319875

 $01{:}08{:}22{.}490 \dashrightarrow 01{:}08{:}24{.}076$  And if we do that, we can.

NOTE Confidence: 0.74106319875

 $01:08:24.076 \longrightarrow 01:08:25.166$  We can save alot alot.

NOTE Confidence: 0.865500862333333

 $01{:}08{:}27{.}440 \dashrightarrow 01{:}08{:}29{.}099$  We have another question in the in

NOTE Confidence: 0.865500862333333

 $01{:}08{:}29{.}099 \dashrightarrow 01{:}08{:}30{.}956$  the chat from one of our addiction

NOTE Confidence: 0.865500862333333

 $01{:}08{:}30{.}956 \dashrightarrow 01{:}08{:}32{.}588$  medicine fellows it says has there

NOTE Confidence: 0.865500862333333

 $01{:}08{:}32{.}643 \dashrightarrow 01{:}08{:}34{.}659$  been a movement in the Ed to initiate

NOTE Confidence: 0.865500862333333

 $01{:}08{:}34{.}659 \dashrightarrow 01{:}08{:}36{.}745$  methadone for opioid use disorder

NOTE Confidence: 0.865500862333333

 $01{:}08{:}36{.}745 \dashrightarrow 01{:}08{:}39{.}610$  and when able to immediately connect

NOTE Confidence: 0.865500862333333

 $01:08:39.610 \longrightarrow 01:08:42.270$  to an OTP and use what's called

NOTE Confidence: 0.865500862333333

 $01:08:42.270 \longrightarrow 01:08:44.414$  the three day or the 72 rule.

- NOTE Confidence: 0.865500862333333
- $01:08:44.414 \rightarrow 01:08:46.166$  Our rule to provide methadone and
- NOTE Confidence: 0.865500862333333
- $01:08:46.166 \rightarrow 01:08:48.270$  they in the emergency department.
- NOTE Confidence: 0.865500862333333
- $01:08:48.270 \longrightarrow 01:08:49.778$  So thoughts on that.
- NOTE Confidence: 0.879337718888889
- 01:08:52.840 --> 01:08:55.360 So I do know a little bit about this,
- NOTE Confidence: 0.879337718888889
- $01:08:55.360 \longrightarrow 01:08:57.712$  so we do have some clinicians
- NOTE Confidence: 0.879337718888889
- $01:08:57.712 \longrightarrow 01:08:59.280$  with a deep expertise.
- NOTE Confidence: 0.879337718888889
- 01:08:59.280 --> 01:09:01.308 They're both Lee addiction and and
- NOTE Confidence: 0.879337718888889
- 01:09:01.308 --> 01:09:04.080 Ed train to are starting to do this,
- NOTE Confidence: 0.879337718888889
- $01:09:04.080 \longrightarrow 01:09:04.911$  so there's Rachel,
- NOTE Confidence: 0.879337718888889
- $01:09:04.911 \rightarrow 01:09:06.296$  whereas up in New Jersey,
- NOTE Confidence: 0.879337718888889
- 01:09:06.300 --> 01:09:09.864 there's Eric Ketchum who's out in out in
- NOTE Confidence: 0.879337718888889
- $01:09:09.864 \rightarrow 01:09:12.713$  New Mexico who actually are doing this,
- NOTE Confidence: 0.879337718888889
- $01{:}09{:}12.720 \dashrightarrow 01{:}09{:}15.289$  and trying to also create the regulatory
- NOTE Confidence: 0.879337718888889
- $01{:}09{:}15{.}289 \dashrightarrow 01{:}09{:}18{.}622$  space to do this because we all know
- NOTE Confidence: 0.879337718888889
- $01{:}09{:}18.622 \dashrightarrow 01{:}09{:}20.777$  how strictly regulated methadone is,
- NOTE Confidence: 0.879337718888889

 $01:09:20.780 \rightarrow 01:09:23.108$  and that scares a lot of people away.

NOTE Confidence: 0.879337718888889

 $01{:}09{:}23.110 \dashrightarrow 01{:}09{:}25.200$  Methadone we still use sometimes

NOTE Confidence: 0.879337718888889

 $01{:}09{:}25{.}200 \dashrightarrow 01{:}09{:}27{.}749$  for opiate with drawal and people who

NOTE Confidence: 0.879337718888889

01:09:27.749 --> 01:09:29.933 don't who basically, you know, refuse.

NOTE Confidence: 0.879337718888889

 $01{:}09{:}29{.}933 \dashrightarrow 01{:}09{:}31{.}638$  Bu prenorphine will sometimes give them

NOTE Confidence: 0.879337718888889

01:09:31.638 --> 01:09:34.067 a shot of methadone and that's my at

NOTE Confidence: 0.879337718888889

01:09:34.067 --> 01:09:37.092 least my practice but but I think

NOTE Confidence: 0.879337718888889

 $01:09:37.092 \rightarrow 01:09:39.807$  that in general beyond exceptions,

NOTE Confidence: 0.879337718888889

 $01:09:39.810 \rightarrow 01:09:41.448$  you know there's very few exceptions.

NOTE Confidence: 0.879337718888889

 $01:09:41.450 \rightarrow 01:09:44.845$  Most easy docs aren't touching method out,

NOTE Confidence: 0.879337718888889

 $01{:}09{:}44.850 \dashrightarrow 01{:}09{:}47.202$  but I think that that we all know

NOTE Confidence: 0.879337718888889

 $01:09:47.202 \longrightarrow 01:09:49.148$  that methadone works for a large

NOTE Confidence: 0.879337718888889

 $01{:}09{:}49{.}148 \dashrightarrow 01{:}09{:}51{.}180$  number of these patients and and

NOTE Confidence: 0.879337718888889

 $01:09:51.180 \longrightarrow 01:09:53.030$  and is another tool that.

NOTE Confidence: 0.879337718888889

 $01:09:53.030 \longrightarrow 01:09:55.166$  I hope we can build as we build

NOTE Confidence: 0.879337718888889

 $01:09:55.166 \rightarrow 01:09:57.000$  this knowledge base and treatment

- NOTE Confidence: 0.879337718888889
- $01{:}09{:}57{.}000 \dashrightarrow 01{:}09{:}58{.}656$  infrastructure into the future.
- NOTE Confidence: 0.879337718888889
- 01:09:58.660 --> 01:10:00.052 So so you know,
- NOTE Confidence: 0.879337718888889
- $01:10:00.052 \rightarrow 01:10:02.140$  I think that it's a really,
- NOTE Confidence: 0.879337718888889
- $01:10:02.140 \rightarrow 01:10:04.540$  really great question that you asked
- NOTE Confidence: 0.879337718888889
- $01:10:04.540 \longrightarrow 01:10:07.480$  Doctor Cohen and I hope that we
- NOTE Confidence: 0.879337718888889
- $01{:}10{:}07{.}480 \dashrightarrow 01{:}10{:}09{.}830$  actually build this so that we can
- NOTE Confidence: 0.879337718888889
- $01:10:09.830 \longrightarrow 01:10:12.116$  start utilizing that tool as well.
- NOTE Confidence: 0.879337718888889
- 01:10:12.120 --> 01:10:14.856 I mean, as as someone who who does that,
- NOTE Confidence: 0.879337718888889
- 01:10:14.860 --> 01:10:17.412 I think that you should be able to
- NOTE Confidence: 0.879337718888889
- 01:10:17.412 --> 01:10:20.296 start people on IM metrics on all naltrexone.
- NOTE Confidence: 0.879337718888889
- $01:10:20.300 \rightarrow 01:10:22.044$  I think that we should be using methadone.
- NOTE Confidence: 0.879337718888889
- $01{:}10{:}22.050 \dashrightarrow 01{:}10{:}23.316$  I think that we should be.
- NOTE Confidence: 0.879337718888889
- $01:10:23.320 \longrightarrow 01:10:24.352$  Using bup renorphine,
- NOTE Confidence: 0.879337718888889
- $01{:}10{:}24.352 \dashrightarrow 01{:}10{:}26.416$  bup renorphine remains the most
- NOTE Confidence: 0.879337718888889
- $01:10:26.416 \rightarrow 01:10:27.964$  appealing lowest barrier.
- NOTE Confidence: 0.8793377188888889

01:10:27.970 --> 01:10:29.950 Safest that we should use first,

NOTE Confidence: 0.8793377188888889

01:10:29.950 --> 01:10:32.722 but I don't want any of those off the,

NOTE Confidence: 0.879337718888889

 $01:10:32.730 \longrightarrow 01:10:34.739$  you know off the menu for patients

NOTE Confidence: 0.879337718888889

 $01:10:34.739 \rightarrow 01:10:37.228$  who who are good candidates for them,

NOTE Confidence: 0.879337718888889

 $01{:}10{:}37{.}230 \dashrightarrow 01{:}10{:}38{.}902$  and I think that it really does come

NOTE Confidence: 0.879337718888889

 $01{:}10{:}38{.}902 \dashrightarrow 01{:}10{:}41{.}280$  to us to kind of build that research

NOTE Confidence: 0.879337718888889

 $01{:}10{:}41.280 \dashrightarrow 01{:}10{:}42.833$  and that knowledge infrastructure and

NOTE Confidence: 0.8793377188888889

 $01{:}10{:}42.833 \dashrightarrow 01{:}10{:}44.401$  really try to implement those if we

NOTE Confidence: 0.879337718888889

 $01{:}10{:}44{.}401 \dashrightarrow 01{:}10{:}46{.}446$  if we hope to build a treatment system

NOTE Confidence: 0.879337718888889

 $01:10:46.446 \rightarrow 01:10:48.144$  that actually works in this country

NOTE Confidence: 0.879337718888889

 $01{:}10{:}48.144 \dashrightarrow 01{:}10{:}49.884$  and provides patients what we need,

NOTE Confidence: 0.879337718888889

 $01:10:49.890 \longrightarrow 01:10:50.460$  what they need.

NOTE Confidence: 0.897918135

 $01:10:51.810 \longrightarrow 01:10:52.608$  Yeah, we always.

NOTE Confidence: 0.897918135

01:10:52.608 --> 01:10:54.470 We often refer to the no no

NOTE Confidence: 0.897918135

 $01:10:54.535 \longrightarrow 01:10:56.419$  wrong door policy and that that's

NOTE Confidence: 0.897918135

 $01:10:56.419 \rightarrow 01:10:58.469$  that's the goal of our program,

- NOTE Confidence: 0.897918135
- $01:10:58.470 \longrightarrow 01:11:00.445$  is to make General Medical
- NOTE Confidence: 0.897918135
- $01{:}11{:}00.445 \dashrightarrow 01{:}11{:}02.420$  settings as responsive and that
- NOTE Confidence: 0.897918135
- $01:11:02.496 \rightarrow 01:11:04.266$  there is no no wrong door.
- NOTE Confidence: 0.897918135
- $01{:}11{:}04{.}270 \dashrightarrow 01{:}11{:}06{.}608$  Just a brief clarification on the 72
- NOTE Confidence: 0.897918135
- 01:11:06.608 01:11:09.147 hour rule for those who are unaware,
- NOTE Confidence: 0.897918135
- $01:11:09.150 \longrightarrow 01:11:12.546$  it allows for clinicians with DEA
- NOTE Confidence: 0.897918135
- $01:11:12.546 \rightarrow 01:11:15.730$  registrations or settings to dispense.
- NOTE Confidence: 0.897918135
- 01:11:15.730 --> 01:11:16.964 Not prescribed,
- NOTE Confidence: 0.897918135
- $01:11:16.964 \rightarrow 01:11:21.900$  but dispense methadone over a 72 hour period.
- NOTE Confidence: 0.897918135
- $01:11:21.900 \longrightarrow 01:11:24.204$  As long as the intent is to get
- NOTE Confidence: 0.897918135
- $01:11:24.204 \longrightarrow 01:11:26.369$  a patient into a more definitive
- NOTE Confidence: 0.897918135
- $01:11:26.369 \longrightarrow 01:11:29.044$  treatment and the key there is
- NOTE Confidence: 0.897918135
- $01:11:29.044 \rightarrow 01:11:31.319$  that the patient has to come back,
- NOTE Confidence: 0.897918135
- $01:11:31.320 \longrightarrow 01:11:32.970$  for instance to the emergency
- NOTE Confidence: 0.897918135
- $01:11:32.970 \longrightarrow 01:11:34.620$  department or to the hospital,
- NOTE Confidence: 0.897918135

- $01:11:34.620 \longrightarrow 01:11:35.852$  or to the clinicians.
- NOTE Confidence: 0.897918135
- 01:11:35.852 --> 01:11:37.392 Practice each day and have
- NOTE Confidence: 0.897918135
- $01:11:37.392 \longrightarrow 01:11:38.979$  that medication dispensed,
- NOTE Confidence: 0.897918135
- 01:11:38.980 --> 01:11:41.398 not quoting prescribed and filled it,
- NOTE Confidence: 0.897918135
- 01:11:41.400 --> 01:11:41.958 a pharmacy.
- NOTE Confidence: 0.897918135
- 01:11:41.958 --> 01:11:43.074 Just a clarification so
- NOTE Confidence: 0.897918135
- $01:11:43.074 \longrightarrow 01:11:44.190$  that folks are aware
- NOTE Confidence: 0.808536784545455
- $01:11:45.200 \rightarrow 01:11:47.195$  and just for the emergency
- NOTE Confidence: 0.808536784545455
- $01{:}11{:}47.195 \dashrightarrow 01{:}11{:}49.540$  department folks in general we did.
- NOTE Confidence: 0.808536784545455
- $01:11:49.540 \longrightarrow 01:11:51.717$  There was a law that was passed.
- NOTE Confidence: 0.808536784545455
- $01:11:51.720 \longrightarrow 01:11:53.656$  I think it was now a year ago.
- NOTE Confidence: 0.808536784545455
- $01:11:53.660 \longrightarrow 01:11:55.598$  That says that that's a small
- NOTE Confidence: 0.808536784545455
- $01:11:55.598 \rightarrow 01:11:57.538$  small amendment to the three day
- NOTE Confidence: 0.808536784545455
- $01{:}11{:}57{.}538 \dashrightarrow 01{:}11{:}59{.}582$  rule that says that we should be
- NOTE Confidence: 0.808536784545455
- $01:11:59.582 \rightarrow 01:12:01.488$  able to prescribe or dispense.
- NOTE Confidence: 0.808536784545455
- 01:12:01.490 --> 01:12:03.182 Poop in orpheon 2 patients who

 $01:12:03.182 \longrightarrow 01:12:05.278$  can then take it home and not

NOTE Confidence: 0.808536784545455

 $01:12:05.278 \rightarrow 01:12:07.252$  have to return to their marriage

NOTE Confidence: 0.808536784545455

 $01:12:07.252 \rightarrow 01:12:08.981$  department for repeat visits that

NOTE Confidence: 0.808536784545455

 $01:12:08.981 \longrightarrow 01:12:10.991$  has not been the regulations for

NOTE Confidence: 0.808536784545455

 $01:12:10.991 \longrightarrow 01:12:12.828$  that have not been finalized,

NOTE Confidence: 0.808536784545455

 $01:12:12.830 \rightarrow 01:12:15.301$  so we're still waiting in the regulatory

NOTE Confidence: 0.808536784545455

 $01:12:15.301 \longrightarrow 01:12:17.844$  realm for that to be finalized so

NOTE Confidence: 0.808536784545455

 $01:12:17.844 \rightarrow 01:12:19.962$  that it can actually be implemented.

NOTE Confidence: 0.808536784545455

01:12:19.970 --> 01:12:21.818 But we did actually advocate for

NOTE Confidence: 0.808536784545455

 $01{:}12{:}21{.}818 \dashrightarrow 01{:}12{:}24{.}470$  and pass a law and I can dig that

NOTE Confidence: 0.808536784545455

 $01:12:24.470 \longrightarrow 01:12:26.692$  out at somewhere in my very deep in

NOTE Confidence: 0.808536784545455

01:12:26.692 --> 01:12:28.810 my emails from a year or two ago,

NOTE Confidence: 0.808536784545455

 $01{:}12{:}28{.}810 \dashrightarrow 01{:}12{:}30{.}420$  but that we should be able to

NOTE Confidence: 0.808536784545455

 $01:12:30.420 \longrightarrow 01:12:31.510$  actually send people home.

NOTE Confidence: 0.808536784545455

 $01{:}12{:}31{.}510 \dashrightarrow 01{:}12{:}34{.}025$  With those medications or supplies

 $01{:}12{:}34.025 \dashrightarrow 01{:}12{:}37.042$  and not have to inconvenience them

NOTE Confidence: 0.808536784545455

 $01:12:37.042 \rightarrow 01:12:39.996$  with returning to a COVID infested ER.

NOTE Confidence: 0.808536784545455

 $01:12:40.000 \longrightarrow 01:12:41.086$  For three days in a row.

NOTE Confidence: 0.883826808

 $01:12:43.760 \longrightarrow 01:12:45.340$  And then a final comment?

NOTE Confidence: 0.883826808

 $01:12:45.340 \longrightarrow 01:12:47.200$  Terra Kerner says at home,

NOTE Confidence: 0.883826808

 $01{:}12{:}47{.}200 \dashrightarrow 01{:}12{:}49{.}588$  or what we call an observed

NOTE Confidence: 0.883826808

01:12:49.588 --> 01:12:51.180 inductions or so important,

NOTE Confidence: 0.883826808

 $01{:}12{:}51{.}180 \dashrightarrow 01{:}12{:}55{.}509$  and she hopes that Eadies will soon do that.

NOTE Confidence: 0.883826808

 $01{:}12{:}55{.}510 \dashrightarrow 01{:}12{:}57{.}010$  And I will say that that

NOTE Confidence: 0.883826808

01:12:57.010 --> 01:12:58.324 is standard practice,

NOTE Confidence: 0.883826808

 $01:12:58.324 \rightarrow 01:13:01.276$  at least in our emergency department,

NOTE Confidence: 0.883826808

 $01:13:01.276 \rightarrow 01:13:04.300$  that, if patient is not insufficient

NOTE Confidence: 0.883826808

 $01{:}13{:}04{.}300 \dashrightarrow 01{:}13{:}07{.}480$  with drawal to receive their first dose

NOTE Confidence: 0.883826808

 $01{:}13{:}07{.}560 \dashrightarrow 01{:}13{:}10{.}290$  of bup renorphine in the emergency.

NOTE Confidence: 0.883826808

01:13:10.290 --> 01:13:13.740 Apartment, then the since everybody well,

NOTE Confidence: 0.883826808

 $01:13:13.740 \longrightarrow 01:13:15.395$  they prescribed the doses and

- NOTE Confidence: 0.883826808
- $01:13:15.395 \longrightarrow 01:13:16.719$  are provided instructions so
- NOTE Confidence: 0.883826808
- $01{:}13{:}16.719 \dashrightarrow 01{:}13{:}18.420$  that they can do and observed,
- NOTE Confidence: 0.883826808
- $01:13:18.420 \longrightarrow 01:13:19.508$  or at home inductions.
- NOTE Confidence: 0.906653476
- $01{:}13{:}21{.}100 \dashrightarrow 01{:}13{:}23{.}206$  To that, can I comment on that is that
- NOTE Confidence: 0.906653476
- $01:13:23.206 \rightarrow 01:13:25.549$  is so important and it is something that
- NOTE Confidence: 0.906653476
- $01:13:25.549 \longrightarrow 01:13:27.373$  you need that we're building toward
- NOTE Confidence: 0.906653476
- 01:13:27.373 --> 01:13:29.712 in a lot of places because you know,
- NOTE Confidence: 0.906653476
- $01:13:29.712 \longrightarrow 01:13:31.224$  I think we're getting some of
- NOTE Confidence: 0.906653476
- $01{:}13{:}31{.}224 \dashrightarrow 01{:}13{:}32{.}519$  those early adopters and asking.
- NOTE Confidence: 0.906653476
- 01:13:32.520 --> 01:13:34.320 OK, will do Ed induction,
- NOTE Confidence: 0.906653476
- $01:13:34.320 \longrightarrow 01:13:36.161$  but then they miss the opportunity for
- NOTE Confidence: 0.906653476
- 01:13:36.161 --> 01:13:38.108 the person who's not actively withdrawn,
- NOTE Confidence: 0.906653476
- 01:13:38.110 $\operatorname{-->}$ 01:13:39.910 and moreover, fentanyl is changing the
- NOTE Confidence: 0.906653476
- $01{:}13{:}39{.}910 \dashrightarrow 01{:}13{:}42{.}215$  game when it comes to how long you have NOTE Confidence: 0.906653476
- $01:13:42.215 \rightarrow 01:13:44.219$  to wait for some of these inductions.
- NOTE Confidence: 0.906653476

 $01:13:44.220 \rightarrow 01:13:46.698$  Then we have seen multiple cases of

NOTE Confidence: 0.906653476

 $01:13:46.698 \rightarrow 01:13:48.467$  precipitated withdrawal that I'm much

NOTE Confidence: 0.906653476

01:13:48.467 --> 01:13:50.423 worse because fentanyl is so lipophilic

NOTE Confidence: 0.906653476

 $01:13:50.423 \longrightarrow 01:13:52.238$  and sticks around so much more.

NOTE Confidence: 0.906653476

 $01:13:52.240 \longrightarrow 01:13:54.656$  So, so the fact that we now have,

NOTE Confidence: 0.906653476

 $01{:}13{:}54.660 \dashrightarrow 01{:}13{:}56.578$  you know, we should be developing tools, NOTE Confidence: 0.906653476

 $01:13:56.580 \longrightarrow 01:13:58.731$  we have a patient says I use fentanyl 12

NOTE Confidence: 0.906653476

 $01:13:58.731 \rightarrow 01:14:00.840$  hours ago and they're in mild withdrawal.

NOTE Confidence: 0.906653476

 $01{:}14{:}00{.}840 \dashrightarrow 01{:}14{:}02{.}720$  I went into an induction for that patient.

NOTE Confidence: 0.906653476

01:14:02.720 --> 01:14:03.234 I would.

NOTE Confidence: 0.906653476

01:14:03.234 --> 01:14:05.695 I would give him more time and I try

NOTE Confidence: 0.906653476

 $01:14:05.695 \longrightarrow 01:14:08.660$  to get them to be at least 24 or 3648

NOTE Confidence: 0.906653476

 $01{:}14{:}08.660 \dashrightarrow 01{:}14{:}11.220$  hours after last use and they can either

NOTE Confidence: 0.906653476

 $01:14:11.220 \longrightarrow 01:14:13.447$  come back to see me or we can give

NOTE Confidence: 0.906653476

 $01{:}14{:}13.447 \dashrightarrow 01{:}14{:}15.898$  them a home induction but but that is NOTE Confidence: 0.906653476

01:14:15.900 --> 01:14:17.452 oftentimes really missed opportunity

- NOTE Confidence: 0.906653476
- $01:14:17.452 \rightarrow 01:14:20.238$  that we have to to induct patients
- NOTE Confidence: 0.906653476
- $01{:}14{:}20{.}238 \dashrightarrow 01{:}14{:}22{.}596$  and and initiate them on treatment.
- NOTE Confidence: 0.906653476
- $01:14:22.600 \longrightarrow 01:14:22.957$  So,
- NOTE Confidence: 0.906653476
- $01:14:22.957 \rightarrow 01:14:25.456$  so I'm very glad for your comment.
- NOTE Confidence: 0.906653476
- $01:14:25.460 \longrightarrow 01:14:27.004$  It's right on the right on the ball.
- NOTE Confidence: 0.817039111538462
- 01:14:29.940 --> 01:14:32.670 Doctor Schnoll says the increase in
- NOTE Confidence: 0.817039111538462
- 01:14:32.670 --> 01:14:35.358 prescribing buprenorphine in the Ed is great,
- NOTE Confidence: 0.817039111538462
- 01:14:35.360 --> 01:14:37.194 and maybe this is to you Eddie,
- NOTE Confidence: 0.817039111538462
- $01{:}14{:}37{.}200 \dashrightarrow 01{:}14{:}39{.}300$  but fewer than 50% of waive red
- NOTE Confidence: 0.817039111538462
- $01:14:39.300 \longrightarrow 01:14:41.580$  clinicians have written a prescription.
- NOTE Confidence: 0.817039111538462
- $01:14:41.580 \longrightarrow 01:14:43.416$  Question how do we change that?
- NOTE Confidence: 0.918151303333333
- 01:14:44.980 --> 01:14:48.533 Yeah, I think 11 I guess.
- NOTE Confidence: 0.918151303333333
- 01:14:48.533 --> 01:14:51.839 Easy target I think is increasing
- NOTE Confidence: 0.918151303333333
- $01{:}14{:}51{.}840 \dashrightarrow 01{:}14{:}54{.}980$  education and training amongst clinicians.
- NOTE Confidence: 0.918151303333333
- 01:14:54.980 --> 01:14:57.652 I think that we found that as clinicians
- NOTE Confidence: 0.918151303333333

 $01:14:57.652 \rightarrow 01:15:00.114$  we brought the training to them and made

NOTE Confidence: 0.918151303333333

 $01:15:00.114 \rightarrow 01:15:02.839$  it as easy and accessible as possible.

NOTE Confidence: 0.918151303333333

 $01:15:02.840 \rightarrow 01:15:04.712$  Physicians were and clinicians as a

NOTE Confidence: 0.918151303333333

 $01:15:04.712 \rightarrow 01:15:06.619$  whole were aware that many clinicians

NOTE Confidence: 0.918151303333333

 $01{:}15{:}06.619 \dashrightarrow 01{:}15{:}09.027$  still not aware that this is an option,

NOTE Confidence: 0.918151303333333

 $01{:}15{:}09{.}030 \dashrightarrow 01{:}15{:}11{.}046$  and so I think as we make that as

NOTE Confidence: 0.918151303333333

 $01{:}15{:}11{.}046 \dashrightarrow 01{:}15{:}12{.}917$  easy and accessible as possible,

NOTE Confidence: 0.918151303333333

 $01{:}15{:}12.920 \dashrightarrow 01{:}15{:}15.266$  I think we we will see.

NOTE Confidence: 0.918151303333333

 $01:15:15.270 \longrightarrow 01:15:16.950$  Increase in in prescribing of

NOTE Confidence: 0.918151303333333

 $01{:}15{:}16.950 \dashrightarrow 01{:}15{:}18.630$  bu prenorphine and I think that

NOTE Confidence: 0.918151303333333

 $01:15:18.686 \rightarrow 01:15:21.760$  also goes along the lines of.

NOTE Confidence: 0.918151303333333

 $01{:}15{:}21.760 \dashrightarrow 01{:}15{:}23.620$  Educating about opioid use disorder

NOTE Confidence: 0.918151303333333

 $01:15:23.620 \rightarrow 01:15:26.160$  and and and kind of teaching.

NOTE Confidence: 0.918151303333333

 $01{:}15{:}26.160 \dashrightarrow 01{:}15{:}27.530$  That addiction is a disease

NOTE Confidence: 0.918151303333333

 $01:15:27.530 \longrightarrow 01:15:28.900$  and not a moral failing.

NOTE Confidence: 0.918151303333333

 $01:15:28.900 \rightarrow 01:15:31.120$  I think these two kind of go hand in hand,

 $01{:}15{:}31{.}120 \dashrightarrow 01{:}15{:}33{.}064$  but I think as we see that happen I

NOTE Confidence: 0.918151303333333

 $01:15:33.064 \rightarrow 01:15:34.910$  think we will see I'm I'm hopeful

NOTE Confidence: 0.918151303333333

 $01:15:34.910 \longrightarrow 01:15:36.503$  and optimistic that we will see

NOTE Confidence: 0.918151303333333

 $01:15:36.503 \rightarrow 01:15:37.910$  an increase in prescribing.

NOTE Confidence: 0.9028174925

 $01:15:39.660 \rightarrow 01:15:43.524$  I think the other thing that that's probably.

NOTE Confidence: 0.9028174925

 $01{:}15{:}43{.}530 \dashrightarrow 01{:}15{:}45{.}120$  You know, hidden in this discussion,

NOTE Confidence: 0.9028174925

 $01{:}15{:}45{.}120 \dashrightarrow 01{:}15{:}47{.}504$  and I think you both alluded to it

NOTE Confidence: 0.9028174925

 $01:15:47.504 \rightarrow 01:15:49.344$  as having these ready connections.

NOTE Confidence: 0.9028174925

 $01{:}15{:}49{.}344 \dashrightarrow 01{:}15{:}52{.}580$  I, I think a number of physicians say

NOTE Confidence: 0.9028174925

01:15:52.580 --> 01:15:54.770 I'm happy to start the medication,

NOTE Confidence: 0.9028174925

 $01{:}15{:}54{.}770 \dashrightarrow 01{:}15{:}56{.}786$  but I need to know that there's some

NOTE Confidence: 0.9028174925

 $01{:}15{:}56{.}786$  -->  $01{:}15{:}58{.}926$  place that this patient is is going to be NOTE Confidence: 0.9028174925

01:15:58.926 --> 01:16:01.410 able to go, be it an aftercare clinic,

NOTE Confidence: 0.9028174925

 $01:16:01.410 \longrightarrow 01:16:04.762$  be it an OTP that has, you know,

NOTE Confidence: 0.9028174925

 $01{:}16{:}04.762 \dashrightarrow 01{:}16{:}07{.}114$  the ability to see patients on the

 $01:16:07.114 \rightarrow 01:16:09.786$  same day that those resources is very,

NOTE Confidence: 0.9028174925

 $01:16:09.790 \longrightarrow 01:16:11.782$  very widely around communities

NOTE Confidence: 0.9028174925

 $01:16:11.782 \longrightarrow 01:16:13.774$  across the country and.

NOTE Confidence: 0.9028174925

 $01:16:13.780 \longrightarrow 01:16:16.292$  You know some some.

NOTE Confidence: 0.9028174925

01:16:16.292 --> 01:16:19.130 Locations have you know very readily

NOTE Confidence: 0.9028174925

 $01:16:19.130 \rightarrow 01:16:20.710$  accessible low barrier programs,

NOTE Confidence: 0.9028174925

 $01:16:20.710 \rightarrow 01:16:22.870$  but there are many parts of the country

NOTE Confidence: 0.9028174925

 $01:16:22.870 \rightarrow 01:16:25.107$  where those programs just aren't available,

NOTE Confidence: 0.9028174925

 $01{:}16{:}25{.}110 \dashrightarrow 01{:}16{:}28{.}990$  and so thinking about creating not

NOTE Confidence: 0.9028174925

 $01{:}16{:}28{.}990 \dashrightarrow 01{:}16{:}32{.}210$  not over creating but creating to some

NOTE Confidence: 0.9028174925

01:16:32.210 --> 01:16:35.301 extent that infra<br/>structure so that you

NOTE Confidence: 0.9028174925

01:16:35.301 --> 01:16:37.110 know folks can have some place to follow up.

NOTE Confidence: 0.9028174925

 $01{:}16{:}37{.}110 \dashrightarrow 01{:}16{:}38{.}894$  But the reason I say don't over create

NOTE Confidence: 0.9028174925

 $01{:}16{:}38{.}894 \dashrightarrow 01{:}16{:}40{.}435$  is 'cause you don't want the perfect

NOTE Confidence: 0.9028174925

 $01:16:40.435 \rightarrow 01:16:42.180$  to be the enemy of the good, right?

NOTE Confidence: 0.9028174925

 $01:16:42.180 \rightarrow 01:16:44.250$  So you don't want everything has to be in

- NOTE Confidence: 0.9028174925
- $01:16:44.305 \rightarrow 01:16:46.417$  place before we even think about doing this.
- NOTE Confidence: 0.9028174925
- 01:16:46.420 --> 01:16:47.854 But you do need to think
- NOTE Confidence: 0.9028174925
- $01:16:47.854 \rightarrow 01:16:49.180$  about what the follow up is.
- NOTE Confidence: 0.9028174925
- $01:16:49.180 \longrightarrow 01:16:51.643$  And in the Ed is just sort of 1 slice in
- NOTE Confidence: 0.9028174925
- $01:16:51.643 \rightarrow 01:16:53.883$  in care in the trajectory of the patient.
- NOTE Confidence: 0.878080948
- $01:16:56.210 \longrightarrow 01:16:57.190$  One thing that I've seen,
- NOTE Confidence: 0.878080948
- $01:16:57.190 \longrightarrow 01:16:59.311$  which has been actually very cool and
- NOTE Confidence: 0.878080948
- $01:16:59.311 \rightarrow 01:17:01.204$  in this community is there's actually
- NOTE Confidence: 0.878080948
- $01:17:01.204 \rightarrow 01:17:03.360$  been several examples of ER docs who
- NOTE Confidence: 0.878080948
- $01{:}17{:}03{.}424 \dashrightarrow 01{:}17{:}05{.}432$  who have looked around and said, well,
- NOTE Confidence: 0.878080948
- $01:17:05.432 \rightarrow 01:17:07.126$  we don't have anyone to refer to,
- NOTE Confidence: 0.878080948
- $01{:}17{:}07{.}130 \dashrightarrow 01{:}17{:}09{.}010$  and they've actually started addiction
- NOTE Confidence: 0.878080948
- 01:17:09.010 --> 01:17:12.778 clinic, which is just a just a huge.
- NOTE Confidence: 0.878080948
- 01:17:12.780 --> 01:17:14.724 A huge tribute to to those docs who've
- NOTE Confidence: 0.878080948
- $01{:}17{:}14.724 \dashrightarrow 01{:}17{:}16.343$  seen that community need who have
- NOTE Confidence: 0.878080948

 $01{:}17{:}16{.}343 \dashrightarrow 01{:}17{:}18{.}160$  looked for some one else to do it.

NOTE Confidence: 0.878080948

01:17:18.160 --> 01:17:19.805 And then when they didn't have anyone

NOTE Confidence: 0.878080948

01:17:19.805 --> 01:17:20.946 step forward, they said, well,

NOTE Confidence: 0.878080948

01:17:20.946 --> 01:17:22.860 well, if no one is going to do it,

NOTE Confidence: 0.878080948

 $01{:}17{:}22.860 \dashrightarrow 01{:}17{:}24.748$  I'll I'll go ahead and do it because

NOTE Confidence: 0.878080948

 $01{:}17{:}24.748 \dashrightarrow 01{:}17{:}26.199$  these patients need care somewhere.

NOTE Confidence: 0.878080948

 $01:17:26.200 \longrightarrow 01:17:28.160$  So Reuben Strayer is an example of that.

NOTE Confidence: 0.878080948

01:17:28.160 --> 01:17:29.192 Up in New York,

NOTE Confidence: 0.878080948

 $01{:}17{:}29{.}192 \dashrightarrow 01{:}17{:}30{.}740$  there's there's many other ER docs

NOTE Confidence: 0.878080948

01:17:30.793 --> 01:17:32.417 who who have done the same thing

NOTE Confidence: 0.878080948

 $01{:}17{:}32{.}417 \dashrightarrow 01{:}17{:}34{.}303$  and it's led me to when I give

NOTE Confidence: 0.878080948

01:17:34.303 --> 01:17:36.032 lectures to people who are in rural

NOTE Confidence: 0.878080948

 $01{:}17{:}36{.}032 \dashrightarrow 01{:}17{:}38{.}400$  places and I say and it won't do.

NOTE Confidence: 0.878080948

 $01{:}17{:}38{.}400 \dashrightarrow 01{:}17{:}39{.}625$  Don't you have a program that said,

NOTE Confidence: 0.878080948

 $01:17:39.630 \longrightarrow 01:17:41.025$  well, no one will prescribe

NOTE Confidence: 0.878080948

 $01:17:41.025 \rightarrow 01:17:42.806$  people norfin after let's say wow?

- NOTE Confidence: 0.878080948
- $01{:}17{:}42.806 \dashrightarrow 01{:}17{:}44.736$  Look yourself in the mirror.
- NOTE Confidence: 0.878080948
- 01:17:44.740 --> 01:17:46.420 Are you willing to have a
- NOTE Confidence: 0.878080948
- $01:17:46.420 \longrightarrow 01:17:47.540$  clinic once a month?
- NOTE Confidence: 0.878080948
- $01:17:47.540 \longrightarrow 01:17:49.040$  And and we're actually doing
- NOTE Confidence: 0.878080948
- $01:17:49.040 \rightarrow 01:17:50.540$  something very similar to this.
- NOTE Confidence: 0.878080948
- 01:17:50.540 --> 01:17:51.840 I work in, you know,
- NOTE Confidence: 0.878080948
- 01:17:51.840 --> 01:17:53.372 a big county ER,
- NOTE Confidence: 0.878080948
- $01:17:53.372 \rightarrow 01:17:55.287$  but I've started bup renorphine programs
- NOTE Confidence: 0.878080948
- 01:17:55.287 --> 01:17:57.560 in two rural hospitals as well,
- NOTE Confidence: 0.878080948
- $01:17:57.560 \rightarrow 01:17:59.373$  and we're starting just a one day
- NOTE Confidence: 0.878080948
- 01:17:59.373 --> 01:18:00.830 a week addiction clinic because
- NOTE Confidence: 0.878080948
- $01{:}18{:}00{.}830 \dashrightarrow 01{:}18{:}02{.}696$  there's no one else to prescribe.
- NOTE Confidence: 0.878080948
- $01:18:02.700 \longrightarrow 01:18:03.618$  So so really.
- NOTE Confidence: 0.878080948
- 01:18:03.618 --> 01:18:04.536 We have to.
- NOTE Confidence: 0.878080948
- $01:18:04.540 \longrightarrow 01:18:06.052$  We have to be much more proactive
- NOTE Confidence: 0.878080948

- $01{:}18{:}06{.}052 \dashrightarrow 01{:}18{:}07{.}933$  if we want to create this treatment
- NOTE Confidence: 0.878080948
- $01{:}18{:}07{.}933 \dashrightarrow 01{:}18{:}09{.}900$  infrastructure and it's not hard to do.
- NOTE Confidence: 0.878080948
- 01:18:09.900 --> 01:18:12.012 People know if you need an
- NOTE Confidence: 0.878080948
- $01:18:12.012 \rightarrow 01:18:13.068$  extremely easy drug.
- NOTE Confidence: 0.878080948
- 01:18:13.070 --> 01:18:14.552 So if I think that that
- NOTE Confidence: 0.878080948
- $01:18:14.552 \rightarrow 01:18:15.540$  were probably doesn't exist,
- NOTE Confidence: 0.878080948
- $01{:}18{:}15{.}540 \dashrightarrow 01{:}18{:}17{.}799$  you have to demand that at it does and
- NOTE Confidence: 0.878080948
- $01:18:17.799 \rightarrow 01:18:20.124$  figure out some schmuck who's going to say.
- NOTE Confidence: 0.878080948
- 01:18:20.130 --> 01:18:20.356 Sure,
- NOTE Confidence: 0.878080948
- 01:18:20.356 --> 01:18:21.260 I'll I'll do it.
- NOTE Confidence: 0.892922289523809
- $01:18:22.680 \longrightarrow 01:18:24.736$  Well and I often say it's the
- NOTE Confidence: 0.892922289523809
- 01:18:24.736 --> 01:18:26.481 most rewarding thing I do in in
- NOTE Confidence: 0.892922289523809
- 01:18:26.481 --> 01:18:28.200 primary care and in general medicine.
- NOTE Confidence: 0.892922289523809
- 01:18:28.200 --> 01:18:31.893 So it's it's very reinforcing and I
- NOTE Confidence: 0.892922289523809
- $01{:}18{:}31{.}893 \dashrightarrow 01{:}18{:}33{.}291$  appreciate the opportunity to do that
- NOTE Confidence: 0.892922289523809
- $01:18:33.291 \rightarrow 01:18:35.323$  and to work with colleagues like my

- NOTE Confidence: 0.892922289523809
- $01{:}18{:}35{.}323 \dashrightarrow 01{:}18{:}36{.}923$  colleagues in the emergency department.
- NOTE Confidence: 0.905449915
- $01{:}18{:}39{.}100 \dashrightarrow 01{:}18{:}42{.}755$  So with that, I think we'll wrap things up.
- NOTE Confidence: 0.905449915
- 01:18:42.755 --> 01:18:44.380 I want to thank again,
- NOTE Confidence: 0.905449915
- $01{:}18{:}44{.}380 \dashrightarrow 01{:}18{:}46{.}940$  the Sandgaard Foundation I wanna thank you.
- NOTE Confidence: 0.905449915
- $01:18:46.940 \longrightarrow 01:18:49.645$  Doctor Coupet and thank you
- NOTE Confidence: 0.905449915
- 01:18:49.645 --> 01:18:51.256 doctor Stader reminder.
- NOTE Confidence: 0.905449915
- $01:18:51.256 \longrightarrow 01:18:54.938$  We'll be back on December 14th with
- NOTE Confidence: 0.905449915
- 01:18:54.940 --> 01:18:56.770 Gary Mendell, who's the CEO and
- NOTE Confidence: 0.905449915
- 01:18:56.770 --> 01:18:58.620 founder of the Shatterproof Foundation,
- NOTE Confidence: 0.905449915
- $01:18:58.620 \rightarrow 01:19:01.259$  and he'll address the issue of stigma,
- NOTE Confidence: 0.905449915
- $01:19:01.260 \longrightarrow 01:19:03.753$  and I think our last slide just reminds folks
- NOTE Confidence: 0.905449915
- $01{:}19{:}03.753 \dashrightarrow 01{:}19{:}06.458$  of about how they can stay in touch with us.
- NOTE Confidence: 0.905449915
- 01:19:06.460 --> 01:19:08.188 If you have questions, we're happy
- NOTE Confidence: 0.905449915
- $01{:}19{:}08{.}188 \dashrightarrow 01{:}19{:}10{.}358$  to connect with you afterwards, so.
- NOTE Confidence: 0.905449915
- $01:19:10.358 \rightarrow 01:19:14.650$  Thank you very much and have a great day.
- NOTE Confidence: 0.905449915

01:19:14.650 --> 01:19:16.350 Thank you by<br/>e. NOTE Confidence: 0.905449915 01:19:16.350 --> 01:19:17.200 Thank you.<br/>NOTE Confidence: 0.89535702<br/>01:19:18.550 --> 01:19:20.430 Thank you. Take care.