WEBVTT

NOTE duration: "00:59:09.6960000"

NOTE language:en-us

NOTE Confidence: 0.8588221

00:00:21.210 --> 00:00:23.088 Alright, I think we'll get started.

NOTE Confidence: 0.8588221

00:00:23.090 --> 00:00:25.040 Hello everyone, my name is Lauren

NOTE Confidence: 0.8588221

00:00:25.040 --> 00:00:26.840 Tobias and I'd like you to,

NOTE Confidence: 0.8588221

00:00:26.840 --> 00:00:28.562 well would like to welcome everyone

NOTE Confidence: 0.8588221

 $00{:}00{:}28.562 \dashrightarrow 00{:}00{:}30.456$ to wear Yale Sleep seminar this

NOTE Confidence: 0.8588221

00:00:30.456 --> 00:00:32.166 afternoon before we get started.

NOTE Confidence: 0.8588221

00:00:32.170 --> 00:00:34.036 I have a few brief announcements.

NOTE Confidence: 0.8588221

 $00:00:34.040 \longrightarrow 00:00:35.864$ First, please take a moment to

NOTE Confidence: 0.8588221

 $00{:}00{:}35.864 \dashrightarrow 00{:}00{:}38.090$ ensure that you're muted in order to

NOTE Confidence: 0.8588221

00:00:38.090 --> 00:00:39.680 receive CME credit for attendance,

NOTE Confidence: 0.8588221

 $00:00:39.680 \longrightarrow 00:00:41.426$ please see the chat room for

NOTE Confidence: 0.8588221

00:00:41.426 --> 00:00:43.296 instructions and you can text the

NOTE Confidence: 0.8588221

 $00:00:43.296 \longrightarrow 00:00:45.240$ unique ID listed there for this

NOTE Confidence: 0.8588221

 $00{:}00{:}45.240 \dashrightarrow 00{:}00{:}46.879$ conference any time until 3:15 today.

00:00:46.880 --> 00:00:48.440 If you're not already registered

NOTE Confidence: 0.8588221

 $00:00:48.440 \longrightarrow 00:00:49.760$ with yield, see me.

NOTE Confidence: 0.8588221

 $00:00:49.760 \longrightarrow 00:00:52.175$ You will need to do that first.

NOTE Confidence: 0.8588221

 $00:00:52.180 \longrightarrow 00:00:53.050$ And today, specifically,

NOTE Confidence: 0.8588221

00:00:53.050 --> 00:00:54.790 I'm hearing that the CME Office

NOTE Confidence: 0.8588221

 $00:00:54.790 \longrightarrow 00:00:56.437$ might be having some difficulties.

NOTE Confidence: 0.8588221

 $00:00:56.440 \longrightarrow 00:00:58.627$ So if you send that text and you do

NOTE Confidence: 0.8588221

 $00:00:58.627 \longrightarrow 00:01:00.999$ not receive a confirmation text back,

NOTE Confidence: 0.8588221

 $00:01:01.000 \longrightarrow 00:01:02.818$ then please look at the chat.

NOTE Confidence: 0.8588221

 $00{:}01{:}02.820 \dashrightarrow 00{:}01{:}04.692$ There's actually a second ID listed

NOTE Confidence: 0.8588221

 $00:01:04.692 \longrightarrow 00:01:06.574$ there and being told by Debbie

NOTE Confidence: 0.8588221

 $00:01:06.574 \longrightarrow 00:01:08.290$ and if this still doesn't work,

NOTE Confidence: 0.8588221

 $00{:}01{:}08.290 \dashrightarrow 00{:}01{:}10.714$ then you can send Debbie Lovejoy an email.

NOTE Confidence: 0.8588221

00:01:10.720 --> 00:01:12.596 Her email will also be listed there

NOTE Confidence: 0.8588221

00:01:12.596 --> 00:01:14.979 as well as on our announcement email.

00:01:14.980 --> 00:01:16.798 If you have any questions during

NOTE Confidence: 0.8588221

00:01:16.798 --> 00:01:17.404 the presentation,

NOTE Confidence: 0.8588221

00:01:17.410 --> 00:01:20.074 I encourage you to make use of the

NOTE Confidence: 0.8588221

 $00:01:20.074 \longrightarrow 00:01:22.910$ chat room and we can invite you to

NOTE Confidence: 0.8588221

 $00:01:22.910 \longrightarrow 00:01:25.220$ unmute and read those at the end.

NOTE Confidence: 0.8588221

 $00:01:25.220 \longrightarrow 00:01:28.397$ Or to ask them for you if you prefer.

NOTE Confidence: 0.8588221

 $00{:}01{:}28.400 \dashrightarrow 00{:}01{:}30.392$ We're going to have recorded versions

NOTE Confidence: 0.8588221

 $00:01:30.392 \longrightarrow 00:01:32.528$ of all of these lectures available

NOTE Confidence: 0.8588221

 $00{:}01{:}32.528 \dashrightarrow 00{:}01{:}34.748$ online within a couple weeks at

NOTE Confidence: 0.8588221

 $00:01:34.748 \longrightarrow 00:01:36.868$ the link provided in the chat.

NOTE Confidence: 0.8588221

 $00:01:36.870 \longrightarrow 00:01:37.598$ And finally,

NOTE Confidence: 0.8588221

 $00:01:37.598 \longrightarrow 00:01:39.782$ feel free to share announcements about

NOTE Confidence: 0.8588221

 $00:01:39.782 \longrightarrow 00:01:41.917$ our weekly lecture series to anyone

NOTE Confidence: 0.8588221

 $00:01:41.917 \longrightarrow 00:01:43.927$ who you think may be interested.

NOTE Confidence: 0.8588221

 $00:01:43.930 \longrightarrow 00:01:46.048$ Or contact Debbie to be added

NOTE Confidence: 0.8588221

00:01:46.048 --> 00:01:47.460 to our email list.

 $00:01:47.460 \longrightarrow 00:01:49.578$ So now I am really delighted

NOTE Confidence: 0.8588221

00:01:49.578 --> 00:01:50.990 to introduce today's speaker,

NOTE Confidence: 0.8588221

00:01:50.990 --> 00:01:52.322 Doctor Aaron Flynn Evans.

NOTE Confidence: 0.8588221

 $00:01:52.322 \longrightarrow 00:01:54.320$ Dr Flynn Evans is a research

NOTE Confidence: 0.8588221

 $00:01:54.386 \longrightarrow 00:01:56.441$ psychologist at the NASA Ames

NOTE Confidence: 0.8588221

 $00:01:56.441 \longrightarrow 00:01:58.085$ Research Center in California.

NOTE Confidence: 0.8588221

 $00:01:58.090 \longrightarrow 00:02:00.292$ Where she is director of the

NOTE Confidence: 0.8588221

00:02:00.292 --> 00:02:01.393 Fatigue Countermeasures Laboratory.

NOTE Confidence: 0.8588221

00:02:01.400 --> 00:02:03.530 She received her PhD from the

NOTE Confidence: 0.8588221

 $00:02:03.530 \longrightarrow 00:02:06.332$ University of Siri in the UK an her

NOTE Confidence: 0.8588221

00:02:06.332 --> 00:02:08.294 Masters in Public Health from the

NOTE Confidence: 0.8588221

 $00{:}02{:}08.370 \dashrightarrow 00{:}02{:}10.600$ Harvard School of Public Health.

NOTE Confidence: 0.8588221

 $00{:}02{:}10.600 \dashrightarrow 00{:}02{:}13.600$ She was also certified as an RP Sgt

NOTE Confidence: 0.8588221

 $00:02:13.600 \longrightarrow 00:02:16.768$ from 2002 to 2012 and Prior to joining NASA.

NOTE Confidence: 0.8588221

00:02:16.768 --> 00:02:18.712 She was an instructor of medicine

 $00{:}02{:}18.712 \dashrightarrow 00{:}02{:}20.912$ in the Division of Sleep Medicine

NOTE Confidence: 0.8588221

 $00{:}02{:}20.912 \dashrightarrow 00{:}02{:}22.772$ at Brigham and Women's Hospital

NOTE Confidence: 0.8588221

00:02:22.772 --> 00:02:24.588 and Harvard Medical School.

NOTE Confidence: 0.8588221

 $00{:}02{:}24.590 \dashrightarrow 00{:}02{:}26.600$ Doctor Flynn Evans has extensive

NOTE Confidence: 0.8588221

 $00:02:26.600 \longrightarrow 00:02:28.208$ research experience and examining

NOTE Confidence: 0.8588221

 $00:02:28.208 \longrightarrow 00:02:29.819$ the short and long term.

NOTE Confidence: 0.8588221

 $00{:}02{:}29.820 \dashrightarrow 00{:}02{:}32.706$ Effects of sleep loss and circadian

NOTE Confidence: 0.8588221

00:02:32.710 --> 00:02:34.159 desynchrony in occupational

NOTE Confidence: 0.8588221

 $00{:}02{:}34.160 \dashrightarrow 00{:}02{:}36.084$ settings including among astronauts,

NOTE Confidence: 0.8588221

 $00:02:36.084 \longrightarrow 00:02:37.532$ airline pilots, physicians,

NOTE Confidence: 0.8588221

 $00:02:37.532 \longrightarrow 00:02:39.460$ and other shift workers.

NOTE Confidence: 0.8588221

 $00:02:39.460 \longrightarrow 00:02:42.352$ She is involved in both laboratory

NOTE Confidence: 0.8588221

00:02:42.352 --> 00:02:44.280 and field based research.

NOTE Confidence: 0.8588221

 $00:02:44.280 \longrightarrow 00:02:46.380$ Her laboratory based research has

NOTE Confidence: 0.8588221

 $00:02:46.380 \longrightarrow 00:02:49.109$ focused on the effects of light

NOTE Confidence: 0.8588221

 $00{:}02{:}49.109 \dashrightarrow 00{:}02{:}51.329$ on circadian neuroendocrine and

 $00:02:51.329 \longrightarrow 00:02:53.549$ neurobehavioural responses in humans

NOTE Confidence: 0.8588221

 $00:02:53.549 \longrightarrow 00:02:56.911$ and how these might relate to the

NOTE Confidence: 0.8588221

00:02:56.911 --> 00:02:58.276 development of countermeasures

NOTE Confidence: 0.8588221

 $00:02:58.276 \longrightarrow 00:02:59.502$ for shift work.

NOTE Confidence: 0.8588221

 $00{:}02{:}59.502 \dashrightarrow 00{:}03{:}01.788$ Her field research has integrated these

NOTE Confidence: 0.8588221

 $00:03:01.788 \longrightarrow 00:03:04.235$ measures of fatigue and countermeasure

NOTE Confidence: 0.8588221

 $00:03:04.235 \longrightarrow 00:03:06.391$ of fatigue countermeasures into

NOTE Confidence: 0.8588221

 $00{:}03{:}06.391 \dashrightarrow 00{:}03{:}08.008$ complex occupational settings.

NOTE Confidence: 0.8588221

 $00{:}03{:}08.010 \dashrightarrow 00{:}03{:}10.464$ She's very active with the American

NOTE Confidence: 0.8588221

 $00:03:10.464 \longrightarrow 00:03:12.593$ Academy of Sleep Medicine and

NOTE Confidence: 0.8588221

00:03:12.593 --> 00:03:14.257 the Sleep Research Society.

NOTE Confidence: 0.8588221

 $00{:}03{:}14.260 \dashrightarrow 00{:}03{:}17.543$ She's served as a member of their

NOTE Confidence: 0.8588221

 $00:03:17.543 \longrightarrow 00:03:19.700$ Public Safety Committee as well

NOTE Confidence: 0.8588221

 $00:03:19.700 \longrightarrow 00:03:21.765$ as on the shift work duration,

NOTE Confidence: 0.8588221

 $00:03:21.765 \longrightarrow 00:03:22.621$ consensus committee,

00:03:22.621 --> 00:03:25.267 and although we may not regularly

NOTE Confidence: 0.8588221

00:03:25.267 --> 00:03:26.590 encounter patients who

NOTE Confidence: 0.857955

 $00:03:26.660 \longrightarrow 00:03:28.928$ are pilots or astronauts in our

NOTE Confidence: 0.857955

 $00:03:28.928 \longrightarrow 00:03:30.965$ own practices, Doctor Flynn Evans.

NOTE Confidence: 0.857955

00:03:30.965 --> 00:03:32.665 Work on circadian disruption,

NOTE Confidence: 0.857955

 $00:03:32.670 \longrightarrow 00:03:34.595$ an fatigue mitigation in these

NOTE Confidence: 0.857955

00:03:34.595 --> 00:03:35.750 populations has important

NOTE Confidence: 0.857955

00:03:35.750 --> 00:03:37.498 application to our own patients,

NOTE Confidence: 0.857955

 $00{:}03{:}37.500 \dashrightarrow 00{:}03{:}39.679$ so I'm really excited for her

NOTE Confidence: 0.857955

00:03:39.679 --> 00:03:41.653 talk and with that I'll turn

NOTE Confidence: 0.857955

 $00{:}03{:}41.653 \dashrightarrow 00{:}03{:}44.178$ it over to Doctor Flynn Evans.

NOTE Confidence: 0.8415087

 $00:03:47.350 \longrightarrow 00:03:49.538$ Awesome, thank you. Thank you

NOTE Confidence: 0.8415087

 $00:03:49.538 \longrightarrow 00:03:52.160$ so much Lord for inviting me.

NOTE Confidence: 0.8415087

 $00:03:52.160 \longrightarrow 00:03:54.911$ I'm very excited to be here and

NOTE Confidence: 0.8415087

00:03:54.911 --> 00:03:57.399 thank you all for attending,

NOTE Confidence: 0.8415087

 $00:03:57.400 \longrightarrow 00:03:59.292$ especially after the inauguration.

 $00{:}03{:}59.292 \dashrightarrow 00{:}04{:}02.600$ I didn't realize until after I picked

NOTE Confidence: 0.8415087

 $00:04:02.600 \longrightarrow 00:04:04.958$ the date when Lauren reminded me

NOTE Confidence: 0.8415087

 $00:04:04.958 \longrightarrow 00:04:07.448$ that today was an operation day.

NOTE Confidence: 0.8415087

00:04:07.450 --> 00:04:10.166 So again, thank you for taking the

NOTE Confidence: 0.8415087

 $00{:}04{:}10.166 \dashrightarrow 00{:}04{:}12.699$ time after after the inauguration.

NOTE Confidence: 0.8415087

 $00:04:12.700 \longrightarrow 00:04:15.759$ To hear this talk. So to begin,

NOTE Confidence: 0.8415087

 $00:04:15.760 \longrightarrow 00:04:19.584$ I just like to give you a little.

NOTE Confidence: 0.8415087

00:04:19.590 --> 00:04:20.658 Primer on NASA,

NOTE Confidence: 0.8415087

00:04:20.658 --> 00:04:23.698 and I think you know you may have

NOTE Confidence: 0.8415087

 $00{:}04{:}23.698 \dashrightarrow 00{:}04{:}26.464$ seen the advertisement for this talk

NOTE Confidence: 0.8415087

00:04:26.464 --> 00:04:29.176 and thought why someone from NASA

NOTE Confidence: 0.8415087

 $00:04:29.176 \longrightarrow 00:04:32.067$ coming to talk to us about sleep.

NOTE Confidence: 0.8415087

 $00:04:32.070 \longrightarrow 00:04:33.374$ But as you heard,

NOTE Confidence: 0.8415087

 $00{:}04{:}33.374 \dashrightarrow 00{:}04{:}35.988$ I have a long background in Sleep

NOTE Confidence: 0.8415087

 $00:04:35.988 \longrightarrow 00:04:38.308$ Medicine and circadian Physiology.

00:04:38.310 --> 00:04:39.897 Also in Epidemiology,

NOTE Confidence: 0.8415087

 $00{:}04{:}39.897 \dashrightarrow 00{:}04{:}44.220$ and I was recruited to come to NASA.

NOTE Confidence: 0.8415087

 $00:04:44.220 \longrightarrow 00:04:46.428$ Several years ago,

NOTE Confidence: 0.8415087

 $00:04:46.428 \longrightarrow 00:04:50.108$ after working on some grants.

NOTE Confidence: 0.8415087

00:04:50.110 --> 00:04:51.022 At Harvard,

NOTE Confidence: 0.8415087

 $00{:}04{:}51.022 \dashrightarrow 00{:}04{:}53.758$ where we were studying sleep in

NOTE Confidence: 0.8415087

 $00:04:53.758 \longrightarrow 00:04:57.171$ space and NASA has a long history

NOTE Confidence: 0.8415087

00:04:57.171 --> 00:04:59.581 of doing fatigue risk management

NOTE Confidence: 0.8415087

 $00{:}04{:}59.670 \dashrightarrow 00{:}05{:}02.340$ in a viation and in spaceflight,

NOTE Confidence: 0.8415087

00:05:02.340 --> 00:05:03.753 and Mark Rosekind,

NOTE Confidence: 0.8415087

 $00{:}05{:}03.753 \mathrel{--}{>} 00{:}05{:}07.050$ who some of you may know who

NOTE Confidence: 0.8415087

 $00:05:07.160 \longrightarrow 00:05:09.670$ was an NTSB board member.

NOTE Confidence: 0.8415087

 $00:05:09.670 \longrightarrow 00:05:11.820$ And then during the Obama

NOTE Confidence: 0.8415087

 $00:05:11.820 \longrightarrow 00:05:13.540$ administration was the National

NOTE Confidence: 0.8415087

00:05:13.540 --> 00:05:16.029 Highway Transportation Authority lead,

NOTE Confidence: 0.8415087

 $00:05:16.030 \longrightarrow 00:05:18.620$ which is a presidential appointment

 $00:05:18.620 \longrightarrow 00:05:22.220$ he founded the lab at NASA Ames.

NOTE Confidence: 0.8415087

 $00{:}05{:}22.220 \dashrightarrow 00{:}05{:}24.836$ And really established the you know

NOTE Confidence: 0.8415087

00:05:24.836 --> 00:05:27.026 sort of fatigue, risk management,

NOTE Confidence: 0.8415087

 $00:05:27.026 \longrightarrow 00:05:28.778$ best practices for aviation.

NOTE Confidence: 0.8415087

 $00{:}05{:}28.780 \dashrightarrow 00{:}05{:}32.492$ So after he left there were a few

NOTE Confidence: 0.8415087

 $00:05:32.492 \longrightarrow 00:05:34.458$ different iterations of the lab,

NOTE Confidence: 0.8415087

 $00:05:34.460 \longrightarrow 00:05:38.428$ but really it kind of went dormant for

NOTE Confidence: 0.8415087

 $00:05:38.428 \longrightarrow 00:05:42.457$ many years and after we were doing work.

NOTE Confidence: 0.8415087

 $00:05:42.460 \longrightarrow 00:05:45.268$ On Space Flight, when I was in Boston,

NOTE Confidence: 0.8415087

 $00:05:45.270 \longrightarrow 00:05:46.323$ there was interest.

NOTE Confidence: 0.8415087

 $00:05:46.323 \longrightarrow 00:05:48.078$ Renewed interest in asset to,

NOTE Confidence: 0.8415087

 $00:05:48.080 \longrightarrow 00:05:50.180$ you know, really redeveloped the lab.

NOTE Confidence: 0.8415087

 $00{:}05{:}50.180 \dashrightarrow 00{:}05{:}52.301$ And so I was very honored and

NOTE Confidence: 0.8415087

 $00:05:52.301 \longrightarrow 00:05:54.590$ excited to be able to take over

NOTE Confidence: 0.8415087

 $00:05:54.590 \longrightarrow 00:05:57.020$ and then rebuild and forge a new

 $00:05:57.020 \longrightarrow 00:05:59.065$ path forward for what fatigue

NOTE Confidence: 0.8415087

 $00{:}05{:}59.065 \dashrightarrow 00{:}06{:}01.061$ risk management means at NASA.

NOTE Confidence: 0.8415087

00:06:01.061 --> 00:06:04.220 So what we have here are 10 NASA centers,

NOTE Confidence: 0.8415087

 $00:06:04.220 \longrightarrow 00:06:07.379$ so you may not realize that there are 10.

NOTE Confidence: 0.8415087

00:06:07.380 --> 00:06:09.837 But you can see we have Houston,

NOTE Confidence: 0.8415087

 $00:06:09.840 \longrightarrow 00:06:12.556$ in which I'm sure you all know

NOTE Confidence: 0.8415087

 $00:06:12.556 \longrightarrow 00:06:13.720$ that in Kennedy.

NOTE Confidence: 0.8415087

 $00:06:13.720 \longrightarrow 00:06:17.584$ You have lunches, but we also have.

NOTE Confidence: 0.8415087

 $00{:}06{:}17.590 {\:{\circ}{\circ}{\circ}}>00{:}06{:}19.615$ Spaceflight focused centers with Mission

NOTE Confidence: 0.8415087

00:06:19.615 --> 00:06:22.110 Control and a rocket building center.

NOTE Confidence: 0.8415087

00:06:22.110 --> 00:06:24.580 Here we have NASA Langley, Goddard,

NOTE Confidence: 0.8415087

00:06:24.580 --> 00:06:27.040 NASA, Glenn, and then we have,

NOTE Confidence: 0.8415087

 $00:06:27.040 \longrightarrow 00:06:29.506$ of course JPL in Southern California,

NOTE Confidence: 0.8415087

00:06:29.510 --> 00:06:30.286 NASA, Armstrong,

NOTE Confidence: 0.8415087

 $00:06:30.286 \longrightarrow 00:06:33.390$ and then I'm right up here in the

NOTE Confidence: 0.8415087

 $00:06:33.469 \longrightarrow 00:06:35.887$ Bay Area at NASA Ames Research

00:06:35.887 --> 00:06:38.447 Center and our center acts must

NOTE Confidence: 0.8415087

 $00{:}06{:}38.447 \dashrightarrow 00{:}06{:}40.607$ much like an academic campus.

NOTE Confidence: 0.8415087

 $00:06:40.610 \longrightarrow 00:06:42.238$ It's really entirely research.

NOTE Confidence: 0.8415087

00:06:42.238 --> 00:06:45.540 Research is in the name of our center,

NOTE Confidence: 0.8415087

 $00:06:45.540 \longrightarrow 00:06:48.487$ and we do a lot of the.

NOTE Confidence: 0.8415087

 $00:06:48.490 \longrightarrow 00:06:49.898$ The foundational support for

NOTE Confidence: 0.8415087

 $00:06:49.898 \longrightarrow 00:06:51.658$ all of the other centers.

NOTE Confidence: 0.8415087

00:06:51.660 --> 00:06:54.468 So we're doing research not just on humans,

NOTE Confidence: 0.8415087

 $00:06:54.470 \longrightarrow 00:06:56.576$ but there's a lot of molecular

NOTE Confidence: 0.8415087

 $00:06:56.576 \longrightarrow 00:06:58.699$ biology that happens at NASA Ames.

NOTE Confidence: 0.8415087

 $00:06:58.700 \longrightarrow 00:07:00.765$ And then there's also material

NOTE Confidence: 0.8415087

 $00:07:00.765 \longrightarrow 00:07:02.830$ scientists who were doing things

NOTE Confidence: 0.8415087

 $00{:}07{:}02.902 \dashrightarrow 00{:}07{:}05.200$ like testing the heat Shields that.

NOTE Confidence: 0.8415087

 $00:07:05.200 \longrightarrow 00:07:07.486$ Will help protect vehicles when they

NOTE Confidence: 0.8415087

 $00:07:07.486 \dashrightarrow 00:07:09.780$ re enter the atmosphere from space.

 $00:07:09.780 \longrightarrow 00:07:12.076$ And here's a picture of our campus

NOTE Confidence: 0.8415087

 $00:07:12.076 \longrightarrow 00:07:14.770$ so I would say the biggest defining

NOTE Confidence: 0.8415087

 $00:07:14.770 \longrightarrow 00:07:17.810$ feature here is this giant wind tunnel.

NOTE Confidence: 0.8415087

00:07:17.810 --> 00:07:20.096 It's the world's largest wind tunnel,

NOTE Confidence: 0.8415087

 $00:07:20.100 \longrightarrow 00:07:22.194$ can fit a very large airplane

NOTE Confidence: 0.8415087

00:07:22.194 --> 00:07:24.621 inside it and my lab is right

NOTE Confidence: 0.8415087

00:07:24.621 --> 00:07:26.847 back here you can see the San

NOTE Confidence: 0.8457943

 $00:07:26.930 \longrightarrow 00:07:30.171$ Francisco Bay in the background and for

NOTE Confidence: 0.8457943

 $00:07:30.171 \longrightarrow 00:07:33.020$ reference we're about 6 miles from Stanford

NOTE Confidence: 0.8457943

 $00:07:33.020 \longrightarrow 00:07:36.230$ and so that I have become the adopted.

NOTE Confidence: 0.8457943

 $00{:}07{:}36.230 \dashrightarrow 00{:}07{:}38.080$ Childhood Stanford since moving to

NOTE Confidence: 0.8457943

 $00:07:38.080 \longrightarrow 00:07:40.566$ California because I'm the only the sleep

NOTE Confidence: 0.8457943

 $00:07:40.566 \longrightarrow 00:07:42.854$ lab Sleep Research group at NASA Ames and

NOTE Confidence: 0.8457943

00:07:42.915 --> 00:07:45.043 so to get sort of my intellectual fix,

NOTE Confidence: 0.8457943

 $00:07:45.050 \longrightarrow 00:07:47.178$ I spend a lot of time over at

NOTE Confidence: 0.8457943

 $00:07:47.178 \longrightarrow 00:07:48.862$ Stanford attending their sleep grounds

 $00{:}07{:}48.862 {\:{\circ}{\circ}{\circ}}> 00{:}07{:}50.322$ and participating in activities

NOTE Confidence: 0.8457943

00:07:50.322 --> 00:07:51.979 that they have going on.

NOTE Confidence: 0.8457943

 $00:07:51.980 \longrightarrow 00:07:53.582$ So it's very convenient to be

NOTE Confidence: 0.8457943

 $00:07:53.582 \longrightarrow 00:07:55.450$ in such a rich environment.

NOTE Confidence: 0.8457943

 $00:07:55.450 \longrightarrow 00:07:56.642$ And then of course,

NOTE Confidence: 0.8457943

00:07:56.642 --> 00:07:58.910 we're in the middle of Silicon Valley,

NOTE Confidence: 0.8457943

 $00:07:58.910 \longrightarrow 00:08:01.934$ so we have a lot of exciting

NOTE Confidence: 0.8457943

 $00:08:01.934 \longrightarrow 00:08:03.230$ tech happening too.

NOTE Confidence: 0.8457943

 $00:08:03.230 \longrightarrow 00:08:04.903$ In terms of what we do in

NOTE Confidence: 0.8457943

 $00:08:04.903 \longrightarrow 00:08:06.440$ my lab in particular,

NOTE Confidence: 0.8457943

 $00:08:06.440 \dashrightarrow 00:08:08.484$ I mentioned that we do spaceflight work,

NOTE Confidence: 0.8457943

 $00:08:08.490 \longrightarrow 00:08:09.950$ which we'd expect for NASA,

NOTE Confidence: 0.8457943

 $00{:}08{:}09.950 \dashrightarrow 00{:}08{:}11.926$ but the you know NASA is the National

NOTE Confidence: 0.8457943

00:08:11.926 --> 00:08:13.450 Aeronautics and Space Administration,

NOTE Confidence: 0.8457943

 $00:08:13.450 \longrightarrow 00:08:16.078$ and so you know the first day is aeronautics,

 $00:08:16.080 \longrightarrow 00:08:19.290$ so we do a lot of work in aviation as well.

NOTE Confidence: 0.8457943

00:08:19.290 --> 00:08:21.405 And in my lap we do about a third

NOTE Confidence: 0.8457943

 $00{:}08{:}21.405 \dashrightarrow 00{:}08{:}23.669$ of our research work in a viation.

NOTE Confidence: 0.8457943

 $00:08:23.670 \longrightarrow 00:08:26.204$ And then we also have a sleep

NOTE Confidence: 0.8457943

 $00:08:26.204 \longrightarrow 00:08:28.070$ lab where we do more.

NOTE Confidence: 0.8457943

 $00:08:28.070 \longrightarrow 00:08:31.398$ Controlled experiments evaluating the

NOTE Confidence: 0.8457943

 $00:08:31.398 \longrightarrow 00:08:34.726$ effectiveness of different countermeasures.

NOTE Confidence: 0.8457943

 $00:08:34.730 \longrightarrow 00:08:37.418$ And I think that it's like a playground

NOTE Confidence: 0.8457943

 $00{:}08{:}37.418 \dashrightarrow 00{:}08{:}39.768$ where we can test new solutions,

NOTE Confidence: 0.8457943

 $00:08:39.770 \longrightarrow 00:08:41.912$ new tech and then once we

NOTE Confidence: 0.8457943

 $00:08:41.912 \longrightarrow 00:08:43.730$ have embedded in the lab,

NOTE Confidence: 0.8457943

 $00:08:43.730 \longrightarrow 00:08:45.823$ we can take them back out into

NOTE Confidence: 0.8457943

 $00:08:45.823 \longrightarrow 00:08:48.556$ the field and see if they work to

NOTE Confidence: 0.8457943

 $00:08:48.556 \longrightarrow 00:08:50.321$ help mitigate fatigue or improve

NOTE Confidence: 0.8457943

00:08:50.397 --> 00:08:52.369 performance or improve sleep.

NOTE Confidence: 0.8457943

 $00:08:52.370 \longrightarrow 00:08:55.558$ Depending on the need.

00:08:55.560 --> 00:08:57.989 Today I'm going to take you through

NOTE Confidence: 0.8457943

 $00{:}08{:}57.989 \dashrightarrow 00{:}09{:}00.119$ really just two of these areas,

NOTE Confidence: 0.8457943

00:09:00.120 --> 00:09:02.928 so I'll briefly touch on her laboratory work,

NOTE Confidence: 0.8457943

 $00:09:02.930 \longrightarrow 00:09:05.144$ but I think the really interesting

NOTE Confidence: 0.8457943

 $00:09:05.144 \longrightarrow 00:09:07.848$ stuff that we do is in the field,

NOTE Confidence: 0.8457943

 $00:09:07.850 \longrightarrow 00:09:10.055$ so I'm going to take you through

NOTE Confidence: 0.8457943

 $00:09:10.055 \longrightarrow 00:09:12.168$ a couple of studies that we've

NOTE Confidence: 0.8457943

 $00{:}09{:}12.168 \dashrightarrow 00{:}09{:}14.723$ done in a viation to help you get

NOTE Confidence: 0.8457943

00:09:14.798 --> 00:09:17.662 a sense of how we are assessing by

NOTE Confidence: 0.8457943

00:09:17.662 --> 00:09:19.080 pilot alertness and performance,

NOTE Confidence: 0.8457943

 $00:09:19.080 \longrightarrow 00:09:20.830$ and sleep in the field.

NOTE Confidence: 0.8457943

 $00{:}09{:}20.830 \dashrightarrow 00{:}09{:}23.080$ I'll take you through a countermeasure

NOTE Confidence: 0.8457943

 $00{:}09{:}23.080 \dashrightarrow 00{:}09{:}25.988$ study that we did with airline pilots.

NOTE Confidence: 0.8457943

 $00{:}09{:}25.990 \dashrightarrow 00{:}09{:}28.454$ And then we'll switch gears and talk

NOTE Confidence: 0.8457943

 $00:09:28.454 \longrightarrow 00:09:30.969$ about spaceflight and here talk about really.

 $00:09:30.970 \longrightarrow 00:09:33.698$ Specifically a study that we did that I

NOTE Confidence: 0.8457943

 $00{:}09{:}33.698 \dashrightarrow 00{:}09{:}36.492$ started when I was in Boston at Harvard

NOTE Confidence: 0.8457943

 $00{:}09{:}36.492 \dashrightarrow 00{:}09{:}38.677$ looking at sleep duration in space

NOTE Confidence: 0.8457943

 $00:09:38.677 \longrightarrow 00:09:40.939$ at as well as circadian misalignment.

NOTE Confidence: 0.8457943

 $00:09:40.940 \longrightarrow 00:09:43.551$ And then I'm just going to give

NOTE Confidence: 0.8457943

 $00:09:43.551 \longrightarrow 00:09:46.793$ you a little taste of some of the

NOTE Confidence: 0.8457943

 $00:09:46.793 \longrightarrow 00:09:49.327$ other types of studies that we

NOTE Confidence: 0.8457943

 $00:09:49.327 \longrightarrow 00:09:51.799$ do is really difficult to pick.

NOTE Confidence: 0.8457943

 $00:09:51.800 \longrightarrow 00:09:53.760$ What studies to focus on?

NOTE Confidence: 0.8457943

 $00:09:53.760 \longrightarrow 00:09:56.896$ Because I I find everything that we do

NOTE Confidence: 0.8457943

 $00:09:56.896 \dashrightarrow 00:10:00.104$ interesting, and so if you have a party.

NOTE Confidence: 0.8457943

 $00:10:00.110 \longrightarrow 00:10:01.500$ Ocular interest in something that

NOTE Confidence: 0.8457943

00:10:01.500 --> 00:10:03.230 I'm not talking about in depth.

NOTE Confidence: 0.8457943

 $00:10:03.230 \longrightarrow 00:10:05.510$ Feel free to reach out and then happy.

NOTE Confidence: 0.8457943

 $00:10:05.510 \longrightarrow 00:10:07.870$ Happy, happy to discuss.

NOTE Confidence: 0.8457943

00:10:07.870 --> 00:10:08.654 So firstly,

 $00:10:08.654 \longrightarrow 00:10:10.614$ when I came to NASA,

NOTE Confidence: 0.8457943

 $00{:}10{:}10.620 \dashrightarrow 00{:}10{:}12.555$ one of the biggest challenges

NOTE Confidence: 0.8457943

 $00:10:12.555 \longrightarrow 00:10:15.737$ that I faced was just how do you

NOTE Confidence: 0.8457943

 $00:10:15.737 \longrightarrow 00:10:17.297$ do field data collection.

NOTE Confidence: 0.8457943

00:10:17.300 --> 00:10:20.018 So when I was in Boston I was part

NOTE Confidence: 0.8457943

00:10:20.018 --> 00:10:22.581 of the Harvard work hours health

NOTE Confidence: 0.8457943

 $00:10:22.581 \longrightarrow 00:10:25.682$ and Safety Group and we did a

NOTE Confidence: 0.8457943

00:10:25.682 --> 00:10:27.807 lot of occupational work looking

NOTE Confidence: 0.8457943

 $00:10:27.807 \longrightarrow 00:10:29.842$ at work hours and different.

NOTE Confidence: 0.8457943

00:10:29.842 --> 00:10:31.722 You know in medicine looking

NOTE Confidence: 0.8457943

 $00:10:31.722 \longrightarrow 00:10:32.850$ at resident work

NOTE Confidence: 0.85205644

 $00{:}10{:}32.919 \dashrightarrow 00{:}10{:}34.989$ hours in firefighters and police.

NOTE Confidence: 0.85205644

 $00:10:34.990 \longrightarrow 00:10:37.870$ So we I had some experience.

NOTE Confidence: 0.85205644

 $00{:}10{:}37.870 \dashrightarrow 00{:}10{:}39.462$ Assessing alertness and performance

NOTE Confidence: 0.85205644

 $00:10:39.462 \longrightarrow 00:10:41.452$ and sleep in the field,

 $00:10:41.460 \longrightarrow 00:10:43.896$ but we we didn't really do in

NOTE Confidence: 0.85205644

 $00{:}10{:}43.896 \dashrightarrow 00{:}10{:}46.407$ those studies we had like dedicated

NOTE Confidence: 0.85205644

 $00{:}10{:}46.407 \dashrightarrow 00{:}10{:}48.717$ control centers in hospital where

NOTE Confidence: 0.85205644

00:10:48.717 --> 00:10:51.202 we could have residents come in

NOTE Confidence: 0.85205644

 $00:10:51.202 \longrightarrow 00:10:53.830$ and do tests and have more sort

NOTE Confidence: 0.85205644

 $00:10:53.830 \longrightarrow 00:10:55.430$ of laboratory based assessments.

NOTE Confidence: 0.85205644

00:10:55.430 --> 00:10:57.420 And when we're talking about

NOTE Confidence: 0.85205644

00:10:57.420 --> 00:10:59.012 airline pilots or astronauts,

NOTE Confidence: 0.85205644

 $00:10:59.020 \longrightarrow 00:11:01.722$ we don't really have the ability to

NOTE Confidence: 0.85205644

 $00:11:01.722 \longrightarrow 00:11:04.599$ engage with them on a day-to-day basis.

NOTE Confidence: 0.85205644

 $00{:}11{:}04.600 \dashrightarrow 00{:}11{:}07.084$ Basically, we have to give them

NOTE Confidence: 0.85205644

 $00{:}11{:}07.084 \to 00{:}11{:}09.900$ all the tools that they need to.

NOTE Confidence: 0.85205644

 $00:11:09.900 \longrightarrow 00:11:11.036$ Participate in a study,

NOTE Confidence: 0.85205644

 $00:11:11.036 \longrightarrow 00:11:12.456$ send them on their way,

NOTE Confidence: 0.85205644

 $00:11:12.460 \longrightarrow 00:11:14.158$ and then hope for the best.

NOTE Confidence: 0.85205644

 $00{:}11{:}14.160 \dashrightarrow 00{:}11{:}16.860$ And so I wanted to make sure that the

 $00:11:16.860 \longrightarrow 00:11:19.318$ measures that we were using would really.

NOTE Confidence: 0.85205644

 $00{:}11{:}19.320 \dashrightarrow 00{:}11{:}21.720$ Um, give us the type of the high

NOTE Confidence: 0.85205644

 $00:11:21.720 \longrightarrow 00:11:23.833$ quality data that we collected that

NOTE Confidence: 0.85205644

 $00:11:23.833 \longrightarrow 00:11:25.993$ we get from a laboratory study.

NOTE Confidence: 0.85205644

 $00:11:26.000 \longrightarrow 00:11:28.076$ And also you know what would

NOTE Confidence: 0.85205644

 $00:11:28.076 \longrightarrow 00:11:30.010$ be meaningful and easy to use.

NOTE Confidence: 0.85205644

 $00:11:30.010 \longrightarrow 00:11:32.485$ And so the first thing that I did was

NOTE Confidence: 0.85205644

 $00{:}11{:}32.485 \dashrightarrow 00{:}11{:}34.677$ start to explore different options.

NOTE Confidence: 0.85205644

 $00:11:34.680 \longrightarrow 00:11:36.899$ So of course we know that self

NOTE Confidence: 0.85205644

00:11:36.899 --> 00:11:38.360 report measures are simple,

NOTE Confidence: 0.85205644

 $00{:}11{:}38.360 \dashrightarrow 00{:}11{:}40.928$ but you know if you have somebody who's

NOTE Confidence: 0.85205644

00:11:40.928 --> 00:11:43.368 motivated to say that they're doing fine,

NOTE Confidence: 0.85205644

 $00{:}11{:}43.370 \dashrightarrow 00{:}11{:}44.702$ particularly when we talk

NOTE Confidence: 0.85205644

00:11:44.702 --> 00:11:46.034 about our astronaut community,

NOTE Confidence: 0.85205644

00:11:46.040 --> 00:11:48.454 you know they may say, I'm alert,

 $00:11:48.454 \longrightarrow 00:11:49.198$ alert, alert.

NOTE Confidence: 0.85205644

00:11:49.198 --> 00:11:51.430 When you know that they're probably

NOTE Confidence: 0.85205644

 $00:11:51.501 \longrightarrow 00:11:53.361$ feeling the effects of sleepiness

NOTE Confidence: 0.85205644

 $00:11:53.361 \longrightarrow 00:11:55.572$ and then we have cognitive tests

NOTE Confidence: 0.85205644

 $00:11:55.572 \longrightarrow 00:11:57.525$ which I have the Pvt 192 here.

NOTE Confidence: 0.85205644

00:11:57.530 --> 00:11:59.945 I'm not sure how many of you

NOTE Confidence: 0.85205644

 $00:11:59.945 \longrightarrow 00:12:01.590$ are familiar with the PT.

NOTE Confidence: 0.85205644

00:12:01.590 --> 00:12:03.970 192, but this psycho motor vigilance task,

NOTE Confidence: 0.85205644

 $00{:}12{:}03.970 \dashrightarrow 00{:}12{:}06.434$ so simple reaction time tests that you've

NOTE Confidence: 0.85205644

00:12:06.434 --> 00:12:08.710 probably read about in many many papers.

NOTE Confidence: 0.85205644

 $00{:}12{:}08.710 \dashrightarrow 00{:}12{:}10.750$ Probably even use yourself for studies,

NOTE Confidence: 0.85205644

 $00:12:10.750 \longrightarrow 00:12:12.899$ but the original Pvt when I need

NOTE Confidence: 0.85205644

 $00:12:12.899 \longrightarrow 00:12:14.829$ to is something that we actually

NOTE Confidence: 0.85205644

00:12:14.829 --> 00:12:17.020 have in NASA Ames and it's giant

NOTE Confidence: 0.85205644

00:12:17.093 --> 00:12:19.398 response box that's really unwieldy.

NOTE Confidence: 0.85205644

 $00:12:19.400 \longrightarrow 00:12:21.409$ And you can use it and allow,

00:12:21.410 --> 00:12:24.354 but there's no way you're going to deploy

NOTE Confidence: 0.85205644

 $00{:}12{:}24.354 \to 00{:}12{:}27.438$ this giant response box out into the field.

NOTE Confidence: 0.85205644

 $00{:}12{:}27.440 --> 00{:}12{:}27.705 \ \mathrm{Ann},$

NOTE Confidence: 0.85205644

 $00{:}12{:}27.705 \dashrightarrow 00{:}12{:}30.562$ and so you know that is sort of sort of

NOTE Confidence: 0.85205644

 $00{:}12{:}30.562 \dashrightarrow 00{:}12{:}33.369$ challenging to think about how we might

NOTE Confidence: 0.85205644

 $00:12:33.369 \longrightarrow 00:12:35.408$ collect performance data in the field.

NOTE Confidence: 0.85205644

 $00:12:35.410 \longrightarrow 00:12:37.402$ And then there was a push

NOTE Confidence: 0.85205644

 $00:12:37.402 \longrightarrow 00:12:38.730$ for real world measures.

NOTE Confidence: 0.85205644

00:12:38.730 --> 00:12:41.047 So some people at NASA would say,

NOTE Confidence: 0.85205644

 $00{:}12{:}41.050 --> 00{:}12{:}41.361 \text{ well},$

NOTE Confidence: 0.85205644

00:12:41.361 --> 00:12:43.227 why can't you just measure what's

NOTE Confidence: 0.85205644

00:12:43.227 --> 00:12:44.700 happening with the aircraft?

NOTE Confidence: 0.85205644

 $00:12:44.700 \longrightarrow 00:12:45.588$ But of course,

NOTE Confidence: 0.85205644

00:12:45.588 --> 00:12:47.364 we don't have valid studies showing

NOTE Confidence: 0.85205644

00:12:47.364 --> 00:12:48.875 that measuring changes in you

00:12:48.875 --> 00:12:51.074 know the way a pilot performs in

NOTE Confidence: 0.85205644

 $00{:}12{:}51.074 \dashrightarrow 00{:}12{:}52.666$ controlling their aircraft would

NOTE Confidence: 0.85205644

00:12:52.666 --> 00:12:54.656 actually tell us something meaningful,

NOTE Confidence: 0.85205644

 $00:12:54.660 \longrightarrow 00:12:56.760$ and so we decided that what

NOTE Confidence: 0.85205644

 $00:12:56.760 \longrightarrow 00:12:58.380$ we really needed was a.

NOTE Confidence: 0.85205644

 $00:12:58.380 \longrightarrow 00:13:00.285$ A handheld device that would

NOTE Confidence: 0.85205644

00:13:00.285 --> 00:13:01.809 give us reliable information,

NOTE Confidence: 0.85205644

 $00:13:01.810 \longrightarrow 00:13:05.620$ and so we set out to develop the NASA Pvt.

NOTE Confidence: 0.85205644

00:13:05.620 --> 00:13:08.584 And while there were other PVT's

NOTE Confidence: 0.85205644

 $00:13:08.584 \longrightarrow 00:13:11.450$ available in the App Store at

NOTE Confidence: 0.85205644

 $00:13:11.450 \longrightarrow 00:13:14.208$ the time that I came to NASA.

NOTE Confidence: 0.85205644

 $00:13:14.210 \longrightarrow 00:13:17.164$ There were there are issues with lots

NOTE Confidence: 0.85205644

00:13:17.164 --> 00:13:20.635 of them and and most of the pieces

NOTE Confidence: 0.85205644

 $00{:}13{:}20.635 \dashrightarrow 00{:}13{:}23.634$ that were available in the App Store

NOTE Confidence: 0.85205644

 $00:13:23.634 \longrightarrow 00:13:26.810$ were not built with the same sort of

NOTE Confidence: 0.85205644

00:13:26.810 --> 00:13:29.198 rigor and care that the laboratory

 $00:13:29.198 \longrightarrow 00:13:31.430$ versions of this test include.

NOTE Confidence: 0.85205644

 $00:13:31.430 \longrightarrow 00:13:32.615$ So for example,

NOTE Confidence: 0.85205644

00:13:32.615 --> 00:13:35.380 in a typical laboratory Pvt you want

NOTE Confidence: 0.79549015

 $00:13:35.460 \longrightarrow 00:13:38.010$ a participant to have the ability

NOTE Confidence: 0.79549015

 $00:13:38.010 \longrightarrow 00:13:40.250$ to respond with either thumb,

NOTE Confidence: 0.79549015

 $00:13:40.250 \longrightarrow 00:13:42.038$ because responding with the

NOTE Confidence: 0.79549015

00:13:42.038 --> 00:13:44.273 wrong thumb tells you something.

NOTE Confidence: 0.79549015

 $00:13:44.280 \longrightarrow 00:13:46.326$ Kind of important about their reactivity

NOTE Confidence: 0.79549015

00:13:46.326 --> 00:13:49.063 and many of the PTS would just have

NOTE Confidence: 0.79549015

 $00:13:49.063 \longrightarrow 00:13:51.428$ like a little simple like flashing light

NOTE Confidence: 0.79549015

 $00{:}13{:}51.428 \dashrightarrow 00{:}13{:}53.717$ that would have appear on the screen.

NOTE Confidence: 0.79549015

00:13:53.720 --> 00:13:55.068 Similarly, the original Pvt.

NOTE Confidence: 0.79549015

00:13:55.068 --> 00:13:57.090 192 has numbers that scroll up,

NOTE Confidence: 0.79549015

 $00:13:57.090 \longrightarrow 00:13:59.106$ so that gives you some feedback.

NOTE Confidence: 0.79549015

00:13:59.110 --> 00:14:01.382 So as a person taking the Pvt you

 $00:14:01.382 \longrightarrow 00:14:04.073$ can see how your reaction time is

NOTE Confidence: 0.79549015

 $00{:}14{:}04.073 \dashrightarrow 00{:}14{:}06.118$ changing with each response trial

NOTE Confidence: 0.79549015

 $00:14:06.195 \longrightarrow 00:14:08.204$ and over the course of a day.

NOTE Confidence: 0.79549015

 $00:14:08.210 \longrightarrow 00:14:10.408$ And so we felt that having that

NOTE Confidence: 0.79549015

 $00:14:10.408 \longrightarrow 00:14:12.626$ feedback was pretty important for the

NOTE Confidence: 0.79549015

 $00:14:12.626 \longrightarrow 00:14:15.050$ participant population that we work with.

NOTE Confidence: 0.79549015

 $00:14:15.050 \longrightarrow 00:14:17.227$ Because in addition to helping them to

NOTE Confidence: 0.79549015

00:14:17.227 --> 00:14:19.877 just sort of see how they're performing,

NOTE Confidence: 0.79549015

 $00{:}14{:}19.880 \longrightarrow 00{:}14{:}22.106$ we wanted them to stay motivated and

NOTE Confidence: 0.79549015

00:14:22.106 --> 00:14:24.230 so often having this feedback helps

NOTE Confidence: 0.79549015

 $00{:}14{:}24.230 \dashrightarrow 00{:}14{:}26.432$ with motivation to take the tests,

NOTE Confidence: 0.79549015

 $00:14:26.440 \longrightarrow 00:14:29.200$ and so we we built this touchscreen Pvt.

NOTE Confidence: 0.79549015

00:14:29.200 --> 00:14:31.909 I have a developer or in my lab who

NOTE Confidence: 0.79549015

 $00:14:31.909 \longrightarrow 00:14:34.652$ told me it would take three days and

NOTE Confidence: 0.79549015

00:14:34.652 --> 00:14:37.477 it took about three years to develop,

NOTE Confidence: 0.79549015

 $00:14:37.480 \longrightarrow 00:14:39.200$ so is no small task.

 $00:14:39.200 \longrightarrow 00:14:41.937$ There are all kinds of issues with

NOTE Confidence: 0.79549015

 $00:14:41.937 \longrightarrow 00:14:44.175$ touch screen devices from the way you

NOTE Confidence: 0.79549015

 $00:14:44.175 \longrightarrow 00:14:46.492$ hold the device to the system latency.

NOTE Confidence: 0.79549015

 $00:14:46.500 \longrightarrow 00:14:47.148$ That is,

NOTE Confidence: 0.79549015

 $00{:}14{:}47.148 \dashrightarrow 00{:}14{:}48.768$ changing the response time from

NOTE Confidence: 0.79549015

 $00:14:48.768 \longrightarrow 00:14:51.022$ the time you hit the screen to

NOTE Confidence: 0.79549015

 $00:14:51.022 \longrightarrow 00:14:52.852$ the time it requires a response.

NOTE Confidence: 0.79549015

 $00:14:52.860 \longrightarrow 00:14:55.407$ So it took a lot more work than we

NOTE Confidence: 0.79549015

 $00{:}14{:}55.407 \dashrightarrow 00{:}14{:}57.947$ ever thought it would need to take,

NOTE Confidence: 0.79549015

 $00:14:57.950 \longrightarrow 00:15:00.398$ but we were very happy with this final

NOTE Confidence: 0.79549015

 $00{:}15{:}00.398 \dashrightarrow 00{:}15{:}02.844$ product and we tested it in the lab

NOTE Confidence: 0.79549015

 $00:15:02.844 \longrightarrow 00:15:04.433$ using a constant routine protocol

NOTE Confidence: 0.79549015

 $00:15:04.433 \longrightarrow 00:15:06.848$ and compared it to the original Pvt.

NOTE Confidence: 0.79549015

 $00:15:06.850 \longrightarrow 00:15:09.290$ 182 and I won't go through this in

NOTE Confidence: 0.79549015

 $00:15:09.290 \longrightarrow 00:15:11.561$ detail because this is again not the

 $00:15:11.561 \longrightarrow 00:15:13.530$ interesting really part of my talk.

NOTE Confidence: 0.79549015

 $00{:}15{:}13.530 \dashrightarrow 00{:}15{:}15.922$ But what we found is that you do

NOTE Confidence: 0.79549015

 $00{:}15{:}15.922 \dashrightarrow 00{:}15{:}18.296$ respond a bit faster with the Pvt.

NOTE Confidence: 0.79549015

 $00:15:18.300 \longrightarrow 00:15:19.326$ 192 because you're.

NOTE Confidence: 0.79549015

 $00:15:19.326 \longrightarrow 00:15:21.720$ Tom is right on the response button.

NOTE Confidence: 0.79549015

 $00{:}15{:}21.720 \dashrightarrow 00{:}15{:}23.736$ You can respond with bit faster,

NOTE Confidence: 0.79549015

 $00:15:23.740 \longrightarrow 00:15:25.430$ but the touchscreen device where

NOTE Confidence: 0.79549015

00:15:25.430 --> 00:15:27.518 you hover your thumb is pretty

NOTE Confidence: 0.79549015

 $00{:}15{:}27.518 \rightarrow 00{:}15{:}29.486$ close and has a nice alignment,

NOTE Confidence: 0.79549015

 $00:15:29.490 \longrightarrow 00:15:32.186$ and so we were very happy with the.

NOTE Confidence: 0.79549015

 $00{:}15{:}32.190 \dashrightarrow 00{:}15{:}34.146$ These are just all different metrics

NOTE Confidence: 0.79549015

 $00:15:34.146 \longrightarrow 00:15:36.550$ from the PBT and they all look

NOTE Confidence: 0.79549015

 $00{:}15{:}36.550 \dashrightarrow 00{:}15{:}38.280$ pretty similar between the Pvt.

NOTE Confidence: 0.79549015

 $00:15:38.280 \longrightarrow 00:15:39.970$ 182 and the NASA PBT.

NOTE Confidence: 0.79549015

 $00:15:39.970 \longrightarrow 00:15:41.998$ So we felt good about taking

NOTE Confidence: 0.79549015

 $00:15:41.998 \longrightarrow 00:15:43.350$ this into the field.

 $00:15:43.350 \longrightarrow 00:15:46.694$ And so we built a nap around it.

NOTE Confidence: 0.79549015

00:15:46.700 --> 00:15:47.972 And so again,

NOTE Confidence: 0.79549015

 $00:15:47.972 \longrightarrow 00:15:50.516$ kind of going back to those

NOTE Confidence: 0.79549015

 $00:15:50.516 \longrightarrow 00:15:52.630$ fundamental questions that I was

NOTE Confidence: 0.79549015

 $00:15:52.630 \longrightarrow 00:15:55.759$ looking to answer when I came to NASA.

NOTE Confidence: 0.79549015

00:15:55.760 --> 00:15:59.063 I wanted to have a tool that would make

NOTE Confidence: 0.79549015

 $00:15:59.063 \longrightarrow 00:16:01.422$ data collection easy for participants

NOTE Confidence: 0.79549015

 $00:16:01.422 \longrightarrow 00:16:05.487$ and so we built this app so that it

NOTE Confidence: 0.79549015

00:16:05.487 --> 00:16:08.112 would have logic to take our study

NOTE Confidence: 0.79549015

 $00:16:08.120 \longrightarrow 00:16:09.776$ participants through each activity

NOTE Confidence: 0.79549015

 $00{:}16{:}09.776 \dashrightarrow 00{:}16{:}12.660$ in the protocol at the right time.

NOTE Confidence: 0.79549015

 $00:16:12.660 \longrightarrow 00:16:14.985$ So it prompts PVT's when

NOTE Confidence: 0.79549015

 $00{:}16{:}14.985 \dashrightarrow 00{:}16{:}17.310$ they're supposed to take BTS.

NOTE Confidence: 0.79549015

00:16:17.310 --> 00:16:18.738 Subjective scales when they're

NOTE Confidence: 0.79549015

 $00:16:18.738 \longrightarrow 00:16:20.166$ supposed to take those.

 $00:16:20.170 \longrightarrow 00:16:22.234$ It includes a sleep diary that

NOTE Confidence: 0.79549015

00:16:22.234 --> 00:16:24.470 prompts before bad in the morning,

NOTE Confidence: 0.79549015

 $00:16:24.470 \longrightarrow 00:16:26.969$ and it has a bunch of baseline

NOTE Confidence: 0.79549015

00:16:26.969 --> 00:16:28.050 questionnaires, workload, ratings,

NOTE Confidence: 0.79549015

 $00:16:28.050 \longrightarrow 00:16:28.770$ and other.

NOTE Confidence: 0.80979025

 $00:16:30.920 \longrightarrow 00:16:32.232$ Information relevant to the

NOTE Confidence: 0.80979025

 $00:16:32.232 \longrightarrow 00:16:34.533$ things that we do and I'm pleased

NOTE Confidence: 0.80979025

 $00:16:34.533 \longrightarrow 00:16:36.677$ to say that if you need a tool,

NOTE Confidence: 0.80979025

 $00:16:36.680 \longrightarrow 00:16:39.096$ this is now free in the App Store,

NOTE Confidence: 0.80979025

 $00:16:39.100 \longrightarrow 00:16:40.990$ and so there's a basic version

NOTE Confidence: 0.80979025

 $00:16:40.990 \longrightarrow 00:16:43.039$ with just sleep diary in three PT.

NOTE Confidence: 0.80979025

 $00:16:43.040 \longrightarrow 00:16:45.296$ Today there's a simple PPT and then if

NOTE Confidence: 0.80979025

00:16:45.296 --> 00:16:47.590 you happen to be doing aviation studies,

NOTE Confidence: 0.80979025

 $00:16:47.590 \longrightarrow 00:16:49.396$ there's also a version for aviation,

NOTE Confidence: 0.80979025

 $00:16:49.400 \longrightarrow 00:16:51.514$ so feel free to check that out.

NOTE Confidence: 0.80979025

 $00:16:51.520 \longrightarrow 00:16:53.040$ So armed with this app,

 $00:16:53.040 \longrightarrow 00:16:55.530$ we embarked on our first study.

NOTE Confidence: 0.80979025

 $00:16:55.530 \longrightarrow 00:16:57.430$ And so the first research

NOTE Confidence: 0.80979025

 $00:16:57.430 \longrightarrow 00:17:00.090$ question that we had is, you know,

NOTE Confidence: 0.80979025

 $00:17:00.090 \longrightarrow 00:17:02.750$ let's going on the short haul aviation.

NOTE Confidence: 0.80979025

 $00:17:02.750 \longrightarrow 00:17:04.784$ We have many airline partners at

NOTE Confidence: 0.80979025

 $00:17:04.784 \longrightarrow 00:17:07.543$ NASA and there's been a lot of study

NOTE Confidence: 0.80979025

00:17:07.543 --> 00:17:08.875 dedicated to longhaul aviation

NOTE Confidence: 0.80979025

 $00{:}17{:}08.875 \dashrightarrow 00{:}17{:}10.615$ jet lag circadian misalignment

NOTE Confidence: 0.80979025

 $00:17:10.615 \longrightarrow 00:17:12.627$ when crossing time zones.

NOTE Confidence: 0.80979025

 $00:17:12.630 \longrightarrow 00:17:14.880$ We have a pretty good understanding

NOTE Confidence: 0.80979025

 $00:17:14.880 \longrightarrow 00:17:17.190$ of what happens when pilots are,

NOTE Confidence: 0.80979025

00:17:17.190 --> 00:17:18.064 you know,

NOTE Confidence: 0.80979025

 $00{:}17{:}18.064 \dashrightarrow 00{:}17{:}20.686$ traveling for long distances and we

NOTE Confidence: 0.80979025

 $00:17:20.686 \longrightarrow 00:17:23.322$ have pretty good rules in place for

NOTE Confidence: 0.80979025

 $00:17:23.322 \longrightarrow 00:17:26.387$ what they need to do in order to stay.

00:17:26.390 --> 00:17:28.758 Alert and get the rest that they need,

NOTE Confidence: 0.80979025

 $00:17:28.760 \longrightarrow 00:17:31.128$ but there are very few short all studies.

NOTE Confidence: 0.80979025

 $00:17:31.130 \longrightarrow 00:17:32.310$ In short haul flights.

NOTE Confidence: 0.80979025

 $00:17:32.310 \longrightarrow 00:17:34.084$ You know, while many of them

NOTE Confidence: 0.80979025

 $00:17:34.084 \longrightarrow 00:17:35.268$ are considered daytime flights,

NOTE Confidence: 0.80979025

00:17:35.270 --> 00:17:37.112 you know we've probably all been

NOTE Confidence: 0.80979025

 $00:17:37.112 \longrightarrow 00:17:39.410$ on a flight that left at 5:00 AM.

NOTE Confidence: 0.80979025

00:17:39.410 --> 00:17:39.706 Well,

00:17:39.706 --> 00:17:41.778 if your flight left at 5:00 AM,

NOTE Confidence: 0.80979025

NOTE Confidence: 0.80979025

00:17:41.780 --> 00:17:43.831 your pilot probably had to get up

NOTE Confidence: 0.80979025

 $00{:}17{:}43.831 \dashrightarrow 00{:}17{:}46.251$ at two or three in the morning in

NOTE Confidence: 0.80979025

 $00:17:46.251 \longrightarrow 00:17:48.935$ order to be fit for duty and be at

NOTE Confidence: 0.80979025

 $00:17:48.935 \longrightarrow 00:17:50.956$ the airport and be ready to fly.

NOTE Confidence: 0.80979025

 $00:17:50.956 \longrightarrow 00:17:52.140$ And so you know,

NOTE Confidence: 0.80979025

 $00:17:52.140 \longrightarrow 00:17:54.275$ I think in the sleep community we

NOTE Confidence: 0.80979025

 $00:17:54.275 \longrightarrow 00:17:56.790$ wouldn't say you know that's not really a.

 $00:17:56.790 \longrightarrow 00:17:58.710$ You know a daytime shift that's

NOTE Confidence: 0.80979025

00:17:58.710 --> 00:18:00.430 really a night time shift,

NOTE Confidence: 0.80979025

 $00:18:00.430 \longrightarrow 00:18:02.782$ and so we wanted to explore what

NOTE Confidence: 0.80979025

 $00:18:02.782 \longrightarrow 00:18:04.802$ happens when pilots have to work

NOTE Confidence: 0.80979025

00:18:04.802 --> 00:18:06.391 early in the morning, finish,

NOTE Confidence: 0.80979025

 $00:18:06.391 \longrightarrow 00:18:07.053$ work late,

NOTE Confidence: 0.80979025

 $00:18:07.053 \longrightarrow 00:18:09.370$ or work under conditions of high workload.

NOTE Confidence: 0.80979025

00:18:09.370 --> 00:18:11.350 So we worked with an airline,

NOTE Confidence: 0.80979025

 $00{:}18{:}11.350 \dashrightarrow 00{:}18{:}13.667$ a single airline to develop this protocol,

NOTE Confidence: 0.80979025

 $00:18:13.670 \longrightarrow 00:18:15.614$ and I'll just draw your attention

NOTE Confidence: 0.80979025

 $00:18:15.614 \longrightarrow 00:18:17.640$ to this plot on the right,

NOTE Confidence: 0.80979025

 $00:18:17.640 \longrightarrow 00:18:19.320$ which shows the protocol.

NOTE Confidence: 0.80979025

 $00{:}18{:}19.320 \dashrightarrow 00{:}18{:}21.840$ So each row represents a day.

NOTE Confidence: 0.80979025

 $00:18:21.840 \longrightarrow 00:18:25.158$ And so this protocol is 34 days.

NOTE Confidence: 0.80979025

 $00:18:25.160 \longrightarrow 00:18:27.897$ It's plotted as I bought a 30

00:18:27.897 --> 00:18:30.130 hour period across the conceit.

NOTE Confidence: 0.80979025

00:18:30.130 --> 00:18:32.794 I'm on the bottom and what we have

NOTE Confidence: 0.80979025

00:18:32.794 --> 00:18:35.917 here is like rare sleep opportunities.

NOTE Confidence: 0.80979025

 $00:18:35.920 \longrightarrow 00:18:37.063$ This is midnight,

NOTE Confidence: 0.80979025

00:18:37.063 --> 00:18:40.230 so you can see this pilot can sleep

NOTE Confidence: 0.80979025

 $00:18:40.230 \longrightarrow 00:18:43.128$ around 11 to maybe around 7:00 in

NOTE Confidence: 0.80979025

00:18:43.128 --> 00:18:45.758 the morning and then these darker

NOTE Confidence: 0.80979025

00:18:45.758 --> 00:18:48.758 Gray regions are flights and So what

NOTE Confidence: 0.80979025

 $00{:}18{:}48.758 \dashrightarrow 00{:}18{:}52.102$ you can see here is we varied their

NOTE Confidence: 0.80979025

 $00:18:52.102 \longrightarrow 00:18:55.165$ schedule from a baseline block of five.

NOTE Confidence: 0.80979025

 $00:18:55.170 \longrightarrow 00:18:57.954$ Chefs where they were flying kind of in

NOTE Confidence: 0.80979025

 $00{:}18{:}57.954 \dashrightarrow 00{:}19{:}01.119$ the late morning to mid to late afternoon.

NOTE Confidence: 0.80979025

 $00:19:01.120 \longrightarrow 00:19:01.958$ Very easy.

NOTE Confidence: 0.80979025

00:19:01.958 --> 00:19:04.053 Typical schedule for daytime worker

NOTE Confidence: 0.80979025

 $00:19:04.053 \longrightarrow 00:19:06.633$ and that was our baseline and then

NOTE Confidence: 0.80979025

 $00:19:06.633 \longrightarrow 00:19:09.322$ we had gave them a few days off

 $00:19:09.322 \longrightarrow 00:19:11.905$ and shifted them to an early start

NOTE Confidence: 0.80979025

 $00:19:11.905 \longrightarrow 00:19:14.260$ schedule where they had five days

NOTE Confidence: 0.80979025

 $00:19:14.260 \longrightarrow 00:19:16.727$ where they started work at between

NOTE Confidence: 0.80979025

 $00:19:16.727 \longrightarrow 00:19:19.187 \ 4:45 \ and \ 6:00 \ in the morning.$

NOTE Confidence: 0.80979025

 $00:19:19.190 \longrightarrow 00:19:21.526$ And then they had a few days off

NOTE Confidence: 0.80979025

 $00:19:21.526 \longrightarrow 00:19:24.010$ and shifted to a middle of the day

NOTE Confidence: 0.80979025

00:19:24.010 --> 00:19:26.299 schedule where they had longer flights,

NOTE Confidence: 0.80979025

 $00:19:26.300 \longrightarrow 00:19:27.588$ more ups and downs.

NOTE Confidence: 0.80979025

 $00:19:27.588 \longrightarrow 00:19:29.198$ They had few days off,

NOTE Confidence: 0.85460716

 $00:19:29.200 \dashrightarrow 00:19:31.528$ then we shifted them to a late schedule

NOTE Confidence: 0.85460716

 $00{:}19{:}31.528 \dashrightarrow 00{:}19{:}33.305$ where they finished you typically

NOTE Confidence: 0.85460716

 $00{:}19{:}33.305 \dashrightarrow 00{:}19{:}35.195$ after midnight and we collected

NOTE Confidence: 0.85460716

 $00{:}19{:}35.195 \dashrightarrow 00{:}19{:}37.238$ the psycho motor vigilance task.

NOTE Confidence: 0.85460716

 $00:19:37.240 \longrightarrow 00:19:39.484$ At each of the times shown

NOTE Confidence: 0.85460716

 $00:19:39.484 \longrightarrow 00:19:40.980$ on with these icons.

 $00:19:40.980 \longrightarrow 00:19:43.444$ So when they woke up on each

NOTE Confidence: 0.85460716

 $00:19:43.444 \longrightarrow 00:19:45.470$ flight and then before bed.

NOTE Confidence: 0.85460716

 $00{:}19{:}45.470 \dashrightarrow 00{:}19{:}47.997$ And then we also collected data on

NOTE Confidence: 0.85460716

 $00:19:47.997 \longrightarrow 00:19:50.723$ days off and in addition to that

NOTE Confidence: 0.85460716

00:19:50.723 --> 00:19:53.069 we had them do urine collection

NOTE Confidence: 0.85460716

 $00:19:53.155 \longrightarrow 00:19:55.979$ at the end of each blocks that we

NOTE Confidence: 0.85460716

 $00:19:55.979 \longrightarrow 00:19:57.854$ could assess circadian phase and

NOTE Confidence: 0.85460716

 $00:19:57.854 \longrightarrow 00:20:00.182$ we had them collect a variety.

NOTE Confidence: 0.85460716

 $00:20:00.190 \longrightarrow 00:20:01.770$ Other measures that I won't

NOTE Confidence: 0.85460716

 $00:20:01.770 \longrightarrow 00:20:03.350$ talk about here and then.

NOTE Confidence: 0.85460716

 $00:20:03.350 \longrightarrow 00:20:05.534$ The last pieces we had them where

NOTE Confidence: 0.85460716

 $00:20:05.534 \longrightarrow 00:20:08.029$ at an act watch the entire time

NOTE Confidence: 0.85460716

 $00:20:08.029 \longrightarrow 00:20:10.730$ so that we could assess sleep in

NOTE Confidence: 0.85460716

 $00:20:10.730 \longrightarrow 00:20:12.730$ addition to their sleep diary.

NOTE Confidence: 0.85460716

 $00:20:12.730 \longrightarrow 00:20:16.540$ And overall, the.

NOTE Confidence: 0.85460716

00:20:16.540 --> 00:20:18.790 Pilots, were, you know, relatively young,

00:20:18.790 --> 00:20:19.759 relatively healthy overall,

NOTE Confidence: 0.85460716

 $00:20:19.759 \longrightarrow 00:20:22.507$ so we didn't see a lot of indications

NOTE Confidence: 0.85460716

 $00:20:22.507 \longrightarrow 00:20:24.637$ that there were sleep disorders

NOTE Confidence: 0.85460716

 $00:20:24.637 \longrightarrow 00:20:25.915$ in this population.

NOTE Confidence: 0.85460716

 $00{:}20{:}25.920 \dashrightarrow 00{:}20{:}28.920$ I'm showing that I make you score here,

NOTE Confidence: 0.85460716

 $00{:}20{:}28.920 \dashrightarrow 00{:}20{:}31.538$ they're pretty much squarely in the middle,

NOTE Confidence: 0.85460716

 $00:20:31.540 \longrightarrow 00:20:34.165$ not know extremes in morning this evening.

NOTE Confidence: 0.85460716

 $00:20:34.170 \longrightarrow 00:20:36.420$ This which I found very interesting.

NOTE Confidence: 0.85460716

 $00:20:36.420 \longrightarrow 00:20:39.596$ And then I'm not showing some of the

NOTE Confidence: 0.85460716

 $00:20:39.596 \longrightarrow 00:20:41.289$ others questionnaires that we use,

NOTE Confidence: 0.85460716

00:20:41.290 --> 00:20:43.690 but the PSQI for example showed

NOTE Confidence: 0.85460716

 $00:20:43.690 \longrightarrow 00:20:46.337$ that there wasn't a big cause

NOTE Confidence: 0.85460716

00:20:46.337 --> 00:20:48.747 for concern with sleep disorders.

NOTE Confidence: 0.85460716

 $00{:}20{:}48.750 \dashrightarrow 00{:}20{:}50.878$ When we look at their sleep outcomes

NOTE Confidence: 0.85460716

 $00:20:50.878 \longrightarrow 00:20:53.378$ over the four different schedule types,

 $00:20:53.380 \longrightarrow 00:20:55.516$ we found that they got less

NOTE Confidence: 0.85460716

00:20:55.516 --> 00:20:56.940 sleep during early starts.

NOTE Confidence: 0.85460716

 $00:20:56.940 \longrightarrow 00:20:58.720$ As you can see here.

NOTE Confidence: 0.85460716

 $00:20:58.720 \longrightarrow 00:21:00.764$ So at baseline they got around 7

NOTE Confidence: 0.85460716

 $00:21:00.764 \longrightarrow 00:21:03.052$ hours a night and again we designed

NOTE Confidence: 0.85460716

 $00{:}21{:}03.052 \dashrightarrow 00{:}21{:}05.068$ the schedule so that they would

NOTE Confidence: 0.85460716

00:21:05.141 --> 00:21:06.841 maximize their sleep opportunity

NOTE Confidence: 0.85460716

00:21:06.841 --> 00:21:09.391 and that remained for their midday

NOTE Confidence: 0.85460716

 $00:21:09.400 \longrightarrow 00:21:10.896$ in their late schedules.

NOTE Confidence: 0.85460716

00:21:10.896 --> 00:21:13.140 But for their early starts they

NOTE Confidence: 0.85460716

00:21:13.216 --> 00:21:15.088 last about an hour of sleep,

NOTE Confidence: 0.85460716

 $00:21:15.090 \longrightarrow 00:21:19.130$ and as you can see over here in the plot.

NOTE Confidence: 0.85460716

 $00:21:19.130 \longrightarrow 00:21:21.116$ By each day on that schedule

NOTE Confidence: 0.85460716

00:21:21.116 --> 00:21:23.020 they they didn't really recover,

NOTE Confidence: 0.85460716

 $00:21:23.020 \longrightarrow 00:21:25.000$ so their sleep dropped dramatically

NOTE Confidence: 0.85460716

 $00:21:25.000 \longrightarrow 00:21:26.980$ after the first early morning

 $00:21:27.045 \longrightarrow 00:21:28.869$ shift and stayed low across the

NOTE Confidence: 0.85460716

 $00:21:28.869 \longrightarrow 00:21:30.460$ course of the five days.

NOTE Confidence: 0.85460716

 $00:21:30.460 \longrightarrow 00:21:33.700$ So this was a concern for us that these

NOTE Confidence: 0.85460716

 $00:21:33.700 \longrightarrow 00:21:36.593$ early starts were affording them less

NOTE Confidence: 0.85460716

 $00:21:36.593 \longrightarrow 00:21:40.238$ sleep than they really needed to be able to.

NOTE Confidence: 0.85460716

 $00{:}21{:}40.240 \dashrightarrow 00{:}21{:}42.361$ Function during the day and then when

NOTE Confidence: 0.85460716

 $00:21:42.361 \longrightarrow 00:21:44.499$ we looked at performance we found

NOTE Confidence: 0.85460716

 $00:21:44.499 \longrightarrow 00:21:46.827$ that in fact their performance was

NOTE Confidence: 0.85460716

 $00:21:46.827 \longrightarrow 00:21:49.040$ affected by this short sleep duration.

NOTE Confidence: 0.85460716

 $00:21:49.040 \longrightarrow 00:21:51.520$ So what we have here is if you

NOTE Confidence: 0.85460716

 $00:21:51.520 \longrightarrow 00:21:53.618$ look just across the bottom,

NOTE Confidence: 0.85460716

 $00{:}21{:}53.620 \dashrightarrow 00{:}21{:}56.077$ SIS is reaction time on the Pvt.

NOTE Confidence: 0.85460716

 $00:21:56.080 \longrightarrow 00:21:58.537$ So up is bad is a slower reaction time

NOTE Confidence: 0.85460716

 $00:21:58.537 \longrightarrow 00:22:00.998$ and lapses are response times that

NOTE Confidence: 0.85460716

 $00:22:00.998 \longrightarrow 00:22:03.113$ are greater than 500 milliseconds.

 $00:22:03.120 \longrightarrow 00:22:06.048$ And what we found is that on our

NOTE Confidence: 0.85460716

00:22:06.048 --> 00:22:07.826 baseline schedule it did exactly

NOTE Confidence: 0.85460716

 $00:22:07.826 \longrightarrow 00:22:10.080$ what we wanted it to for each

NOTE Confidence: 0.85460716

 $00:22:10.160 \longrightarrow 00:22:11.700$ day on that schedule.

NOTE Confidence: 0.85460716

00:22:11.700 --> 00:22:13.475 They maintained a pretty stable

NOTE Confidence: 0.85460716

 $00{:}22{:}13.475 \dashrightarrow 00{:}22{:}14.895$ performance which was great.

NOTE Confidence: 0.85460716

 $00:22:14.900 \longrightarrow 00:22:17.378$ We were very happy to see that,

NOTE Confidence: 0.85460716

 $00{:}22{:}17.380 \dashrightarrow 00{:}22{:}19.865$ but on each of the other schedules

NOTE Confidence: 0.85460716

 $00{:}22{:}19.865 \dashrightarrow 00{:}22{:}20.930$ their performance declined,

NOTE Confidence: 0.85460716

00:22:20.930 --> 00:22:23.770 so it didn't matter whether it was early,

NOTE Confidence: 0.85460716

00:22:23.770 --> 00:22:26.610 starts, midday, or late finishes on the head.

NOTE Confidence: 0.85460716

00:22:26.610 --> 00:22:28.475 Poor performance with each day

NOTE Confidence: 0.85460716

00:22:28.475 --> 00:22:30.869 accumulating and getting worse by the day,

NOTE Confidence: 0.85460716

 $00:22:30.870 \longrightarrow 00:22:31.582$ so again,

NOTE Confidence: 0.85460716

 $00:22:31.582 \longrightarrow 00:22:32.650$ this is concerning,

NOTE Confidence: 0.85460716

 $00:22:32.650 \longrightarrow 00:22:34.486$ and it suggests to us that

 $00:22:34.486 \longrightarrow 00:22:35.710$ there is a chronic

NOTE Confidence: 0.8639736

 $00:22:35.782 \longrightarrow 00:22:37.382$ sleep debt accumulating over

NOTE Confidence: 0.8639736

 $00:22:37.382 \longrightarrow 00:22:39.382$ the course of this time,

NOTE Confidence: 0.8639736

00:22:39.390 --> 00:22:41.520 and perhaps also some circadian influence,

NOTE Confidence: 0.8639736

00:22:41.520 --> 00:22:43.866 particularly for the late finishes well.

NOTE Confidence: 0.8639736

 $00:22:43.870 \longrightarrow 00:22:46.060$ They were required to stay up

NOTE Confidence: 0.8639736

 $00:22:46.060 \longrightarrow 00:22:48.500$ and fly until after midnight and

NOTE Confidence: 0.8639736

 $00:22:48.500 \longrightarrow 00:22:50.740$ we looked at circadian phase.

NOTE Confidence: 0.8639736

 $00:22:50.740 \longrightarrow 00:22:53.164$ We found that at baseline there

NOTE Confidence: 0.8639736

 $00:22:53.164 \longrightarrow 00:22:55.247$ means circadian phase was right

NOTE Confidence: 0.8639736

 $00:22:55.247 \longrightarrow 00:22:57.197$ around 4:00 in the morning,

NOTE Confidence: 0.8639736

 $00:22:57.200 \longrightarrow 00:23:00.028$ where we would expect it to be,

NOTE Confidence: 0.8639736

 $00{:}23{:}00.030 \dashrightarrow 00{:}23{:}02.669$ and we found that they did shift

NOTE Confidence: 0.8639736

00:23:02.669 --> 00:23:05.280 some prior to the early starts.

NOTE Confidence: 0.8639736

00:23:05.280 --> 00:23:07.596 Couple of hours early shifted later

00:23:07.596 --> 00:23:09.730 again during the midday flights,

NOTE Confidence: 0.8639736

 $00:23:09.730 \longrightarrow 00:23:12.148$ and then later again following the

NOTE Confidence: 0.8639736

 $00:23:12.148 \longrightarrow 00:23:15.060$ late finishes. So we did see some.

NOTE Confidence: 0.8639736

00:23:15.060 --> 00:23:16.590 A circadian adjustment,

NOTE Confidence: 0.8639736

 $00:23:16.590 \longrightarrow 00:23:19.140$ probably related to their nap.

NOTE Confidence: 0.8639736

00:23:19.140 --> 00:23:21.516 Trouble a pattern of light exposure,

NOTE Confidence: 0.8639736

 $00:23:21.520 \longrightarrow 00:23:24.180$ but this didn't seem to help in

NOTE Confidence: 0.8639736

 $00:23:24.180 \longrightarrow 00:23:25.956$ increasing their sleep duration

NOTE Confidence: 0.8639736

 $00{:}23{:}25.956 \dashrightarrow 00{:}23{:}28.208$ or improving their performance.

NOTE Confidence: 0.8639736

 $00:23:28.210 \longrightarrow 00:23:29.838$ And when we look.

NOTE Confidence: 0.8639736

 $00:23:29.838 \longrightarrow 00:23:31.466$ At this in total,

NOTE Confidence: 0.8639736

00:23:31.470 --> 00:23:33.450 our big concern or big flag

NOTE Confidence: 0.8639736

 $00:23:33.450 \longrightarrow 00:23:34.770$ was in early start.

NOTE Confidence: 0.8639736

 $00:23:34.770 \longrightarrow 00:23:36.856$ So well late finishes and the midday

NOTE Confidence: 0.8639736

 $00:23:36.856 \longrightarrow 00:23:38.541$ high workload flights resulted in

NOTE Confidence: 0.8639736

 $00:23:38.541 \longrightarrow 00:23:40.376$ poor performance relative to baseline,

 $00:23:40.380 \longrightarrow 00:23:42.445$ but it really starts resulted in both

NOTE Confidence: 0.8639736

 $00{:}23{:}42.445 \dashrightarrow 00{:}23{:}44.340$ short sleep and poor performance,

NOTE Confidence: 0.8639736

 $00:23:44.340 \longrightarrow 00:23:45.796$ and this isn't particularly

NOTE Confidence: 0.8639736

00:23:45.796 --> 00:23:47.980 surprising because we all know that

NOTE Confidence: 0.8639736

 $00:23:48.045 \longrightarrow 00:23:50.355$ when you try to sleep during weight

NOTE Confidence: 0.8639736

 $00:23:50.355 \longrightarrow 00:23:52.252$ maintenance down when you try to

NOTE Confidence: 0.8639736

 $00:23:52.252 \longrightarrow 00:23:54.233$ sleep a few hours earlier than normal,

NOTE Confidence: 0.8639736

 $00:23:54.240 \longrightarrow 00:23:55.890$ even if you have to,

NOTE Confidence: 0.8639736

00:23:55.890 --> 00:23:58.527 you know you have to get up early to

NOTE Confidence: 0.8639736

 $00:23:58.527 \longrightarrow 00:24:00.940$ take a flight yourself, for example.

NOTE Confidence: 0.8639736

 $00{:}24{:}00.940 \dashrightarrow 00{:}24{:}03.220$ It's very hard to get adequate

NOTE Confidence: 0.8639736

00:24:03.220 --> 00:24:05.363 sleep because your body is just

NOTE Confidence: 0.8639736

 $00{:}24{:}05.363 \dashrightarrow 00{:}24{:}07.695$ not aligned to have sleep start at

NOTE Confidence: 0.8639736

 $00:24:07.695 \longrightarrow 00:24:09.795$ that time and so we decided that.

NOTE Confidence: 0.8639736

00:24:09.800 --> 00:24:10.119 Well,

 $00:24:10.119 \longrightarrow 00:24:11.714$ actually we didn't decide when

NOTE Confidence: 0.8639736

 $00:24:11.714 \longrightarrow 00:24:13.789$ we took this to the airline.

NOTE Confidence: 0.8639736

00:24:13.790 --> 00:24:15.788 They said, OK, well, that's terrible.

NOTE Confidence: 0.8639736

00:24:15.790 --> 00:24:18.454 What are you going to do about it?

NOTE Confidence: 0.8639736

 $00:24:18.460 \longrightarrow 00:24:20.651$ And this was a little bit surprising

NOTE Confidence: 0.8639736

 $00{:}24{:}20.651 \dashrightarrow 00{:}24{:}22.707$ and exciting to me because coming

NOTE Confidence: 0.8639736

 $00:24:22.707 \longrightarrow 00:24:24.115$ from an academic world,

NOTE Confidence: 0.8639736

00:24:24.120 --> 00:24:25.780 you're really living from 1

NOTE Confidence: 0.8639736

 $00{:}24{:}25.780 --> 00{:}24{:}27.108$ grant to the next.

NOTE Confidence: 0.8639736

00:24:27.110 --> 00:24:29.108 And now in the supplied world,

NOTE Confidence: 0.8639736

 $00{:}24{:}29.110 --> 00{:}24{:}30.850$ you know our partners are

NOTE Confidence: 0.8639736

 $00:24:30.850 \longrightarrow 00:24:32.242$ really looking for solutions.

NOTE Confidence: 0.8639736

 $00:24:32.250 \longrightarrow 00:24:35.594$ And so it was very exciting to be

NOTE Confidence: 0.8639736

 $00:24:35.594 \longrightarrow 00:24:38.891$ able to think about how we might

NOTE Confidence: 0.8639736

 $00:24:38.891 \longrightarrow 00:24:42.160$ be able to solve this problem.

NOTE Confidence: 0.8639736

 $00:24:42.160 \longrightarrow 00:24:45.784$ And so after had a good deal of

 $00:24:45.784 \longrightarrow 00:24:48.565$ conversation about what we could do

NOTE Confidence: 0.8639736

 $00{:}24{:}48.565 \to 00{:}24{:}51.827$ and what the best approach would be

NOTE Confidence: 0.8639736

00:24:51.827 --> 00:24:55.320 to try to increase sleep duration and

NOTE Confidence: 0.8639736

00:24:55.320 --> 00:24:57.781 performance on those early starts,

NOTE Confidence: 0.8639736

 $00:24:57.781 \longrightarrow 00:25:00.703$ we decided to evaluate a lighting

NOTE Confidence: 0.8639736

 $00{:}25{:}00.703 \dashrightarrow 00{:}25{:}02.989$ countermeasure and as Lauren mentioned.

NOTE Confidence: 0.8639736

 $00:25:02.990 \longrightarrow 00:25:05.150$ I have a background in basic

NOTE Confidence: 0.8639736

00:25:05.150 --> 00:25:06.590 circadian Physiology and studying

NOTE Confidence: 0.8639736

 $00:25:06.649 \longrightarrow 00:25:08.599$ the influence of light on the

NOTE Confidence: 0.8639736

 $00{:}25{:}08.599 \dashrightarrow 00{:}25{:}10.262$ human circadian system and so

NOTE Confidence: 0.8639736

00:25:10.262 --> 00:25:12.074 this is very much aligned with

NOTE Confidence: 0.8639736

00:25:12.074 --> 00:25:13.315 that basic science background,

NOTE Confidence: 0.8639736

 $00:25:13.315 \longrightarrow 00:25:15.660$ and I thought it was really nice

NOTE Confidence: 0.8639736

00:25:15.660 --> 00:25:17.848 next step for for trying to solve

NOTE Confidence: 0.8639736

00:25:17.848 --> 00:25:20.089 this problem so we know that light

 $00{:}25{:}20.089 \dashrightarrow 00{:}25{:}22.243$ follows a phase response curve or

NOTE Confidence: 0.8639736

 $00:25:22.243 \longrightarrow 00:25:23.966$ the circadian response to light

NOTE Confidence: 0.8639736

 $00{:}25{:}23.966 \dashrightarrow 00{:}25{:}25.294$ causes phase response curve.

NOTE Confidence: 0.8639736

00:25:25.300 --> 00:25:26.970 I should say so again,

NOTE Confidence: 0.8639736

00:25:26.970 --> 00:25:29.626 I'm sure you're all very familiar with this,

NOTE Confidence: 0.8639736

00:25:29.630 --> 00:25:30.962 but just put simply,

NOTE Confidence: 0.8639736

 $00:25:30.962 \longrightarrow 00:25:31.628$ you know,

NOTE Confidence: 0.8639736

 $00:25:31.630 \longrightarrow 00:25:33.680$ light in the biological morning

NOTE Confidence: 0.8639736

 $00:25:33.680 \longrightarrow 00:25:35.320$ is going to shift.

NOTE Confidence: 0.8639736

 $00:25:35.320 \longrightarrow 00:25:37.144$ Sleep and wake earlier and allow

NOTE Confidence: 0.8639736

 $00{:}25{:}37.144 \dashrightarrow 00{:}25{:}38.900$ for a better phase advance.

NOTE Confidence: 0.8639736

 $00{:}25{:}38.900 \dashrightarrow 00{:}25{:}41.413$ We know that the flight crew that

NOTE Confidence: 0.8639736

 $00:25:41.413 \longrightarrow 00:25:44.489$ we work with for these early starts

NOTE Confidence: 0.8639736

 $00{:}25{:}44.489 \dashrightarrow 00{:}25{:}46.879$ often begin work before sunrise.

NOTE Confidence: 0.8533856

 $00:25:46.880 \longrightarrow 00:25:48.889$ And so you know, if we look

NOTE Confidence: 0.8533856

 $00:25:48.889 \longrightarrow 00:25:50.899$ at the phase response curve,

 $00:25:50.900 \longrightarrow 00:25:55.660$ what we were aiming for was to get a light.

NOTE Confidence: 0.8533856

 $00{:}25{:}55.660 \dashrightarrow 00{:}25{:}57.670$ Stimulus somewhere around here in

NOTE Confidence: 0.8533856

 $00:25:57.670 \longrightarrow 00:26:00.834$ order to try to get a maximal phase

NOTE Confidence: 0.8533856

 $00:26:00.834 \longrightarrow 00:26:03.804$ shift to enable them to be able to

NOTE Confidence: 0.8533856

 $00:26:03.804 \longrightarrow 00:26:06.174$ fall asleep earlier in the evening

NOTE Confidence: 0.8533856

 $00:26:06.174 \longrightarrow 00:26:08.530$ to obtain more sleep and then

NOTE Confidence: 0.8533856

 $00:26:08.530 \longrightarrow 00:26:10.090$ hopefully improve their performance.

NOTE Confidence: 0.8533856

 $00:26:10.090 \longrightarrow 00:26:12.820$ But in the lab, in my experience,

NOTE Confidence: 0.8533856

 $00:26:12.820 \longrightarrow 00:26:14.734$ we would often use very large

NOTE Confidence: 0.8533856

 $00{:}26{:}14.734 \dashrightarrow 00{:}26{:}16.540$ devices like boxes or specialized

NOTE Confidence: 0.8533856

 $00{:}26{:}16.540 \dashrightarrow 00{:}26{:}18.855$ lighting systems that weren't very

NOTE Confidence: 0.8533856

 $00:26:18.855 \longrightarrow 00:26:21.400$ conducive to application in the field,

NOTE Confidence: 0.8533856

 $00{:}26{:}21.400 \dashrightarrow 00{:}26{:}24.208$ and so for this purpose I looked at

NOTE Confidence: 0.8533856

 $00:26:24.208 \longrightarrow 00:26:26.149$ seasonal affective disorder lighting.

NOTE Confidence: 0.8533856

 $00:26:26.150 \longrightarrow 00:26:29.706$ In order to have a more portable

 $00:26:29.706 \longrightarrow 00:26:31.590$ countermeasure that might be.

NOTE Confidence: 0.8533856

 $00{:}26{:}31.590 \dashrightarrow 00{:}26{:}34.698$ Useful for pilots in the real world,

NOTE Confidence: 0.8533856

 $00:26:34.700 \longrightarrow 00:26:38.330$ and so we went back to the airline and we

NOTE Confidence: 0.8533856

00:26:38.427 --> 00:26:41.799 decided just designed a similar study,

NOTE Confidence: 0.8533856

 $00:26:41.800 \longrightarrow 00:26:45.072$ but this time we had them complete a

NOTE Confidence: 0.8533856

00:26:45.072 --> 00:26:47.863 baseline block followed by an early

NOTE Confidence: 0.8533856

 $00:26:47.863 \longrightarrow 00:26:50.701$ starts block and then another baseline

NOTE Confidence: 0.8533856

00:26:50.783 --> 00:26:53.345 block and an early starts block,

NOTE Confidence: 0.8533856

 $00{:}26{:}53.350 \dashrightarrow 00{:}26{:}55.947$ and in each of the early starts

NOTE Confidence: 0.8533856

 $00:26:55.947 \longrightarrow 00:26:59.341$ lock box we randomize them to either

NOTE Confidence: 0.8533856

00:26:59.341 --> 00:27:02.076 have where placebo glasses that.

NOTE Confidence: 0.8533856

00:27:02.080 --> 00:27:03.643 Um did nothing,

NOTE Confidence: 0.8533856

 $00:27:03.643 \longrightarrow 00:27:06.248$ so playing unfiltered glasses really

NOTE Confidence: 0.8533856

 $00:27:06.248 \longrightarrow 00:27:09.089$ safety goggles or illuminate goggles.

NOTE Confidence: 0.8533856

00:27:09.090 --> 00:27:13.394 So if you're not familiar with the luminette,

NOTE Confidence: 0.8533856

 $00:27:13.400 \longrightarrow 00:27:14.178$ it's a.

 $00:27:14.178 \longrightarrow 00:27:17.290$ Just a little looks like a funny little

NOTE Confidence: 0.8533856

 $00:27:17.379 \longrightarrow 00:27:20.277$ 1980s kind of sunglasses type deal,

NOTE Confidence: 0.8533856

 $00:27:20.280 \longrightarrow 00:27:23.152$ but it shines light in your eyes from

NOTE Confidence: 0.8533856

 $00:27:23.152 \longrightarrow 00:27:25.744$ the front and you can still walk

NOTE Confidence: 0.8533856

 $00:27:25.744 \longrightarrow 00:27:28.382$ around and get ready and do things

NOTE Confidence: 0.8533856

 $00:27:28.382 \longrightarrow 00:27:30.674$ while wearing the luminette and it

NOTE Confidence: 0.8533856

00:27:30.674 --> 00:27:33.666 has a peak in the blue wavelength region,

NOTE Confidence: 0.8533856

00:27:33.670 --> 00:27:36.253 which we know is the most potent

NOTE Confidence: 0.8533856

 $00:27:36.253 \longrightarrow 00:27:37.360$ for circadian synchronization

NOTE Confidence: 0.8533856

 $00:27:37.420 \longrightarrow 00:27:38.896$ synchronization and it generates

NOTE Confidence: 0.8533856

 $00:27:38.896 \longrightarrow 00:27:41.110$ about 1500 that Lux of light.

NOTE Confidence: 0.8533856

 $00:27:41.110 \longrightarrow 00:27:43.618$ So we're really excited about this

NOTE Confidence: 0.8533856

 $00:27:43.618 \longrightarrow 00:27:46.640$ as being a nice way to enhance.

NOTE Confidence: 0.8533856

00:27:46.640 --> 00:27:48.914 The pilot light exposure in the

NOTE Confidence: 0.8533856

00:27:48.914 --> 00:27:50.916 morning to hopefully again create

 $00:27:50.916 \longrightarrow 00:27:52.986$ a bigger circadian phase shift.

NOTE Confidence: 0.8533856

 $00{:}27{:}52.990 \dashrightarrow 00{:}27{:}56.563$ We asked them to wear them for 25 minutes.

NOTE Confidence: 0.8533856

 $00:27:56.570 \longrightarrow 00:27:59.738$ When they woke up before their early starts,

NOTE Confidence: 0.8533856

 $00:27:59.740 \longrightarrow 00:28:02.122$ and then just some important notes

NOTE Confidence: 0.8533856

 $00:28:02.122 \longrightarrow 00:28:03.710$ about this particular study.

NOTE Confidence: 0.8533856

 $00:28:03.710 \longrightarrow 00:28:06.086$ It was conducted in the fall,

NOTE Confidence: 0.8533856

 $00:28:06.090 \longrightarrow 00:28:08.472$ so during evening darkness and later

NOTE Confidence: 0.8533856

 $00:28:08.472 \longrightarrow 00:28:10.860$ sunrises, the pilots always returned home.

NOTE Confidence: 0.8533856

 $00:28:10.860 \longrightarrow 00:28:13.916$ So and that was true for the first

NOTE Confidence: 0.8533856

00:28:13.916 --> 00:28:15.220 study as well.

NOTE Confidence: 0.8533856

 $00:28:15.220 \longrightarrow 00:28:17.850$ So while they did fly.

NOTE Confidence: 0.8533856

 $00:28:17.850 \longrightarrow 00:28:18.191$ Tom,

NOTE Confidence: 0.8533856

 $00:28:18.191 \longrightarrow 00:28:19.896$ you know two different destinations.

NOTE Confidence: 0.8533856

00:28:19.900 --> 00:28:22.434 We didn't want the influence of sleeping

NOTE Confidence: 0.8533856

00:28:22.434 --> 00:28:25.368 in the hotel to add noise to our study,

NOTE Confidence: 0.8533856

 $00:28:25.370 \longrightarrow 00:28:27.638$ so we had the airline designers so

 $00:28:27.638 \longrightarrow 00:28:30.006$ that they would always fly home and

NOTE Confidence: 0.8533856

 $00:28:30.006 \longrightarrow 00:28:32.415$ sleep in their their local home bed

NOTE Confidence: 0.8533856

 $00:28:32.415 \longrightarrow 00:28:34.557$ every night and justice before we

NOTE Confidence: 0.8533856

 $00:28:34.557 \longrightarrow 00:28:37.688$ collected the PBT at all of the same times.

NOTE Confidence: 0.8533856

 $00{:}28{:}37.690 \dashrightarrow 00{:}28{:}39.988$ Once during each flight and then

NOTE Confidence: 0.8533856

 $00:28:39.988 \longrightarrow 00:28:42.779$ at the beginning and end of the day

NOTE Confidence: 0.8533856

 $00:28:42.779 \longrightarrow 00:28:45.210$ and then on their off days as well.

NOTE Confidence: 0.8533856

 $00:28:45.210 \longrightarrow 00:28:48.594$ And we collected all of the same measures.

NOTE Confidence: 0.8533856

 $00:28:48.600 \longrightarrow 00:28:50.664$ And we found that this particular

NOTE Confidence: 0.8533856

 $00:28:50.664 \longrightarrow 00:28:53.090$ group of pilots was pretty similar.

NOTE Confidence: 0.8533856

 $00:28:53.090 \longrightarrow 00:28:56.339$ So in this case we had 30 in the

NOTE Confidence: 0.8533856

 $00:28:56.339 \longrightarrow 00:28:59.442$ first study we had 44, and you know,

NOTE Confidence: 0.8533856

00:28:59.442 --> 00:29:00.190 demographically, again,

NOTE Confidence: 0.8533856

00:29:00.190 --> 00:29:02.608 pretty healthy people.

NOTE Confidence: 0.8533856

 $00:29:02.610 \longrightarrow 00:29:04.752$ The compliance when using both placebo

00:29:04.752 --> 00:29:07.080 and the light glasses was very good,

NOTE Confidence: 0.8533856

 $00{:}29{:}07.080 \dashrightarrow 00{:}29{:}09.592$ so we asked them to wear them for

NOTE Confidence: 0.8533856

 $00:29:09.592 \longrightarrow 00:29:10.220$ 25 minutes

NOTE Confidence: 0.86034817

 $00:29:10.300 \longrightarrow 00:29:12.586$ before each of the early starts.

NOTE Confidence: 0.86034817

 $00:29:12.590 \longrightarrow 00:29:16.025$ They were them on 93% of days and they were

NOTE Confidence: 0.86034817

 $00{:}29{:}16.025 \to 00{:}29{:}18.846$ them for pretty much the entire time that

NOTE Confidence: 0.86034817

 $00:29:18.846 \longrightarrow 00:29:22.219$ we asked them to wear them if not more so.

NOTE Confidence: 0.86034817

 $00:29:22.220 \longrightarrow 00:29:24.892$ We found that the use of the glasses

NOTE Confidence: 0.86034817

 $00:29:24.892 \longrightarrow 00:29:27.646$ was not at all the hindrance in

NOTE Confidence: 0.86034817

 $00:29:27.646 \longrightarrow 00:29:30.190$ their ability to complete the study.

NOTE Confidence: 0.86034817

00:29:30.190 --> 00:29:31.118 Unfortunately, though,

NOTE Confidence: 0.86034817

00:29:31.118 --> 00:29:34.366 we didn't find any difference in sleep

NOTE Confidence: 0.86034817

 $00:29:34.366 \longrightarrow 00:29:36.888$ outcomes and so when we look over here,

NOTE Confidence: 0.86034817

 $00:29:36.890 \longrightarrow 00:29:40.178$ the main lines that I'll draw your attention

NOTE Confidence: 0.86034817

 $00:29:40.178 \longrightarrow 00:29:43.587$ to are just the blue and the red line,

NOTE Confidence: 0.86034817

 $00:29:43.590 \longrightarrow 00:29:46.526$ and so the blue line is the light

 $00:29:46.526 \longrightarrow 00:29:49.496$ and the red line is the placebo,

NOTE Confidence: 0.86034817

 $00{:}29{:}49.500 \dashrightarrow 00{:}29{:}53.440$ and each of these is a day on the schedule.

NOTE Confidence: 0.86034817

 $00:29:53.440 \longrightarrow 00:29:55.798$ So Day 12345 and so on.

NOTE Confidence: 0.86034817

 $00:29:55.800 \longrightarrow 00:29:57.396$ This is sleep duration,

NOTE Confidence: 0.86034817

 $00:29:57.396 \longrightarrow 00:30:00.290$ and this is a little bit tiny.

NOTE Confidence: 0.86034817

00:30:00.290 --> 00:30:01.232 So I apologize,

NOTE Confidence: 0.86034817

 $00:30:01.232 \longrightarrow 00:30:03.430$ but this is 6 hours right here,

NOTE Confidence: 0.86034817

 $00:30:03.430 \longrightarrow 00:30:05.638$ and So what you can see is their

NOTE Confidence: 0.86034817

 $00{:}30{:}05.638 \dashrightarrow 00{:}30{:}07.508$ sleep was basically the same.

NOTE Confidence: 0.86034817

00:30:07.510 --> 00:30:08.138 You know,

NOTE Confidence: 0.86034817

 $00:30:08.138 \longrightarrow 00:30:10.650$ it doesn't even matter what the duration is.

NOTE Confidence: 0.86034817

00:30:10.650 --> 00:30:12.220 Their sleep really did not

NOTE Confidence: 0.86034817

 $00{:}30{:}12.220 \dashrightarrow 00{:}30{:}13.476$ improve throughout the schedule.

NOTE Confidence: 0.86034817

 $00{:}30{:}13.480 \dashrightarrow 00{:}30{:}15.352$ We may have seen a little

NOTE Confidence: 0.86034817

 $00:30:15.352 \longrightarrow 00:30:17.559$ bit of a bump at the end,

 $00:30:17.560 \longrightarrow 00:30:20.540$ but but it was present in the placebo as well

NOTE Confidence: 0.86034817

 $00:30:20.611 \dashrightarrow 00:30:23.527$ and then the same is true for sleep latency.

NOTE Confidence: 0.86034817

 $00:30:23.530 \longrightarrow 00:30:24.154$ No improvement,

NOTE Confidence: 0.86034817

 $00:30:24.154 \longrightarrow 00:30:25.714$ but it does decrease overtime,

NOTE Confidence: 0.86034817

 $00:30:25.720 \longrightarrow 00:30:27.841$ but that's probably a function of them

NOTE Confidence: 0.86034817

00:30:27.841 --> 00:30:29.490 becoming progressively more sleep deprived.

NOTE Confidence: 0.86034817

00:30:29.490 --> 00:30:30.946 No differences in efficiency.

NOTE Confidence: 0.86034817

 $00:30:30.946 \longrightarrow 00:30:33.601$ And no differences in way so so

NOTE Confidence: 0.86034817

 $00{:}30{:}33.601 \longrightarrow 00{:}30{:}35.209$ this was quite disappointing,

NOTE Confidence: 0.86034817

00:30:35.210 --> 00:30:38.207 but of course you know if maybe we were

NOTE Confidence: 0.86034817

 $00:30:38.207 \longrightarrow 00:30:41.580$ able to further shift their circadian phase.

NOTE Confidence: 0.86034817

00:30:41.580 --> 00:30:43.180 Maybe their performance improved,

NOTE Confidence: 0.86034817

 $00:30:43.180 \longrightarrow 00:30:44.380$ but unfortunately that

NOTE Confidence: 0.86034817

 $00:30:44.380 \longrightarrow 00:30:46.349$ was not the case either.

NOTE Confidence: 0.86034817

 $00:30:46.350 \longrightarrow 00:30:49.136$ So we found that their performance again,

NOTE Confidence: 0.86034817

 $00:30:49.140 \longrightarrow 00:30:51.528$ the blue is the light glasses,

00:30:51.530 --> 00:30:54.706 the red is the placebo on their performance,

NOTE Confidence: 0.86034817

 $00{:}30{:}54.710 \dashrightarrow 00{:}30{:}58.134$ mapped right on top of one another through

NOTE Confidence: 0.86034817

 $00:30:58.134 \longrightarrow 00:31:01.599$ for each day of the schedule we saw it.

NOTE Confidence: 0.86034817

 $00:31:01.600 \longrightarrow 00:31:03.785$ No differences whatsoever with the

NOTE Confidence: 0.86034817

00:31:03.785 --> 00:31:05.970 Lunette glasses in the morning,

NOTE Confidence: 0.86034817

 $00:31:05.970 \longrightarrow 00:31:08.160$ so this was quite disappointing.

NOTE Confidence: 0.86034817

00:31:08.160 --> 00:31:10.155 Quite quite disappointing and so

NOTE Confidence: 0.86034817

00:31:10.155 --> 00:31:12.688 our conclusion here is we don't

NOTE Confidence: 0.86034817

 $00{:}31{:}12.688 \dashrightarrow 00{:}31{:}15.028$ see any improvement with this

NOTE Confidence: 0.86034817

 $00:31:15.028 \longrightarrow 00:31:16.900$ enhanced morning light exposure.

NOTE Confidence: 0.86034817

00:31:16.900 --> 00:31:19.945 I didn't show you circadian phase here.

NOTE Confidence: 0.86034817

 $00:31:19.950 \longrightarrow 00:31:23.446$ We haven't actually assessed all of that yet.

NOTE Confidence: 0.86034817

 $00:31:23.450 \longrightarrow 00:31:26.066$ This is a fairly new study.

NOTE Confidence: 0.86034817

00:31:26.070 --> 00:31:28.260 It's not published yet either,

NOTE Confidence: 0.86034817

 $00:31:28.260 \longrightarrow 00:31:31.242$ but I don't even know if we

 $00:31:31.242 \longrightarrow 00:31:33.160$ did shift circadian phase.

NOTE Confidence: 0.86034817

 $00:31:33.160 \longrightarrow 00:31:35.608$ If in this in this real world setting

NOTE Confidence: 0.86034817

00:31:35.608 --> 00:31:38.070 if we didn't improve alertness,

NOTE Confidence: 0.86034817

 $00:31:38.070 \longrightarrow 00:31:39.063$ performance and sleep,

NOTE Confidence: 0.86034817

 $00:31:39.063 \longrightarrow 00:31:41.873$ you know it's not likely to be a

NOTE Confidence: 0.86034817

 $00{:}31{:}41.873 \dashrightarrow 00{:}31{:}43.160$ particularly valuable countermeasure

NOTE Confidence: 0.86034817

 $00:31:43.160 \longrightarrow 00:31:44.876$ in the long run.

NOTE Confidence: 0.86034817

00:31:44.880 --> 00:31:46.002 So upon reflection,

NOTE Confidence: 0.86034817

 $00{:}31{:}46.002 \dashrightarrow 00{:}31{:}48.620$ you know we think either the light

NOTE Confidence: 0.86034817

 $00:31:48.689 \longrightarrow 00:31:50.849$ was maybe not bright enough for

NOTE Confidence: 0.86034817

 $00{:}31{:}50.849 \dashrightarrow 00{:}31{:}53.189$ the duration was not long enough,

NOTE Confidence: 0.86034817

 $00:31:53.190 \longrightarrow 00:31:55.731$ but more likely I think that evening

NOTE Confidence: 0.86034817

 $00:31:55.731 \longrightarrow 00:31:57.274$ light exposure probably inhibited

NOTE Confidence: 0.86034817

 $00{:}31{:}57.274 \dashrightarrow 00{:}31{:}59.239$ the pilot's ability to sleep,

NOTE Confidence: 0.86034817

 $00:31:59.240 \longrightarrow 00:32:01.712$ because if we look at the

NOTE Confidence: 0.86034817

 $00:32:01.712 \longrightarrow 00:32:03.870$ phase response curve to like.

 $00:32:03.870 \longrightarrow 00:32:05.994$ You know a lesser amount of

NOTE Confidence: 0.86034817

 $00{:}32{:}05.994 \longrightarrow 00{:}32{:}08.674$ light in the evening has a large

NOTE Confidence: 0.86034817

00:32:08.674 --> 00:32:10.654 impact on shifting phase later,

NOTE Confidence: 0.86034817

 $00:32:10.660 \longrightarrow 00:32:12.872$ and so we suspect that you know

NOTE Confidence: 0.86034817

 $00:32:12.872 \longrightarrow 00:32:15.707$ we need to do a lot more work

NOTE Confidence: 0.86034817

 $00{:}32{:}15.707 \dashrightarrow 00{:}32{:}17.512$ educating the pilots on sleep

NOTE Confidence: 0.86034817

 $00:32:17.597 \longrightarrow 00:32:19.782$ hygiene and the importance of

NOTE Confidence: 0.86034817

 $00:32:19.782 \longrightarrow 00:32:21.967$ turning off those screens in

NOTE Confidence: 0.87478036

 $00:32:21.970 \longrightarrow 00:32:24.226$ the evening in order to allow

NOTE Confidence: 0.87478036

 $00:32:24.226 \longrightarrow 00:32:26.548$ them a longer duration of sleep

NOTE Confidence: 0.87478036

 $00:32:26.548 \longrightarrow 00:32:28.762$ in order to maximize the benefit

NOTE Confidence: 0.87478036

 $00:32:28.762 \longrightarrow 00:32:31.388$ that they might get from like that.

NOTE Confidence: 0.87478036

 $00{:}32{:}31.390 \dashrightarrow 00{:}32{:}35.149$ As things stand now, we don't have.

NOTE Confidence: 0.87478036

 $00{:}32{:}35.150 \dashrightarrow 00{:}32{:}37.406$ Further, plans to roll this out,

NOTE Confidence: 0.87478036

 $00:32:37.410 \longrightarrow 00:32:38.730$ although we may,

 $00:32:38.730 \longrightarrow 00:32:41.810$ we may conduct another study in the

NOTE Confidence: 0.87478036

00:32:41.898 --> 00:32:44.946 future where we we try to focus more

NOTE Confidence: 0.87478036

 $00:32:44.946 \longrightarrow 00:32:47.737$ on sleep hygiene in addition to.

NOTE Confidence: 0.87478036

 $00:32:47.740 \longrightarrow 00:32:50.440$ How to measure that we introduce so

NOTE Confidence: 0.87478036

 $00:32:50.440 \longrightarrow 00:32:52.813$ that gives you a snapshot of the

NOTE Confidence: 0.87478036

00:32:52.813 --> 00:32:55.533 type of work that we do in aviation

NOTE Confidence: 0.87478036

 $00:32:55.533 \longrightarrow 00:32:58.184$ we have a variety of other studies

NOTE Confidence: 0.87478036

00:32:58.184 --> 00:33:00.084 happening on different topics

NOTE Confidence: 0.87478036

 $00{:}33{:}00.084 \dashrightarrow 00{:}33{:}03.316$ but leave leave you here for the

NOTE Confidence: 0.87478036

00:33:03.316 --> 00:33:06.410 aviation and I will switch gears and

NOTE Confidence: 0.87478036

 $00{:}33{:}06.508 \dashrightarrow 00{:}33{:}09.490$ talk about sleep a little higher.

NOTE Confidence: 0.87478036

 $00:33:09.490 \longrightarrow 00:33:11.896$ The outside the atmosphere so here

NOTE Confidence: 0.87478036

00:33:11.896 --> 00:33:14.925 will just begin to talk about are

NOTE Confidence: 0.87478036

00:33:14.925 --> 00:33:16.713 there differences between sleep

NOTE Confidence: 0.87478036

 $00:33:16.713 \longrightarrow 00:33:19.270$ on earth and sleep in space,

NOTE Confidence: 0.87478036

 $00:33:19.270 \longrightarrow 00:33:22.238$ and so just before I move on,

 $00:33:22.240 \longrightarrow 00:33:25.012$ I'll just say this is a picture

NOTE Confidence: 0.87478036

00:33:25.012 --> 00:33:27.845 of Senator John Glenn in the 1990s

NOTE Confidence: 0.87478036

 $00:33:27.845 \longrightarrow 00:33:30.734$ he returned to space on the space

NOTE Confidence: 0.87478036

 $00:33:30.734 \longrightarrow 00:33:34.510$ Shuttle in order to test the effect of

NOTE Confidence: 0.87478036

 $00:33:34.510 \longrightarrow 00:33:37.120$ spaceflight on the aging human body,

NOTE Confidence: 0.87478036

 $00:33:37.120 \longrightarrow 00:33:39.778$ and we've learned a whole lot.

NOTE Confidence: 0.87478036

 $00:33:39.780 \longrightarrow 00:33:41.930$ About how spaceflight effects the

NOTE Confidence: 0.87478036

00:33:41.930 --> 00:33:44.940 aging human body from this case study,

NOTE Confidence: 0.87478036

 $00{:}33{:}44.940 \dashrightarrow 00{:}33{:}47.090$ including on how space affects

NOTE Confidence: 0.87478036

 $00:33:47.090 \longrightarrow 00:33:49.240$ sleep in an older person.

NOTE Confidence: 0.87478036

 $00{:}33{:}49.240 \dashrightarrow 00{:}33{:}53.110$ I'm not going to talk about that right now,

NOTE Confidence: 0.87478036

 $00{:}33{:}53.110 \dashrightarrow 00{:}33{:}56.318$ but I will say you know that that

NOTE Confidence: 0.87478036

 $00:33:56.318 \longrightarrow 00:33:59.127$ is something that we're working on.

NOTE Confidence: 0.87478036

 $00:33:59.130 \longrightarrow 00:34:01.512$ We're actually going back and looking

NOTE Confidence: 0.87478036

 $00:34:01.512 \longrightarrow 00:34:04.720$ at the data from his neurolab mission,

00:34:04.720 --> 00:34:06.870 the PSG to, you know,

NOTE Confidence: 0.87478036

 $00:34:06.870 \longrightarrow 00:34:10.200$ sort of further assessed how.

NOTE Confidence: 0.87478036

00:34:10.200 --> 00:34:11.980 State this basically measurement

NOTE Confidence: 0.87478036

 $00:34:11.980 \longrightarrow 00:34:14.205$ affects sleep architecture in younger

NOTE Confidence: 0.87478036

00:34:14.205 --> 00:34:17.066 and older people, but we're very,

NOTE Confidence: 0.87478036

00:34:17.066 --> 00:34:19.676 very fortunate to have his

NOTE Confidence: 0.87478036

00:34:19.676 --> 00:34:21.789 participation in that study.

NOTE Confidence: 0.87478036

 $00:34:21.790 \longrightarrow 00:34:23.090$ So to begin with,

NOTE Confidence: 0.87478036

 $00{:}34{:}23.090 \to 00{:}34{:}25.909$ the study that I'm going to talk about,

NOTE Confidence: 0.87478036

 $00:34:25.910 \longrightarrow 00:34:26.299$ really,

NOTE Confidence: 0.87478036

00:34:26.299 --> 00:34:28.633 the motivation for this study came

NOTE Confidence: 0.87478036

 $00:34:28.633 \longrightarrow 00:34:31.108$ about because in all of the studies

NOTE Confidence: 0.87478036

00:34:31.108 --> 00:34:33.350 that have been done on sleep and

NOTE Confidence: 0.87478036

 $00:34:33.350 \longrightarrow 00:34:35.246$ space or all the studies that

NOTE Confidence: 0.87478036

 $00:34:35.246 \longrightarrow 00:34:37.568$ have been done up to the point

NOTE Confidence: 0.87478036

 $00:34:37.568 \longrightarrow 00:34:39.278$ where we started this study,

 $00:34:39.280 \longrightarrow 00:34:41.814$ it was pretty clear that sleep in

NOTE Confidence: 0.87478036

 $00{:}34{:}41.814 \dashrightarrow 00{:}34{:}44.429$ space is shorter than it is on Earth,

NOTE Confidence: 0.87478036

 $00:34:44.430 \longrightarrow 00:34:48.000$ certainly shorter than it should be.

NOTE Confidence: 0.87478036

 $00:34:48.000 \longrightarrow 00:34:50.604$ On Earth, and so you can see,

NOTE Confidence: 0.87478036

 $00:34:50.610 \longrightarrow 00:34:52.746$ no matter how you measure weather

NOTE Confidence: 0.87478036

 $00:34:52.746 \longrightarrow 00:34:55.089$ with EG or we sleep logs,

NOTE Confidence: 0.87478036

 $00:34:55.090 \longrightarrow 00:34:56.830$ the astronauts are getting.

NOTE Confidence: 0.87478036

 $00:34:56.830 \longrightarrow 00:34:59.971$ Less than 7 hours of sleep a

NOTE Confidence: 0.87478036

00:34:59.971 --> 00:35:02.186 night and were typically hovering

NOTE Confidence: 0.87478036

 $00:35:02.186 \longrightarrow 00:35:04.530$ around the six hour range,

NOTE Confidence: 0.87478036

 $00:35:04.530 \longrightarrow 00:35:06.990$ and so this is a concern,

NOTE Confidence: 0.87478036

00:35:06.990 --> 00:35:07.742 of course,

NOTE Confidence: 0.87478036

 $00{:}35{:}07.742 \dashrightarrow 00{:}35{:}09.998$ because when we talk about the

NOTE Confidence: 0.87478036

00:35:09.998 --> 00:35:12.708 need for astronauts to perform at,

NOTE Confidence: 0.87478036

 $00:35:12.710 \longrightarrow 00:35:15.132$ you know their peak all the time

 $00:35:15.132 \longrightarrow 00:35:17.659$ and we think about the potential

NOTE Confidence: 0.87478036

 $00{:}35{:}17.659 \dashrightarrow 00{:}35{:}20.479$ consequences of a mistake in space.

NOTE Confidence: 0.87478036

 $00:35:20.480 \longrightarrow 00:35:22.940$ You know this is quite concerning.

NOTE Confidence: 0.87478036

 $00:35:22.940 \longrightarrow 00:35:25.694$ We want to make sure that

NOTE Confidence: 0.87478036

 $00:35:25.694 \longrightarrow 00:35:27.530$ the astronauts have the.

NOTE Confidence: 0.87478036

 $00:35:27.530 \longrightarrow 00:35:30.842$ Rest that they need to be able to perform

NOTE Confidence: 0.87478036

 $00:35:30.842 \longrightarrow 00:35:33.900$ at the highest level all the time,

NOTE Confidence: 0.87478036

 $00:35:33.900 \longrightarrow 00:35:36.288$ and so in thinking about this.

NOTE Confidence: 0.87478036

 $00:35:36.290 \longrightarrow 00:35:37.882$ Of course we wondered.

NOTE Confidence: 0.87478036

 $00:35:37.882 \longrightarrow 00:35:38.280$ OK,

NOTE Confidence: 0.87478036

 $00:35:38.280 --> 00:35:38.662 \ well,$

NOTE Confidence: 0.87478036

00:35:38.662 --> 00:35:41.336 you know what are the causes for

NOTE Confidence: 0.87478036

 $00:35:41.336 \longrightarrow 00:35:42.650$ that short sleep,

NOTE Confidence: 0.87478036

 $00{:}35{:}42.650 \dashrightarrow 00{:}35{:}45.338$ and so the first thing that as

NOTE Confidence: 0.87478036

00:35:45.338 --> 00:35:46.967 the circadian physiologist and

NOTE Confidence: 0.87478036

 $00:35:46.967 \longrightarrow 00:35:48.987$ coming from working with checks

00:35:48.987 --> 00:35:50.603 Eisler and Laura Barger,

NOTE Confidence: 0.800316

 $00:35:50.610 \dashrightarrow 00:35:55.066$ who were my early mentors on this project?

NOTE Confidence: 0.800316

00:35:55.070 --> 00:35:57.114 You know, one potential issue is circadian

NOTE Confidence: 0.800316

 $00:35:57.114 \longrightarrow 00:35:58.658$ misalignment and so a few things.

NOTE Confidence: 0.800316

 $00:35:58.660 \longrightarrow 00:36:00.788$ There are a few things about many things

NOTE Confidence: 0.800316

 $00:36:00.788 \longrightarrow 00:36:03.070$ about space that are different than on Earth,

NOTE Confidence: 0.800316

 $00:36:03.070 \longrightarrow 00:36:05.360$ but one of the most notable is that the light

NOTE Confidence: 0.800316

 $00:36:05.412 \longrightarrow 00:36:08.134$ exposure pattern is different, and so on.

NOTE Confidence: 0.800316

 $00{:}36{:}08.134 \dashrightarrow 00{:}36{:}10.522$ Earth, you know the sun does.

NOTE Confidence: 0.800316

 $00{:}36{:}10.530 \dashrightarrow 00{:}36{:}13.050$ It does the work for us for entrainment.

NOTE Confidence: 0.800316

 $00:36:13.050 \longrightarrow 00:36:15.269$ If we stay awake during the day,

NOTE Confidence: 0.800316

 $00:36:15.270 \longrightarrow 00:36:16.546$ we sleep at night.

NOTE Confidence: 0.800316

 $00{:}36{:}16.546 \dashrightarrow 00{:}36{:}18.141$ We will generally staying trained

NOTE Confidence: 0.800316

00:36:18.141 --> 00:36:20.221 but in space the shuttle orbits the

NOTE Confidence: 0.800316

00:36:20.221 --> 00:36:22.220 Earth or the State Space Station.

 $00:36:22.220 \longrightarrow 00:36:24.320$ In this case orbits the Earth every

NOTE Confidence: 0.800316

 $00:36:24.320 \longrightarrow 00:36:26.328$ 45 minutes or every 90 minutes,

NOTE Confidence: 0.800316

 $00{:}36{:}26.330 \dashrightarrow 00{:}36{:}28.535$ and there's a 45 minute sunrise sunset.

NOTE Confidence: 0.800316

00:36:28.540 --> 00:36:30.759 And if you have Windows which the

NOTE Confidence: 0.800316

 $00:36:30.759 \longrightarrow 00:36:32.648$ space station and the shells do,

NOTE Confidence: 0.800316

 $00:36:32.650 \longrightarrow 00:36:35.476$ you can get exposed to light at the wrong

NOTE Confidence: 0.800316

 $00:36:35.476 \longrightarrow 00:36:38.330$ time or not have light at the right time.

NOTE Confidence: 0.800316

 $00:36:38.330 \longrightarrow 00:36:39.638$ But there's also schedule

NOTE Confidence: 0.800316

 $00{:}36{:}39.638 \dashrightarrow 00{:}36{:}40.619$ induced circadian misalignment.

NOTE Confidence: 0.800316

 $00:36:40.620 \longrightarrow 00:36:42.780$ So this is an active act watch output

NOTE Confidence: 0.800316

 $00{:}36{:}42.780 \dashrightarrow 00{:}36{:}44.559$ from a special mission and what

NOTE Confidence: 0.800316

 $00{:}36{:}44.559 \dashrightarrow 00{:}36{:}46.811$ you can see is that the schedule

NOTE Confidence: 0.800316

00:36:46.811 --> 00:36:48.906 shifts earlier every single day,

NOTE Confidence: 0.800316

 $00:36:48.910 \longrightarrow 00:36:51.150$ and that's a function of orbital dynamics.

NOTE Confidence: 0.800316

 $00:36:51.150 \longrightarrow 00:36:53.694$ So when we ran the space shuttle missions,

NOTE Confidence: 0.800316

 $00:36:53.700 \longrightarrow 00:36:56.171$ the shuttle would have to launch and

 $00:36:56.171 \longrightarrow 00:36:58.477$ land at particular windows of time and

NOTE Confidence: 0.800316

 $00:36:58.477 \longrightarrow 00:37:00.906$ they in order to orbit the Earth the

NOTE Confidence: 0.800316

 $00{:}37{:}00.906 \dashrightarrow 00{:}37{:}03.266$ correct number of times to be in the

NOTE Confidence: 0.800316

00:37:03.270 --> 00:37:05.178 right position for launch and landing.

NOTE Confidence: 0.800316

00:37:05.180 --> 00:37:07.094 The crew would have to adjust

NOTE Confidence: 0.800316

 $00:37:07.094 \longrightarrow 00:37:08.370$ their sleep every day,

NOTE Confidence: 0.800316

 $00:37:08.370 \longrightarrow 00:37:10.338$ and so we know that phase

NOTE Confidence: 0.800316

 $00:37:10.338 \longrightarrow 00:37:11.650$ advances are really hard.

NOTE Confidence: 0.800316

 $00{:}37{:}11.650 \dashrightarrow 00{:}37{:}13.516$ There were many phase advances on

NOTE Confidence: 0.800316

 $00:37:13.516 \dashrightarrow 00:37:15.514$ space Shuttle and then our Apollo

NOTE Confidence: 0.800316

 $00:37:15.514 \longrightarrow 00:37:17.259$ missions were really know better.

NOTE Confidence: 0.800316

 $00:37:17.260 \longrightarrow 00:37:19.752$ This is more a function of the

NOTE Confidence: 0.800316

 $00{:}37{:}19.752 \dashrightarrow 00{:}37{:}21.865$ workload on the astronauts sleep

NOTE Confidence: 0.800316

 $00{:}37{:}21.865 \dashrightarrow 00{:}37{:}24.763$ which shifted all over the place.

NOTE Confidence: 0.800316

 $00:37:24.770 \longrightarrow 00:37:26.756$ Apollo missions and so we know

 $00:37:26.756 \longrightarrow 00:37:29.229$ that we have lots of potential

NOTE Confidence: 0.800316

 $00:37:29.229 \longrightarrow 00:37:31.389$ causes for circadian misalignment.

NOTE Confidence: 0.800316

 $00:37:31.390 \longrightarrow 00:37:33.874$ We also know that the prior

NOTE Confidence: 0.800316

 $00:37:33.874 \longrightarrow 00:37:35.530$ samples were pretty small.

NOTE Confidence: 0.800316

 $00:37:35.530 \longrightarrow 00:37:38.020$ There were variable machine conditions there,

NOTE Confidence: 0.800316

 $00:37:38.020 \longrightarrow 00:37:38.848$ stressful workload,

NOTE Confidence: 0.800316

 $00:37:38.848 \longrightarrow 00:37:40.504$ and particularly on a

NOTE Confidence: 0.800316

 $00:37:40.504 \longrightarrow 00:37:42.160$ space mission like Mirror.

NOTE Confidence: 0.800316

 $00:37:42.160 \dashrightarrow 00:37:45.464$ There were a lot of near catastrophic events,

NOTE Confidence: 0.800316

 $00:37:45.470 \longrightarrow 00:37:46.958$ and so you know,

NOTE Confidence: 0.800316

 $00:37:46.958 \longrightarrow 00:37:50.440$ we really thought to ask the question here.

NOTE Confidence: 0.800316

 $00:37:50.440 \longrightarrow 00:37:53.338$ Why do astronauts sleep less in space?

NOTE Confidence: 0.800316

 $00:37:53.340 \longrightarrow 00:37:56.328$ And is that still continuing today?

NOTE Confidence: 0.800316

00:37:56.330 --> 00:38:00.290 Or was that just an artifact of history?

NOTE Confidence: 0.800316

 $00:38:00.290 \longrightarrow 00:38:03.615$ Is sleep duration longer on

NOTE Confidence: 0.800316

 $00:38:03.615 \longrightarrow 00:38:06.275$ long duration missions so?

 $00:38:06.280 \longrightarrow 00:38:07.380$ Is there a here Mike?

NOTE Confidence: 0.800316

 $00:38:07.380 \longrightarrow 00:38:08.913$ Is there a question or is that

NOTE Confidence: 0.800316

 $00:38:08.913 \longrightarrow 00:38:09.780$ just an open mic?

NOTE Confidence: 0.7940723

00:38:14.030 --> 00:38:17.920 Sounds like somebody has an open mic. So

NOTE Confidence: 0.84094226

 $00:38:17.920 \longrightarrow 00:38:21.448$ I'll continue and hopefully

NOTE Confidence: 0.84094226

 $00:38:21.448 \longrightarrow 00:38:25.858$ hopefully that'll be OK so.

NOTE Confidence: 0.84094226

 $00:38:25.860 \longrightarrow 00:38:27.450$ So for long duration missions,

NOTE Confidence: 0.84094226

 $00:38:27.450 \longrightarrow 00:38:28.714$ astronauts don't have quite

NOTE Confidence: 0.84094226

 $00:38:28.714 \longrightarrow 00:38:30.294$ the workload that they had.

NOTE Confidence: 0.84094226

 $00:38:30.300 \longrightarrow 00:38:31.576$ In short duration missions,

NOTE Confidence: 0.84094226

 $00{:}38{:}31.576 \dashrightarrow 00{:}38{:}33.847$ and so we wondered if maybe just

NOTE Confidence: 0.84094226

 $00{:}38{:}33.847 \dashrightarrow 00{:}38{:}35.587$ being in space for longer would

NOTE Confidence: 0.84094226

 $00{:}38{:}35.587 \dashrightarrow 00{:}38{:}37.511$ adapt them to the environment and

NOTE Confidence: 0.84094226

 $00:38:37.511 \longrightarrow 00:38:39.485$ allow them to get longer sleep.

NOTE Confidence: 0.84094226

00:38:39.490 --> 00:38:41.386 And then we wondered what countermeasures,

 $00:38:41.390 \longrightarrow 00:38:43.609$ if any, they're using to enhance sleep.

NOTE Confidence: 0.84094226

 $00{:}38{:}43.610 \to 00{:}38{:}45.200$ And if they're using countermeasures,

NOTE Confidence: 0.84094226

 $00:38:45.200 \longrightarrow 00:38:46.148$ are they effective.

NOTE Confidence: 0.84094226

 $00:38:46.148 \longrightarrow 00:38:46.780$ So again,

NOTE Confidence: 0.84094226

 $00:38:46.780 \longrightarrow 00:38:48.790$ just specific games we wanted to

NOTE Confidence: 0.84094226

 $00:38:48.790 \longrightarrow 00:38:51.219$ compare sleep duration for in space to Earth.

NOTE Confidence: 0.84094226

 $00:38:51.220 \dashrightarrow 00:38:53.002$ We wanted to compare sleep duration

NOTE Confidence: 0.84094226

 $00:38:53.002 \longrightarrow 00:38:55.620$ from in long and short duration missions.

NOTE Confidence: 0.84094226

 $00{:}38{:}55.620 \dashrightarrow 00{:}38{:}57.852$ Look at hypnotic specifically and then

NOTE Confidence: 0.84094226

 $00:38:57.852 \longrightarrow 00:39:00.810$ we wanted to assess the influence of

NOTE Confidence: 0.84094226

 $00:39:00.810 \dashrightarrow 00:39:03.140$ circadian misalignment on sleep outcomes.

NOTE Confidence: 0.84094226

 $00:39:03.140 \longrightarrow 00:39:05.648$ So we conducted two different studies,

NOTE Confidence: 0.84094226

 $00{:}39{:}05.650 \dashrightarrow 00{:}39{:}07.765$ one in short duration astronauts

NOTE Confidence: 0.84094226

 $00{:}39{:}07.765 \dashrightarrow 00{:}39{:}10.791$ flying on the space shuttle and went

NOTE Confidence: 0.84094226

 $00:39:10.791 \longrightarrow 00:39:13.287$ on long duration missions with crew

NOTE Confidence: 0.84094226

 $00:39:13.287 \longrightarrow 00:39:15.677$ members living on the space station.

 $00:39:15.680 \longrightarrow 00:39:17.770$ We collected data 90 days

NOTE Confidence: 0.84094226

 $00:39:17.770 \longrightarrow 00:39:19.024$ before they launched.

NOTE Confidence: 0.84094226

 $00:39:19.030 \longrightarrow 00:39:20.386$ For two weeks,

NOTE Confidence: 0.84094226

 $00:39:20.386 \longrightarrow 00:39:22.646$ they completed sleep logs where

NOTE Confidence: 0.84094226

 $00:39:22.646 \longrightarrow 00:39:24.857$ they indicated their bed and

NOTE Confidence: 0.84094226

 $00:39:24.857 \longrightarrow 00:39:26.897$ wake times and medication use.

NOTE Confidence: 0.84094226

 $00:39:26.900 \longrightarrow 00:39:29.336$ And we're an app to watch

NOTE Confidence: 0.84094226

 $00:39:29.336 \longrightarrow 00:39:31.480$ during this period of time,

NOTE Confidence: 0.84094226

 $00:39:31.480 \longrightarrow 00:39:34.280$ we collected data for the 11 days

NOTE Confidence: 0.84094226

 $00{:}39{:}34.280 \dashrightarrow 00{:}39{:}36.879$ prior to launch up until launch,

NOTE Confidence: 0.84094226

 $00:39:36.880 \longrightarrow 00:39:39.184$ and then throughout the mission and

NOTE Confidence: 0.84094226

 $00:39:39.184 \longrightarrow 00:39:41.688$ then seven days after they returned

NOTE Confidence: 0.84094226

 $00{:}39{:}41.688 \dashrightarrow 00{:}39{:}44.370$ and for the circadian phase estimation,

NOTE Confidence: 0.84094226

 $00:39:44.370 \longrightarrow 00:39:47.334$ we used by mathematical modeling by

NOTE Confidence: 0.84094226

 $00:39:47.334 \longrightarrow 00:39:50.338$ taking the actigraphy data and modeling

 $00:39:50.338 \longrightarrow 00:39:53.158$ circadian phase to assess periods of

NOTE Confidence: 0.84094226

 $00:39:53.158 \longrightarrow 00:39:56.580$ time when they'd be in and out of phase.

NOTE Confidence: 0.84094226

 $00:39:56.580 \longrightarrow 00:39:58.904$ But overall we had a very large

NOTE Confidence: 0.84094226

 $00:39:58.904 \longrightarrow 00:40:00.340$ participation in this study.

NOTE Confidence: 0.84094226

00:40:00.340 --> 00:40:02.410 So in our short duration mission,

NOTE Confidence: 0.84094226

 $00:40:02.410 \longrightarrow 00:40:04.993$ we had 60 for 64 crew members and in

NOTE Confidence: 0.84094226

00:40:04.993 --> 00:40:07.511 our long duration study we had 21

NOTE Confidence: 0.84094226

 $00:40:07.511 \longrightarrow 00:40:10.142$ crew members and you can see there's

NOTE Confidence: 0.84094226

00:40:10.142 --> 00:40:12.753 very large number of days in flight.

NOTE Confidence: 0.84094226

00:40:12.760 --> 00:40:14.878 And then of course notably the

NOTE Confidence: 0.84094226

 $00{:}40{:}14.878 \dashrightarrow 00{:}40{:}17.031$ difference here is that for short

NOTE Confidence: 0.84094226

00:40:17.031 --> 00:40:19.369 duration the crews were in space for

NOTE Confidence: 0.84094226

 $00:40:19.369 \longrightarrow 00:40:22.107$ just under 2 weeks on average and for

NOTE Confidence: 0.84094226

 $00{:}40{:}22.107 \dashrightarrow 00{:}40{:}24.478$ long duration they were in space for

NOTE Confidence: 0.84094226

 $00:40:24.478 \longrightarrow 00:40:26.910$ several months and average about 155 days.

NOTE Confidence: 0.84094226

 $00:40:26.910 \longrightarrow 00:40:28.410$ Importantly, NASA schedules astronauts

 $00:40:28.410 \longrightarrow 00:40:31.569$ for 8 1/2 hours time in bed every day.

NOTE Confidence: 0.84094226

 $00:40:31.570 \longrightarrow 00:40:34.130$ So the results that I'm going to show

NOTE Confidence: 0.84094226

00:40:34.130 --> 00:40:37.200 you are not simply an artifact of cruise.

NOTE Confidence: 0.84094226

 $00:40:37.200 \longrightarrow 00:40:39.545$ Choosing to sleep less, they have an

NOTE Confidence: 0.84094226

 $00:40:39.545 \longrightarrow 00:40:42.129$ allocated out of time specific for sleep.

NOTE Confidence: 0.84094226

 $00:40:42.130 \longrightarrow 00:40:43.890$ So this is sleep obtained.

NOTE Confidence: 0.84094226

 $00:40:43.890 \longrightarrow 00:40:46.010$ Given that timing back.

NOTE Confidence: 0.84094226

 $00:40:46.010 \longrightarrow 00:40:48.660$ So what we found was.

NOTE Confidence: 0.84094226

00:40:48.660 --> 00:40:51.992 Sleep duration is shorter

NOTE Confidence: 0.84094226

 $00:40:51.992 \longrightarrow 00:40:55.324$ in space relative to.

NOTE Confidence: 0.84094226

00:40:55.330 --> 00:40:56.798 Relative to an earth,

NOTE Confidence: 0.84094226

 $00:40:56.798 \longrightarrow 00:40:59.914$ and so this is in flight and you

NOTE Confidence: 0.84094226

 $00{:}40{:}59.914 \dashrightarrow 00{:}41{:}02.404$ can see compared to post flight

NOTE Confidence: 0.84094226

 $00:41:02.404 \longrightarrow 00:41:04.945$ it's shorter and this is also

NOTE Confidence: 0.84094226

 $00:41:04.945 \longrightarrow 00:41:07.387$ shorter compared to the pre flight

 $00:41:07.390 \longrightarrow 00:41:09.796$ and the 90 days before flight.

NOTE Confidence: 0.84094226

 $00:41:09.800 \longrightarrow 00:41:13.013$ Just and we didn't see any differences

NOTE Confidence: 0.84094226

00:41:13.013 --> 00:41:15.810 between short which is the light

NOTE Confidence: 0.84094226

 $00:41:15.810 \longrightarrow 00:41:18.035$ Gray and long duration missions.

NOTE Confidence: 0.84094226

 $00:41:18.040 \longrightarrow 00:41:20.212$ When we look at the counter

NOTE Confidence: 0.84094226

 $00:41:20.212 \longrightarrow 00:41:21.660$ measures that they use,

NOTE Confidence: 0.84094226

 $00:41:21.660 \longrightarrow 00:41:24.033$ we find that there's a high prevalence

NOTE Confidence: 0.84094226

 $00:41:24.033 \longrightarrow 00:41:26.368$ of hypnotic use in among astronauts,

NOTE Confidence: 0.84094226

 $00{:}41{:}26.370 \dashrightarrow 00{:}41{:}29.736$ and So what you can see here in this

NOTE Confidence: 0.84094226

 $00:41:29.736 \longrightarrow 00:41:32.877$ chart is if a box is shaded in Gray,

NOTE Confidence: 0.84094226

 $00{:}41{:}32.880 \dashrightarrow 00{:}41{:}35.064$ it means that on a particular

NOTE Confidence: 0.84094226

 $00:41:35.064 \longrightarrow 00:41:36.520$ night crew member didn't

NOTE Confidence: 0.81620944

 $00:41:36.590 \longrightarrow 00:41:39.054$ take any sleep medication if it shaded

NOTE Confidence: 0.81620944

00:41:39.054 --> 00:41:41.204 in blue, they took medication 11,

NOTE Confidence: 0.81620944

00:41:41.204 --> 00:41:42.287 hypnotic that night,

NOTE Confidence: 0.81620944

 $00:41:42.290 \longrightarrow 00:41:44.468$ and if it's shaded in red,

00:41:44.470 --> 00:41:46.636 they took two hypnotics that night,

NOTE Confidence: 0.81620944

 $00{:}41{:}46.640 \dashrightarrow 00{:}41{:}50.640$ and So what you can see here is.

NOTE Confidence: 0.81620944

00:41:50.640 --> 00:41:52.845 Each box represents a day in space.

NOTE Confidence: 0.81620944

 $00:41:52.850 \longrightarrow 00:41:55.370$ In each row represents a single crew member.

NOTE Confidence: 0.81620944

 $00:41:55.370 \longrightarrow 00:41:58.520$ So for example, if we just look at the top,

NOTE Confidence: 0.81620944

 $00:41:58.520 \longrightarrow 00:42:01.290$ there are two blue boxes at the tops of this

NOTE Confidence: 0.81620944

 $00:42:01.355 \longrightarrow 00:42:04.187$ person only provided us with two data points.

NOTE Confidence: 0.81620944

00:42:04.190 --> 00:42:07.293 But this is 1 crew member and for both of the

NOTE Confidence: 0.81620944

00:42:07.293 --> 00:42:09.855 days that they completed the sleep diary,

NOTE Confidence: 0.81620944

 $00:42:09.860 \longrightarrow 00:42:11.430$ this person used a hypnotic.

NOTE Confidence: 0.81620944

 $00:42:11.430 \longrightarrow 00:42:13.950$ So you don't have to look at every

NOTE Confidence: 0.81620944

 $00:42:13.950 \longrightarrow 00:42:15.788$ single row, just the general pattern.

NOTE Confidence: 0.81620944

 $00{:}42{:}15.788 \dashrightarrow 00{:}42{:}18.363$ You can see that there is a wide spread

NOTE Confidence: 0.81620944

 $00:42:18.363 \longrightarrow 00:42:20.806$ use of hypnotics with some crew members.

NOTE Confidence: 0.81620944

 $00:42:20.810 \longrightarrow 00:42:23.519$ Serve habitually using more than one dose

 $00:42:23.519 \longrightarrow 00:42:26.198$ of hypnotic every single night in space.

NOTE Confidence: 0.81620944

 $00:42:26.200 \longrightarrow 00:42:28.895$ So overall, we found that 78% of

NOTE Confidence: 0.81620944

00:42:28.895 --> 00:42:31.205 participants used hypnotics at least once,

NOTE Confidence: 0.81620944

 $00:42:31.210 \longrightarrow 00:42:34.070$ and they were using them 52% of

NOTE Confidence: 0.81620944

 $00:42:34.070 \longrightarrow 00:42:37.370$ all nights in space and then.

NOTE Confidence: 0.81620944

 $00:42:37.370 \longrightarrow 00:42:40.337$ Creates more than windows on 18% next.

NOTE Confidence: 0.81620944

00:42:40.337 --> 00:42:43.085 However, hypnotics don't really

NOTE Confidence: 0.81620944

 $00:42:43.085 \longrightarrow 00:42:46.520$ seem to provide a very.

NOTE Confidence: 0.81620944

 $00:42:46.520 \longrightarrow 00:42:47.244$ Positive impact,

NOTE Confidence: 0.81620944

 $00:42:47.244 \longrightarrow 00:42:50.140$ so sleep latency is shortened by about 10

NOTE Confidence: 0.81620944

 $00{:}42{:}50.206 \rightarrow 00{:}42{:}52.902$ minutes and we think that this is probably

NOTE Confidence: 0.81620944

00:42:52.902 --> 00:42:55.080 driving the continued hypnotic use.

NOTE Confidence: 0.81620944

 $00:42:55.080 \longrightarrow 00:42:57.632$ They fall asleep faster and as a result

NOTE Confidence: 0.81620944

00:42:57.632 --> 00:42:59.910 they keep using sleep medications,

NOTE Confidence: 0.81620944

 $00:42:59.910 \longrightarrow 00:43:01.770$ but we don't see differences

NOTE Confidence: 0.81620944

 $00:43:01.770 \longrightarrow 00:43:03.280$ in sleep duration, alertness,

 $00:43:03.280 \longrightarrow 00:43:04.060$ sleep efficiency,

NOTE Confidence: 0.81620944

00:43:04.060 --> 00:43:04.450 quality,

NOTE Confidence: 0.81620944

 $00:43:04.450 \longrightarrow 00:43:07.174$ or any of the other outcome measures

NOTE Confidence: 0.81620944

 $00{:}43{:}07.174 \dashrightarrow 00{:}43{:}08.470$ that we looked at.

NOTE Confidence: 0.8404867

 $00:43:11.150 \longrightarrow 00:43:12.730$ Now switching gears to

NOTE Confidence: 0.8404867

 $00:43:12.730 \longrightarrow 00:43:13.520$ circadian misalignment.

NOTE Confidence: 0.8404867

 $00:43:13.520 \longrightarrow 00:43:16.544$ So we took all of our long duration

NOTE Confidence: 0.8404867

 $00:43:16.544 \longrightarrow 00:43:19.660$ data from the 21 crew members who were

NOTE Confidence: 0.8404867

 $00:43:19.660 \longrightarrow 00:43:22.610$ in space for 155 days on average,

NOTE Confidence: 0.8404867

 $00:43:22.610 \longrightarrow 00:43:25.074$ and we applied that by a mathematical

NOTE Confidence: 0.8404867

 $00:43:25.074 \longrightarrow 00:43:27.110$ model to assess circadian phase

NOTE Confidence: 0.8404867

 $00:43:27.110 \longrightarrow 00:43:28.926$ from the actigraphy data,

NOTE Confidence: 0.8404867

 $00{:}43{:}28.930 \dashrightarrow 00{:}43{:}32.476$ and what you can see here is these are.

NOTE Confidence: 0.8404867

 $00:43:32.480 \longrightarrow 00:43:34.850$ So each row represents a day.

NOTE Confidence: 0.8404867

 $00:43:34.850 \longrightarrow 00:43:36.940$ Again, here in this roster

 $00:43:36.940 \longrightarrow 00:43:39.460$ plot and Gray is sleep and.

NOTE Confidence: 0.8404867

 $00{:}43{:}39.460 \dashrightarrow 00{:}43{:}42.124$ What you can see is firstly there is a

NOTE Confidence: 0.8404867

 $00:43:42.124 \longrightarrow 00:43:44.815$ lot of change in their sleep pattern.

NOTE Confidence: 0.8404867

 $00:43:44.820 \longrightarrow 00:43:47.500$ This is 1 crew member another and another,

NOTE Confidence: 0.8404867

 $00:43:47.500 \longrightarrow 00:43:50.180$ and so you can see this crew member.

NOTE Confidence: 0.8404867

00:43:50.180 --> 00:43:52.860 These are not the same time in space,

NOTE Confidence: 0.8404867

 $00:43:52.860 \longrightarrow 00:43:55.065$ so they all the crew sleep actually

NOTE Confidence: 0.8404867

 $00:43:55.065 \longrightarrow 00:43:57.220$ at the same time every night.

NOTE Confidence: 0.8404867

 $00:43:57.220 \longrightarrow 00:43:59.524$ But we can see here is that there

NOTE Confidence: 0.8404867

 $00:43:59.524 \longrightarrow 00:44:01.323$ are sleep is really changing

NOTE Confidence: 0.8404867

 $00:44:01.323 \longrightarrow 00:44:03.248$ in terms of scheduled time.

NOTE Confidence: 0.8404867

 $00:44:03.250 \longrightarrow 00:44:04.950$ So here where sleeps shifts

NOTE Confidence: 0.8404867

 $00:44:04.950 \longrightarrow 00:44:07.269$ way out and then comes back in.

NOTE Confidence: 0.8404867

 $00:44:07.270 \longrightarrow 00:44:09.180$ This is probably a situation

NOTE Confidence: 0.8404867

 $00:44:09.180 \longrightarrow 00:44:11.310$ where a Soyuz vehicle or a.

NOTE Confidence: 0.8404867

00:44:11.310 --> 00:44:13.235 Resupply vessel arrived at the

 $00:44:13.235 \longrightarrow 00:44:15.787$ space station and the crew had to

NOTE Confidence: 0.8404867

 $00:44:15.787 \longrightarrow 00:44:17.726$ shift their sleep to be able to

NOTE Confidence: 0.8404867

 $00:44:17.726 \longrightarrow 00:44:19.999$ be awake when the vehicle arrived

NOTE Confidence: 0.8404867

 $00:44:19.999 \longrightarrow 00:44:22.638$ and then they shifted back to GMT

NOTE Confidence: 0.8404867

 $00:44:22.638 \longrightarrow 00:44:24.408$ stable time after vehicle left.

NOTE Confidence: 0.8404867

 $00:44:24.410 \longrightarrow 00:44:26.498$ The little white dots are the

NOTE Confidence: 0.8404867

 $00:44:26.498 \longrightarrow 00:44:28.304$ estimates for core body temperature

NOTE Confidence: 0.8404867

 $00:44:28.304 \longrightarrow 00:44:31.040$ minimum and what you can see is when

NOTE Confidence: 0.8404867

 $00:44:31.040 \longrightarrow 00:44:33.237$ the little white dot is outside

NOTE Confidence: 0.8404867

 $00:44:33.237 \longrightarrow 00:44:34.669$ of the sleep episode.

NOTE Confidence: 0.8404867

 $00:44:34.670 \longrightarrow 00:44:37.239$ We would consider them to be circadian

NOTE Confidence: 0.8404867

00:44:37.239 --> 00:44:39.324 misaligned and you can see many

NOTE Confidence: 0.8404867

 $00:44:39.324 \longrightarrow 00:44:41.460$ places where crew circuiting this line.

NOTE Confidence: 0.8404867

00:44:41.460 --> 00:44:43.920 And did someone have a question?

NOTE Confidence: 0.86529213

 $00:44:47.040 \longrightarrow 00:44:51.244$ Maybe not. So when we look at the

 $00:44:51.244 \longrightarrow 00:44:53.720$ consequences of the circadian misalignment.

NOTE Confidence: 0.86529213

 $00:44:53.720 \longrightarrow 00:44:55.310$ Again, there are misaligned one

NOTE Confidence: 0.86529213

 $00:44:55.310 \longrightarrow 00:44:57.500$ out of every five days in space.

NOTE Confidence: 0.86529213

00:44:57.500 --> 00:44:59.705 It looks like it's mostly schedule driven,

NOTE Confidence: 0.86529213

 $00:44:59.710 \longrightarrow 00:45:01.878$ but we find that it has huge consequences

NOTE Confidence: 0.86529213

00:45:01.878 --> 00:45:04.660 and so they lose about an hour sleep when

NOTE Confidence: 0.86529213

 $00:45:04.660 \longrightarrow 00:45:06.702$ they're sleeping out of circadian phase

NOTE Confidence: 0.86529213

 $00:45:06.702 \longrightarrow 00:45:09.152$ compared to when they're sleeping in phase.

NOTE Confidence: 0.86529213

 $00{:}45{:}09.160 \dashrightarrow 00{:}45{:}11.608$ And when we compare this to the effective

NOTE Confidence: 0.86529213

 $00:45:11.608 \longrightarrow 00:45:14.046$ hypnotics where we didn't really see a big

NOTE Confidence: 0.86529213

 $00:45:14.046 \longrightarrow 00:45:16.090$ difference or improvement in sleep duration,

NOTE Confidence: 0.86529213

 $00:45:16.090 \longrightarrow 00:45:18.120$ one of the things that we're taking

NOTE Confidence: 0.86529213

 $00:45:18.120 \longrightarrow 00:45:19.732$ forward is just by maintaining

NOTE Confidence: 0.86529213

 $00:45:19.732 \longrightarrow 00:45:21.437$ them on a regular schedule.

NOTE Confidence: 0.86529213

 $00:45:21.440 \longrightarrow 00:45:23.015$ We can probably increase their

NOTE Confidence: 0.86529213

00:45:23.015 --> 00:45:24.700 sleep duration, too, you know.

 $00:45:24.700 \longrightarrow 00:45:26.450$ Little more than six hours.

NOTE Confidence: 0.86529213

 $00:45:26.450 \longrightarrow 00:45:27.794$ Probably not a lot,

NOTE Confidence: 0.86529213

 $00:45:27.794 \longrightarrow 00:45:29.810$ but at least a little bit

NOTE Confidence: 0.86529213

 $00:45:29.886 \longrightarrow 00:45:31.378$ more than six hours,

NOTE Confidence: 0.86529213

 $00:45:31.380 \longrightarrow 00:45:33.816$ so this was really important in thinking

NOTE Confidence: 0.86529213

 $00:45:33.816 \longrightarrow 00:45:36.914$ about how we might build schedules going

NOTE Confidence: 0.86529213

 $00:45:36.914 \longrightarrow 00:45:39.394$ forward from an operational perspective.

NOTE Confidence: 0.86529213

 $00:45:39.400 \longrightarrow 00:45:41.927$ When we look at a sleep medication

NOTE Confidence: 0.86529213

00:45:41.927 --> 00:45:44.030 use during nights when they

NOTE Confidence: 0.86529213

00:45:44.030 --> 00:45:45.926 were aligned versus misaligned,

NOTE Confidence: 0.86529213

 $00{:}45{:}45.930 \dashrightarrow 00{:}45{:}49.350$ we find that they not only took more hypnotic

NOTE Confidence: 0.86529213

 $00:45:49.350 \longrightarrow 00:45:52.046$ medication nights when they were misaligned,

NOTE Confidence: 0.86529213

 $00{:}45{:}52.050 \dashrightarrow 00{:}45{:}55.306$ but they also took more of any medication.

NOTE Confidence: 0.86529213

 $00{:}45{:}55.310 \dashrightarrow 00{:}45{:}58.985$ So I think this really illustrates the.

NOTE Confidence: 0.86529213

 $00:45:58.990 \longrightarrow 00:46:00.880$ Impact of circadian misalignment on just

00:46:00.880 --> 00:46:03.195 you know your well being and probably

NOTE Confidence: 0.86529213

 $00{:}46{:}03.195 \dashrightarrow 00{:}46{:}05.181$ translates to shift workers as well

NOTE Confidence: 0.86529213

 $00{:}46{:}05.181 \dashrightarrow 00{:}46{:}07.339$ because when we are circadian misaligned.

NOTE Confidence: 0.86529213

00:46:07.340 --> 00:46:09.678 When we're working against our body Clock,

NOTE Confidence: 0.86529213

 $00:46:09.680 \longrightarrow 00:46:11.678$ you know there are caps Gator,

NOTE Confidence: 0.86529213

 $00:46:11.680 \longrightarrow 00:46:13.696$ but other symptoms from other causes

NOTE Confidence: 0.86529213

 $00{:}46{:}13.696 \dashrightarrow 00{:}46{:}16.371$ that can you know cause us to reach

NOTE Confidence: 0.86529213

 $00{:}46{:}16.371 \dashrightarrow 00{:}46{:}18.675$ for medication as a solution that it

NOTE Confidence: 0.86529213

00:46:18.675 --> 00:46:20.691 certainly was happening on the space

NOTE Confidence: 0.86529213

 $00:46:20.691 \longrightarrow 00:46:23.536$ station and we think that the prevalence

NOTE Confidence: 0.86529213

 $00{:}46{:}23.536 \dashrightarrow 00{:}46{:}26.290$ of sleep medication is higher here.

NOTE Confidence: 0.86529213

 $00:46:26.290 \longrightarrow 00:46:27.120$ Misaligned nights,

NOTE Confidence: 0.86529213

 $00:46:27.120 \longrightarrow 00:46:29.610$ because when they are misaligned we

NOTE Confidence: 0.86529213

00:46:29.610 --> 00:46:31.725 suspected they had more difficulty

NOTE Confidence: 0.86529213

 $00:46:31.725 \longrightarrow 00:46:33.755$ falling asleep and staying asleep,

NOTE Confidence: 0.86529213

 $00:46:33.760 \longrightarrow 00:46:37.024$ which led to them reaching for

 $00:46:37.024 \longrightarrow 00:46:38.656$ hypnotic to help.

NOTE Confidence: 0.86529213

 $00:46:38.660 \longrightarrow 00:46:39.880$ So overall,

NOTE Confidence: 0.86529213

00:46:39.880 --> 00:46:44.150 from the this actigraphy study we find

NOTE Confidence: 0.86529213

 $00:46:44.150 \longrightarrow 00:46:49.304$ that sleep duration is shorter in space that.

NOTE Confidence: 0.86529213

 $00:46:49.310 \longrightarrow 00:46:51.098$ Hypnotics are particularly effective

NOTE Confidence: 0.86529213

00:46:51.098 --> 00:46:52.886 for increasing sleep duration.

NOTE Confidence: 0.86529213

00:46:52.890 --> 00:46:56.026 They do increase or reduce sleep latency.

NOTE Confidence: 0.86529213

 $00:46:56.030 \longrightarrow 00:46:57.374$ Circadian misalignment is

NOTE Confidence: 0.86529213

 $00:46:57.374 \longrightarrow 00:46:59.827$ happening about 20% of the time,

NOTE Confidence: 0.86529213

 $00{:}46{:}59.827 \dashrightarrow 00{:}47{:}02.956$ and it seems to be more schedule driven

NOTE Confidence: 0.86529213

 $00{:}47{:}02.956 \dashrightarrow 00{:}47{:}05.710$ than related to light dark patterns

NOTE Confidence: 0.86529213

 $00{:}47{:}05.710 \dashrightarrow 00{:}47{:}09.967$ right now and use of all medication is

NOTE Confidence: 0.86529213

 $00{:}47{:}09.967 \dashrightarrow 00{:}47{:}12.757$ increased during circadian misalignment so.

NOTE Confidence: 0.86529213

00:47:12.760 --> 00:47:14.578 So I just I realized we're

NOTE Confidence: 0.86529213

 $00:47:14.578 \longrightarrow 00:47:16.499$ coming up to the end here,

00:47:16.500 --> 00:47:18.924 but I wanted to just tell you a

NOTE Confidence: 0.86529213

 $00:47:18.924 \longrightarrow 00:47:20.850$ little bit more about what the

NOTE Confidence: 0.86529213

 $00:47:20.850 \longrightarrow 00:47:23.369$ type of work that we do at NASA,

NOTE Confidence: 0.86529213

 $00:47:23.370 \longrightarrow 00:47:25.344$ and so I'm not going to go

NOTE Confidence: 0.86529213

 $00:47:25.344 \longrightarrow 00:47:26.800$ deep into these studies,

NOTE Confidence: 0.86529213

 $00:47:26.800 \longrightarrow 00:47:28.546$ but I just wanted to show

NOTE Confidence: 0.86529213

 $00:47:28.546 \longrightarrow 00:47:30.230$ you two really cool things.

NOTE Confidence: 0.86529213

 $00:47:30.230 \longrightarrow 00:47:30.854$ So firstly,

NOTE Confidence: 0.86529213

 $00{:}47{:}30.854 --> 00{:}47{:}32.414$ we do fix space missions,

NOTE Confidence: 0.86529213

 $00:47:32.420 \longrightarrow 00:47:34.850$ so we have this analog called

NOTE Confidence: 0.86529213

 $00{:}47{:}34.850 \dashrightarrow 00{:}47{:}36.470$ the human exploration research

NOTE Confidence: 0.86529213

00:47:36.541 --> 00:47:38.766 analog where we're preparing for.

NOTE Confidence: 0.86529213

00:47:38.770 --> 00:47:41.388 Lunar mission, so our goal right now,

NOTE Confidence: 0.86529213

 $00:47:41.390 \longrightarrow 00:47:44.374$ or at least as of the last administration,

NOTE Confidence: 0.86529213

 $00:47:44.380 \longrightarrow 00:47:47.364$ was to go to the Moon by 2024,

NOTE Confidence: 0.86529213

 $00{:}47{:}47.370 \dashrightarrow 00{:}47{:}49.240$ and so we're doing missions

 $00:47:49.240 \longrightarrow 00:47:50.736$ with four crew members,

NOTE Confidence: 0.86529213

 $00{:}47{:}50.740 \longrightarrow 00{:}47{:}52.978$ and we keep them in isolation.

NOTE Confidence: 0.86529213

00:47:52.980 --> 00:47:54.102 In this habitat,

NOTE Confidence: 0.86529213

 $00:47:54.102 \longrightarrow 00:47:56.346$ we have a fake Mission Control,

NOTE Confidence: 0.86529213

 $00:47:56.350 \longrightarrow 00:47:58.144$ and this allows us to study

NOTE Confidence: 0.86529213

 $00:47:58.144 \longrightarrow 00:47:59.340$ them and study their

NOTE Confidence: 0.8471225

 $00:47:59.402 \longrightarrow 00:48:01.487$ team interaction and their response

NOTE Confidence: 0.8471225

 $00:48:01.487 \longrightarrow 00:48:03.155$ to stressors like isolation

NOTE Confidence: 0.8471225

 $00:48:03.155 \longrightarrow 00:48:05.318$ and confinement and sleep loss.

NOTE Confidence: 0.8471225

 $00:48:05.320 \longrightarrow 00:48:06.840$ And for this particular

NOTE Confidence: 0.8471225

 $00:48:06.840 \longrightarrow 00:48:08.740$ study we were interested in.

NOTE Confidence: 0.8471225

 $00:48:08.740 \longrightarrow 00:48:10.140$ Also, assessing the influence of

NOTE Confidence: 0.8471225

 $00{:}48{:}10.140 \dashrightarrow 00{:}48{:}11.540$ bio mathematical models and how

NOTE Confidence: 0.8471225

 $00{:}48{:}11.587 \dashrightarrow 00{:}48{:}13.219$ well they are able to predict

NOTE Confidence: 0.8471225

 $00:48:13.219 \longrightarrow 00:48:14.035$ alertness and performance.

00:48:14.040 --> 00:48:16.542 And so again, I'm not going into depth here,

NOTE Confidence: 0.8471225

 $00:48:16.550 \longrightarrow 00:48:18.646$ but this is an example of a study

NOTE Confidence: 0.8471225

 $00:48:18.646 \longrightarrow 00:48:20.458$ that we did in the habitat.

NOTE Confidence: 0.8471225

 $00:48:20.460 \longrightarrow 00:48:22.684$ It was just published a few months ago.

NOTE Confidence: 0.8471225

 $00:48:22.690 \longrightarrow 00:48:23.545$ If you're interested,

NOTE Confidence: 0.8471225

 $00{:}48{:}23.545 \longrightarrow 00{:}48{:}25.760$ you can certainly have a look at it,

NOTE Confidence: 0.8471225

 $00:48:25.760 \longrightarrow 00:48:27.984$ but we studied for cruise over 5 missions.

NOTE Confidence: 0.8471225

00:48:27.990 --> 00:48:29.724 They were restricted to five hours

NOTE Confidence: 0.8471225

 $00{:}48{:}29.724 \dashrightarrow 00{:}48{:}31.697$ of sleep per night during the week

NOTE Confidence: 0.8471225

 $00:48:31.697 \longrightarrow 00:48:33.454$ and they were given 8 hours of

NOTE Confidence: 0.8471225

 $00{:}48{:}33.515 \dashrightarrow 00{:}48{:}35.219$ sleep on weekends and they stayed

NOTE Confidence: 0.8471225

 $00:48:35.219 \longrightarrow 00:48:36.920$ in the habitat for 45 days,

NOTE Confidence: 0.8471225

 $00:48:36.920 \longrightarrow 00:48:39.569$ so we wanted to make this similar to what

NOTE Confidence: 0.8471225

00:48:39.569 --> 00:48:41.963 a future lunar mission might look like.

NOTE Confidence: 0.8471225

00:48:41.970 --> 00:48:43.760 And each triangle here represents

NOTE Confidence: 0.8471225

 $00:48:43.760 \longrightarrow 00:48:46.621$ a time when we had them take a

00:48:46.621 --> 00:48:48.938 reaction time test and a stamp rally

NOTE Confidence: 0.8471225

 $00{:}48{:}49.010 \dashrightarrow 00{:}48{:}51.150$ fatigue rating through the day.

NOTE Confidence: 0.8471225

00:48:51.150 --> 00:48:53.790 And So what we found just in terms

NOTE Confidence: 0.8471225

 $00{:}48{:}53.790 \dashrightarrow 00{:}48{:}55.712$ of performance was that average

NOTE Confidence: 0.8471225

 $00{:}48{:}55.712 \dashrightarrow 00{:}48{:}57.697$ performance didn't change a whole

NOTE Confidence: 0.8471225

 $00:48:57.697 \longrightarrow 00:49:00.317$ lot over the course of the mission.

NOTE Confidence: 0.8471225

 $00:49:00.320 \longrightarrow 00:49:02.721$ But we saw pretty broad Inter individual

NOTE Confidence: 0.8471225

00:49:02.721 --> 00:49:04.601 differences with some people being

NOTE Confidence: 0.8471225

 $00{:}49{:}04.601 \dashrightarrow 00{:}49{:}06.185$ high performers and resilient.

NOTE Confidence: 0.8471225

 $00:49:06.190 \longrightarrow 00:49:08.220$ Despite this pretty extreme sleep

NOTE Confidence: 0.8471225

00:49:08.220 --> 00:49:10.666 loss and some really being sort

NOTE Confidence: 0.8471225

 $00:49:10.666 \longrightarrow 00:49:12.700$ of affected very much by this.

NOTE Confidence: 0.8471225

 $00:49:12.700 \longrightarrow 00:49:14.560$ Habitat and this sleep restriction.

NOTE Confidence: 0.8471225

00:49:14.560 --> 00:49:15.248 So again,

NOTE Confidence: 0.8471225

00:49:15.248 --> 00:49:16.968 we're taking this information for

 $00:49:16.968 \longrightarrow 00:49:19.672$ we also I'm not going into the

NOTE Confidence: 0.8471225

00:49:19.672 --> 00:49:20.878 bio mathematical modeling,

NOTE Confidence: 0.8471225

 $00:49:20.880 \longrightarrow 00:49:23.877$ but we did learn a lot about how about

NOTE Confidence: 0.8471225

00:49:23.877 --> 00:49:26.319 mathematical models can be used to

NOTE Confidence: 0.8471225

00:49:26.319 --> 00:49:27.947 predict alertness and performance,

NOTE Confidence: 0.8471225

 $00:49:27.950 \longrightarrow 00:49:30.456$ and then the last thing that I

NOTE Confidence: 0.8471225

 $00:49:30.456 \longrightarrow 00:49:33.131$ wanted to show you is just what

NOTE Confidence: 0.8471225

 $00:49:33.131 \longrightarrow 00:49:34.643$ we're doing for Mars.

NOTE Confidence: 0.8471225

 $00{:}49{:}34.650 \dashrightarrow 00{:}49{:}36.882$ So the cool thing about Mars

NOTE Confidence: 0.8471225

 $00:49:36.882 \longrightarrow 00:49:38.370$ is that it rotates.

NOTE Confidence: 0.847008

 $00:49:40.500 \longrightarrow 00:49:42.810$ The rotation is 24 hours 39 minutes,

NOTE Confidence: 0.847008

 $00:49:42.810 \longrightarrow 00:49:44.790$ so it's incredibly close to Earth.

NOTE Confidence: 0.847008

 $00:49:44.790 \longrightarrow 00:49:47.093$ None of the other planets are anywhere

NOTE Confidence: 0.847008

 $00:49:47.093 \longrightarrow 00:49:49.079$ near the ballpark of our rotation,

NOTE Confidence: 0.847008

 $00:49:49.080 \longrightarrow 00:49:50.400$ so it's really close,

NOTE Confidence: 0.847008

 $00:49:50.400 \longrightarrow 00:49:52.380$ but as you know, probably from

00:49:52.380 --> 00:49:53.700 reading forced desynchrony studies,

NOTE Confidence: 0.847008

 $00{:}49{:}53.700 \dashrightarrow 00{:}49{:}56.196$ it could be just long enough that it's

NOTE Confidence: 0.847008

00:49:56.196 --> 00:49:58.646 a problem for some people to entrain,

NOTE Confidence: 0.847008

 $00:49:58.650 \longrightarrow 00:50:00.390$ and when we send row.

NOTE Confidence: 0.847008

 $00:50:00.390 \longrightarrow 00:50:02.436$ 1st to Mars. This is curiosity.

NOTE Confidence: 0.847008

 $00:50:02.440 \longrightarrow 00:50:03.940$ The scientists and engineers

NOTE Confidence: 0.847008

 $00:50:03.940 \longrightarrow 00:50:06.190$ who work to control those Rovers

NOTE Confidence: 0.847008

00:50:06.259 --> 00:50:08.226 will live and work on Mars time.

NOTE Confidence: 0.847008

00:50:08.230 --> 00:50:10.276 They'll live on a 24 hour,

NOTE Confidence: 0.847008

00:50:10.280 --> 00:50:11.980 39 minute day everyday and

NOTE Confidence: 0.847008

 $00:50:11.980 \longrightarrow 00:50:14.030$ shift a bit later every day,

NOTE Confidence: 0.847008

 $00:50:14.030 \dashrightarrow 00:50:17.130$ and so we can study them to see how well

NOTE Confidence: 0.847008

 $00{:}50{:}17.217 \dashrightarrow 00{:}50{:}20.169$ people are able to shift to Mars time.

NOTE Confidence: 0.847008

 $00:50:20.170 \longrightarrow 00:50:22.444$ And we can also introduce countermeasures

NOTE Confidence: 0.847008

 $00:50:22.444 \longrightarrow 00:50:25.123$ to see if we can adapt them to

 $00:50:25.123 \longrightarrow 00:50:27.330$ live in on a Mars day length.

NOTE Confidence: 0.847008

 $00{:}50{:}27.330 \dashrightarrow 00{:}50{:}29.118$ And so we took the opportunity

NOTE Confidence: 0.847008

00:50:29.118 --> 00:50:31.221 to do that during actually the

NOTE Confidence: 0.847008

00:50:31.221 --> 00:50:32.917 Phoenix Mars Lander project.

NOTE Confidence: 0.847008

 $00:50:32.920 \longrightarrow 00:50:35.928$ And this is a one of the engineers,

NOTE Confidence: 0.847008

 $00:50:35.930 \longrightarrow 00:50:38.233$ and we use blue light boxes at

NOTE Confidence: 0.847008

 $00:50:38.233 \longrightarrow 00:50:39.974$ their workstations and we assess

NOTE Confidence: 0.847008

 $00{:}50{:}39.974 \dashrightarrow 00{:}50{:}42.026$ their circadian phase and had the

NOTE Confidence: 0.847008

 $00{:}50{:}42.026 \dashrightarrow 00{:}50{:}43.749$ more active watches throughout

NOTE Confidence: 0.847008

 $00:50:43.749 \longrightarrow 00:50:45.697$ the entire mission duration.

NOTE Confidence: 0.847008

 $00:50:45.700 \longrightarrow 00:50:48.436$ And we found that in fact they did

NOTE Confidence: 0.847008

00:50:48.436 --> 00:50:51.720 out of the 20 people that we studied,

NOTE Confidence: 0.847008

00:50:51.720 --> 00:50:54.304 all but one were able to adjust to

NOTE Confidence: 0.847008

 $00:50:54.304 \longrightarrow 00:50:57.653$ this March time and so we think that

NOTE Confidence: 0.847008

 $00:50:57.653 \longrightarrow 00:50:59.405$ with appropriate countermeasures we

NOTE Confidence: 0.847008

 $00:50:59.479 \longrightarrow 00:51:01.943$ will be able to help the astronauts

 $00:51:01.943 \longrightarrow 00:51:05.750$ adapt when we do eventually go to Mars.

NOTE Confidence: 0.847008

00:51:05.750 --> 00:51:06.562 So finally,

NOTE Confidence: 0.847008

00:51:06.562 --> 00:51:07.780 just to summarize,

NOTE Confidence: 0.847008

00:51:07.780 --> 00:51:09.810 with this sleeping space part,

NOTE Confidence: 0.847008

 $00:51:09.810 \longrightarrow 00:51:11.840$ we have more to do.

NOTE Confidence: 0.847008

 $00:51:11.840 \longrightarrow 00:51:13.448$ We're assessing sleep architecture.

NOTE Confidence: 0.847008

00:51:13.448 --> 00:51:15.860 I've been working hard to resurrect

NOTE Confidence: 0.847008

 $00:51:15.917 \longrightarrow 00:51:16.709$ archival data.

NOTE Confidence: 0.847008

00:51:16.710 --> 00:51:19.470 We have a paper under review right now

NOTE Confidence: 0.847008

 $00:51:19.470 \longrightarrow 00:51:22.490$ looking at sleep spindles from the shuttle

NOTE Confidence: 0.847008

 $00:51:22.490 \longrightarrow 00:51:25.240$ mission I mentioned with Senator Glenn.

NOTE Confidence: 0.847008

 $00:51:25.240 \longrightarrow 00:51:27.670$ We I've worked with Bob Stickgold,

NOTE Confidence: 0.847008

 $00{:}51{:}27.670 \dashrightarrow 00{:}51{:}30.710$ who collected data on REM sleep on mirror

NOTE Confidence: 0.847008

 $00{:}51{:}30.710 \dashrightarrow 00{:}51{:}33.757$ that was never published 25 years ago,

NOTE Confidence: 0.847008

 $00:51:33.760 \longrightarrow 00:51:36.298$ and so we're working to do

 $00:51:36.298 \longrightarrow 00:51:38.550$ a final analysis of that.

NOTE Confidence: 0.847008

 $00{:}51{:}38.550 \dashrightarrow 00{:}51{:}40.926$ We're continuing to look at countermeasures

NOTE Confidence: 0.847008

 $00:51:40.926 \longrightarrow 00:51:43.613$ so we have special lights on station

NOTE Confidence: 0.847008

 $00:51:43.613 \longrightarrow 00:51:46.028$ that should help the crew and train.

NOTE Confidence: 0.847008

00:51:46.030 --> 00:51:46.776 Of course,

NOTE Confidence: 0.847008

 $00:51:46.776 \longrightarrow 00:51:49.014$ we're working to stabilize their schedules.

NOTE Confidence: 0.847008

 $00:51:49.020 \longrightarrow 00:51:51.264$ We need to look at wake

NOTE Confidence: 0.847008

 $00:51:51.264 \longrightarrow 00:51:52.386$ for money medications,

NOTE Confidence: 0.847008

 $00:51:52.390 \longrightarrow 00:51:54.847$ and then we also need to look

NOTE Confidence: 0.847008

 $00:51:54.847 \longrightarrow 00:51:56.500$ at performance in flight.

NOTE Confidence: 0.847008

 $00:51:56.500 \longrightarrow 00:51:57.824$ And so we have.

NOTE Confidence: 0.847008

 $00:51:57.824 \longrightarrow 00:51:59.810$ Of course Nastic gives out grants

NOTE Confidence: 0.847008

 $00:51:59.880 \longrightarrow 00:52:02.040$ and doctors Brainard and Lockley

NOTE Confidence: 0.847008

 $00{:}52{:}02.040 \dashrightarrow 00{:}52{:}04.200$ at Thomas Jefferson and Harvard

NOTE Confidence: 0.847008

00:52:04.273 --> 00:52:06.337 and images and Bazner at Penn

NOTE Confidence: 0.847008

00:52:06.337 --> 00:52:08.170 have grants to assess these.

 $00:52:08.170 \longrightarrow 00:52:10.420$ Counter measures and performance issues.

NOTE Confidence: 0.847008

 $00:52:10.420 \longrightarrow 00:52:12.884$ So with that this is my team.

NOTE Confidence: 0.847008

 $00:52:12.890 \longrightarrow 00:52:16.817$ I just like to say thank you.

NOTE Confidence: 0.847008

 $00:52:16.820 \longrightarrow 00:52:18.910$ Acknowledge all the people who

NOTE Confidence: 0.847008

 $00:52:18.910 \longrightarrow 00:52:21.000$ worked on these studies and

NOTE Confidence: 0.847008

 $00{:}52{:}21.076 \dashrightarrow 00{:}52{:}23.236$ happy to answer any questions.

NOTE Confidence: 0.8552032

 $00:52:25.280 \longrightarrow 00:52:27.352$ Thank you so much, that was a

NOTE Confidence: 0.8552032

 $00{:}52{:}27.352 \dashrightarrow 00{:}52{:}28.838$ fantastic talk. Doctor Flynn Evans.

NOTE Confidence: 0.890569366666667

 $00:52:30.390 \longrightarrow 00:52:32.520$ You hear me OK? Sure can.

NOTE Confidence: 0.890569366666667

 $00{:}52{:}32.520 \dashrightarrow 00{:}52{:}35.419$ Yeah I had to switch devices mid talk

NOTE Confidence: 0.8352611

 $00{:}52{:}35.420 {\:{\circ}{\circ}{\circ}}>00{:}52{:}38.220$ so I just want to welcome every body to

NOTE Confidence: 0.8352611

 $00:52:38.220 \longrightarrow 00:52:40.847$ please put any questions in the chat.

NOTE Confidence: 0.8352611

 $00:52:40.850 \longrightarrow 00:52:43.890$ I see that there are a few there

NOTE Confidence: 0.8352611

 $00:52:43.890 \longrightarrow 00:52:46.640$ already while I take a look at those.

NOTE Confidence: 0.8352611

00:52:46.640 --> 00:52:49.136 I was just wondering if you might be

 $00:52:49.136 \longrightarrow 00:52:51.450$ able to comment on something from

NOTE Confidence: 0.8352611

 $00{:}52{:}51.450 \longrightarrow 00{:}52{:}53.874$ your one of your later studies.

NOTE Confidence: 0.8352611

 $00{:}52{:}53.880 \dashrightarrow 00{:}52{:}55.932$ You just alluded to the individual

NOTE Confidence: 0.8352611

 $00:52:55.932 \longrightarrow 00:52:57.746$ differences in resistance to sleep

NOTE Confidence: 0.8352611

 $00:52:57.746 \longrightarrow 00:52:59.310$ loss and circadian disruption.

NOTE Confidence: 0.8352611

00:52:59.310 --> 00:53:01.907 An I was wondering if there's any.

NOTE Confidence: 0.8352611

 $00:53:01.910 \longrightarrow 00:53:04.640$ Part of the screening to become either

NOTE Confidence: 0.8352611

 $00:53:04.640 \longrightarrow 00:53:07.135$ an astronaut or a pilot that attempts

NOTE Confidence: 0.8352611

 $00{:}53{:}07.135 \dashrightarrow 00{:}53{:}10.089$ to get it that in any way currently.

NOTE Confidence: 0.8352611

 $00:53:10.090 \longrightarrow 00:53:10.610$ Great

NOTE Confidence: 0.88190687

 $00{:}53{:}10.610 \dashrightarrow 00{:}53{:}12.530$ question. Yeah, unfortunately there's

NOTE Confidence: 0.88190687

 $00:53:12.530 \longrightarrow 00:53:16.543$ not right now and so we have talked

NOTE Confidence: 0.88190687

 $00:53:16.543 \longrightarrow 00:53:19.178$ about looking at polymorphisms that

NOTE Confidence: 0.88190687

 $00:53:19.178 \longrightarrow 00:53:21.897$ might be associated with resilience

NOTE Confidence: 0.88190687

 $00:53:21.897 \longrightarrow 00:53:24.537$ or vulnerability to sleep loss.

NOTE Confidence: 0.88190687

00:53:24.540 --> 00:53:28.236 You know, we know that per three polymorphism

00:53:28.236 --> 00:53:30.729 is associated with vulnerability,

NOTE Confidence: 0.88190687

 $00:53:30.730 \longrightarrow 00:53:33.310$ but the crew there's a.

NOTE Confidence: 0.8444211

 $00:53:35.370 \longrightarrow 00:53:37.335$ Were prohibited from looking at

NOTE Confidence: 0.8444211

 $00:53:37.335 \longrightarrow 00:53:39.300$ genetic information among the crew

NOTE Confidence: 0.8444211

 $00:53:39.362 \longrightarrow 00:53:41.147$ for the purposes of selection.

NOTE Confidence: 0.8444211

00:53:41.150 --> 00:53:43.334 And so, while technically we probably

NOTE Confidence: 0.8444211

 $00:53:43.334 \longrightarrow 00:53:45.769$ would say it's not for selection,

NOTE Confidence: 0.8444211

00:53:45.770 --> 00:53:47.695 but maybe more for strategic

NOTE Confidence: 0.8444211

 $00:53:47.695 \longrightarrow 00:53:48.850$ application of countermeasures,

NOTE Confidence: 0.8444211

00:53:48.850 --> 00:53:51.112 the law prevents us from being

NOTE Confidence: 0.8444211

 $00:53:51.112 \longrightarrow 00:53:53.848$ able to do that at this point.

NOTE Confidence: 0.8444211

 $00:53:53.850 \longrightarrow 00:53:57.700$ And So what we do, we do what we can.

NOTE Confidence: 0.8444211

 $00:53:57.700 \longrightarrow 00:54:00.260$ So we do typically have the crew do

NOTE Confidence: 0.8444211

 $00:54:00.260 \longrightarrow 00:54:03.090$ tests of different hypnotics on Earth,

NOTE Confidence: 0.8444211

 $00:54:03.090 \longrightarrow 00:54:06.994$ and then we have them wake themselves up.

00:54:07.000 --> 00:54:10.176 You set an alarm for like you know,

NOTE Confidence: 0.8444211

 $00:54:10.180 \longrightarrow 00:54:13.114$ midnight and wake up and do a Pvt just

NOTE Confidence: 0.8444211

 $00:54:13.114 \longrightarrow 00:54:16.646$ to sort of test do it self test to

NOTE Confidence: 0.8444211

00:54:16.646 --> 00:54:19.384 determine whether or not they'll be

NOTE Confidence: 0.8444211

 $00:54:19.384 \longrightarrow 00:54:21.729$ vulnerable after taking a hypnotic.

NOTE Confidence: 0.8444211

 $00:54:21.730 \longrightarrow 00:54:24.453$ We also work with them as they

NOTE Confidence: 0.8444211

00:54:24.453 --> 00:54:26.898 travel across time zones on Earth,

NOTE Confidence: 0.8444211

00:54:26.900 --> 00:54:29.360 and if anybody is appearing particularly

NOTE Confidence: 0.8444211

 $00:54:29.360 \longrightarrow 00:54:31.679$ vulnerable then we'll work with them.

NOTE Confidence: 0.8444211

00:54:31.680 --> 00:54:34.613 Kind of in a very personalized medicine

NOTE Confidence: 0.8444211

 $00{:}54{:}34.613 \dashrightarrow 00{:}54{:}36.739$ approach to Taylor or fatigue.

NOTE Confidence: 0.8444211

 $00:54:36.740 \longrightarrow 00:54:38.378$ I did not plan to that person.

NOTE Confidence: 0.8576894

 $00:54:39.640 \longrightarrow 00:54:41.550$ Interesting great. Well thank you.

NOTE Confidence: 0.8576894

 $00:54:41.550 \longrightarrow 00:54:44.575$ I see one of the questions that was

NOTE Confidence: 0.8576894

 $00:54:44.575 \longrightarrow 00:54:47.666$ posed as can you discuss what, if any,

NOTE Confidence: 0.8576894

 $00:54:47.666 \longrightarrow 00:54:49.964$ affects microgravity has on the Physiology

00:54:49.964 --> 00:54:52.250 that might disrupt sleep in space?

NOTE Confidence: 0.8576894

00:54:52.250 --> 00:54:54.922 I don't know if you know anything

NOTE Confidence: 0.8576894

00:54:54.922 --> 00:54:56.830 that specifically. Yeah, it's a

NOTE Confidence: 0.857689400000001

00:54:56.830 --> 00:54:59.886 huge question. So the way that I think

NOTE Confidence: 0.857689400000001

00:54:59.886 --> 00:55:02.732 about our work is we have to get rid

NOTE Confidence: 0.857689400000001

 $00:55:02.732 \longrightarrow 00:55:06.440$ of all of the problems that we know are

NOTE Confidence: 0.857689400000001

 $00:55:06.440 \longrightarrow 00:55:09.030$ problems for people sleeping on Earth.

NOTE Confidence: 0.857689400000001

 $00:55:09.030 \longrightarrow 00:55:10.510$ And then will should.

NOTE Confidence: 0.857689400000001

 $00:55:10.510 \longrightarrow 00:55:12.925$ We should be able to assess the

NOTE Confidence: 0.857689400000001

 $00:55:12.925 \longrightarrow 00:55:14.569$ influence of microgravity on sleep.

NOTE Confidence: 0.857689400000001

 $00:55:14.570 \longrightarrow 00:55:16.770$ So it could be that the crew can't

NOTE Confidence: 0.857689400000001

 $00:55:16.770 \longrightarrow 00:55:18.983$ sleep more than six hours because

NOTE Confidence: 0.857689400000001

 $00{:}55{:}18.983 \dashrightarrow 00{:}55{:}20.983$ their sleep environment is terrible.

NOTE Confidence: 0.857689400000001

00:55:20.990 --> 00:55:23.018 In addition to being circadian misaligned,

NOTE Confidence: 0.857689400000001

 $00:55:23.020 \longrightarrow 00:55:26.053$ it could be that they you know are just,

00:55:26.060 --> 00:55:27.745 you know, it's probably not

NOTE Confidence: 0.857689400000001

 $00:55:27.745 \longrightarrow 00:55:29.093$ an issue like excitement,

NOTE Confidence: 0.857689400000001

 $00:55:29.100 \longrightarrow 00:55:30.948$ because we don't see that there's

NOTE Confidence: 0.857689400000001

 $00:55:30.948 \longrightarrow 00:55:33.160$ improvement in the long duration flights.

NOTE Confidence: 0.857689400000001

 $00:55:33.160 \longrightarrow 00:55:35.561$ But basically we really have to make

NOTE Confidence: 0.857689400000001

 $00:55:35.561 \longrightarrow 00:55:38.004$ sure that we have their schedules aligned

NOTE Confidence: 0.857689400000001

00:55:38.004 --> 00:55:41.068 so we can look in a very pure way.

NOTE Confidence: 0.857689400000001

 $00{:}55{:}41.070 \dashrightarrow 00{:}55{:}45.557$ To see if there's residual problems after.

NOTE Confidence: 0.857689400000001

 $00:55:45.560 \longrightarrow 00:55:47.486$ All of the more typical shift

NOTE Confidence: 0.857689400000001

 $00:55:47.486 \longrightarrow 00:55:49.150$ work type problems are gone.

NOTE Confidence: 0.857689400000001

 $00{:}55{:}49.150 \dashrightarrow 00{:}55{:}51.100$ I suspect there is an influence

NOTE Confidence: 0.857689400000001

 $00.55.51.100 \longrightarrow 00.55.51.750$ of microgravity,

NOTE Confidence: 0.857689400000001

 $00:55:51.750 \longrightarrow 00:55:53.780$ and right now most of that evidence

NOTE Confidence: 0.857689400000001

 $00:55:53.780 \longrightarrow 00:55:55.669$ points towards the glymphatic system,

NOTE Confidence: 0.857689400000001

 $00:55:55.670 \longrightarrow 00:55:57.290$ and so you know,

NOTE Confidence: 0.857689400000001

 $00:55:57.290 \longrightarrow 00:56:00.340$ we know that during slow wave sleep.

 $00:56:00.340 \longrightarrow 00:56:03.140$ There is a whole lot of interesting

NOTE Confidence: 0.857689400000001

00:56:03.140 --> 00:56:05.210 stuff going on, I'm sure.

NOTE Confidence: 0.857689400000001

00:56:05.210 --> 00:56:07.820 Probably most of you attended the

NOTE Confidence: 0.857689400000001

 $00:56:07.820 \longrightarrow 00:56:10.833$ sleep meeting this year and the you

NOTE Confidence: 0.857689400000001

 $00:56:10.833 \longrightarrow 00:56:13.313$ know plenary talk was incredible and

NOTE Confidence: 0.857689400000001

 $00:56:13.313 \longrightarrow 00:56:16.001$ so you know the way that slow wave

NOTE Confidence: 0.857689400000001

 $00:56:16.001 \longrightarrow 00:56:18.320$ sleep is associated with just improved

NOTE Confidence: 0.857689400000001

 $00{:}56{:}18.320 \dashrightarrow 00{:}56{:}20.740$ performance and lack of slowly sleep.

NOTE Confidence: 0.857689400000001

 $00:56:20.740 \longrightarrow 00:56:22.980$ Businesses here was development of

NOTE Confidence: 0.857689400000001

 $00:56:22.980 \longrightarrow 00:56:24.772$ Alzheimer's disease is something

NOTE Confidence: 0.857689400000001

 $00:56:24.772 \longrightarrow 00:56:27.022$ that we're looking at related to

NOTE Confidence: 0.857689400000001

00:56:27.022 --> 00:56:29.140 the lymphatic system and you know,

NOTE Confidence: 0.857689400000001

00:56:29.140 --> 00:56:30.784 just the waste product.

NOTE Confidence: 0.857689400000001

00:56:30.784 --> 00:56:32.428 Being flushed during sleep,

NOTE Confidence: 0.857689400000001

 $00:56:32.430 \longrightarrow 00:56:35.222$ so I'm very eager to use the archival

 $00:56:35.222 \longrightarrow 00:56:37.820$ data that we're collecting or that

NOTE Confidence: 0.857689400000001

 $00{:}56{:}37.820 {\: -->\:} 00{:}56{:}40.090$ we're assessing to encourage now

NOTE Confidence: 0.857689400000001

 $00:56:40.090 \longrightarrow 00:56:43.032$ set to allow us to study sleep

NOTE Confidence: 0.857689400000001

00:56:43.032 --> 00:56:45.047 architecture in space again to

NOTE Confidence: 0.857689400000001

 $00:56:45.047 \longrightarrow 00:56:47.489$ see if there are changes in,

NOTE Confidence: 0.857689400000001

 $00:56:47.490 \longrightarrow 00:56:47.896$ say,

NOTE Confidence: 0.857689400000001

 $00:56:47.896 \longrightarrow 00:56:49.926$ slow wave sleep during spaceflight.

NOTE Confidence: 0.8396347

00:56:51.340 --> 00:56:55.404 Great thank you and maybe one last question,

NOTE Confidence: 0.8396347

 $00:56:55.410 \longrightarrow 00:56:58.470$ so this is from Ian Weir.

NOTE Confidence: 0.8396347

 $00:56:58.470 \longrightarrow 00:57:01.620$ Is there any data that shows that

NOTE Confidence: 0.8396347

 $00{:}57{:}01.620 \dashrightarrow 00{:}57{:}04.242$ performance on the Pvt translates

NOTE Confidence: 0.8396347

00:57:04.242 --> 00:57:06.606 to actual job performance?

NOTE Confidence: 0.8396347

00:57:06.610 --> 00:57:09.740 And relatedly, did your studies

NOTE Confidence: 0.8396347

00:57:09.740 --> 00:57:12.580 any flight simulation data? Yeah,

NOTE Confidence: 0.866744

 $00:57:12.580 \longrightarrow 00:57:14.220$ that's a really good question,

NOTE Confidence: 0.866744

 $00:57:14.220 \longrightarrow 00:57:16.532$ so we actually do have all of so

00:57:16.532 --> 00:57:19.360 for the flight data we have all of

NOTE Confidence: 0.866744

 $00:57:19.360 \longrightarrow 00:57:21.459$ the aircraft event data as well,

NOTE Confidence: 0.866744

 $00:57:21.460 \longrightarrow 00:57:23.469$ so we know if the pilots were

NOTE Confidence: 0.866744

 $00:57:23.469 \longrightarrow 00:57:25.410$ flying at the wrong altitude.

NOTE Confidence: 0.866744

00:57:25.410 --> 00:57:27.378 We know if they were flying,

NOTE Confidence: 0.866744

 $00:57:27.380 \longrightarrow 00:57:29.030$ their airspeed was too fast.

NOTE Confidence: 0.866744

 $00:57:29.030 \longrightarrow 00:57:31.326$ We know if they taxi too quickly,

NOTE Confidence: 0.866744

 $00:57:31.330 \longrightarrow 00:57:33.192$ if they hit their brakes too hard

NOTE Confidence: 0.866744

 $00{:}57{:}33.192 \dashrightarrow 00{:}57{:}35.597$ and we do see a relationship between

NOTE Confidence: 0.866744

 $00{:}57{:}35.597 \dashrightarrow 00{:}57{:}37.901$ the PBT in those aircraft outcomes.

NOTE Confidence: 0.866744

 $00:57:37.910 \longrightarrow 00:57:40.220$ So I didn't go through that here,

NOTE Confidence: 0.866744

00:57:40.220 --> 00:57:41.584 but that's pretty exciting

NOTE Confidence: 0.866744

 $00{:}57{:}41.584 \dashrightarrow 00{:}57{:}43.630$ because it does show that direct.

NOTE Confidence: 0.866744

 $00{:}57{:}43.630 {\:{\mbox{--}}\!\!>}\ 00{:}57{:}45.073$ Operational correlate there

NOTE Confidence: 0.866744

00:57:45.073 --> 00:57:46.997 have been published studies,

 $00:57:47.000 \longrightarrow 00:57:50.822$ so Matthias Bazner showed a very

NOTE Confidence: 0.866744

 $00{:}57{:}50.822 \dashrightarrow 00{:}57{:}54.319$ nice correlation between the PBT and.

NOTE Confidence: 0.866744

 $00:57:54.320 \longrightarrow 00:57:57.176$ Detection of weapons in TSA paradigm.

NOTE Confidence: 0.866744

 $00:57:57.180 \longrightarrow 00:58:00.822$ So there there are some other

NOTE Confidence: 0.866744

 $00:58:00.822 \longrightarrow 00:58:03.950$ studies that show some nice.

NOTE Confidence: 0.866744

 $00:58:03.950 \longrightarrow 00:58:06.326$ Locations that the PBT is is

NOTE Confidence: 0.866744

 $00{:}58{:}06.326 \to 00{:}58{:}09.318$ relevant and is a sort of assay

NOTE Confidence: 0.866744

 $00:58:09.318 \longrightarrow 00:58:11.958$ for the influence of sleep loss.

NOTE Confidence: 0.866744

 $00:58:11.960 \longrightarrow 00:58:12.303$ Great,

NOTE Confidence: 0.866744

 $00:58:12.303 \longrightarrow 00:58:14.010$ well thank you so much.

NOTE Confidence: 0.81497574

 $00{:}58{:}14.010 \dashrightarrow 00{:}58{:}16.432$ And just to let every body know our

NOTE Confidence: 0.81497574

 $00:58:16.432 \longrightarrow 00:58:19.103$ talk next week is going to be from

NOTE Confidence: 0.81497574

 $00:58:19.103 \longrightarrow 00:58:21.791$ Jacob Colin who is going to be speaking

NOTE Confidence: 0.81497574

 $00:58:21.791 \longrightarrow 00:58:24.262$ about sound sleep and PTSD and some

NOTE Confidence: 0.81497574

 $00:58:24.270 \longrightarrow 00:58:25.674$ veterans specific sleep issues.

NOTE Confidence: 0.81497574

 $00:58:25.674 \longrightarrow 00:58:27.780$ So please join us for that

 $00:58:27.847 \longrightarrow 00:58:29.059$ and thank you again.

NOTE Confidence: 0.81497574

 $00{:}58{:}29.060 \dashrightarrow 00{:}58{:}31.112$ Doctor Flynn Evans for such a

NOTE Confidence: 0.81497574

 $00:58:31.112 \longrightarrow 00:58:32.480$ fantastic talk this afternoon.

NOTE Confidence: 0.88098943

00:58:34.510 --> 00:58:35.682 Great, thank you so much

NOTE Confidence: 0.88098943

00:58:35.682 --> 00:58:37.050 for having me have a great

NOTE Confidence: 0.88098943

 $00{:}58{:}37.103 \dashrightarrow 00{:}58{:}38.910$ day every body there. Thanks you too.