

WEBVTT

NOTE duration: "00:51:26.762"

NOTE Confidence: 0.92428553

00:00:00.080 --> 00:00:01.599 Good evening, and welcome to

NOTE Confidence: 0.92428553

00:00:01.599 --> 00:00:02.420 the SmiloShares

NOTE Confidence: 0.93693656

00:00:02.879 --> 00:00:04.819 early stage breast cancer session

NOTE Confidence: 0.93693656

00:00:04.960 --> 00:00:06.879 entitled what patients and families

NOTE Confidence: 0.93693656

00:00:06.879 --> 00:00:07.620 should know.

NOTE Confidence: 0.9851854

00:00:08.000 --> 00:00:09.599 My name is doctor Rachel

NOTE Confidence: 0.9851854

00:00:09.599 --> 00:00:11.039 Greenup. I'm the chief of

NOTE Confidence: 0.9851854

00:00:11.039 --> 00:00:11.780 breast surgery

NOTE Confidence: 0.94876504

00:00:12.735 --> 00:00:14.495 at the SMILO in the

NOTE Confidence: 0.94876504

00:00:14.495 --> 00:00:15.695 department of surgery at the

NOTE Confidence: 0.94876504

00:00:15.695 --> 00:00:17.135 Yale School of Medicine. And

NOTE Confidence: 0.94876504

00:00:17.135 --> 00:00:18.335 tonight, we have three of

NOTE Confidence: 0.94876504

00:00:18.335 --> 00:00:20.275 our esteemed colleagues, doctor Elizabeth

NOTE Confidence: 0.94876504

00:00:20.335 --> 00:00:20.835 Berger,

NOTE Confidence: 0.88579863

00:00:21.135 --> 00:00:22.895 doctor Siba Haykel, and doctor
NOTE Confidence: 0.88579863

00:00:22.895 --> 00:00:23.875 Maria Rosenblatt.
NOTE Confidence: 0.95820516

00:00:24.460 --> 00:00:25.500 And we're gonna start with
NOTE Confidence: 0.95820516

00:00:25.500 --> 00:00:27.340 doctor Berger who's an assistant
NOTE Confidence: 0.95820516

00:00:27.340 --> 00:00:28.619 professor of surgery in the
NOTE Confidence: 0.95820516

00:00:28.619 --> 00:00:30.160 division of surgical oncology
NOTE Confidence: 0.943267

00:00:30.619 --> 00:00:32.219 who will talking be talking
NOTE Confidence: 0.943267

00:00:32.219 --> 00:00:33.820 to us about surgical updates
NOTE Confidence: 0.943267

00:00:33.820 --> 00:00:34.879 and breast cancer.
NOTE Confidence: 0.9981099

00:00:35.340 --> 00:00:36.720 Doctor Berger, welcome.
NOTE Confidence: 0.9671126

00:00:39.664 --> 00:00:40.465 Thank you so much for
NOTE Confidence: 0.9671126

00:00:40.465 --> 00:00:42.144 that kind introduction, doctor Greenup.
NOTE Confidence: 0.9671126

00:00:42.144 --> 00:00:43.524 Let me share my screen.
NOTE Confidence: 0.97621304

00:00:49.425 --> 00:00:50.680 I get a thumbs up
NOTE Confidence: 0.97621304

00:00:50.680 --> 00:00:52.199 so everyone can see it?
NOTE Confidence: 0.97621304

00:00:52.199 --> 00:00:52.699 Great.

NOTE Confidence: 0.986796
00:00:53.079 --> 00:00:54.600 So tonight, I I'm gonna
NOTE Confidence: 0.986796
00:00:54.600 --> 00:00:55.719 spend about ten to fifteen
NOTE Confidence: 0.986796
00:00:55.719 --> 00:00:57.000 minutes talking about some of
NOTE Confidence: 0.986796
00:00:57.000 --> 00:00:58.320 the kind of updates of
NOTE Confidence: 0.986796
00:00:58.440 --> 00:00:59.640 as far as surgical care
NOTE Confidence: 0.986796
00:00:59.640 --> 00:01:01.180 in early stage breast cancer.
NOTE Confidence: 0.9822235
00:01:01.800 --> 00:01:03.000 And I appreciate the time,
NOTE Confidence: 0.9822235
00:01:03.000 --> 00:01:04.360 and, hopefully, we'll have time
NOTE Confidence: 0.9822235
00:01:04.360 --> 00:01:05.020 for questions,
NOTE Confidence: 0.9883989
00:01:05.319 --> 00:01:06.165 at the end if there
NOTE Confidence: 0.9883989
00:01:06.165 --> 00:01:06.905 are some.
NOTE Confidence: 0.9711529
00:01:07.444 --> 00:01:08.565 So the way we stage
NOTE Confidence: 0.9711529
00:01:08.565 --> 00:01:09.605 breast cancers in just kind
NOTE Confidence: 0.9711529
00:01:09.605 --> 00:01:10.725 of context as far as
NOTE Confidence: 0.9711529
00:01:10.725 --> 00:01:12.085 early stage goes is is
NOTE Confidence: 0.9711529

00:01:12.085 --> 00:01:13.444 multiple different ways. We think

NOTE Confidence: 0.9711529

00:01:13.444 --> 00:01:14.645 about how big the tumor

NOTE Confidence: 0.9711529

00:01:14.645 --> 00:01:16.085 size is, how how many

NOTE Confidence: 0.9711529

00:01:16.085 --> 00:01:16.965 lymph nodes may or may

NOTE Confidence: 0.9711529

00:01:16.965 --> 00:01:18.565 not be involved, and we

NOTE Confidence: 0.9711529

00:01:18.565 --> 00:01:19.810 essentially come up with a

NOTE Confidence: 0.9711529

00:01:19.810 --> 00:01:21.090 stage of breast cancer. And

NOTE Confidence: 0.9711529

00:01:21.090 --> 00:01:22.450 doctor Rosenblatt will probably get

NOTE Confidence: 0.9711529

00:01:22.450 --> 00:01:23.650 into this in more detail,

NOTE Confidence: 0.9711529

00:01:23.650 --> 00:01:25.490 but the biology of tumors

NOTE Confidence: 0.9711529

00:01:25.490 --> 00:01:26.450 now is so much more

NOTE Confidence: 0.9711529

00:01:26.450 --> 00:01:27.970 important than stage. But we

NOTE Confidence: 0.9711529

00:01:27.970 --> 00:01:29.490 still stage breast cancers based

NOTE Confidence: 0.9711529

00:01:29.490 --> 00:01:30.450 upon the staging,

NOTE Confidence: 0.9391713

00:01:31.250 --> 00:01:31.750 schema.

NOTE Confidence: 0.9621449

00:01:32.050 --> 00:01:33.090 And what we'll be talking

NOTE Confidence: 0.9621449
00:01:33.090 --> 00:01:34.530 about tonight is really this
NOTE Confidence: 0.9621449
00:01:34.530 --> 00:01:35.944 category of kind of stage
NOTE Confidence: 0.9621449
00:01:35.944 --> 00:01:37.065 zero, if you will, to
NOTE Confidence: 0.9621449
00:01:37.065 --> 00:01:38.265 stage two breast cancer is
NOTE Confidence: 0.9621449
00:01:38.265 --> 00:01:39.645 considered early stage.
NOTE Confidence: 0.9619147
00:01:40.265 --> 00:01:42.025 Stage zero breast cancer, kind
NOTE Confidence: 0.9619147
00:01:42.025 --> 00:01:43.625 of an enigma and doesn't
NOTE Confidence: 0.9619147
00:01:43.625 --> 00:01:44.905 make that much sense, but
NOTE Confidence: 0.9619147
00:01:44.905 --> 00:01:46.025 we really refer to what's
NOTE Confidence: 0.9619147
00:01:46.025 --> 00:01:47.784 called ductal carcinoma in situ
NOTE Confidence: 0.9619147
00:01:47.784 --> 00:01:49.405 as stage zero breast cancer.
NOTE Confidence: 0.9812113
00:01:49.780 --> 00:01:50.660 Or for a lot of
NOTE Confidence: 0.9812113
00:01:50.660 --> 00:01:51.540 my patients, when I say
NOTE Confidence: 0.9812113
00:01:51.540 --> 00:01:52.920 a precancerous process,
NOTE Confidence: 0.9929357
00:01:53.300 --> 00:01:55.060 it's in situ disease, meaning,
NOTE Confidence: 0.9929357

00:01:55.060 --> 00:01:56.420 you know, the abnormal cells
NOTE Confidence: 0.9929357

00:01:56.420 --> 00:01:58.100 are contained within the ducts.
NOTE Confidence: 0.9929357

00:01:58.100 --> 00:01:59.700 There's no invasion that we've
NOTE Confidence: 0.9929357

00:01:59.700 --> 00:02:00.200 identified.
NOTE Confidence: 0.9960147

00:02:01.140 --> 00:02:01.880 And so,
NOTE Confidence: 0.9946135

00:02:02.745 --> 00:02:03.545 you know, we really think
NOTE Confidence: 0.9946135

00:02:03.545 --> 00:02:04.604 that this is a precancerous
NOTE Confidence: 0.9946135

00:02:04.825 --> 00:02:05.945 lesion or stage
NOTE Confidence: 0.87153566

00:02:09.705 --> 00:02:10.825 We still think that we
NOTE Confidence: 0.87153566

00:02:10.825 --> 00:02:12.044 should take all of DCIS
NOTE Confidence: 0.9828281

00:02:12.345 --> 00:02:13.705 out. We should remove it
NOTE Confidence: 0.9828281

00:02:13.705 --> 00:02:14.205 surgically
NOTE Confidence: 0.99934465

00:02:14.810 --> 00:02:16.110 because we thought all DCIS
NOTE Confidence: 0.99934465

00:02:16.409 --> 00:02:17.930 became an invasive cancer at
NOTE Confidence: 0.99934465

00:02:17.930 --> 00:02:18.669 some point.
NOTE Confidence: 0.980751

00:02:19.530 --> 00:02:20.650 Now what we know with

NOTE Confidence: 0.980751
00:02:20.650 --> 00:02:23.069 ongoing clinical trials is maybe
NOTE Confidence: 0.980751
00:02:23.129 --> 00:02:23.790 some DCIS
NOTE Confidence: 0.98218375
00:02:24.169 --> 00:02:25.790 never becomes invasive cancers,
NOTE Confidence: 0.989786
00:02:26.169 --> 00:02:27.549 and we can actually safely
NOTE Confidence: 0.9869543
00:02:27.945 --> 00:02:30.585 observe or survey DCIS without
NOTE Confidence: 0.9869543
00:02:30.585 --> 00:02:32.365 actually having to remove it.
NOTE Confidence: 0.9869543
00:02:32.505 --> 00:02:33.565 So stay tuned.
NOTE Confidence: 0.9194055
00:02:33.945 --> 00:02:35.305 Hopefully, in maybe two thousand
NOTE Confidence: 0.9194055
00:02:35.305 --> 00:02:36.665 and thirty, we'll hear more
NOTE Confidence: 0.9194055
00:02:36.665 --> 00:02:37.165 about,
NOTE Confidence: 0.9616165
00:02:37.865 --> 00:02:40.025 stage zero or precancerous lesions
NOTE Confidence: 0.9616165
00:02:40.025 --> 00:02:40.845 such as DCIS
NOTE Confidence: 0.9819017
00:02:41.145 --> 00:02:42.185 being able to,
NOTE Confidence: 0.9947321
00:02:42.585 --> 00:02:43.680 stay in the breast, not
NOTE Confidence: 0.9947321
00:02:43.760 --> 00:02:45.200 have to be removed because
NOTE Confidence: 0.9947321

00:02:45.200 --> 00:02:46.900 of these ongoing clinical trials.

NOTE Confidence: 0.9589387

00:02:47.519 --> 00:02:48.480 So much of breast cancer

NOTE Confidence: 0.9589387

00:02:48.480 --> 00:02:49.840 care as I think everyone's

NOTE Confidence: 0.9589387

00:02:49.840 --> 00:02:50.959 call knows is really based

NOTE Confidence: 0.9589387

00:02:50.959 --> 00:02:52.639 upon really good clinical trial

NOTE Confidence: 0.9589387

00:02:52.639 --> 00:02:54.319 data, which is really exciting

NOTE Confidence: 0.9589387

00:02:54.319 --> 00:02:55.519 for all of us as

NOTE Confidence: 0.9589387

00:02:55.519 --> 00:02:57.060 providers and for patients.

NOTE Confidence: 0.98352224

00:02:57.725 --> 00:02:58.925 So if we're gonna talk

NOTE Confidence: 0.98352224

00:02:58.925 --> 00:03:00.285 about surgery for breast cancer,

NOTE Confidence: 0.98352224

00:03:00.285 --> 00:03:01.745 because surgery for breast cancer

NOTE Confidence: 0.98352224

00:03:01.805 --> 00:03:03.105 is is still important,

NOTE Confidence: 0.99653476

00:03:03.805 --> 00:03:04.845 we think about kind of

NOTE Confidence: 0.99653476

00:03:04.845 --> 00:03:06.205 where we've we've been and

NOTE Confidence: 0.99653476

00:03:06.205 --> 00:03:07.665 where we're going. So

NOTE Confidence: 0.92865694

00:03:07.965 --> 00:03:09.725 doctor Halsted used to perform

NOTE Confidence: 0.92865694

00:03:09.725 --> 00:03:11.105 what's called the radical mastectomy

NOTE Confidence: 0.92865694

00:03:11.245 --> 00:03:12.660 where we'd remove the chest,

NOTE Confidence: 0.9411993

00:03:13.460 --> 00:03:15.400 the the breast, the, pectoralis

NOTE Confidence: 0.9411993

00:03:15.620 --> 00:03:17.000 major and minor muscles.

NOTE Confidence: 0.982617

00:03:17.460 --> 00:03:18.500 And now we know for

NOTE Confidence: 0.982617

00:03:18.500 --> 00:03:20.100 breast cancer care that we

NOTE Confidence: 0.982617

00:03:20.100 --> 00:03:22.200 can really preserve the breast.

NOTE Confidence: 0.982617

00:03:22.340 --> 00:03:23.380 We can often do what's

NOTE Confidence: 0.982617

00:03:23.380 --> 00:03:24.740 called lumpectomies where we do

NOTE Confidence: 0.982617

00:03:24.740 --> 00:03:26.500 breast conservation and not remove

NOTE Confidence: 0.982617

00:03:26.500 --> 00:03:27.320 the whole breast,

NOTE Confidence: 0.96695477

00:03:27.735 --> 00:03:29.655 and give patients similar, you

NOTE Confidence: 0.96695477

00:03:29.655 --> 00:03:31.495 know, the same outcomes from

NOTE Confidence: 0.96695477

00:03:31.495 --> 00:03:32.555 their cancer care.

NOTE Confidence: 0.9531318

00:03:37.015 --> 00:03:38.775 So and I recognize, but

NOTE Confidence: 0.9531318

00:03:38.775 --> 00:03:40.300 the the point the point

NOTE Confidence: 0.9531318

00:03:40.300 --> 00:03:41.840 of the slide is that,

NOTE Confidence: 0.97144836

00:03:42.300 --> 00:03:43.660 in the nineteen seventies, we

NOTE Confidence: 0.97144836

00:03:43.660 --> 00:03:44.940 started to ask these big

NOTE Confidence: 0.97144836

00:03:44.940 --> 00:03:46.700 questions for surgical care for

NOTE Confidence: 0.97144836

00:03:46.700 --> 00:03:48.640 breast cancer. And we realized

NOTE Confidence: 0.97144836

00:03:48.780 --> 00:03:50.400 that in the nineteen seventies,

NOTE Confidence: 0.97144836

00:03:50.460 --> 00:03:51.660 we didn't have to remove

NOTE Confidence: 0.97144836

00:03:51.660 --> 00:03:52.480 the whole breast,

NOTE Confidence: 0.98528963

00:03:52.940 --> 00:03:53.900 and we could do breast

NOTE Confidence: 0.98528963

00:03:53.900 --> 00:03:55.280 conservation with radiation.

NOTE Confidence: 0.9891061

00:03:55.895 --> 00:03:57.334 We then, if we pivoted

NOTE Confidence: 0.9891061

00:03:57.334 --> 00:03:59.114 towards the nineteen nineties, realized

NOTE Confidence: 0.9891061

00:03:59.175 --> 00:04:00.055 that we didn't have to

NOTE Confidence: 0.9891061

00:04:00.055 --> 00:04:01.575 do so much axillary surgery

NOTE Confidence: 0.9891061

00:04:01.575 --> 00:04:03.275 for early stage breast cancers.

NOTE Confidence: 0.98951304
00:04:03.655 --> 00:04:05.275 The z eleven trial was
NOTE Confidence: 0.9979468
00:04:05.575 --> 00:04:06.075 instrumental
NOTE Confidence: 0.99527603
00:04:06.375 --> 00:04:07.830 in allowing our patients to
NOTE Confidence: 0.99527603
00:04:07.830 --> 00:04:09.370 have less axillary surgery
NOTE Confidence: 0.9923528
00:04:09.830 --> 00:04:10.629 even if they had a
NOTE Confidence: 0.9923528
00:04:10.629 --> 00:04:11.830 few lymph nodes with cancer
NOTE Confidence: 0.9923528
00:04:11.830 --> 00:04:13.510 in it. And now fast
NOTE Confidence: 0.9923528
00:04:13.510 --> 00:04:14.950 forward to the, you know,
NOTE Confidence: 0.96897554
00:04:15.510 --> 00:04:17.589 kind of present time where
NOTE Confidence: 0.96897554
00:04:17.589 --> 00:04:18.470 we can do,
NOTE Confidence: 0.9784898
00:04:18.949 --> 00:04:20.229 maybe even less surgery for
NOTE Confidence: 0.9784898
00:04:20.229 --> 00:04:21.945 DCIS, and we just observe
NOTE Confidence: 0.9784898
00:04:22.105 --> 00:04:22.605 DCIS.
NOTE Confidence: 0.9918997
00:04:22.985 --> 00:04:23.785 So these are some of
NOTE Confidence: 0.9918997
00:04:23.785 --> 00:04:25.565 the really, important,
NOTE Confidence: 0.98988855

00:04:26.904 --> 00:04:28.425 practice changing trials for breast

NOTE Confidence: 0.98988855

00:04:28.425 --> 00:04:29.865 cancer care, especially in the

NOTE Confidence: 0.98988855

00:04:29.865 --> 00:04:31.165 early stage setting.

NOTE Confidence: 0.95545644

00:04:32.585 --> 00:04:33.945 We even may go as

NOTE Confidence: 0.95545644

00:04:33.945 --> 00:04:35.320 far as to say and,

NOTE Confidence: 0.95545644

00:04:35.320 --> 00:04:36.279 again, a little bit more

NOTE Confidence: 0.95545644

00:04:36.279 --> 00:04:38.120 in advanced, breast cancer settings,

NOTE Confidence: 0.95545644

00:04:38.120 --> 00:04:39.000 but we even may as

NOTE Confidence: 0.95545644

00:04:39.000 --> 00:04:39.960 go as to far as

NOTE Confidence: 0.95545644

00:04:39.960 --> 00:04:41.400 to say, if a woman

NOTE Confidence: 0.95545644

00:04:41.400 --> 00:04:43.560 gets chemotherapy before surgery and

NOTE Confidence: 0.95545644

00:04:43.560 --> 00:04:44.920 there's no cancer left in

NOTE Confidence: 0.95545644

00:04:44.920 --> 00:04:46.120 the breast, we may be

NOTE Confidence: 0.95545644

00:04:46.120 --> 00:04:47.764 even able to avoid surgery

NOTE Confidence: 0.95545644

00:04:47.764 --> 00:04:48.264 altogether.

NOTE Confidence: 0.9773449

00:04:48.645 --> 00:04:49.525 This is, I think, too

NOTE Confidence: 0.9773449
00:04:49.525 --> 00:04:51.205 early for prime time, not
NOTE Confidence: 0.9773449
00:04:51.205 --> 00:04:52.664 not ready yet,
NOTE Confidence: 0.99491787
00:04:53.205 --> 00:04:54.724 but something potentially down the
NOTE Confidence: 0.99491787
00:04:54.724 --> 00:04:55.224 pipe.
NOTE Confidence: 0.9959548
00:04:57.525 --> 00:04:58.485 So if we are gonna
NOTE Confidence: 0.9959548
00:04:58.485 --> 00:04:59.604 do surgery for early stage
NOTE Confidence: 0.9959548
00:04:59.604 --> 00:05:00.344 breast cancers,
NOTE Confidence: 0.92983484
00:05:00.805 --> 00:05:01.620 what are some of the
NOTE Confidence: 0.92983484
00:05:01.699 --> 00:05:02.820 updates? And I'll go through
NOTE Confidence: 0.92983484
00:05:02.820 --> 00:05:04.180 these in a kind of
NOTE Confidence: 0.92983484
00:05:04.180 --> 00:05:04.680 brief,
NOTE Confidence: 0.99990773
00:05:05.139 --> 00:05:05.639 review
NOTE Confidence: 0.9841137
00:05:06.100 --> 00:05:07.460 as far as thinking about,
NOTE Confidence: 0.95527935
00:05:07.779 --> 00:05:09.380 we do have noncancerous lesions
NOTE Confidence: 0.95527935
00:05:09.380 --> 00:05:10.180 that we often take out
NOTE Confidence: 0.95527935

00:05:10.180 --> 00:05:10.839 for breast,
NOTE Confidence: 0.9829428

00:05:11.220 --> 00:05:12.260 as breast surgeons. We do
NOTE Confidence: 0.9829428

00:05:12.260 --> 00:05:13.060 a lot of now more
NOTE Confidence: 0.9829428

00:05:13.060 --> 00:05:14.654 oncoplastic work, which I'll touch
NOTE Confidence: 0.9829428

00:05:14.654 --> 00:05:15.515 on, briefly.
NOTE Confidence: 0.99732196

00:05:16.135 --> 00:05:17.335 We have some nipple sparing
NOTE Confidence: 0.99732196

00:05:17.335 --> 00:05:19.015 mastectomy updates as far as,
NOTE Confidence: 0.99732196

00:05:19.335 --> 00:05:20.875 nipple as far as sensation
NOTE Confidence: 0.99732196

00:05:20.935 --> 00:05:21.435 preservation
NOTE Confidence: 0.9222728

00:05:22.055 --> 00:05:23.895 and, potentially, you know, different
NOTE Confidence: 0.9222728

00:05:23.895 --> 00:05:25.355 options for reduction of lymphedema.
NOTE Confidence: 0.9953458

00:05:26.295 --> 00:05:27.575 So a lot of women
NOTE Confidence: 0.9953458

00:05:27.575 --> 00:05:28.320 will get diagnosed
NOTE Confidence: 0.99207294

00:05:30.240 --> 00:05:30.411 with these things called high
NOTE Confidence: 0.99207294

00:05:30.411 --> 00:05:31.440 risk lesions. They're not actually
NOTE Confidence: 0.99207294

00:05:31.440 --> 00:05:33.300 breast cancers, but sometimes,

NOTE Confidence: 0.98394424
00:05:34.240 --> 00:05:35.360 if they're in the breast
NOTE Confidence: 0.98394424
00:05:35.360 --> 00:05:36.320 and we remove it, we
NOTE Confidence: 0.98394424
00:05:36.320 --> 00:05:37.620 may find some underlying,
NOTE Confidence: 0.92718065
00:05:38.080 --> 00:05:40.420 essentially, precancer or DCIS diagnoses.
NOTE Confidence: 0.9785596
00:05:40.800 --> 00:05:41.835 So if a woman gets
NOTE Confidence: 0.9785596
00:05:41.835 --> 00:05:43.194 biopsy and has what's called
NOTE Confidence: 0.9785596
00:05:43.194 --> 00:05:44.654 atypical ductal hyperplasia,
NOTE Confidence: 0.9916919
00:05:45.435 --> 00:05:46.395 it is something that you
NOTE Confidence: 0.9916919
00:05:46.395 --> 00:05:48.235 wanna, consider seeing a breast
NOTE Confidence: 0.9916919
00:05:48.235 --> 00:05:49.595 surgeon for because it may
NOTE Confidence: 0.9916919
00:05:49.595 --> 00:05:50.634 be something we would talk
NOTE Confidence: 0.9916919
00:05:50.634 --> 00:05:52.235 to you you about removal
NOTE Confidence: 0.9916919
00:05:52.235 --> 00:05:52.735 of.
NOTE Confidence: 0.9581053
00:05:53.115 --> 00:05:54.315 Someone may get diagnosed with
NOTE Confidence: 0.9581053
00:05:54.315 --> 00:05:56.154 what's called LCIS or lobular
NOTE Confidence: 0.9581053

00:05:56.154 --> 00:05:57.750 carcinoma in situ, and it's
NOTE Confidence: 0.9581053

00:05:57.910 --> 00:05:59.670 alarming for patients and often
NOTE Confidence: 0.9581053

00:05:59.670 --> 00:06:00.790 get a a phone call
NOTE Confidence: 0.9581053

00:06:00.790 --> 00:06:02.230 from their primary doctor saying,
NOTE Confidence: 0.9581053

00:06:02.230 --> 00:06:03.450 you know, you have an
NOTE Confidence: 0.9581053

00:06:03.589 --> 00:06:04.089 carcinoma.
NOTE Confidence: 0.99854237

00:06:05.430 --> 00:06:06.390 But what we know about
NOTE Confidence: 0.99854237

00:06:06.390 --> 00:06:06.890 LCIS,
NOTE Confidence: 0.9948925

00:06:07.350 --> 00:06:08.390 that we actually don't need
NOTE Confidence: 0.9948925

00:06:08.390 --> 00:06:09.029 to take it out. It
NOTE Confidence: 0.9948925

00:06:09.029 --> 00:06:10.490 doesn't become a breast cancer,
NOTE Confidence: 0.9948925

00:06:10.710 --> 00:06:11.670 and it's something that we
NOTE Confidence: 0.9948925

00:06:11.670 --> 00:06:12.330 can watch,
NOTE Confidence: 0.6613238

00:06:13.029 --> 00:06:13.529 recognizing
NOTE Confidence: 0.99262136

00:06:14.205 --> 00:06:15.325 that it's a marker of
NOTE Confidence: 0.99262136

00:06:15.325 --> 00:06:16.685 risk. And then, you know,

NOTE Confidence: 0.99262136
00:06:16.685 --> 00:06:17.885 further things in the breast
NOTE Confidence: 0.99262136
00:06:17.885 --> 00:06:18.865 that can be diagnosed
NOTE Confidence: 0.43780634
00:06:19.725 --> 00:06:20.305 are the
NOTE Confidence: 0.95963687
00:06:21.005 --> 00:06:22.225 scars and papillomas.
NOTE Confidence: 0.5208689
00:06:23.085 --> 00:06:23.585 All
NOTE Confidence: 0.51353633
00:06:24.765 --> 00:06:25.425 some times,
NOTE Confidence: 0.8998084
00:06:25.805 --> 00:06:26.865 again, considering
NOTE Confidence: 0.92776775
00:06:29.339 --> 00:06:30.320 high risk lesions.
NOTE Confidence: 0.9527139
00:06:31.580 --> 00:06:33.040 Some we recommend,
NOTE Confidence: 0.97240937
00:06:33.580 --> 00:06:34.860 excision for, and some we
NOTE Confidence: 0.97240937
00:06:34.860 --> 00:06:36.480 don't recommend excision for.
NOTE Confidence: 0.9757999
00:06:37.820 --> 00:06:38.940 A lot of women ask,
NOTE Confidence: 0.9757999
00:06:38.940 --> 00:06:39.740 well, how are you gonna
NOTE Confidence: 0.9757999
00:06:39.740 --> 00:06:40.540 find who you're gonna be
NOTE Confidence: 0.9757999
00:06:40.540 --> 00:06:41.500 able to identify to get
NOTE Confidence: 0.9757999

00:06:41.500 --> 00:06:42.745 the the tumor out? And,
NOTE Confidence: 0.9757999

00:06:42.745 --> 00:06:44.345 unfortunately, that little biopsy clip
NOTE Confidence: 0.9757999

00:06:44.345 --> 00:06:45.625 get that gets left is
NOTE Confidence: 0.9757999

00:06:45.625 --> 00:06:46.585 not big enough for us
NOTE Confidence: 0.9757999

00:06:46.585 --> 00:06:48.105 as breast cancer surgeons to
NOTE Confidence: 0.9757999

00:06:48.105 --> 00:06:49.705 find on our own. So
NOTE Confidence: 0.9757999

00:06:49.705 --> 00:06:50.745 we need some help to
NOTE Confidence: 0.9757999

00:06:50.745 --> 00:06:51.625 be able to find that
NOTE Confidence: 0.9757999

00:06:51.625 --> 00:06:53.225 lesion, and it's always disappointing
NOTE Confidence: 0.9757999

00:06:53.225 --> 00:06:54.185 for the patient when we
NOTE Confidence: 0.9757999

00:06:54.185 --> 00:06:55.380 say we have to put
NOTE Confidence: 0.9757999

00:06:55.380 --> 00:06:56.500 in another thing into the
NOTE Confidence: 0.9757999

00:06:56.500 --> 00:06:58.740 breast before surgery, but it's
NOTE Confidence: 0.9757999

00:06:58.740 --> 00:07:00.100 very helpful for us, to
NOTE Confidence: 0.9757999

00:07:00.100 --> 00:07:01.460 be able to find accurately
NOTE Confidence: 0.9757999

00:07:01.460 --> 00:07:02.740 and pinpoint exactly where we

NOTE Confidence: 0.9757999
00:07:02.740 --> 00:07:03.940 need to go. So we
NOTE Confidence: 0.9757999
00:07:03.940 --> 00:07:05.000 used to use wires.
NOTE Confidence: 0.8673201
00:07:05.779 --> 00:07:06.520 And now,
NOTE Confidence: 0.9747921
00:07:07.375 --> 00:07:09.055 because of all the sometimes
NOTE Confidence: 0.9747921
00:07:09.055 --> 00:07:10.255 chaos that can happen with
NOTE Confidence: 0.9747921
00:07:10.255 --> 00:07:12.255 wires, sometimes we'll use what's
NOTE Confidence: 0.9747921
00:07:12.255 --> 00:07:14.014 called a tag or even
NOTE Confidence: 0.9747921
00:07:14.014 --> 00:07:15.535 a smaller device that goes
NOTE Confidence: 0.9747921
00:07:15.535 --> 00:07:16.574 into the breast a few
NOTE Confidence: 0.9747921
00:07:16.574 --> 00:07:17.635 days before surgery,
NOTE Confidence: 0.97753763
00:07:18.335 --> 00:07:19.775 and then often doesn't delay
NOTE Confidence: 0.97753763
00:07:19.775 --> 00:07:20.275 surgeries.
NOTE Confidence: 0.9804594
00:07:21.135 --> 00:07:22.230 A patient can get it,
NOTE Confidence: 0.9804594
00:07:22.230 --> 00:07:23.190 you know, a few days
NOTE Confidence: 0.9804594
00:07:23.190 --> 00:07:24.810 before on their own time,
NOTE Confidence: 0.9990409

00:07:25.270 --> 00:07:26.090 and it allows
NOTE Confidence: 0.78651255

00:07:26.950 --> 00:07:27.450 often
NOTE Confidence: 0.94416547

00:07:28.550 --> 00:07:30.230 to you know, a little
NOTE Confidence: 0.94416547

00:07:30.230 --> 00:07:31.990 bit, at different locations of
NOTE Confidence: 0.94416547

00:07:31.990 --> 00:07:33.270 the breast. Wires are still
NOTE Confidence: 0.94416547

00:07:33.270 --> 00:07:34.730 used. They're great technology.
NOTE Confidence: 0.95581454

00:07:35.335 --> 00:07:36.375 It's a very per, kind
NOTE Confidence: 0.95581454

00:07:36.375 --> 00:07:38.055 of surgeon preference and personal
NOTE Confidence: 0.95581454

00:07:38.055 --> 00:07:39.175 preference for the patient as
NOTE Confidence: 0.95581454

00:07:39.175 --> 00:07:40.775 well, but they're just different
NOTE Confidence: 0.95581454

00:07:40.775 --> 00:07:42.794 ways to, think about localization.
NOTE Confidence: 0.99548095

00:07:45.014 --> 00:07:46.715 Some women will come into
NOTE Confidence: 0.99548095

00:07:46.775 --> 00:07:47.514 our our
NOTE Confidence: 0.9970582

00:07:47.840 --> 00:07:49.120 clinic with, you know, these
NOTE Confidence: 0.9970582

00:07:49.120 --> 00:07:50.480 very large areas of, for
NOTE Confidence: 0.9970582

00:07:50.480 --> 00:07:51.300 instance, calcifications

NOTE Confidence: 0.98730326
00:07:51.840 --> 00:07:53.280 or even a large breast
NOTE Confidence: 0.98730326
00:07:53.280 --> 00:07:53.780 tumor,
NOTE Confidence: 0.9906155
00:07:54.640 --> 00:07:56.320 where, you know, we recommend
NOTE Confidence: 0.9906155
00:07:56.320 --> 00:07:57.300 surgery first.
NOTE Confidence: 0.9793055
00:07:57.680 --> 00:07:59.360 And sometimes, you know, there
NOTE Confidence: 0.9793055
00:07:59.360 --> 00:08:00.575 may be no other option
NOTE Confidence: 0.9793055
00:08:00.575 --> 00:08:01.235 but a mastectomy.
NOTE Confidence: 0.95957667
00:08:01.615 --> 00:08:02.815 But sometimes we have really
NOTE Confidence: 0.95957667
00:08:02.815 --> 00:08:03.555 nice options
NOTE Confidence: 0.9650721
00:08:03.855 --> 00:08:04.495 where we can do a
NOTE Confidence: 0.9650721
00:08:04.495 --> 00:08:05.855 very large resection and work
NOTE Confidence: 0.9650721
00:08:05.855 --> 00:08:06.975 very closely with our plastic
NOTE Confidence: 0.9650721
00:08:06.975 --> 00:08:08.915 surgeons, doctor Hakal and others,
NOTE Confidence: 0.9650721
00:08:09.055 --> 00:08:09.855 where we can do what's
NOTE Confidence: 0.9650721
00:08:09.855 --> 00:08:11.695 called an oncoplastic reduction. And
NOTE Confidence: 0.9650721

00:08:11.695 --> 00:08:12.815 so it allows us as
NOTE Confidence: 0.9650721

00:08:12.815 --> 00:08:14.430 breast cancer surgeons, even an
NOTE Confidence: 0.9650721

00:08:14.430 --> 00:08:15.790 early stage breast cancer, to
NOTE Confidence: 0.9650721

00:08:15.790 --> 00:08:16.750 take out a large piece
NOTE Confidence: 0.9650721

00:08:16.750 --> 00:08:17.410 of tissue,
NOTE Confidence: 0.9391014

00:08:18.110 --> 00:08:19.870 and really reduce or, you
NOTE Confidence: 0.9391014

00:08:19.870 --> 00:08:20.990 know, do what's called a
NOTE Confidence: 0.9391014

00:08:20.990 --> 00:08:22.770 mastopexy lift of the breast,
NOTE Confidence: 0.9175561

00:08:23.150 --> 00:08:24.270 and leave a woman with
NOTE Confidence: 0.9175561

00:08:24.270 --> 00:08:24.930 an amazing, reconstructive result,
NOTE Confidence: 0.9970552

00:08:27.165 --> 00:08:28.125 but still take out a
NOTE Confidence: 0.9970552

00:08:28.125 --> 00:08:29.405 fair amount of breast tissue
NOTE Confidence: 0.9970552

00:08:29.405 --> 00:08:30.285 and and get out the
NOTE Confidence: 0.9970552

00:08:30.285 --> 00:08:31.185 cancer safely.
NOTE Confidence: 0.99711525

00:08:32.445 --> 00:08:33.904 When we are taking
NOTE Confidence: 0.87617606

00:08:34.845 --> 00:08:36.684 out early stage cancers, we

NOTE Confidence: 0.87617606
00:08:36.684 --> 00:08:37.804 all kinda make sure that
NOTE Confidence: 0.87617606
00:08:37.804 --> 00:08:39.840 we get clear margins around
NOTE Confidence: 0.87617606
00:08:39.840 --> 00:08:40.880 the cancer. And I think
NOTE Confidence: 0.87617606
00:08:40.880 --> 00:08:41.920 this is can be a
NOTE Confidence: 0.87617606
00:08:41.920 --> 00:08:42.900 very confusing,
NOTE Confidence: 0.9992333
00:08:43.360 --> 00:08:44.820 for patients to understand.
NOTE Confidence: 0.99874073
00:08:45.360 --> 00:08:46.480 So when we think about
NOTE Confidence: 0.99874073
00:08:46.480 --> 00:08:47.300 clear margins,
NOTE Confidence: 0.9181956
00:08:47.760 --> 00:08:49.120 what essentially what we wanna
NOTE Confidence: 0.9181956
00:08:49.120 --> 00:08:50.160 do is we wanna take
NOTE Confidence: 0.9181956
00:08:50.160 --> 00:08:51.380 out, the cancer,
NOTE Confidence: 0.9924548
00:08:51.855 --> 00:08:52.975 and then we always want
NOTE Confidence: 0.9924548
00:08:52.975 --> 00:08:54.514 some healthy breast tissue
NOTE Confidence: 0.99447584
00:08:54.975 --> 00:08:56.115 around that cancer.
NOTE Confidence: 0.9868224
00:08:56.735 --> 00:08:58.514 And so, you know, unfortunately,
NOTE Confidence: 0.9868224

00:08:58.654 --> 00:08:59.615 when we have what's called
NOTE Confidence: 0.9868224

00:08:59.615 --> 00:09:00.834 a positive margin,
NOTE Confidence: 0.9686521

00:09:01.214 --> 00:09:02.495 what that means is is
NOTE Confidence: 0.9686521

00:09:02.495 --> 00:09:03.695 the what we hope is
NOTE Confidence: 0.9686521

00:09:03.695 --> 00:09:05.635 healthy breast tissue. Again, unfortunately,
NOTE Confidence: 0.9686521

00:09:05.695 --> 00:09:06.834 this is all microscopic
NOTE Confidence: 0.9945469

00:09:07.170 --> 00:09:07.670 disease.
NOTE Confidence: 0.9037352

00:09:08.130 --> 00:09:09.410 What we what a healthy
NOTE Confidence: 0.9037352

00:09:09.410 --> 00:09:10.929 breast tissue margin we we
NOTE Confidence: 0.9037352

00:09:10.929 --> 00:09:11.429 removed
NOTE Confidence: 0.9692475

00:09:11.970 --> 00:09:13.410 comes back underneath the microscope
NOTE Confidence: 0.9692475

00:09:13.410 --> 00:09:14.450 with some cancer on the
NOTE Confidence: 0.9692475

00:09:14.450 --> 00:09:15.970 edge of that margin. And
NOTE Confidence: 0.9692475

00:09:15.970 --> 00:09:17.649 that does often require us
NOTE Confidence: 0.9692475

00:09:17.649 --> 00:09:18.209 to go back to the
NOTE Confidence: 0.9692475

00:09:18.209 --> 00:09:19.329 operating room with the patient

NOTE Confidence: 0.9692475
00:09:19.329 --> 00:09:20.610 to take, again, a little
NOTE Confidence: 0.9692475
00:09:20.610 --> 00:09:21.510 bit more tissue.
NOTE Confidence: 0.9371488
00:09:21.889 --> 00:09:22.965 It doesn't mean that the
NOTE Confidence: 0.9371488
00:09:22.965 --> 00:09:24.485 cancer has spread all over
NOTE Confidence: 0.9371488
00:09:24.485 --> 00:09:25.605 the store. It doesn't mean
NOTE Confidence: 0.9371488
00:09:25.605 --> 00:09:26.105 that,
NOTE Confidence: 0.98249036
00:09:26.725 --> 00:09:28.645 you know, we missed something
NOTE Confidence: 0.98249036
00:09:28.645 --> 00:09:29.705 per se. Unfortunately,
NOTE Confidence: 0.99163216
00:09:30.165 --> 00:09:31.365 you know, we don't have,
NOTE Confidence: 0.99163216
00:09:31.605 --> 00:09:33.045 X-ray vision. If we did,
NOTE Confidence: 0.99163216
00:09:33.045 --> 00:09:34.265 that would be awesome.
NOTE Confidence: 0.9902997
00:09:34.645 --> 00:09:36.029 But since we don't, it's
NOTE Confidence: 0.9902997
00:09:36.029 --> 00:09:37.230 just a matter of where
NOTE Confidence: 0.9902997
00:09:37.230 --> 00:09:38.750 the pathologist, the doctors that
NOTE Confidence: 0.9902997
00:09:38.750 --> 00:09:39.709 look at things underneath the
NOTE Confidence: 0.9902997

00:09:39.709 --> 00:09:41.470 microscope, really have to examine
NOTE Confidence: 0.9902997

00:09:41.470 --> 00:09:42.750 that tissue to make sure
NOTE Confidence: 0.9902997

00:09:42.750 --> 00:09:44.190 that the cancer cells are
NOTE Confidence: 0.9902997

00:09:44.190 --> 00:09:45.570 clean of the edge.
NOTE Confidence: 0.9843721

00:09:47.070 --> 00:09:48.429 We also want cancer cells
NOTE Confidence: 0.9843721

00:09:48.429 --> 00:09:49.309 clean of the edge when
NOTE Confidence: 0.9843721

00:09:49.309 --> 00:09:50.130 we do DCIS,
NOTE Confidence: 0.91640335

00:09:50.955 --> 00:09:52.175 surgeries as well,
NOTE Confidence: 0.9816119

00:09:52.635 --> 00:09:53.375 and we always,
NOTE Confidence: 0.9950725

00:09:53.755 --> 00:09:54.875 kinda shoot for this idea
NOTE Confidence: 0.9950725

00:09:54.875 --> 00:09:56.155 of two millimeters from the
NOTE Confidence: 0.9950725

00:09:56.155 --> 00:09:56.955 edge of the piece of
NOTE Confidence: 0.9950725

00:09:56.955 --> 00:09:57.995 tissue when we take out
NOTE Confidence: 0.9950725

00:09:57.995 --> 00:09:58.495 margins.
NOTE Confidence: 0.969089

00:10:00.875 --> 00:10:02.895 At Yale, the the study
NOTE Confidence: 0.969089

00:10:02.955 --> 00:10:04.895 done to look at margins

NOTE Confidence: 0.969089
00:10:05.115 --> 00:10:06.395 when we do remove breast
NOTE Confidence: 0.969089
00:10:06.395 --> 00:10:07.670 tissue around,
NOTE Confidence: 0.9351601
00:10:08.050 --> 00:10:09.030 the the,
NOTE Confidence: 0.99304754
00:10:10.530 --> 00:10:11.670 cancer was done,
NOTE Confidence: 0.98131716
00:10:12.210 --> 00:10:13.730 by doctor Chagpar, who's no
NOTE Confidence: 0.98131716
00:10:13.730 --> 00:10:14.690 longer here at Yale, but
NOTE Confidence: 0.98131716
00:10:14.690 --> 00:10:15.890 she led this trial at
NOTE Confidence: 0.98131716
00:10:15.890 --> 00:10:17.250 Yale. And it was a
NOTE Confidence: 0.98131716
00:10:17.250 --> 00:10:19.304 really well done trial to
NOTE Confidence: 0.9887572
00:10:19.785 --> 00:10:21.464 show how we can take
NOTE Confidence: 0.9887572
00:10:21.464 --> 00:10:21.785 these,
NOTE Confidence: 0.9886629
00:10:22.345 --> 00:10:23.705 this healthy breast tissue around
NOTE Confidence: 0.9886629
00:10:23.705 --> 00:10:24.445 the cancer.
NOTE Confidence: 0.9927851
00:10:26.105 --> 00:10:26.825 As far as some of
NOTE Confidence: 0.9927851
00:10:26.825 --> 00:10:28.345 the mastectomy updates for early
NOTE Confidence: 0.9927851

00:10:28.345 --> 00:10:30.425 stage breast cancers, so when
NOTE Confidence: 0.9927851

00:10:30.425 --> 00:10:31.725 we think about mastectomies,
NOTE Confidence: 0.9873783

00:10:32.665 --> 00:10:34.105 there's multiple different ways to
NOTE Confidence: 0.9873783

00:10:34.105 --> 00:10:35.699 do mastectomies, multiple different types
NOTE Confidence: 0.9873783

00:10:35.699 --> 00:10:36.279 of reconstruction.
NOTE Confidence: 0.99221194

00:10:37.139 --> 00:10:38.179 And one of the ways
NOTE Confidence: 0.99221194

00:10:38.179 --> 00:10:39.059 now is what we can
NOTE Confidence: 0.99221194

00:10:39.059 --> 00:10:40.100 do is called a nipple
NOTE Confidence: 0.99221194

00:10:40.100 --> 00:10:41.000 sparing mastectomy.
NOTE Confidence: 0.9603476

00:10:42.100 --> 00:10:43.620 Yes, we know ducts do
NOTE Confidence: 0.9603476

00:10:43.620 --> 00:10:44.980 go into the nipple, and
NOTE Confidence: 0.9603476

00:10:44.980 --> 00:10:46.819 so sometimes there's fear that,
NOTE Confidence: 0.9603476

00:10:46.819 --> 00:10:47.779 you know, that may increase
NOTE Confidence: 0.9603476

00:10:47.779 --> 00:10:49.139 a woman's risk of developing
NOTE Confidence: 0.9603476

00:10:49.139 --> 00:10:50.179 a breast cancer if they
NOTE Confidence: 0.9603476

00:10:50.179 --> 00:10:51.925 have, for instance, the BRCA

NOTE Confidence: 0.9603476
00:10:51.925 --> 00:10:53.145 gene and want a prophylactic
NOTE Confidence: 0.9603476
00:10:53.285 --> 00:10:53.785 mastectomy.
NOTE Confidence: 0.96041197
00:10:54.245 --> 00:10:55.205 Or it may you know,
NOTE Confidence: 0.96041197
00:10:55.205 --> 00:10:55.925 there there may be some
NOTE Confidence: 0.96041197
00:10:55.925 --> 00:10:57.465 fear about risk of recurrence,
NOTE Confidence: 0.97935355
00:10:58.085 --> 00:10:59.365 if a patient has cancer
NOTE Confidence: 0.97935355
00:10:59.365 --> 00:11:00.405 and has a nipple sparing
NOTE Confidence: 0.97935355
00:11:00.405 --> 00:11:00.905 mastectomy.
NOTE Confidence: 0.9791118
00:11:01.365 --> 00:11:02.405 And a lot of really
NOTE Confidence: 0.9791118
00:11:02.405 --> 00:11:03.365 well done trials, you'll see
NOTE Confidence: 0.9791118
00:11:03.365 --> 00:11:04.910 doctor Greenup on this study,
NOTE Confidence: 0.9791118
00:11:04.910 --> 00:11:05.809 I should say.
NOTE Confidence: 0.96007395
00:11:06.750 --> 00:11:07.870 There's been a lot of
NOTE Confidence: 0.96007395
00:11:07.870 --> 00:11:09.309 work done in whether or
NOTE Confidence: 0.96007395
00:11:09.309 --> 00:11:10.750 not nipple sparing mastectomies are
NOTE Confidence: 0.96007395

00:11:10.750 --> 00:11:12.130 safe for our cancer patients
NOTE Confidence: 0.96007395

00:11:12.270 --> 00:11:13.470 in the early stage setting
NOTE Confidence: 0.96007395

00:11:13.470 --> 00:11:14.830 and in the prophylactic setting
NOTE Confidence: 0.96007395

00:11:14.830 --> 00:11:16.610 for our BRCA carrier patients.
NOTE Confidence: 0.96007395

00:11:16.830 --> 00:11:18.430 And what we found from
NOTE Confidence: 0.96007395

00:11:18.430 --> 00:11:20.665 multiple trials now or studies,
NOTE Confidence: 0.96007395

00:11:20.665 --> 00:11:21.725 I guess, I should articulate,
NOTE Confidence: 0.96007395

00:11:21.865 --> 00:11:23.065 is that, it is a
NOTE Confidence: 0.96007395

00:11:23.065 --> 00:11:25.545 very, very safe procedure for
NOTE Confidence: 0.96007395

00:11:25.545 --> 00:11:27.304 women to have done. Not
NOTE Confidence: 0.96007395

00:11:27.304 --> 00:11:28.905 everyone will qualify for a
NOTE Confidence: 0.96007395

00:11:28.905 --> 00:11:30.845 nipple sparing for various reasons,
NOTE Confidence: 0.983244

00:11:31.625 --> 00:11:32.125 but,
NOTE Confidence: 0.99380964

00:11:32.700 --> 00:11:33.740 you know, in the setting
NOTE Confidence: 0.99380964

00:11:33.740 --> 00:11:35.340 that it's it's, a reasonable
NOTE Confidence: 0.99380964

00:11:35.340 --> 00:11:36.860 operation for a patient, it's

NOTE Confidence: 0.99380964

00:11:36.860 --> 00:11:37.360 safe.

NOTE Confidence: 0.970107

00:11:39.100 --> 00:11:41.580 Contralateral prophylactic mastectomy. So this

NOTE Confidence: 0.970107

00:11:41.580 --> 00:11:42.960 is a whole another discussion

NOTE Confidence: 0.970107

00:11:43.020 --> 00:11:44.300 about when a woman has

NOTE Confidence: 0.970107

00:11:44.300 --> 00:11:45.660 an affected breast with breast

NOTE Confidence: 0.970107

00:11:45.660 --> 00:11:46.160 cancer.

NOTE Confidence: 0.9891027

00:11:47.454 --> 00:11:48.975 What about removing the other

NOTE Confidence: 0.9891027

00:11:48.975 --> 00:11:49.934 breast? You know, there's a

NOTE Confidence: 0.9891027

00:11:49.934 --> 00:11:51.135 lot of discussion about whether

NOTE Confidence: 0.9891027

00:11:51.135 --> 00:11:52.575 breast cancer spreads from one

NOTE Confidence: 0.9891027

00:11:52.575 --> 00:11:53.615 breast to the other, and

NOTE Confidence: 0.9891027

00:11:53.615 --> 00:11:55.075 that's actually not the case.

NOTE Confidence: 0.9891027

00:11:55.214 --> 00:11:56.334 We know that breast cancers

NOTE Confidence: 0.9891027

00:11:56.334 --> 00:11:57.615 don't spread from the right

NOTE Confidence: 0.9891027

00:11:57.615 --> 00:11:58.654 breast, for instance, to the

NOTE Confidence: 0.9891027

00:11:58.654 --> 00:12:00.110 left breast, but we do

NOTE Confidence: 0.9891027

00:12:00.110 --> 00:12:01.070 know that a woman's at

NOTE Confidence: 0.9891027

00:12:01.070 --> 00:12:02.370 a higher risk of developing

NOTE Confidence: 0.9891027

00:12:02.510 --> 00:12:03.870 a contralateral cancer if they

NOTE Confidence: 0.9891027

00:12:03.870 --> 00:12:04.910 have a breast cancer in

NOTE Confidence: 0.9891027

00:12:04.910 --> 00:12:05.890 one of their breast.

NOTE Confidence: 0.9979593

00:12:06.830 --> 00:12:08.429 What we do know is

NOTE Confidence: 0.9979593

00:12:08.429 --> 00:12:08.929 that

NOTE Confidence: 0.99062157

00:12:09.309 --> 00:12:11.325 removing the contralateral breast does

NOTE Confidence: 0.99062157

00:12:11.485 --> 00:12:12.765 decrease that woman's risk of

NOTE Confidence: 0.99062157

00:12:12.765 --> 00:12:14.445 getting a breast cancer, but

NOTE Confidence: 0.99062157

00:12:14.445 --> 00:12:15.885 doesn't improve their survival from

NOTE Confidence: 0.99062157

00:12:15.885 --> 00:12:17.325 their actual cancer in their

NOTE Confidence: 0.99062157

00:12:17.325 --> 00:12:18.304 in their breast.

NOTE Confidence: 0.9812591

00:12:18.765 --> 00:12:20.205 It's something to consider. It's

NOTE Confidence: 0.9812591

00:12:20.205 --> 00:12:21.565 definitely a conversation to have

NOTE Confidence: 0.9812591
00:12:21.565 --> 00:12:22.465 with your surgeon.
NOTE Confidence: 0.9751705
00:12:23.510 --> 00:12:24.710 And, you know, some women
NOTE Confidence: 0.9751705
00:12:24.710 --> 00:12:25.390 elect to do it for
NOTE Confidence: 0.9751705
00:12:25.390 --> 00:12:26.710 a very personal reason, and
NOTE Confidence: 0.9751705
00:12:26.710 --> 00:12:28.390 some women don't. It's just
NOTE Confidence: 0.9751705
00:12:28.390 --> 00:12:29.589 something to always kind of
NOTE Confidence: 0.9751705
00:12:29.589 --> 00:12:30.250 think about.
NOTE Confidence: 0.83846635
00:12:31.990 --> 00:12:33.750 As far as nipple sin
NOTE Confidence: 0.83846635
00:12:33.990 --> 00:12:34.490 neurotization
NOTE Confidence: 0.9304805
00:12:34.870 --> 00:12:35.690 now, so,
NOTE Confidence: 0.9993873
00:12:36.230 --> 00:12:37.290 there is some
NOTE Confidence: 0.974713
00:12:38.015 --> 00:12:39.775 data to suggest that we
NOTE Confidence: 0.974713
00:12:39.775 --> 00:12:41.715 may be able to reneurotize
NOTE Confidence: 0.9632978
00:12:42.095 --> 00:12:44.015 or essentially give sensation to
NOTE Confidence: 0.9632978
00:12:44.015 --> 00:12:45.695 the mastectomy skin when we
NOTE Confidence: 0.9632978

00:12:45.695 --> 00:12:47.535 remove the breast. Oftentimes, we
NOTE Confidence: 0.9632978

00:12:47.535 --> 00:12:49.054 remove the breast, the skin
NOTE Confidence: 0.9632978

00:12:49.054 --> 00:12:50.415 is innervated or gets its
NOTE Confidence: 0.9632978

00:12:50.415 --> 00:12:52.100 sensation from the breast, And
NOTE Confidence: 0.9632978

00:12:52.100 --> 00:12:53.540 so the skin loses sensation.
NOTE Confidence: 0.9632978

00:12:53.540 --> 00:12:54.600 It becomes numb.
NOTE Confidence: 0.9937104

00:12:55.220 --> 00:12:56.820 And now, you know, there
NOTE Confidence: 0.9937104

00:12:56.820 --> 00:12:57.540 is some,
NOTE Confidence: 0.9995757

00:12:57.940 --> 00:12:58.440 ability
NOTE Confidence: 0.99167734

00:12:58.740 --> 00:13:01.060 to find these nerves along
NOTE Confidence: 0.99167734

00:13:01.060 --> 00:13:02.740 the the outside part of
NOTE Confidence: 0.99167734

00:13:02.740 --> 00:13:03.400 the breast,
NOTE Confidence: 0.92280877

00:13:03.860 --> 00:13:04.304 connect,
NOTE Confidence: 0.959941

00:13:04.785 --> 00:13:06.304 what's called an allograph. So
NOTE Confidence: 0.959941

00:13:06.304 --> 00:13:07.684 it's a cadaver nerve,
NOTE Confidence: 0.9925662

00:13:08.225 --> 00:13:09.825 and then so that also

NOTE Confidence: 0.9925662
00:13:09.825 --> 00:13:11.665 into nerves underneath the nipple
NOTE Confidence: 0.9925662
00:13:11.665 --> 00:13:13.265 to try to preserve some
NOTE Confidence: 0.9925662
00:13:13.265 --> 00:13:13.765 sensation.
NOTE Confidence: 0.9860177
00:13:15.184 --> 00:13:15.684 There's
NOTE Confidence: 0.97882706
00:13:16.065 --> 00:13:17.745 some data to suggest that
NOTE Confidence: 0.97882706
00:13:17.745 --> 00:13:18.785 it works and then some
NOTE Confidence: 0.97882706
00:13:18.785 --> 00:13:20.220 data to suggest that it's
NOTE Confidence: 0.97882706
00:13:20.220 --> 00:13:21.679 it's not perfect,
NOTE Confidence: 0.9395296
00:13:22.059 --> 00:13:23.179 and that it doesn't always
NOTE Confidence: 0.9395296
00:13:23.179 --> 00:13:24.779 work. And so, you know,
NOTE Confidence: 0.9395296
00:13:24.779 --> 00:13:26.220 I think this is, you
NOTE Confidence: 0.9395296
00:13:26.220 --> 00:13:27.679 know, kinda two weeks continued.
NOTE Confidence: 0.9635606
00:13:29.259 --> 00:13:30.379 You know, I think often
NOTE Confidence: 0.9635606
00:13:30.379 --> 00:13:31.819 it's worth a try, and
NOTE Confidence: 0.9635606
00:13:31.819 --> 00:13:32.959 then, you know, sometimes,
NOTE Confidence: 0.99777603

00:13:34.115 --> 00:13:35.074 you know, we'll just have
NOTE Confidence: 0.99777603

00:13:35.074 --> 00:13:35.875 to see what the data
NOTE Confidence: 0.99777603

00:13:35.875 --> 00:13:36.995 shows as far as long
NOTE Confidence: 0.99777603

00:13:36.995 --> 00:13:37.815 term outcomes,
NOTE Confidence: 0.96961415

00:13:38.355 --> 00:13:40.115 because it may not, hold
NOTE Confidence: 0.96961415

00:13:40.115 --> 00:13:41.975 true to for every woman.
NOTE Confidence: 0.99634993

00:13:44.355 --> 00:13:46.035 There's been a lot of
NOTE Confidence: 0.99634993

00:13:46.035 --> 00:13:47.554 changes in the way we
NOTE Confidence: 0.99634993

00:13:47.554 --> 00:13:49.030 think about removing lymph nodes
NOTE Confidence: 0.99634993

00:13:49.030 --> 00:13:50.470 underneath the armpit for early
NOTE Confidence: 0.99634993

00:13:50.470 --> 00:13:52.070 stage breast cancers, which is
NOTE Confidence: 0.99634993

00:13:52.070 --> 00:13:53.530 really exciting for patients.
NOTE Confidence: 0.96555567

00:13:53.910 --> 00:13:54.630 We used to have to
NOTE Confidence: 0.96555567

00:13:54.630 --> 00:13:55.750 remove all the lymph nodes
NOTE Confidence: 0.96555567

00:13:55.750 --> 00:13:57.030 underneath the armpit all the
NOTE Confidence: 0.96555567

00:13:57.030 --> 00:13:58.309 time, and it caused a

NOTE Confidence: 0.96555567
00:13:58.309 --> 00:13:59.750 lot of morbidity for our
NOTE Confidence: 0.96555567
00:13:59.750 --> 00:14:01.190 patients. And now what we
NOTE Confidence: 0.96555567
00:14:01.190 --> 00:14:02.390 know, we can really only
NOTE Confidence: 0.96555567
00:14:02.390 --> 00:14:03.350 have to remove a few
NOTE Confidence: 0.96555567
00:14:03.350 --> 00:14:04.725 lymph nodes off in called
NOTE Confidence: 0.96555567
00:14:04.725 --> 00:14:06.105 a sentinel lymph node biopsy
NOTE Confidence: 0.9729881
00:14:06.485 --> 00:14:07.605 and leave the the rest
NOTE Confidence: 0.9729881
00:14:07.605 --> 00:14:08.565 of the lymph nodes to
NOTE Confidence: 0.9729881
00:14:08.565 --> 00:14:09.845 avoid that really, you know,
NOTE Confidence: 0.9729881
00:14:10.165 --> 00:14:11.605 unfortunate risk of what's called
NOTE Confidence: 0.9729881
00:14:11.605 --> 00:14:13.125 lymphedema, the swelling of the
NOTE Confidence: 0.9729881
00:14:13.125 --> 00:14:13.625 arm.
NOTE Confidence: 0.99031836
00:14:14.165 --> 00:14:15.765 As I spoke, earlier on,
NOTE Confidence: 0.99031836
00:14:15.765 --> 00:14:17.045 the z eleven trial was
NOTE Confidence: 0.99031836
00:14:17.045 --> 00:14:18.404 the trial in the early
NOTE Confidence: 0.99031836

00:14:18.404 --> 00:14:20.005 two thousands that showed us
NOTE Confidence: 0.99031836

00:14:20.005 --> 00:14:21.360 that if a woman has
NOTE Confidence: 0.99031836

00:14:21.420 --> 00:14:22.860 only one or two positive
NOTE Confidence: 0.99031836

00:14:22.860 --> 00:14:23.980 lymph nodes at the time
NOTE Confidence: 0.99031836

00:14:23.980 --> 00:14:25.660 of surgery, we don't have
NOTE Confidence: 0.99031836

00:14:25.660 --> 00:14:27.100 to necessarily remove all the
NOTE Confidence: 0.99031836

00:14:27.100 --> 00:14:27.920 lymph nodes.
NOTE Confidence: 0.9960911

00:14:28.540 --> 00:14:30.000 Now we even know
NOTE Confidence: 0.9579689

00:14:30.540 --> 00:14:31.899 that with women who have
NOTE Confidence: 0.9579689

00:14:31.899 --> 00:14:34.160 early stage slow growing cancers,
NOTE Confidence: 0.9958511

00:14:34.685 --> 00:14:36.204 the hormone receptor positive breast
NOTE Confidence: 0.9958511

00:14:36.204 --> 00:14:36.704 cancers,
NOTE Confidence: 0.990536

00:14:37.005 --> 00:14:38.285 we actually don't even have
NOTE Confidence: 0.990536

00:14:38.285 --> 00:14:39.805 to remove lymph nodes at
NOTE Confidence: 0.990536

00:14:39.805 --> 00:14:41.005 all. So we don't even
NOTE Confidence: 0.990536

00:14:41.005 --> 00:14:42.045 have to do that sentinel

NOTE Confidence: 0.990536
00:14:42.045 --> 00:14:42.865 lymph node biopsy.
NOTE Confidence: 0.99545425
00:14:43.644 --> 00:14:45.105 If a woman has small
NOTE Confidence: 0.99545425
00:14:45.404 --> 00:14:47.584 cancers, hormone receptor positive,
NOTE Confidence: 0.98970103
00:14:48.420 --> 00:14:50.260 two trials were done, kind
NOTE Confidence: 0.98970103
00:14:50.260 --> 00:14:51.460 of right near each other,
NOTE Confidence: 0.98970103
00:14:51.460 --> 00:14:52.500 one in Europe and one
NOTE Confidence: 0.98970103
00:14:52.500 --> 00:14:53.240 in the UK,
NOTE Confidence: 0.9406283
00:14:53.780 --> 00:14:54.820 that showed us that there
NOTE Confidence: 0.9406283
00:14:54.820 --> 00:14:56.260 was no difference in outcomes
NOTE Confidence: 0.9406283
00:14:56.260 --> 00:14:58.020 whether we actually remove lymph
NOTE Confidence: 0.9406283
00:14:58.020 --> 00:14:58.920 nodes at all.
NOTE Confidence: 0.93789124
00:14:59.780 --> 00:15:01.060 This was just a a
NOTE Confidence: 0.93789124
00:15:01.060 --> 00:15:02.100 little bit more detail on
NOTE Confidence: 0.93789124
00:15:02.100 --> 00:15:04.005 the sound trial that allowed
NOTE Confidence: 0.93789124
00:15:04.005 --> 00:15:05.205 us again to show if
NOTE Confidence: 0.93789124

00:15:05.205 --> 00:15:06.405 a woman has a normal
NOTE Confidence: 0.93789124

00:15:06.405 --> 00:15:08.645 axillary ultrasound before surgery, we
NOTE Confidence: 0.93789124

00:15:08.645 --> 00:15:10.185 do breast conservation.
NOTE Confidence: 0.9645931

00:15:10.725 --> 00:15:11.765 We don't have to remove
NOTE Confidence: 0.9645931

00:15:11.765 --> 00:15:13.045 lymph nodes. And this was
NOTE Confidence: 0.9645931

00:15:13.045 --> 00:15:14.725 the INSEMA trial in Europe,
NOTE Confidence: 0.9645931

00:15:14.725 --> 00:15:16.560 again, showing essentially the same
NOTE Confidence: 0.98649

00:15:17.120 --> 00:15:18.320 results. As you can see,
NOTE Confidence: 0.98649

00:15:18.320 --> 00:15:19.700 the surgical complications
NOTE Confidence: 0.99445516

00:15:20.480 --> 00:15:21.920 are real when we have
NOTE Confidence: 0.99445516

00:15:21.920 --> 00:15:23.600 to remove lymph nodes, and
NOTE Confidence: 0.99445516

00:15:23.600 --> 00:15:24.480 they did a really nice
NOTE Confidence: 0.99445516

00:15:24.480 --> 00:15:25.760 job demonstrating that when we
NOTE Confidence: 0.99445516

00:15:25.760 --> 00:15:27.760 omit removing lymph nodes, women
NOTE Confidence: 0.99445516

00:15:27.760 --> 00:15:29.700 have a lot less, surgical
NOTE Confidence: 0.99445516

00:15:29.760 --> 00:15:30.260 complications.

NOTE Confidence: 0.9640006

00:15:32.024 --> 00:15:34.185 We give neoadjuvant chemotherapy, meaning

NOTE Confidence: 0.9640006

00:15:34.185 --> 00:15:36.505 chemotherapy before surgery and sometimes

NOTE Confidence: 0.9640006

00:15:36.505 --> 00:15:37.945 still early stage breast cancers

NOTE Confidence: 0.9640006

00:15:37.945 --> 00:15:39.305 if they're more aggressive, like

NOTE Confidence: 0.9640006

00:15:39.305 --> 00:15:40.665 the triple negative setting and

NOTE Confidence: 0.9640006

00:15:40.665 --> 00:15:41.964 the HER2 positive setting.

NOTE Confidence: 0.9982458

00:15:42.265 --> 00:15:43.305 And now what we know

NOTE Confidence: 0.9982458

00:15:43.305 --> 00:15:43.805 is

NOTE Confidence: 0.96854514

00:15:44.319 --> 00:15:46.160 that if we remove lymph

NOTE Confidence: 0.96854514

00:15:46.160 --> 00:15:47.620 nodes after chemotherapy

NOTE Confidence: 0.9495417

00:15:48.720 --> 00:15:50.160 and there's no cancer left

NOTE Confidence: 0.9495417

00:15:50.160 --> 00:15:51.600 in any of them, we

NOTE Confidence: 0.9495417

00:15:51.600 --> 00:15:52.480 don't have to take out

NOTE Confidence: 0.9495417

00:15:52.480 --> 00:15:53.860 all that lymph nodes underneath

NOTE Confidence: 0.9495417

00:15:53.920 --> 00:15:54.660 the armpit.

NOTE Confidence: 0.97764814

00:15:55.279 --> 00:15:57.759 However, stay tuned because even
NOTE Confidence: 0.97764814

00:15:57.759 --> 00:15:59.275 now, when we have a
NOTE Confidence: 0.97764814

00:15:59.275 --> 00:16:00.315 few lymph nodes that still
NOTE Confidence: 0.97764814

00:16:00.315 --> 00:16:01.355 have cancer in it after
NOTE Confidence: 0.97764814

00:16:01.355 --> 00:16:01.855 chemotherapy,
NOTE Confidence: 0.9902147

00:16:02.315 --> 00:16:03.435 we may not need to
NOTE Confidence: 0.9902147

00:16:03.435 --> 00:16:04.235 take out all the rest
NOTE Confidence: 0.9902147

00:16:04.235 --> 00:16:05.195 of them, and we may
NOTE Confidence: 0.9902147

00:16:05.195 --> 00:16:06.795 be able to, offer the
NOTE Confidence: 0.9902147

00:16:06.795 --> 00:16:08.955 patient radiation alone. So these
NOTE Confidence: 0.9902147

00:16:08.955 --> 00:16:10.235 results are hopefully coming in
NOTE Confidence: 0.9902147

00:16:10.235 --> 00:16:11.275 the next four to five
NOTE Confidence: 0.9902147

00:16:11.275 --> 00:16:12.255 to ten years,
NOTE Confidence: 0.8961461

00:16:12.635 --> 00:16:13.435 but I think this will
NOTE Confidence: 0.8961461

00:16:13.435 --> 00:16:14.690 be practice changing patients
NOTE Confidence: 0.8268656

00:16:15.110 --> 00:16:15.610 as

NOTE Confidence: 0.9503658
00:16:16.030 --> 00:16:16.530 well.
NOTE Confidence: 0.9320146
00:16:18.510 --> 00:16:19.850 And doctor Hickall may get
NOTE Confidence: 0.9320146
00:16:19.870 --> 00:16:20.510 into this in a little
NOTE Confidence: 0.9320146
00:16:20.510 --> 00:16:21.790 bit more detail later, but
NOTE Confidence: 0.9320146
00:16:21.790 --> 00:16:22.590 we now know that if
NOTE Confidence: 0.9320146
00:16:22.590 --> 00:16:23.550 we do have to remove
NOTE Confidence: 0.9320146
00:16:23.550 --> 00:16:24.670 all the lymph nodes, even
NOTE Confidence: 0.9320146
00:16:24.670 --> 00:16:25.630 still for an early stage
NOTE Confidence: 0.9320146
00:16:25.630 --> 00:16:27.090 breast cancer, it can happen.
NOTE Confidence: 0.9778394
00:16:27.630 --> 00:16:28.964 We can do techniques now
NOTE Confidence: 0.9778394
00:16:28.964 --> 00:16:30.964 to hopefully avoid, the horrible
NOTE Confidence: 0.9778394
00:16:30.964 --> 00:16:32.345 complication of lymphedema,
NOTE Confidence: 0.98103535
00:16:33.285 --> 00:16:34.725 where we can connect a
NOTE Confidence: 0.98103535
00:16:34.725 --> 00:16:36.645 vein and a lymphatic, a
NOTE Confidence: 0.98103535
00:16:36.645 --> 00:16:38.025 little channel in the armpit.
NOTE Confidence: 0.98103535

00:16:38.325 --> 00:16:40.404 And, again, I ideally, allow
NOTE Confidence: 0.98103535

00:16:40.404 --> 00:16:41.765 our patients to suffer less
NOTE Confidence: 0.98103535

00:16:41.765 --> 00:16:43.865 from potential complications of lymphedema.
NOTE Confidence: 0.98232925

00:16:45.170 --> 00:16:46.790 There are ongoing clinical trials
NOTE Confidence: 0.98232925

00:16:46.930 --> 00:16:48.210 in this country looking at
NOTE Confidence: 0.98232925

00:16:48.210 --> 00:16:50.370 this very idea to hopefully
NOTE Confidence: 0.98232925

00:16:50.370 --> 00:16:51.730 have to show that there
NOTE Confidence: 0.98232925

00:16:51.730 --> 00:16:53.110 are good outcomes with it,
NOTE Confidence: 0.98910266

00:16:53.730 --> 00:16:55.430 but stay tuned as well.
NOTE Confidence: 0.99805856

00:16:55.730 --> 00:16:56.610 And I think that's all
NOTE Confidence: 0.99805856

00:16:56.610 --> 00:16:57.885 I have. Thank you so
NOTE Confidence: 0.99805856

00:16:57.885 --> 00:16:58.765 much for the time, and
NOTE Confidence: 0.99805856

00:16:58.765 --> 00:16:59.805 I'd love to take questions
NOTE Confidence: 0.99805856

00:16:59.805 --> 00:17:00.545 at the end.
NOTE Confidence: 0.9926864

00:17:01.325 --> 00:17:02.685 Thank you so much, doctor
NOTE Confidence: 0.9926864

00:17:02.685 --> 00:17:04.045 Berger. And we're gonna move

NOTE Confidence: 0.9926864
00:17:04.045 --> 00:17:05.325 on to our two additional
NOTE Confidence: 0.9926864
00:17:05.325 --> 00:17:06.925 speakers. We'll take questions at
NOTE Confidence: 0.9926864
00:17:06.925 --> 00:17:07.805 the end, and I'll be
NOTE Confidence: 0.9926864
00:17:07.805 --> 00:17:09.244 responding in real time in
NOTE Confidence: 0.9926864
00:17:09.244 --> 00:17:09.905 the chat.
NOTE Confidence: 0.9987061
00:17:10.550 --> 00:17:11.510 This is really meant to
NOTE Confidence: 0.9987061
00:17:11.510 --> 00:17:12.570 highlight our multidisciplinary
NOTE Confidence: 0.9995892
00:17:13.190 --> 00:17:14.010 team approach.
NOTE Confidence: 0.94369113
00:17:14.470 --> 00:17:15.910 Next up is doctor Siva
NOTE Confidence: 0.94369113
00:17:15.910 --> 00:17:18.150 Haykal, associate professor of plastic
NOTE Confidence: 0.94369113
00:17:18.150 --> 00:17:19.670 surgery and section chief of
NOTE Confidence: 0.94369113
00:17:19.670 --> 00:17:20.170 oncoplastic
NOTE Confidence: 0.99962103
00:17:20.550 --> 00:17:21.050 reconstruction.
NOTE Confidence: 0.9927793
00:17:21.990 --> 00:17:23.510 Tonight, she'll be talking about
NOTE Confidence: 0.9927793
00:17:23.510 --> 00:17:24.330 breast reconstruction
NOTE Confidence: 0.9615732

00:17:24.710 --> 00:17:26.445 and early stage breast cancer.
NOTE Confidence: 0.9615732

00:17:26.445 --> 00:17:27.744 Thank you, doctor Haykel.
NOTE Confidence: 0.9770223

00:17:28.284 --> 00:17:29.484 Thank you so much, doctor
NOTE Confidence: 0.9770223

00:17:29.484 --> 00:17:31.085 Greenup, and thank you, doctor
NOTE Confidence: 0.9770223

00:17:31.085 --> 00:17:33.025 Berger, for an amazing talk.
NOTE Confidence: 0.9770223

00:17:33.164 --> 00:17:34.784 I'll be sharing my screen.
NOTE Confidence: 0.9983218

00:17:42.299 --> 00:17:43.260 Please let me know if
NOTE Confidence: 0.9983218

00:17:43.260 --> 00:17:44.160 you can see it.
NOTE Confidence: 0.99637955

00:17:47.980 --> 00:17:49.280 Great. Thank you.
NOTE Confidence: 0.9563401

00:17:49.820 --> 00:17:51.100 Okay. Great. So we're gonna
NOTE Confidence: 0.9563401

00:17:51.100 --> 00:17:52.400 talk about breast reconstruction,
NOTE Confidence: 0.9413633

00:17:53.075 --> 00:17:53.555 and,
NOTE Confidence: 0.98497254

00:17:54.595 --> 00:17:55.795 I'm open to questions at
NOTE Confidence: 0.98497254

00:17:55.795 --> 00:17:57.075 the end. Hopefully, I can
NOTE Confidence: 0.98497254

00:17:57.075 --> 00:17:58.435 answer some of the questions
NOTE Confidence: 0.98497254

00:17:58.435 --> 00:17:59.415 by going through,

NOTE Confidence: 0.9847363
00:18:00.195 --> 00:18:01.315 some of the slides and
NOTE Confidence: 0.9847363
00:18:01.315 --> 00:18:02.994 some of the techniques where,
NOTE Confidence: 0.78596175
00:18:03.395 --> 00:18:03.875 breast,
NOTE Confidence: 0.99859595
00:18:04.435 --> 00:18:06.355 breast cancer surgeons are working
NOTE Confidence: 0.99859595
00:18:06.355 --> 00:18:08.135 in collaboration with reconstructive
NOTE Confidence: 0.9975954
00:18:08.560 --> 00:18:09.060 surgeons,
NOTE Confidence: 0.9991277
00:18:09.920 --> 00:18:11.040 in order to achieve a
NOTE Confidence: 0.9991277
00:18:11.040 --> 00:18:11.859 great outcome.
NOTE Confidence: 0.9973522
00:18:12.720 --> 00:18:14.160 So let's talk about breast
NOTE Confidence: 0.9973522
00:18:14.160 --> 00:18:15.920 reconstruction. So it can either
NOTE Confidence: 0.9973522
00:18:15.920 --> 00:18:17.520 be immediate, which is at
NOTE Confidence: 0.9973522
00:18:17.520 --> 00:18:18.580 the time of mastectomy,
NOTE Confidence: 0.9893591
00:18:19.200 --> 00:18:20.580 and we'll talk about lumpectomy
NOTE Confidence: 0.9893591
00:18:20.800 --> 00:18:21.840 as well, or it can
NOTE Confidence: 0.9893591
00:18:21.840 --> 00:18:23.359 be delayed, which is any
NOTE Confidence: 0.9893591

00:18:23.359 --> 00:18:24.955 day after the mastectomy.

NOTE Confidence: 0.96227825

00:18:26.215 --> 00:18:27.655 How do we determine the

NOTE Confidence: 0.96227825

00:18:27.655 --> 00:18:28.555 best options,

NOTE Confidence: 0.9966622

00:18:28.935 --> 00:18:30.375 and, how do we make

NOTE Confidence: 0.9966622

00:18:30.375 --> 00:18:31.655 a decision? So it has

NOTE Confidence: 0.9966622

00:18:31.655 --> 00:18:33.195 to do with patient preference,

NOTE Confidence: 0.9179169

00:18:33.895 --> 00:18:35.835 the need for postoperative treatments

NOTE Confidence: 0.9179169

00:18:35.895 --> 00:18:37.755 such as chemotherapy or radiation,

NOTE Confidence: 0.99706405

00:18:38.790 --> 00:18:40.390 whether we have donor sites,

NOTE Confidence: 0.99706405

00:18:40.390 --> 00:18:41.430 and I'll talk about what

NOTE Confidence: 0.99706405

00:18:41.430 --> 00:18:42.170 that means,

NOTE Confidence: 0.99080354

00:18:42.710 --> 00:18:44.890 other medical issues, and recovery

NOTE Confidence: 0.99080354

00:18:44.950 --> 00:18:45.450 time.

NOTE Confidence: 0.9925943

00:18:46.070 --> 00:18:47.270 So I'll first talk about

NOTE Confidence: 0.9925943

00:18:47.270 --> 00:18:47.770 oncoplastic

NOTE Confidence: 0.99940836

00:18:48.150 --> 00:18:48.650 reconstruction.

NOTE Confidence: 0.98442173
00:18:49.110 --> 00:18:50.790 So doctor Berger mentioned it
NOTE Confidence: 0.98442173
00:18:50.790 --> 00:18:52.250 a little bit, but oncoplastic
NOTE Confidence: 0.99948835
00:18:52.630 --> 00:18:53.130 reconstruction
NOTE Confidence: 0.97676647
00:18:54.304 --> 00:18:55.265 basically involves,
NOTE Confidence: 0.99932724
00:18:56.545 --> 00:18:58.545 rearranging breast tissue after a
NOTE Confidence: 0.99932724
00:18:58.545 --> 00:19:00.405 lumpectomy for breast cancer
NOTE Confidence: 0.9933311
00:19:01.025 --> 00:19:02.725 to achieve a better aesthetic
NOTE Confidence: 0.9933311
00:19:02.865 --> 00:19:04.385 result. So when a portion
NOTE Confidence: 0.9933311
00:19:04.385 --> 00:19:06.085 of the breast is removed,
NOTE Confidence: 0.9933311
00:19:06.225 --> 00:19:07.765 it can cause some dimples,
NOTE Confidence: 0.9933311
00:19:07.905 --> 00:19:09.605 some divots in the breast,
NOTE Confidence: 0.9983343
00:19:09.960 --> 00:19:11.080 and it can cause some
NOTE Confidence: 0.9983343
00:19:11.080 --> 00:19:13.020 asymmetry between the two breasts.
NOTE Confidence: 0.95175266
00:19:13.399 --> 00:19:14.600 So this is a great
NOTE Confidence: 0.95175266
00:19:14.600 --> 00:19:16.679 option for people who have
NOTE Confidence: 0.95175266

00:19:16.679 --> 00:19:18.119 large or very, what we
NOTE Confidence: 0.95175266

00:19:18.119 --> 00:19:20.220 call, tootie or saggy breasts.
NOTE Confidence: 0.99515575

00:19:20.679 --> 00:19:22.279 So a breast reduction is
NOTE Confidence: 0.99515575

00:19:22.279 --> 00:19:24.279 typically done on the other
NOTE Confidence: 0.99515575

00:19:24.279 --> 00:19:25.419 side as well,
NOTE Confidence: 0.88672733

00:19:26.335 --> 00:19:27.935 and or and or a
NOTE Confidence: 0.88672733

00:19:27.935 --> 00:19:28.755 breast lift.
NOTE Confidence: 0.9991513

00:19:30.815 --> 00:19:32.255 Now let's talk about implant
NOTE Confidence: 0.9991513

00:19:32.255 --> 00:19:33.075 based reconstruction.
NOTE Confidence: 0.9823209

00:19:33.775 --> 00:19:35.135 So there are some techniques
NOTE Confidence: 0.9823209

00:19:35.135 --> 00:19:37.295 that involve putting in an
NOTE Confidence: 0.9823209

00:19:37.295 --> 00:19:38.975 implant right away. So that's
NOTE Confidence: 0.9823209

00:19:38.975 --> 00:19:40.515 when we put an implant
NOTE Confidence: 0.9823209

00:19:40.575 --> 00:19:41.830 at the time of a
NOTE Confidence: 0.9823209

00:19:41.830 --> 00:19:42.330 mastectomy.
NOTE Confidence: 0.99894214

00:19:43.350 --> 00:19:44.869 It eliminates the need for

NOTE Confidence: 0.99894214
00:19:44.869 --> 00:19:46.250 what we call a tissue
NOTE Confidence: 0.99894214
00:19:46.309 --> 00:19:46.809 expander.
NOTE Confidence: 0.99980587
00:19:47.590 --> 00:19:48.809 It's a breast reconstruction
NOTE Confidence: 0.96954304
00:19:49.109 --> 00:19:50.549 that can be completed in
NOTE Confidence: 0.96954304
00:19:50.549 --> 00:19:51.369 one step,
NOTE Confidence: 0.9936575
00:19:51.990 --> 00:19:53.269 and people who are good
NOTE Confidence: 0.9936575
00:19:53.269 --> 00:19:55.109 candidates for this are really
NOTE Confidence: 0.9936575
00:19:55.109 --> 00:19:56.809 based on the breast size,
NOTE Confidence: 0.9987588
00:19:57.485 --> 00:19:58.785 the cancer size,
NOTE Confidence: 0.99897325
00:19:59.244 --> 00:20:00.625 and the type of mastectomy
NOTE Confidence: 0.94375837
00:20:01.085 --> 00:20:01.585 required.
NOTE Confidence: 0.9636129
00:20:02.045 --> 00:20:04.125 And frequently, it's done when,
NOTE Confidence: 0.9877357
00:20:04.685 --> 00:20:05.885 we try to keep the
NOTE Confidence: 0.9877357
00:20:05.885 --> 00:20:06.785 nipple areola.
NOTE Confidence: 0.9989703
00:20:07.485 --> 00:20:08.925 However, this is not the
NOTE Confidence: 0.9989703

00:20:08.925 --> 00:20:09.905 gold standard.

NOTE Confidence: 0.9600363

00:20:10.445 --> 00:20:11.565 It can lead to high

NOTE Confidence: 0.9600363

00:20:11.565 --> 00:20:12.705 revision rates.

NOTE Confidence: 0.9995084

00:20:14.260 --> 00:20:15.859 The gold standard for implant

NOTE Confidence: 0.9995084

00:20:15.859 --> 00:20:16.680 based reconstruction

NOTE Confidence: 0.9997487

00:20:17.060 --> 00:20:18.020 is what we call a

NOTE Confidence: 0.9997487

00:20:18.020 --> 00:20:19.160 two stage procedure.

NOTE Confidence: 0.99957377

00:20:20.020 --> 00:20:21.540 So in the first stage,

NOTE Confidence: 0.99957377

00:20:21.540 --> 00:20:23.140 we put either a tissue

NOTE Confidence: 0.99957377

00:20:23.140 --> 00:20:23.640 expander

NOTE Confidence: 0.96454805

00:20:24.020 --> 00:20:25.859 above or underneath the muscle

NOTE Confidence: 0.96454805

00:20:25.859 --> 00:20:27.700 and most commonly now above

NOTE Confidence: 0.96454805

00:20:27.700 --> 00:20:28.359 the muscle.

NOTE Confidence: 0.99878395

00:20:29.015 --> 00:20:30.135 This looks sort of like

NOTE Confidence: 0.99878395

00:20:30.135 --> 00:20:31.755 a balloon. It has,

NOTE Confidence: 0.9953199

00:20:32.294 --> 00:20:34.054 a magnetic port in it,

NOTE Confidence: 0.9953199
00:20:34.054 --> 00:20:35.414 and it's covered by the
NOTE Confidence: 0.9953199
00:20:35.414 --> 00:20:35.914 skin.
NOTE Confidence: 0.9996446
00:20:36.695 --> 00:20:37.994 And this requires
NOTE Confidence: 0.9771207
00:20:38.534 --> 00:20:39.815 filling of that,
NOTE Confidence: 0.9999839
00:20:40.375 --> 00:20:40.875 balloon
NOTE Confidence: 0.98339343
00:20:41.654 --> 00:20:43.255 in clinic every one to
NOTE Confidence: 0.98339343
00:20:43.255 --> 00:20:44.580 two weeks, and we fill
NOTE Confidence: 0.98339343
00:20:44.580 --> 00:20:45.700 it to the size that
NOTE Confidence: 0.98339343
00:20:45.700 --> 00:20:47.140 we're happy with or you're
NOTE Confidence: 0.98339343
00:20:47.140 --> 00:20:47.960 happy with.
NOTE Confidence: 0.9780277
00:20:48.420 --> 00:20:49.940 And it involves the second
NOTE Confidence: 0.9780277
00:20:49.940 --> 00:20:51.700 stage. So that means going
NOTE Confidence: 0.9780277
00:20:51.700 --> 00:20:53.320 back to the operating room,
NOTE Confidence: 0.9929709
00:20:53.700 --> 00:20:55.700 removing the expander, and putting
NOTE Confidence: 0.9929709
00:20:55.700 --> 00:20:56.679 in an implant.
NOTE Confidence: 0.9507651

00:20:57.325 --> 00:20:58.525 Because this is kinda what
NOTE Confidence: 0.9507651

00:20:58.525 --> 00:21:00.205 it looks like. Sometimes it's
NOTE Confidence: 0.9507651

00:21:00.205 --> 00:21:01.805 covered with a special type
NOTE Confidence: 0.9507651

00:21:01.805 --> 00:21:02.545 of mesh.
NOTE Confidence: 0.9948147

00:21:03.325 --> 00:21:03.825 And,
NOTE Confidence: 0.98555017

00:21:04.365 --> 00:21:05.965 in clinic, we use a
NOTE Confidence: 0.98555017

00:21:05.965 --> 00:21:07.744 mag we use a magnetic
NOTE Confidence: 0.98555017

00:21:07.885 --> 00:21:09.744 finder. We find the magnetic
NOTE Confidence: 0.98555017

00:21:09.805 --> 00:21:10.925 port, and we put a
NOTE Confidence: 0.98555017

00:21:10.925 --> 00:21:12.225 needle through the skin
NOTE Confidence: 0.9966089

00:21:12.760 --> 00:21:14.520 into the tissue expander, and
NOTE Confidence: 0.9966089

00:21:14.520 --> 00:21:15.900 we fill up that space.
NOTE Confidence: 0.986166

00:21:16.440 --> 00:21:18.380 So, typically, we start filling
NOTE Confidence: 0.986166

00:21:18.520 --> 00:21:19.799 about two to three weeks
NOTE Confidence: 0.986166

00:21:19.799 --> 00:21:20.700 after surgery.
NOTE Confidence: 0.96315855

00:21:21.320 --> 00:21:23.240 The expansion process can take

NOTE Confidence: 0.96315855
00:21:23.240 --> 00:21:23.900 up to
NOTE Confidence: 0.92287165
00:21:35.994 --> 00:21:37.295 treatment as required.
NOTE Confidence: 0.9994043
00:21:38.830 --> 00:21:40.269 What are the advantages of
NOTE Confidence: 0.9994043
00:21:40.269 --> 00:21:41.409 implant based reconstruction?
NOTE Confidence: 0.99682754
00:21:42.269 --> 00:21:43.730 It's a quicker procedure.
NOTE Confidence: 0.99974597
00:21:44.429 --> 00:21:46.450 It's a shorter recovery time.
NOTE Confidence: 0.9994151
00:21:46.750 --> 00:21:47.869 You get to choose the
NOTE Confidence: 0.9994151
00:21:47.869 --> 00:21:49.090 size of your reconstruction.
NOTE Confidence: 0.99980897
00:21:49.950 --> 00:21:51.789 We're only operating on one
NOTE Confidence: 0.99980897
00:21:51.789 --> 00:21:52.275 side.
NOTE Confidence: 0.9945301
00:21:52.595 --> 00:21:54.195 The disadvantage is it can
NOTE Confidence: 0.9945301
00:21:54.195 --> 00:21:55.734 be more than one surgery.
NOTE Confidence: 0.9987264
00:21:56.355 --> 00:21:57.955 We can sometimes see and
NOTE Confidence: 0.9987264
00:21:57.955 --> 00:21:59.175 palpate the implant.
NOTE Confidence: 0.998712
00:21:59.795 --> 00:22:01.075 If it's placed under the
NOTE Confidence: 0.998712

00:22:01.075 --> 00:22:02.935 muscle, the muscle can cause
NOTE Confidence: 0.998712

00:22:02.994 --> 00:22:03.494 animation.
NOTE Confidence: 0.9892611

00:22:04.275 --> 00:22:05.635 There's always a risk of
NOTE Confidence: 0.9892611

00:22:05.635 --> 00:22:06.135 infection.
NOTE Confidence: 0.9936603

00:22:06.740 --> 00:22:07.780 There's a risk of what
NOTE Confidence: 0.9936603

00:22:07.780 --> 00:22:09.859 we call capsular contracture, which
NOTE Confidence: 0.9936603

00:22:09.859 --> 00:22:11.640 is the body forming
NOTE Confidence: 0.98876065

00:22:12.100 --> 00:22:13.780 a capsule around the implant,
NOTE Confidence: 0.98876065

00:22:13.780 --> 00:22:14.280 which
NOTE Confidence: 0.90043706

00:22:15.220 --> 00:22:17.859 commonly happens. However, sometimes it
NOTE Confidence: 0.90043706

00:22:17.859 --> 00:22:18.520 can become
NOTE Confidence: 0.9990072

00:22:19.205 --> 00:22:20.345 hard and painful
NOTE Confidence: 0.9919106

00:22:20.645 --> 00:22:22.185 and can distort the implant.
NOTE Confidence: 0.99616694

00:22:22.725 --> 00:22:24.185 Implants can also rupture.
NOTE Confidence: 0.9656575

00:22:25.045 --> 00:22:26.805 Any radiation can lead to
NOTE Confidence: 0.9656575

00:22:26.805 --> 00:22:28.645 a higher failure rate, and

NOTE Confidence: 0.9656575

00:22:28.645 --> 00:22:30.505 there's a few things associated

NOTE Confidence: 0.978685

00:22:30.885 --> 00:22:32.880 with implants that are less

NOTE Confidence: 0.978685

00:22:32.960 --> 00:22:34.640 common and actually very rare,

NOTE Confidence: 0.978685

00:22:34.640 --> 00:22:35.540 but we frequently

NOTE Confidence: 0.94415444

00:22:36.160 --> 00:22:37.119 talk about and you should

NOTE Confidence: 0.94415444

00:22:37.119 --> 00:22:39.300 discuss with your reconstructive surgeon,

NOTE Confidence: 0.9862131

00:22:39.680 --> 00:22:41.359 which are anaplastic large cell

NOTE Confidence: 0.9862131

00:22:41.359 --> 00:22:43.619 lymphoma and breast implant illness,

NOTE Confidence: 0.97384053

00:22:44.160 --> 00:22:45.840 which are related to safety,

NOTE Confidence: 0.97384053

00:22:45.840 --> 00:22:47.359 related to some types of

NOTE Confidence: 0.97384053

00:22:47.359 --> 00:22:47.859 implants,

NOTE Confidence: 0.9990698

00:22:48.274 --> 00:22:49.894 which are not always used,

NOTE Confidence: 0.9993801

00:22:50.514 --> 00:22:51.414 in all practices.

NOTE Confidence: 0.9385782

00:22:52.835 --> 00:22:55.095 Doctor Berger alluded to, sensation

NOTE Confidence: 0.9385782

00:22:55.315 --> 00:22:55.815 preservation.

NOTE Confidence: 0.9641174

00:22:58.195 --> 00:22:59.255 So this is frequently
NOTE Confidence: 0.9977473

00:22:59.715 --> 00:23:01.794 done when we can preserve
NOTE Confidence: 0.9977473

00:23:01.794 --> 00:23:02.455 the nipple
NOTE Confidence: 0.9860999

00:23:02.779 --> 00:23:04.159 and the areola,
NOTE Confidence: 0.9862039

00:23:04.460 --> 00:23:05.740 which can which is done
NOTE Confidence: 0.9862039

00:23:05.740 --> 00:23:08.059 in, some patients. Again, the
NOTE Confidence: 0.9862039

00:23:08.059 --> 00:23:09.340 tumor has to be far
NOTE Confidence: 0.9862039

00:23:09.340 --> 00:23:10.539 away enough from the nipple
NOTE Confidence: 0.9862039

00:23:10.539 --> 00:23:11.740 areola so that we can
NOTE Confidence: 0.9862039

00:23:11.740 --> 00:23:12.480 keep it.
NOTE Confidence: 0.9205205

00:23:12.859 --> 00:23:13.980 And then the breast have
NOTE Confidence: 0.9205205

00:23:13.980 --> 00:23:15.260 to has to already has
NOTE Confidence: 0.9205205

00:23:15.260 --> 00:23:16.159 a nice shape,
NOTE Confidence: 0.9918308

00:23:16.845 --> 00:23:17.725 to it so that we
NOTE Confidence: 0.9918308

00:23:17.725 --> 00:23:19.425 can preserve the nipple areola.
NOTE Confidence: 0.9894695

00:23:19.885 --> 00:23:21.244 So when that's done, we

NOTE Confidence: 0.9894695
00:23:21.244 --> 00:23:22.925 can do we can preserve
NOTE Confidence: 0.9894695
00:23:22.925 --> 00:23:24.545 sensation in two ways.
NOTE Confidence: 0.9480052
00:23:25.005 --> 00:23:26.465 One of them by connecting
NOTE Confidence: 0.99985874
00:23:26.925 --> 00:23:27.665 a nerve
NOTE Confidence: 0.9526768
00:23:28.125 --> 00:23:29.645 that comes off the shelf
NOTE Confidence: 0.9526768
00:23:29.645 --> 00:23:31.105 that has been processed,
NOTE Confidence: 0.99973345
00:23:31.720 --> 00:23:32.760 or we can take a
NOTE Confidence: 0.99973345
00:23:32.760 --> 00:23:33.260 nerve
NOTE Confidence: 0.99837
00:23:33.720 --> 00:23:34.840 from the side of the
NOTE Confidence: 0.99837
00:23:34.840 --> 00:23:36.360 breast that's not involved in
NOTE Confidence: 0.99837
00:23:36.360 --> 00:23:37.100 the cancer
NOTE Confidence: 0.9959179
00:23:37.560 --> 00:23:39.480 and transfer it over to
NOTE Confidence: 0.9959179
00:23:39.480 --> 00:23:41.020 try to bring back sensation.
NOTE Confidence: 0.96636796
00:23:41.640 --> 00:23:43.400 Now the sensation is not
NOTE Confidence: 0.96636796
00:23:43.400 --> 00:23:44.620 like normal sensation.
NOTE Confidence: 0.9944342

00:23:45.000 --> 00:23:46.060 It's not erogenous
NOTE Confidence: 0.86052907

00:23:46.360 --> 00:23:46.860 sensation,
NOTE Confidence: 0.99006104

00:23:47.585 --> 00:23:49.425 but, we think with some
NOTE Confidence: 0.99006104

00:23:49.425 --> 00:23:50.945 studies that we can bring
NOTE Confidence: 0.99006104

00:23:50.945 --> 00:23:51.765 back sensation,
NOTE Confidence: 0.99957216

00:23:52.865 --> 00:23:54.305 better than not having this
NOTE Confidence: 0.99957216

00:23:54.305 --> 00:23:55.205 done at all.
NOTE Confidence: 0.9475041

00:23:56.465 --> 00:23:57.505 The other type of re
NOTE Confidence: 0.9475041

00:23:57.505 --> 00:23:59.425 re breast reconstruction is called
NOTE Confidence: 0.9475041

00:23:59.425 --> 00:24:01.045 autologous tissue reconstruction.
NOTE Confidence: 0.9998217

00:24:02.309 --> 00:24:03.350 Can you guys still hear
NOTE Confidence: 0.9998217

00:24:03.350 --> 00:24:03.850 me?
NOTE Confidence: 0.99024934

00:24:04.630 --> 00:24:06.070 Okay. Great. Sorry. I think
NOTE Confidence: 0.99024934

00:24:06.070 --> 00:24:07.130 you lost the signal.
NOTE Confidence: 0.99510163

00:24:08.470 --> 00:24:10.309 And that means using your
NOTE Confidence: 0.99510163

00:24:10.309 --> 00:24:12.070 own tissue. So that can

NOTE Confidence: 0.99510163
00:24:12.070 --> 00:24:13.529 come from different areas.
NOTE Confidence: 0.95676446
00:24:14.164 --> 00:24:15.125 So there it can come
NOTE Confidence: 0.95676446
00:24:15.125 --> 00:24:16.885 from the abdomen, the belly.
NOTE Confidence: 0.95676446
00:24:16.885 --> 00:24:18.164 That's called a deep flap.
NOTE Confidence: 0.95676446
00:24:18.164 --> 00:24:19.205 It can come from the
NOTE Confidence: 0.95676446
00:24:19.205 --> 00:24:21.284 thighs. That can is called
NOTE Confidence: 0.95676446
00:24:21.284 --> 00:24:22.404 the tug flap or the
NOTE Confidence: 0.95676446
00:24:22.404 --> 00:24:24.164 pad flap. It can come
NOTE Confidence: 0.95676446
00:24:24.164 --> 00:24:25.765 from the buttocks, the eye
NOTE Confidence: 0.95676446
00:24:25.765 --> 00:24:26.885 gap, or the s cap,
NOTE Confidence: 0.95676446
00:24:26.885 --> 00:24:27.765 or it can come from
NOTE Confidence: 0.95676446
00:24:27.765 --> 00:24:28.470 the back.
NOTE Confidence: 0.99732345
00:24:29.030 --> 00:24:30.150 So that's using,
NOTE Confidence: 0.99667126
00:24:30.470 --> 00:24:32.070 the patient's own tissues to
NOTE Confidence: 0.99667126
00:24:32.070 --> 00:24:33.750 create a breast mound. It
NOTE Confidence: 0.99667126

00:24:33.750 --> 00:24:35.289 avoids all the complications

NOTE Confidence: 0.9894777

00:24:35.669 --> 00:24:36.730 related to implants,

NOTE Confidence: 0.9982921

00:24:37.109 --> 00:24:38.309 and it's a pretty nice

NOTE Confidence: 0.9982921

00:24:38.309 --> 00:24:39.830 donor site. So let's talk

NOTE Confidence: 0.9982921

00:24:39.830 --> 00:24:40.809 about the options.

NOTE Confidence: 0.987544

00:24:41.465 --> 00:24:42.905 The most common one is

NOTE Confidence: 0.987544

00:24:42.905 --> 00:24:44.585 called the deep flap. That

NOTE Confidence: 0.987544

00:24:44.585 --> 00:24:46.685 stands for deep inferior epigastric

NOTE Confidence: 0.987544

00:24:46.984 --> 00:24:49.065 perforator flap. That just means

NOTE Confidence: 0.987544

00:24:49.065 --> 00:24:50.665 the vessels that we actually

NOTE Confidence: 0.987544

00:24:50.665 --> 00:24:51.165 use.

NOTE Confidence: 0.9921132

00:24:51.705 --> 00:24:52.825 So this is a cross

NOTE Confidence: 0.9921132

00:24:52.825 --> 00:24:54.185 section of the belly where

NOTE Confidence: 0.9921132

00:24:54.185 --> 00:24:55.885 we have skin and fat

NOTE Confidence: 0.9742818

00:24:56.240 --> 00:24:57.140 and the muscle.

NOTE Confidence: 0.9976995

00:24:57.520 --> 00:24:59.119 There's little vessels that are

NOTE Confidence: 0.9976995
00:24:59.119 --> 00:25:00.720 less than one millimeter in
NOTE Confidence: 0.9976995
00:25:00.720 --> 00:25:03.040 size that really penetrate through
NOTE Confidence: 0.9976995
00:25:03.040 --> 00:25:03.780 that muscle
NOTE Confidence: 0.9914997
00:25:04.160 --> 00:25:05.600 and give blood supply to
NOTE Confidence: 0.9914997
00:25:05.600 --> 00:25:06.820 the skin and the fat.
NOTE Confidence: 0.9914997
00:25:07.119 --> 00:25:08.240 So we get a CT
NOTE Confidence: 0.9914997
00:25:08.240 --> 00:25:09.680 scan of the belly first,
NOTE Confidence: 0.9914997
00:25:09.680 --> 00:25:10.980 and during the surgery,
NOTE Confidence: 0.95912564
00:25:11.625 --> 00:25:13.244 we find those little vessels.
NOTE Confidence: 0.98707277
00:25:13.705 --> 00:25:15.065 We follow them all the
NOTE Confidence: 0.98707277
00:25:15.065 --> 00:25:16.345 way down to the groin
NOTE Confidence: 0.98707277
00:25:16.345 --> 00:25:17.385 where they come from, where
NOTE Confidence: 0.98707277
00:25:17.385 --> 00:25:19.385 they become slightly larger, so
NOTE Confidence: 0.98707277
00:25:19.385 --> 00:25:20.845 about two to three millimeters.
NOTE Confidence: 0.99148655
00:25:21.465 --> 00:25:23.145 We disconnect them from that
NOTE Confidence: 0.99148655

00:25:23.145 --> 00:25:23.645 area,
NOTE Confidence: 0.9919041
00:25:23.960 --> 00:25:25.400 and we reconnect them in
NOTE Confidence: 0.9919041
00:25:25.400 --> 00:25:27.240 vessels underneath a small piece
NOTE Confidence: 0.9919041
00:25:27.240 --> 00:25:27.980 of rib.
NOTE Confidence: 0.99927413
00:25:28.520 --> 00:25:29.900 This is called microsurgery.
NOTE Confidence: 0.9965797
00:25:30.520 --> 00:25:31.720 We use loops and a
NOTE Confidence: 0.9965797
00:25:31.720 --> 00:25:33.240 microscope to do this, and
NOTE Confidence: 0.9965797
00:25:33.240 --> 00:25:34.200 it can be a long
NOTE Confidence: 0.9965797
00:25:34.200 --> 00:25:34.700 procedure.
NOTE Confidence: 0.97875106
00:25:35.800 --> 00:25:36.765 You end up with a
NOTE Confidence: 0.97875106
00:25:36.845 --> 00:25:38.125 scar from hip to hip
NOTE Confidence: 0.97875106
00:25:38.125 --> 00:25:39.165 and a scar around the
NOTE Confidence: 0.97875106
00:25:39.165 --> 00:25:40.525 belly button like a tummy
NOTE Confidence: 0.97875106
00:25:40.525 --> 00:25:41.025 tuck.
NOTE Confidence: 0.9799288
00:25:42.125 --> 00:25:43.565 Half of the belly is
NOTE Confidence: 0.9799288
00:25:43.565 --> 00:25:45.405 used for one side, half

NOTE Confidence: 0.9799288
00:25:45.405 --> 00:25:46.685 is used for the other
NOTE Confidence: 0.9799288
00:25:46.685 --> 00:25:47.885 side, and we create a
NOTE Confidence: 0.9799288
00:25:47.885 --> 00:25:49.025 breast out of it.
NOTE Confidence: 0.99961
00:25:49.650 --> 00:25:51.170 We can also bring in
NOTE Confidence: 0.99961
00:25:51.170 --> 00:25:52.930 a little nerve to try
NOTE Confidence: 0.99961
00:25:52.930 --> 00:25:54.230 to bring back sensation
NOTE Confidence: 0.9925068
00:25:55.010 --> 00:25:55.970 and try to,
NOTE Confidence: 0.99912906
00:25:56.530 --> 00:25:57.890 you know, to create the
NOTE Confidence: 0.99912906
00:25:57.890 --> 00:25:58.390 sensation
NOTE Confidence: 0.9918404
00:25:58.770 --> 00:25:59.970 similar to what I talked
NOTE Confidence: 0.9918404
00:25:59.970 --> 00:26:00.869 about earlier.
NOTE Confidence: 0.9908813
00:26:02.205 --> 00:26:03.085 I'm sorry. I have a
NOTE Confidence: 0.9908813
00:26:03.085 --> 00:26:04.385 little child in the background.
NOTE Confidence: 0.98188126
00:26:04.924 --> 00:26:06.285 And we also have,
NOTE Confidence: 0.98245764
00:26:07.085 --> 00:26:07.585 however,
NOTE Confidence: 0.94065064

00:26:08.285 --> 00:26:10.365 it's, again, not like normal
NOTE Confidence: 0.94065064

00:26:10.365 --> 00:26:10.865 sensation,
NOTE Confidence: 0.97559136

00:26:11.645 --> 00:26:12.924 but we do know that
NOTE Confidence: 0.97559136

00:26:12.924 --> 00:26:14.845 with time, even without using
NOTE Confidence: 0.97559136

00:26:14.845 --> 00:26:16.440 a nerve graft, we can
NOTE Confidence: 0.97559136

00:26:16.440 --> 00:26:18.520 bring back since the, the
NOTE Confidence: 0.97559136

00:26:18.520 --> 00:26:20.119 nerves actually grow from the
NOTE Confidence: 0.97559136

00:26:20.119 --> 00:26:20.619 side,
NOTE Confidence: 0.99875927

00:26:21.480 --> 00:26:22.919 of the body to try
NOTE Confidence: 0.99875927

00:26:22.919 --> 00:26:24.600 to bring back sensation into
NOTE Confidence: 0.99875927

00:26:24.600 --> 00:26:25.260 the flap.
NOTE Confidence: 0.98194045

00:26:26.119 --> 00:26:27.880 One side takes about six
NOTE Confidence: 0.98194045

00:26:27.880 --> 00:26:28.380 hours.
NOTE Confidence: 0.99884367

00:26:28.815 --> 00:26:30.335 Two sides takes about ten
NOTE Confidence: 0.99884367

00:26:30.335 --> 00:26:30.835 hours.
NOTE Confidence: 0.9711665

00:26:31.294 --> 00:26:33.215 This admit patients have to

NOTE Confidence: 0.9711665
00:26:33.215 --> 00:26:34.734 admit be admitted for about
NOTE Confidence: 0.9711665
00:26:34.734 --> 00:26:36.335 two to three days. The
NOTE Confidence: 0.9711665
00:26:36.335 --> 00:26:37.695 first twenty four hours are
NOTE Confidence: 0.9711665
00:26:37.695 --> 00:26:39.455 the most important because we
NOTE Confidence: 0.9711665
00:26:39.455 --> 00:26:40.654 watch to make sure that
NOTE Confidence: 0.9711665
00:26:40.654 --> 00:26:42.274 everything is working okay.
NOTE Confidence: 0.9889208
00:26:43.010 --> 00:26:44.529 The advantages are that most
NOTE Confidence: 0.9889208
00:26:44.529 --> 00:26:46.049 of the reconstruction is done
NOTE Confidence: 0.9889208
00:26:46.049 --> 00:26:47.350 at the time of surgery.
NOTE Confidence: 0.9960291
00:26:47.809 --> 00:26:49.429 We're using your own tissues.
NOTE Confidence: 0.989037
00:26:49.730 --> 00:26:51.570 It's lifelong. It's the best
NOTE Confidence: 0.989037
00:26:51.570 --> 00:26:53.330 substitute for a natural looking
NOTE Confidence: 0.989037
00:26:53.330 --> 00:26:53.830 breast.
NOTE Confidence: 0.9900326
00:26:54.210 --> 00:26:55.809 The benefits is a tummy
NOTE Confidence: 0.9900326
00:26:55.809 --> 00:26:56.309 tuck.
NOTE Confidence: 0.99233305

00:26:56.715 --> 00:26:58.575 However, it's a longer procedure.

NOTE Confidence: 0.9993814

00:26:59.195 --> 00:27:01.054 It's a longer recovery time.

NOTE Confidence: 0.99955416

00:27:01.355 --> 00:27:03.215 It's a separate donor site.

NOTE Confidence: 0.99850285

00:27:03.515 --> 00:27:05.615 It may require revision surgeries.

NOTE Confidence: 0.9957167

00:27:05.994 --> 00:27:07.755 There's a possibility of it

NOTE Confidence: 0.9957167

00:27:07.755 --> 00:27:09.195 not working, which is which

NOTE Confidence: 0.9957167

00:27:09.195 --> 00:27:10.734 doesn't happen very often.

NOTE Confidence: 0.9907973

00:27:11.119 --> 00:27:12.240 We can only use the

NOTE Confidence: 0.9907973

00:27:12.240 --> 00:27:14.000 belly once, and there's obviously

NOTE Confidence: 0.9907973

00:27:14.000 --> 00:27:15.680 more scars because we're operating

NOTE Confidence: 0.9907973

00:27:15.680 --> 00:27:16.740 in another area.

NOTE Confidence: 0.99902457

00:27:17.840 --> 00:27:19.119 Other areas that we can

NOTE Confidence: 0.99902457

00:27:19.119 --> 00:27:20.240 take it from is the

NOTE Confidence: 0.99902457

00:27:20.240 --> 00:27:20.740 buttocks,

NOTE Confidence: 0.99987197

00:27:21.359 --> 00:27:22.100 the thighs

NOTE Confidence: 0.9241674

00:27:22.720 --> 00:27:23.460 as well.

NOTE Confidence: 0.99957114
00:27:24.184 --> 00:27:25.725 Now let's talk about using
NOTE Confidence: 0.99957114
00:27:25.785 --> 00:27:27.565 implants with your own tissue.
NOTE Confidence: 0.9990282
00:27:27.945 --> 00:27:29.405 So that is a procedure
NOTE Confidence: 0.9990282
00:27:29.544 --> 00:27:30.684 where we can take,
NOTE Confidence: 0.9543528
00:27:31.385 --> 00:27:32.984 in cases, for example, of
NOTE Confidence: 0.9543528
00:27:32.984 --> 00:27:33.484 radiation,
NOTE Confidence: 0.93813723
00:27:34.025 --> 00:27:35.645 where we can take skin
NOTE Confidence: 0.93813723
00:27:35.705 --> 00:27:37.840 and fat and sometimes the
NOTE Confidence: 0.93813723
00:27:37.840 --> 00:27:38.340 muscle
NOTE Confidence: 0.9901427
00:27:38.720 --> 00:27:40.000 and swing it over to
NOTE Confidence: 0.9901427
00:27:40.000 --> 00:27:40.740 the breast
NOTE Confidence: 0.95772934
00:27:41.440 --> 00:27:43.040 along with a tissue expander
NOTE Confidence: 0.95772934
00:27:43.040 --> 00:27:44.340 of an or an implant,
NOTE Confidence: 0.99586284
00:27:45.200 --> 00:27:46.660 to recreate a breast.
NOTE Confidence: 0.9855735
00:27:47.760 --> 00:27:49.119 Now I also wanna talk
NOTE Confidence: 0.9855735

00:27:49.119 --> 00:27:50.580 about what we call aesthetic
NOTE Confidence: 0.9855735

00:27:50.640 --> 00:27:51.460 flat closure.
NOTE Confidence: 0.98418355

00:27:52.024 --> 00:27:53.865 So plastic surgeon can be
NOTE Confidence: 0.98418355

00:27:53.865 --> 00:27:55.804 involved in after mastectomies
NOTE Confidence: 0.94276917

00:27:56.265 --> 00:27:57.465 in patients who do not
NOTE Confidence: 0.94276917

00:27:57.465 --> 00:27:58.284 want reconstruction,
NOTE Confidence: 0.9997195

00:27:58.984 --> 00:28:00.524 but do not want redundant
NOTE Confidence: 0.9997195

00:28:00.664 --> 00:28:02.345 skin in that area. So
NOTE Confidence: 0.9997195

00:28:02.345 --> 00:28:03.885 we can do different techniques
NOTE Confidence: 0.9990918

00:28:04.424 --> 00:28:05.465 to try to make sure
NOTE Confidence: 0.9990918

00:28:05.465 --> 00:28:07.040 that we have scars,
NOTE Confidence: 0.9987356

00:28:08.060 --> 00:28:09.119 that look aesthetic
NOTE Confidence: 0.99044216

00:28:09.740 --> 00:28:11.020 and to make sure that
NOTE Confidence: 0.99044216

00:28:11.020 --> 00:28:12.080 there are no irregularities
NOTE Confidence: 0.9923164

00:28:12.619 --> 00:28:13.440 in the chest.
NOTE Confidence: 0.9787558

00:28:14.619 --> 00:28:16.540 Now the advantages of implant

NOTE Confidence: 0.9787558
00:28:16.540 --> 00:28:18.380 and autologous based reconstruction, which
NOTE Confidence: 0.9787558
00:28:18.380 --> 00:28:20.005 I mentioned earlier, is that
NOTE Confidence: 0.9787558
00:28:20.005 --> 00:28:20.965 it can be used in
NOTE Confidence: 0.9787558
00:28:20.965 --> 00:28:22.345 patients who had radiation,
NOTE Confidence: 0.989913
00:28:23.365 --> 00:28:24.565 in patients who are too
NOTE Confidence: 0.989913
00:28:24.565 --> 00:28:25.765 thin or have had a
NOTE Confidence: 0.989913
00:28:25.765 --> 00:28:27.465 tummy tuck. The disadvantages
NOTE Confidence: 0.9965102
00:28:28.005 --> 00:28:29.445 is the disadvantages of an
NOTE Confidence: 0.9965102
00:28:29.445 --> 00:28:29.945 implant
NOTE Confidence: 0.99812764
00:28:30.325 --> 00:28:31.845 or using tissue from other
NOTE Confidence: 0.99812764
00:28:31.845 --> 00:28:32.825 part of the body.
NOTE Confidence: 0.9895898
00:28:33.550 --> 00:28:34.590 If we have to remove
NOTE Confidence: 0.9895898
00:28:34.590 --> 00:28:36.190 the nipple areola, then we
NOTE Confidence: 0.9895898
00:28:36.190 --> 00:28:38.050 can reconstruct the nipple areola,
NOTE Confidence: 0.9774162
00:28:38.670 --> 00:28:40.110 and that's usually done by
NOTE Confidence: 0.9774162

00:28:40.110 --> 00:28:41.710 either bunching up some tissue,
NOTE Confidence: 0.9774162

00:28:41.710 --> 00:28:43.310 kinda like origami, to make
NOTE Confidence: 0.9774162

00:28:43.310 --> 00:28:44.690 a nipple or an elevation
NOTE Confidence: 0.9774162

00:28:44.830 --> 00:28:45.495 out of it.
NOTE Confidence: 0.99834377

00:28:45.975 --> 00:28:47.415 And other techniques that we
NOTE Confidence: 0.99834377

00:28:47.415 --> 00:28:48.375 use are,
NOTE Confidence: 0.9943635

00:28:49.015 --> 00:28:49.515 tattooing.
NOTE Confidence: 0.98141164

00:28:50.375 --> 00:28:52.055 One of our APRNs will
NOTE Confidence: 0.98141164

00:28:52.055 --> 00:28:53.335 do that, and we have,
NOTE Confidence: 0.98141164

00:28:53.655 --> 00:28:55.195 they're involved in,
NOTE Confidence: 0.97686696

00:28:55.655 --> 00:28:57.735 clinical and operative care for
NOTE Confidence: 0.97686696

00:28:57.735 --> 00:28:59.515 breast, breast cancer patients.
NOTE Confidence: 0.96265584

00:29:00.200 --> 00:29:02.220 They're certified in tattoo art.
NOTE Confidence: 0.9524987

00:29:03.320 --> 00:29:05.160 Doctor Berger alluded to,
NOTE Confidence: 0.9894343

00:29:05.720 --> 00:29:07.400 a technique that we use
NOTE Confidence: 0.9894343

00:29:07.400 --> 00:29:08.220 for prevention.

NOTE Confidence: 0.9471159
00:29:08.920 --> 00:29:10.520 So one technique is called
NOTE Confidence: 0.9471159
00:29:10.520 --> 00:29:12.140 immediate lymphatic reconstruction,
NOTE Confidence: 0.9525675
00:29:13.245 --> 00:29:14.945 Most importantly, to prevent,
NOTE Confidence: 0.95349526
00:29:15.725 --> 00:29:16.865 to prevent lymphedema,
NOTE Confidence: 0.9977427
00:29:17.165 --> 00:29:18.205 it's the way that we
NOTE Confidence: 0.9977427
00:29:18.205 --> 00:29:20.365 actually remove the lymph nodes
NOTE Confidence: 0.9977427
00:29:20.365 --> 00:29:21.645 by making sure that we
NOTE Confidence: 0.9977427
00:29:21.645 --> 00:29:23.265 try to preserve the lymphatic
NOTE Confidence: 0.9977427
00:29:23.405 --> 00:29:25.025 vessels at the same time.
NOTE Confidence: 0.99890614
00:29:25.460 --> 00:29:26.580 But if all of the
NOTE Confidence: 0.99890614
00:29:26.580 --> 00:29:28.100 lymph nodes are removed and
NOTE Confidence: 0.99890614
00:29:28.100 --> 00:29:29.160 have to be removed,
NOTE Confidence: 0.9913561
00:29:29.700 --> 00:29:30.740 then what we can do
NOTE Confidence: 0.9913561
00:29:30.740 --> 00:29:32.100 is we can try to
NOTE Confidence: 0.9913561
00:29:32.100 --> 00:29:33.700 find those little lymph nodes
NOTE Confidence: 0.9913561

00:29:33.700 --> 00:29:35.240 again by using a microscope.

NOTE Confidence: 0.97279805

00:29:35.780 --> 00:29:37.540 Those are very, very small

NOTE Confidence: 0.97279805

00:29:37.540 --> 00:29:38.900 in size. They're less than

NOTE Confidence: 0.97279805

00:29:38.900 --> 00:29:40.440 one millimeter in size.

NOTE Confidence: 0.9857217

00:29:40.815 --> 00:29:42.434 And we find a vein

NOTE Confidence: 0.9857217

00:29:42.495 --> 00:29:44.014 of equal size, and we

NOTE Confidence: 0.9857217

00:29:44.014 --> 00:29:45.534 reroute them. We perform a

NOTE Confidence: 0.9857217

00:29:45.534 --> 00:29:46.034 bypass.

NOTE Confidence: 0.98850125

00:29:46.815 --> 00:29:47.934 The suture that we use

NOTE Confidence: 0.98850125

00:29:47.934 --> 00:29:49.135 to bring those together is

NOTE Confidence: 0.98850125

00:29:49.135 --> 00:29:50.654 actually finer than a hair,

NOTE Confidence: 0.98850125

00:29:50.654 --> 00:29:51.855 so you can imagine that

NOTE Confidence: 0.98850125

00:29:51.855 --> 00:29:53.075 that's very small.

NOTE Confidence: 0.98483825

00:29:54.059 --> 00:29:55.820 And we our goal is

NOTE Confidence: 0.98483825

00:29:55.820 --> 00:29:57.840 to hopefully prevent lymphedema.

NOTE Confidence: 0.992184

00:29:58.779 --> 00:30:00.140 This adds about an hour

NOTE Confidence: 0.992184
00:30:00.140 --> 00:30:00.860 to an hour and a
NOTE Confidence: 0.992184
00:30:00.860 --> 00:30:02.299 half to the case, and
NOTE Confidence: 0.992184
00:30:02.299 --> 00:30:03.740 we think by looking at
NOTE Confidence: 0.992184
00:30:03.740 --> 00:30:05.500 studies that it has the
NOTE Confidence: 0.992184
00:30:05.500 --> 00:30:07.340 ability to reduce the chances
NOTE Confidence: 0.992184
00:30:07.340 --> 00:30:09.225 of lymphedema by about fifty
NOTE Confidence: 0.992184
00:30:09.225 --> 00:30:09.725 percent.
NOTE Confidence: 0.98192674
00:30:10.105 --> 00:30:12.105 It doesn't necessarily mean that
NOTE Confidence: 0.98192674
00:30:12.105 --> 00:30:12.605 absolutely
NOTE Confidence: 0.98477626
00:30:12.905 --> 00:30:14.045 would not have lymphedema,
NOTE Confidence: 0.9991519
00:30:14.665 --> 00:30:15.485 but it definitely
NOTE Confidence: 0.9893011
00:30:15.945 --> 00:30:16.425 is,
NOTE Confidence: 0.99796665
00:30:17.065 --> 00:30:18.925 is worth, worth trying.
NOTE Confidence: 0.9947438
00:30:19.705 --> 00:30:20.985 Thank you very much for
NOTE Confidence: 0.9947438
00:30:20.985 --> 00:30:22.125 listening, and,
NOTE Confidence: 0.99255276

00:30:22.425 --> 00:30:24.330 I welcome any questions that
NOTE Confidence: 0.99255276

00:30:24.330 --> 00:30:25.450 may come at the end
NOTE Confidence: 0.99255276

00:30:25.450 --> 00:30:26.430 of this talk.
NOTE Confidence: 0.92940784

00:30:28.250 --> 00:30:29.850 Thank you very much, doctor
NOTE Confidence: 0.92940784

00:30:29.850 --> 00:30:30.350 Haykel.
NOTE Confidence: 0.98170424

00:30:30.650 --> 00:30:32.170 And, we'll move on to
NOTE Confidence: 0.98170424

00:30:32.170 --> 00:30:33.550 doctor Maria Rosenblatt.
NOTE Confidence: 0.9741934

00:30:34.010 --> 00:30:36.030 Doctor Rosenblatt is an assistant
NOTE Confidence: 0.9741934

00:30:36.090 --> 00:30:37.450 professor of medicine in the
NOTE Confidence: 0.9741934

00:30:37.450 --> 00:30:39.215 division of medical oncology,
NOTE Confidence: 0.9611

00:30:39.515 --> 00:30:40.715 and she'll be talking with
NOTE Confidence: 0.9611

00:30:40.715 --> 00:30:42.315 us this evening about updates
NOTE Confidence: 0.9611

00:30:42.315 --> 00:30:43.535 in systemic therapy.
NOTE Confidence: 0.9875906

00:30:44.395 --> 00:30:45.775 Welcome, doctor Rosenblitt.
NOTE Confidence: 0.99934393

00:30:46.315 --> 00:30:47.455 Thank you so much.
NOTE Confidence: 0.99653405

00:30:48.635 --> 00:30:49.755 Okay. So I'm gonna be

NOTE Confidence: 0.99653405
00:30:49.755 --> 00:30:51.835 talking about systemic therapy for
NOTE Confidence: 0.99653405
00:30:51.835 --> 00:30:52.655 breast cancer.
NOTE Confidence: 0.9971923
00:30:54.680 --> 00:30:56.280 And as we've heard so
NOTE Confidence: 0.9971923
00:30:56.280 --> 00:30:56.780 far,
NOTE Confidence: 0.9719805
00:30:57.320 --> 00:30:58.600 really, the treatment of breast
NOTE Confidence: 0.9719805
00:30:58.600 --> 00:30:59.820 cancer is a multidisciplinary
NOTE Confidence: 0.84435576
00:31:00.360 --> 00:31:00.860 approach,
NOTE Confidence: 0.99880207
00:31:01.160 --> 00:31:02.520 and this involves the breast
NOTE Confidence: 0.99880207
00:31:02.520 --> 00:31:05.000 surgeon, the radiation oncologist, and
NOTE Confidence: 0.99880207
00:31:05.000 --> 00:31:06.140 the medical oncologist.
NOTE Confidence: 0.99925166
00:31:06.920 --> 00:31:08.855 And each part of the
NOTE Confidence: 0.99925166
00:31:08.855 --> 00:31:10.534 team has a slightly different
NOTE Confidence: 0.99925166
00:31:10.534 --> 00:31:11.654 goal. So the goal of
NOTE Confidence: 0.99925166
00:31:11.654 --> 00:31:12.554 the breast surgeon
NOTE Confidence: 0.95851153
00:31:12.855 --> 00:31:14.215 is to remove the known
NOTE Confidence: 0.95851153

00:31:14.215 --> 00:31:14.715 cancer,
NOTE Confidence: 0.9704663

00:31:15.095 --> 00:31:16.534 to obtain negative margins as
NOTE Confidence: 0.9704663

00:31:16.534 --> 00:31:18.294 we heard about, to evaluate
NOTE Confidence: 0.9704663

00:31:18.294 --> 00:31:19.355 the lymph nodes,
NOTE Confidence: 0.9996464

00:31:19.735 --> 00:31:20.235 and
NOTE Confidence: 0.9985485

00:31:20.740 --> 00:31:22.679 to remove involved lymph nodes.
NOTE Confidence: 0.9989893

00:31:23.380 --> 00:31:24.679 The radiation oncologist
NOTE Confidence: 0.9990533

00:31:24.980 --> 00:31:26.340 then tries to mop up
NOTE Confidence: 0.9990533

00:31:26.340 --> 00:31:27.320 any microscopic
NOTE Confidence: 0.9872899

00:31:27.620 --> 00:31:29.000 disease in the breast,
NOTE Confidence: 0.9563343

00:31:29.380 --> 00:31:31.080 and the regional lymph nodes,
NOTE Confidence: 0.9867027

00:31:31.380 --> 00:31:33.000 and this is usually done
NOTE Confidence: 0.9867027

00:31:33.059 --> 00:31:34.580 after surgery, so after a
NOTE Confidence: 0.9867027

00:31:34.580 --> 00:31:35.080 lumpectomy.
NOTE Confidence: 0.9746005

00:31:35.755 --> 00:31:37.534 And sometimes in special circumstances,
NOTE Confidence: 0.9915404

00:31:37.835 --> 00:31:39.355 it might be recommended after

NOTE Confidence: 0.9915404
00:31:39.355 --> 00:31:39.934 a mastectomy.

NOTE Confidence: 0.9968956
00:31:40.475 --> 00:31:41.434 And the goal of that

NOTE Confidence: 0.9968956
00:31:41.434 --> 00:31:43.115 treatment is to reduce local

NOTE Confidence: 0.9968956
00:31:43.115 --> 00:31:44.554 recurrence, so the risk of

NOTE Confidence: 0.9968956
00:31:44.554 --> 00:31:46.315 the breast cancer coming back

NOTE Confidence: 0.9968956
00:31:46.315 --> 00:31:47.455 in the same breast.

NOTE Confidence: 0.98952955
00:31:48.090 --> 00:31:49.850 As the medical oncologist, my

NOTE Confidence: 0.98952955
00:31:49.850 --> 00:31:51.130 goal is to really mop

NOTE Confidence: 0.98952955
00:31:51.130 --> 00:31:53.130 up any microscopic disease that

NOTE Confidence: 0.98952955
00:31:53.130 --> 00:31:54.490 might be anywhere else in

NOTE Confidence: 0.98952955
00:31:54.490 --> 00:31:56.010 the body. And my goal

NOTE Confidence: 0.98952955
00:31:56.010 --> 00:31:57.530 is to decrease the risk

NOTE Confidence: 0.98952955
00:31:57.530 --> 00:31:58.650 of what we call distant

NOTE Confidence: 0.98952955
00:31:58.650 --> 00:32:00.170 recurrence, so the risk that

NOTE Confidence: 0.98952955
00:32:00.170 --> 00:32:00.830 this cancer

NOTE Confidence: 0.9892878

00:32:01.210 --> 00:32:02.330 might come back in other
NOTE Confidence: 0.9892878

00:32:02.330 --> 00:32:03.390 parts of the body.
NOTE Confidence: 0.9989914

00:32:04.145 --> 00:32:05.585 And we call that, the
NOTE Confidence: 0.9989914

00:32:05.585 --> 00:32:07.684 risk of developing metastatic recurrence.
NOTE Confidence: 0.9953669

00:32:13.265 --> 00:32:14.385 Okay. So how do we
NOTE Confidence: 0.9953669

00:32:14.385 --> 00:32:14.885 decide,
NOTE Confidence: 0.9762191

00:32:15.345 --> 00:32:16.945 what kind of medical treatment
NOTE Confidence: 0.9762191

00:32:16.945 --> 00:32:18.090 to offer? And this is
NOTE Confidence: 0.9762191

00:32:18.090 --> 00:32:19.690 a really complex decision that
NOTE Confidence: 0.9762191

00:32:19.690 --> 00:32:20.410 we put a lot of
NOTE Confidence: 0.9762191

00:32:20.410 --> 00:32:22.010 thought into. And we heard
NOTE Confidence: 0.9762191

00:32:22.010 --> 00:32:22.970 a little bit from Doctor.
NOTE Confidence: 0.9762191

00:32:22.970 --> 00:32:24.809 Berger about stage. So we
NOTE Confidence: 0.9762191

00:32:24.809 --> 00:32:26.490 think about what size is
NOTE Confidence: 0.9762191

00:32:26.490 --> 00:32:28.330 the tumor, how many lymph
NOTE Confidence: 0.9762191

00:32:28.330 --> 00:32:29.390 nodes are involved,

NOTE Confidence: 0.9883035
00:32:30.170 --> 00:32:31.450 are we worried about any
NOTE Confidence: 0.9883035
00:32:31.450 --> 00:32:33.525 distant metastatic sites? And then
NOTE Confidence: 0.9883035
00:32:33.525 --> 00:32:34.965 we think about the patient
NOTE Confidence: 0.9883035
00:32:34.965 --> 00:32:35.845 in front of us. What
NOTE Confidence: 0.9883035
00:32:35.845 --> 00:32:36.965 is their age? What are
NOTE Confidence: 0.9883035
00:32:36.965 --> 00:32:38.505 their other medical problems?
NOTE Confidence: 0.99886054
00:32:38.885 --> 00:32:40.345 What is their life expectancy?
NOTE Confidence: 0.9996252
00:32:40.885 --> 00:32:41.925 What are their values?
NOTE Confidence: 0.998517
00:32:43.445 --> 00:32:44.885 And then we also think
NOTE Confidence: 0.998517
00:32:44.885 --> 00:32:45.385 about
NOTE Confidence: 0.9749951
00:32:45.910 --> 00:32:47.130 additional characteristics.
NOTE Confidence: 0.97543633
00:32:47.510 --> 00:32:49.030 So just as doctor Berger
NOTE Confidence: 0.97543633
00:32:49.030 --> 00:32:50.150 mentioned, it's not just about
NOTE Confidence: 0.97543633
00:32:50.150 --> 00:32:51.690 tumor size and lymph nodes,
NOTE Confidence: 0.97543633
00:32:51.750 --> 00:32:53.290 it's also about the molecular
NOTE Confidence: 0.97543633

00:32:53.350 --> 00:32:54.870 makeup of that tumor. So
NOTE Confidence: 0.97543633

00:32:54.870 --> 00:32:55.770 we know that,
NOTE Confidence: 0.9740696

00:32:56.630 --> 00:32:58.230 whether it's a hormone positive
NOTE Confidence: 0.9740696

00:32:58.230 --> 00:32:59.990 or HER2 positive or triple
NOTE Confidence: 0.9740696

00:32:59.990 --> 00:33:01.130 negative breast cancer,
NOTE Confidence: 0.95242566

00:33:01.905 --> 00:33:03.265 The type of breast cancer
NOTE Confidence: 0.95242566

00:33:03.265 --> 00:33:04.805 has a very different prognosis.
NOTE Confidence: 0.95545954

00:33:05.585 --> 00:33:07.125 We also think about grade,
NOTE Confidence: 0.95545954

00:33:07.185 --> 00:33:08.865 meaning how aggressive does this
NOTE Confidence: 0.95545954

00:33:08.865 --> 00:33:10.565 cancer look under the microscope,
NOTE Confidence: 0.9982801

00:33:11.025 --> 00:33:12.545 and we sometimes do special
NOTE Confidence: 0.9982801

00:33:12.545 --> 00:33:14.805 types of gene expression testing
NOTE Confidence: 0.9982801

00:33:15.060 --> 00:33:15.940 to try to help us
NOTE Confidence: 0.9982801

00:33:15.940 --> 00:33:16.980 figure out what is the
NOTE Confidence: 0.9982801

00:33:16.980 --> 00:33:18.260 risk of this cancer coming
NOTE Confidence: 0.9982801

00:33:18.260 --> 00:33:18.760 back.

NOTE Confidence: 0.9858965
00:33:20.020 --> 00:33:21.060 So in terms of the
NOTE Confidence: 0.9858965
00:33:21.060 --> 00:33:22.900 timing of the therapy, we
NOTE Confidence: 0.9858965
00:33:22.900 --> 00:33:24.500 think about it, in two
NOTE Confidence: 0.9858965
00:33:24.500 --> 00:33:26.900 large buckets, meaning adjuvant or
NOTE Confidence: 0.9858965
00:33:26.900 --> 00:33:27.400 neoadjuvant
NOTE Confidence: 0.99935013
00:33:27.700 --> 00:33:28.185 approach.
NOTE Confidence: 0.99754024
00:33:28.745 --> 00:33:29.625 When we talk about an
NOTE Confidence: 0.99754024
00:33:29.625 --> 00:33:31.945 adjuvant approach, that's when we
NOTE Confidence: 0.99754024
00:33:31.945 --> 00:33:32.985 have a discussion with the
NOTE Confidence: 0.99754024
00:33:32.985 --> 00:33:33.485 surgeon,
NOTE Confidence: 0.99875885
00:33:34.265 --> 00:33:35.145 and we come up with
NOTE Confidence: 0.99875885
00:33:35.145 --> 00:33:36.825 a plan that we recommend
NOTE Confidence: 0.99875885
00:33:36.825 --> 00:33:37.965 surgery first.
NOTE Confidence: 0.99972975
00:33:38.425 --> 00:33:39.325 After surgery,
NOTE Confidence: 0.9999088
00:33:40.265 --> 00:33:41.405 we think about whether
NOTE Confidence: 0.9888063

00:33:41.899 --> 00:33:43.419 the person would benefit from
NOTE Confidence: 0.9888063

00:33:43.419 --> 00:33:44.640 the addition of chemotherapy,
NOTE Confidence: 0.9800796

00:33:45.740 --> 00:33:46.860 if they have a HER2
NOTE Confidence: 0.9800796

00:33:46.860 --> 00:33:48.539 positive breast cancer, whether they
NOTE Confidence: 0.9800796

00:33:48.539 --> 00:33:50.320 need HER2 targeted therapy,
NOTE Confidence: 0.994525

00:33:51.179 --> 00:33:52.940 and then if radiation is
NOTE Confidence: 0.994525

00:33:52.940 --> 00:33:54.059 needed. And then if it's
NOTE Confidence: 0.994525

00:33:54.059 --> 00:33:55.645 a hormone positive breast cancer,
NOTE Confidence: 0.994525

00:33:55.645 --> 00:33:56.885 we would add on something
NOTE Confidence: 0.994525

00:33:56.885 --> 00:33:58.804 called endocrine therapy at the
NOTE Confidence: 0.994525

00:33:58.804 --> 00:33:59.304 end.
NOTE Confidence: 0.9624588

00:34:00.245 --> 00:34:01.865 Sometimes we prefer a neoadjuvant
NOTE Confidence: 0.9624588

00:34:02.085 --> 00:34:03.785 approach, and this is often
NOTE Confidence: 0.9624588

00:34:03.925 --> 00:34:05.225 when chemotherapy
NOTE Confidence: 0.9375857

00:34:05.525 --> 00:34:07.465 is recommended before surgery.
NOTE Confidence: 0.9994564

00:34:07.765 --> 00:34:09.225 And this is often done

NOTE Confidence: 0.9994564
00:34:09.364 --> 00:34:10.665 in larger tumors
NOTE Confidence: 0.9763268
00:34:11.000 --> 00:34:11.880 where there might be a
NOTE Confidence: 0.9763268
00:34:11.880 --> 00:34:13.000 lot of lymph nodes that
NOTE Confidence: 0.9763268
00:34:13.000 --> 00:34:14.599 we're hoping to shrink before
NOTE Confidence: 0.9763268
00:34:14.599 --> 00:34:15.099 surgery,
NOTE Confidence: 0.9677774
00:34:15.719 --> 00:34:16.599 or if it's a more
NOTE Confidence: 0.9677774
00:34:16.599 --> 00:34:18.680 aggressive cancer like a triple
NOTE Confidence: 0.9677774
00:34:18.680 --> 00:34:20.520 negative breast cancer or HER2
NOTE Confidence: 0.9677774
00:34:20.520 --> 00:34:21.739 positive breast cancer.
NOTE Confidence: 0.8656814
00:34:22.200 --> 00:34:22.940 And sometimes,
NOTE Confidence: 0.9987538
00:34:23.960 --> 00:34:24.859 we recommend
NOTE Confidence: 0.9900504
00:34:25.665 --> 00:34:27.745 systemic treatment first because how
NOTE Confidence: 0.9900504
00:34:27.745 --> 00:34:29.265 the tumor responds to the
NOTE Confidence: 0.9900504
00:34:29.265 --> 00:34:31.025 treatment can actually be very
NOTE Confidence: 0.9900504
00:34:31.025 --> 00:34:32.465 important information for us as
NOTE Confidence: 0.9900504

00:34:32.465 --> 00:34:33.445 medical oncologists.
NOTE Confidence: 0.99812686

00:34:34.545 --> 00:34:36.545 And when the patient gets
NOTE Confidence: 0.99812686

00:34:36.545 --> 00:34:37.205 to surgery,
NOTE Confidence: 0.9683489

00:34:38.160 --> 00:34:39.359 we are looking for something
NOTE Confidence: 0.9683489

00:34:39.359 --> 00:34:40.739 called a complete pathologic
NOTE Confidence: 0.99926984

00:34:41.040 --> 00:34:42.400 response. So if we did
NOTE Confidence: 0.99926984

00:34:42.400 --> 00:34:44.020 systemic therapy first
NOTE Confidence: 0.9053417

00:34:44.400 --> 00:34:45.859 and the whole tumor,
NOTE Confidence: 0.98748666

00:34:46.560 --> 00:34:47.760 was killed off by the
NOTE Confidence: 0.98748666

00:34:47.760 --> 00:34:48.960 therapy and it looks just
NOTE Confidence: 0.98748666

00:34:48.960 --> 00:34:50.319 like scar tissue under the
NOTE Confidence: 0.98748666

00:34:50.319 --> 00:34:50.819 microscope,
NOTE Confidence: 0.9898591

00:34:51.245 --> 00:34:53.085 prognostically, that's very important and
NOTE Confidence: 0.9898591

00:34:53.085 --> 00:34:54.445 predicts a very low risk
NOTE Confidence: 0.9898591

00:34:54.445 --> 00:34:55.105 of recurrence.
NOTE Confidence: 0.9171677

00:34:55.805 --> 00:34:56.465 The radiation,

NOTE Confidence: 0.99919945
00:34:57.325 --> 00:34:58.685 question is up to the
NOTE Confidence: 0.99919945
00:34:58.685 --> 00:34:59.665 radiation oncologist
NOTE Confidence: 0.96138275
00:34:59.965 --> 00:35:01.425 and really depends on,
NOTE Confidence: 0.9717256
00:35:01.885 --> 00:35:03.185 what type of surgery,
NOTE Confidence: 0.98160475
00:35:03.805 --> 00:35:04.625 was recommended.
NOTE Confidence: 0.9647465
00:35:04.980 --> 00:35:06.020 And then once again, if
NOTE Confidence: 0.9647465
00:35:06.020 --> 00:35:07.540 it's hormone positive, we would
NOTE Confidence: 0.9647465
00:35:07.540 --> 00:35:07.940 end,
NOTE Confidence: 0.99706334
00:35:08.340 --> 00:35:09.719 we would add on endocrine
NOTE Confidence: 0.99706334
00:35:09.780 --> 00:35:11.000 therapy at the end.
NOTE Confidence: 0.98803097
00:35:12.100 --> 00:35:13.400 So this is an example
NOTE Confidence: 0.98803097
00:35:13.460 --> 00:35:14.739 of an oncotype, but this
NOTE Confidence: 0.98803097
00:35:14.739 --> 00:35:15.700 is a test that we
NOTE Confidence: 0.98803097
00:35:15.700 --> 00:35:17.780 commonly send for hormone positive
NOTE Confidence: 0.98803097
00:35:17.780 --> 00:35:18.440 breast cancers.
NOTE Confidence: 0.9991622

00:35:19.065 --> 00:35:20.025 And what this does is
NOTE Confidence: 0.9991622

00:35:20.025 --> 00:35:21.385 it takes a small piece
NOTE Confidence: 0.9991622

00:35:21.385 --> 00:35:22.925 of tissue from the original
NOTE Confidence: 0.9991622

00:35:23.065 --> 00:35:23.805 breast tumor
NOTE Confidence: 0.99890584

00:35:24.105 --> 00:35:24.984 and sends it off to
NOTE Confidence: 0.99890584

00:35:24.984 --> 00:35:26.265 a special lab to look
NOTE Confidence: 0.99890584

00:35:26.265 --> 00:35:27.385 at a certain number of
NOTE Confidence: 0.99890584

00:35:27.385 --> 00:35:29.005 genes in the tumor itself
NOTE Confidence: 0.9852406

00:35:29.464 --> 00:35:30.825 that help to predict how
NOTE Confidence: 0.9852406

00:35:30.825 --> 00:35:32.585 aggressive that cancer is and
NOTE Confidence: 0.9852406

00:35:32.585 --> 00:35:33.464 what is the risk of
NOTE Confidence: 0.9852406

00:35:33.464 --> 00:35:35.160 the cancer coming back. And
NOTE Confidence: 0.9852406

00:35:35.160 --> 00:35:36.520 so what the report gives
NOTE Confidence: 0.9852406

00:35:36.520 --> 00:35:37.660 you is a number.
NOTE Confidence: 0.9573178

00:35:38.040 --> 00:35:40.059 And in general, anything above
NOTE Confidence: 0.9573178

00:35:40.200 --> 00:35:41.880 twenty five suggests that there's

NOTE Confidence: 0.9573178
00:35:41.880 --> 00:35:43.180 a benefit to chemotherapy,
NOTE Confidence: 0.99392265
00:35:43.960 --> 00:35:45.000 and it also gives you
NOTE Confidence: 0.99392265
00:35:45.000 --> 00:35:47.339 this number called distant recurrence
NOTE Confidence: 0.99392265
00:35:47.400 --> 00:35:49.224 risk at nine years. And
NOTE Confidence: 0.99392265
00:35:49.224 --> 00:35:50.425 so what that number tells
NOTE Confidence: 0.99392265
00:35:50.425 --> 00:35:51.785 you is over the next
NOTE Confidence: 0.99392265
00:35:51.785 --> 00:35:52.525 nine years,
NOTE Confidence: 0.97796
00:35:53.305 --> 00:35:54.185 what is the risk of
NOTE Confidence: 0.97796
00:35:54.185 --> 00:35:56.025 this cancer coming back in
NOTE Confidence: 0.97796
00:35:56.025 --> 00:35:57.224 other parts of the body,
NOTE Confidence: 0.97796
00:35:57.224 --> 00:35:58.344 so coming back as a
NOTE Confidence: 0.97796
00:35:58.344 --> 00:35:59.885 metastatic breast cancer.
NOTE Confidence: 0.83997023
00:36:00.265 --> 00:36:00.765 And,
NOTE Confidence: 0.9996344
00:36:01.320 --> 00:36:03.180 if you take endocrine therapy,
NOTE Confidence: 0.9871704
00:36:03.880 --> 00:36:05.020 it gives you the the
NOTE Confidence: 0.9871704

00:36:05.080 --> 00:36:07.180 risk with the endocrine therapy.

NOTE Confidence: 0.99835205

00:36:07.719 --> 00:36:09.160 In general, we know that

NOTE Confidence: 0.99835205

00:36:09.160 --> 00:36:11.160 endocrine therapy reduces risk by

NOTE Confidence: 0.99835205

00:36:11.160 --> 00:36:12.920 about fifty percent. So if

NOTE Confidence: 0.99835205

00:36:12.920 --> 00:36:14.540 you don't take endocrine therapy,

NOTE Confidence: 0.99400705

00:36:15.080 --> 00:36:16.460 you can double that number.

NOTE Confidence: 0.99400705

00:36:16.655 --> 00:36:17.775 And then it also gives

NOTE Confidence: 0.99400705

00:36:17.775 --> 00:36:19.135 you the number for absolute

NOTE Confidence: 0.99400705

00:36:19.135 --> 00:36:19.635 chemotherapy

NOTE Confidence: 0.99128

00:36:20.094 --> 00:36:20.594 benefit.

NOTE Confidence: 0.9427074

00:36:21.214 --> 00:36:22.335 And so often if it's

NOTE Confidence: 0.9427074

00:36:22.335 --> 00:36:23.234 a high oncotype,

NOTE Confidence: 0.99776006

00:36:23.695 --> 00:36:25.454 that absolute benefit is usually

NOTE Confidence: 0.99776006

00:36:25.454 --> 00:36:27.135 greater than fifteen percent, and

NOTE Confidence: 0.99776006

00:36:27.135 --> 00:36:28.435 that's when we'll be recommending

NOTE Confidence: 0.99776006

00:36:28.655 --> 00:36:29.155 chemotherapy.

NOTE Confidence: 0.96688396

00:36:31.770 --> 00:36:32.890 Here at Yale, we have

NOTE Confidence: 0.96688396

00:36:32.890 --> 00:36:35.070 developed several different pathways,

NOTE Confidence: 0.99151665

00:36:35.850 --> 00:36:36.910 to help standardize,

NOTE Confidence: 0.98543775

00:36:37.530 --> 00:36:38.969 the decision for when to

NOTE Confidence: 0.98543775

00:36:38.969 --> 00:36:39.870 send Oncotype.

NOTE Confidence: 0.9821491

00:36:40.650 --> 00:36:42.730 And so wherever you go

NOTE Confidence: 0.9821491

00:36:42.730 --> 00:36:44.010 as a patient across the

NOTE Confidence: 0.9821491

00:36:44.010 --> 00:36:44.830 Yale network,

NOTE Confidence: 0.9361281

00:36:45.435 --> 00:36:46.875 the different physicians will be

NOTE Confidence: 0.9361281

00:36:46.875 --> 00:36:48.175 following the same algorithm.

NOTE Confidence: 0.98891467

00:36:48.555 --> 00:36:49.515 And this can be really

NOTE Confidence: 0.98891467

00:36:49.515 --> 00:36:51.114 helpful because for some tumors

NOTE Confidence: 0.98891467

00:36:51.114 --> 00:36:52.635 that are very small, that

NOTE Confidence: 0.98891467

00:36:52.635 --> 00:36:54.094 have very low risk features,

NOTE Confidence: 0.98891467

00:36:54.315 --> 00:36:55.594 we often don't even have

NOTE Confidence: 0.98891467

00:36:55.594 --> 00:36:56.735 to send an oncotype.

NOTE Confidence: 0.9816223

00:36:57.450 --> 00:36:58.570 And then for some tumors

NOTE Confidence: 0.9816223

00:36:58.570 --> 00:36:59.930 that are very large and

NOTE Confidence: 0.9816223

00:36:59.930 --> 00:37:01.130 are very high risk and

NOTE Confidence: 0.9816223

00:37:01.130 --> 00:37:02.330 we know that that person

NOTE Confidence: 0.9816223

00:37:02.330 --> 00:37:03.230 needs chemotherapy,

NOTE Confidence: 0.98613715

00:37:03.690 --> 00:37:04.810 we often don't have to

NOTE Confidence: 0.98613715

00:37:04.810 --> 00:37:06.650 send oncotype either. And then

NOTE Confidence: 0.98613715

00:37:06.650 --> 00:37:07.849 sometimes there are these gray

NOTE Confidence: 0.98613715

00:37:07.849 --> 00:37:09.130 areas, and that's when these

NOTE Confidence: 0.98613715

00:37:09.130 --> 00:37:10.670 pathways can be really helpful.

NOTE Confidence: 0.9555853

00:37:11.325 --> 00:37:12.445 And if you're a physician

NOTE Confidence: 0.9555853

00:37:12.445 --> 00:37:13.665 and you're on the call,

NOTE Confidence: 0.99935687

00:37:14.045 --> 00:37:14.705 and you're

NOTE Confidence: 0.93316966

00:37:15.965 --> 00:37:17.165 looking for some guidance for

NOTE Confidence: 0.93316966

00:37:17.165 --> 00:37:18.705 when to send an oncotype,

NOTE Confidence: 0.93316966
00:37:19.005 --> 00:37:20.224 you can click the pathways
NOTE Confidence: 0.93316966
00:37:20.285 --> 00:37:21.185 tab in epic.
NOTE Confidence: 0.9986371
00:37:21.724 --> 00:37:22.685 And so this has been
NOTE Confidence: 0.9986371
00:37:22.685 --> 00:37:24.130 developed for both premenopausal
NOTE Confidence: 0.9988313
00:37:24.510 --> 00:37:25.250 and postmenopausal
NOTE Confidence: 0.9970396
00:37:25.710 --> 00:37:27.310 women with hormone positive breast
NOTE Confidence: 0.9970396
00:37:27.310 --> 00:37:27.810 cancer.
NOTE Confidence: 0.99259067
00:37:28.430 --> 00:37:29.650 And then in the adjuvant
NOTE Confidence: 0.99259067
00:37:29.710 --> 00:37:30.190 setting,
NOTE Confidence: 0.93467087
00:37:30.670 --> 00:37:31.170 where,
NOTE Confidence: 0.9991873
00:37:31.710 --> 00:37:33.730 somebody has already completed surgery,
NOTE Confidence: 0.9447629
00:37:34.910 --> 00:37:36.510 chemotherapy if they needed it,
NOTE Confidence: 0.9447629
00:37:36.830 --> 00:37:37.570 and radiation,
NOTE Confidence: 0.9968816
00:37:38.325 --> 00:37:39.445 We also think about ways
NOTE Confidence: 0.9968816
00:37:39.445 --> 00:37:40.565 that we can optimize what
NOTE Confidence: 0.9968816

00:37:40.565 --> 00:37:42.325 we call endocrine therapy. So
NOTE Confidence: 0.9968816

00:37:42.325 --> 00:37:44.025 we want to block estrogen
NOTE Confidence: 0.9827904

00:37:44.484 --> 00:37:46.344 in hormone positive breast cancer.
NOTE Confidence: 0.9827904

00:37:46.565 --> 00:37:48.165 And in addition to our
NOTE Confidence: 0.9827904

00:37:48.165 --> 00:37:50.325 estrogen blocking pills, we now
NOTE Confidence: 0.9827904

00:37:50.325 --> 00:37:51.969 have something called CDK four
NOTE Confidence: 0.9827904

00:37:51.969 --> 00:37:53.570 six inhibitors, and these are
NOTE Confidence: 0.9827904

00:37:53.570 --> 00:37:54.070 pills
NOTE Confidence: 0.99821854

00:37:54.450 --> 00:37:56.050 that actually inhibit the cell
NOTE Confidence: 0.99821854

00:37:56.050 --> 00:37:57.489 cycle. So if there's any
NOTE Confidence: 0.99821854

00:37:57.489 --> 00:37:57.989 microscopic
NOTE Confidence: 0.9835306

00:37:58.290 --> 00:38:00.230 cancer cells left over anywhere,
NOTE Confidence: 0.9835306

00:38:00.370 --> 00:38:01.890 it actually inhibits their growth
NOTE Confidence: 0.9835306

00:38:01.890 --> 00:38:03.010 and helps to kill them
NOTE Confidence: 0.9835306

00:38:03.010 --> 00:38:04.450 off, and we often give
NOTE Confidence: 0.9835306

00:38:04.450 --> 00:38:06.450 these in combination with estrogen

NOTE Confidence: 0.9835306
00:38:06.450 --> 00:38:06.950 blockers.

NOTE Confidence: 0.9691616
00:38:07.545 --> 00:38:08.825 And so this is often,

NOTE Confidence: 0.98463136
00:38:10.025 --> 00:38:11.625 saved for patients who have

NOTE Confidence: 0.98463136
00:38:11.625 --> 00:38:13.165 a high risk of recurrence,

NOTE Confidence: 0.9866896
00:38:13.625 --> 00:38:15.224 and so we've developed pathways

NOTE Confidence: 0.9866896
00:38:15.224 --> 00:38:16.265 here at Yale to help

NOTE Confidence: 0.9866896
00:38:16.265 --> 00:38:17.545 with that decision making as

NOTE Confidence: 0.9866896
00:38:17.545 --> 00:38:18.045 well.

NOTE Confidence: 0.9517979
00:38:18.585 --> 00:38:20.799 And oftentimes, it depends on

NOTE Confidence: 0.9517979
00:38:20.799 --> 00:38:22.480 the tumor size. So larger

NOTE Confidence: 0.9517979
00:38:22.480 --> 00:38:22.980 tumors,

NOTE Confidence: 0.9289997
00:38:23.520 --> 00:38:24.500 higher oncotypes,

NOTE Confidence: 0.9984925
00:38:25.839 --> 00:38:27.520 more lymph node involvement at

NOTE Confidence: 0.9984925
00:38:27.520 --> 00:38:28.579 the time of diagnosis.

NOTE Confidence: 0.98501015
00:38:31.359 --> 00:38:32.319 The other thing that we

NOTE Confidence: 0.98501015

00:38:32.319 --> 00:38:33.760 often think about as medical
NOTE Confidence: 0.98501015

00:38:33.760 --> 00:38:35.775 oncologist is whether somebody is
NOTE Confidence: 0.98501015

00:38:35.934 --> 00:38:37.474 eligible for clinical trials.
NOTE Confidence: 0.99416107

00:38:37.855 --> 00:38:39.454 And clinical trials are really
NOTE Confidence: 0.99416107

00:38:39.454 --> 00:38:40.895 important because it's a really
NOTE Confidence: 0.99416107

00:38:40.895 --> 00:38:42.194 great way to
NOTE Confidence: 0.90258634

00:38:42.654 --> 00:38:43.454 try to,
NOTE Confidence: 0.99918705

00:38:43.855 --> 00:38:45.694 optimize therapy for someone that
NOTE Confidence: 0.99918705

00:38:45.694 --> 00:38:46.434 we're seeing
NOTE Confidence: 0.9497048

00:38:46.815 --> 00:38:48.969 and either get a drug
NOTE Confidence: 0.9497048

00:38:48.969 --> 00:38:49.469 early,
NOTE Confidence: 0.95859134

00:38:49.850 --> 00:38:51.310 before it's on the market,
NOTE Confidence: 0.9645214

00:38:51.770 --> 00:38:53.850 or hopefully get, just a
NOTE Confidence: 0.9645214

00:38:53.850 --> 00:38:55.310 better approach to treatment.
NOTE Confidence: 0.97739804

00:38:55.850 --> 00:38:56.810 So one of the big
NOTE Confidence: 0.97739804

00:38:56.810 --> 00:38:58.489 questions currently in the field

NOTE Confidence: 0.97739804
00:38:58.489 --> 00:39:00.090 is, can we think about
NOTE Confidence: 0.97739804
00:39:00.090 --> 00:39:00.989 ways to
NOTE Confidence: 0.96209353
00:39:02.175 --> 00:39:02.675 chemotherapy
NOTE Confidence: 0.96876436
00:39:03.135 --> 00:39:04.575 in young women with hormone
NOTE Confidence: 0.96876436
00:39:04.575 --> 00:39:05.795 positive breast cancer?
NOTE Confidence: 0.9864595
00:39:06.175 --> 00:39:07.215 And the reason why this
NOTE Confidence: 0.9864595
00:39:07.215 --> 00:39:08.594 comes up is because,
NOTE Confidence: 0.99942565
00:39:09.455 --> 00:39:10.575 after doing this for many
NOTE Confidence: 0.99942565
00:39:10.575 --> 00:39:12.415 decades in breast cancer, we're
NOTE Confidence: 0.99942565
00:39:12.415 --> 00:39:13.614 not sure if it's really
NOTE Confidence: 0.99942565
00:39:13.614 --> 00:39:14.355 the chemotherapy
NOTE Confidence: 0.9996847
00:39:14.655 --> 00:39:15.555 drugs themselves
NOTE Confidence: 0.9995876
00:39:16.030 --> 00:39:17.630 that are showing benefit in
NOTE Confidence: 0.9995876
00:39:17.630 --> 00:39:18.770 this patient population
NOTE Confidence: 0.9541986
00:39:19.310 --> 00:39:20.850 or whether it's the chemotherapy
NOTE Confidence: 0.9541986

00:39:21.070 --> 00:39:22.510 putting these women into early

NOTE Confidence: 0.9541986

00:39:22.510 --> 00:39:23.010 menopause

NOTE Confidence: 0.92497635

00:39:23.390 --> 00:39:24.510 and whether it's actually the

NOTE Confidence: 0.92497635

00:39:24.510 --> 00:39:25.730 menopausal status,

NOTE Confidence: 0.9946599

00:39:26.350 --> 00:39:27.810 that is causing the benefit

NOTE Confidence: 0.9946599

00:39:27.870 --> 00:39:28.690 that we see.

NOTE Confidence: 0.96813273

00:39:29.015 --> 00:39:30.715 So there's currently a clinical

NOTE Confidence: 0.96813273

00:39:30.855 --> 00:39:32.135 trial being run by the

NOTE Confidence: 0.96813273

00:39:32.135 --> 00:39:33.515 NRG called BR009,

NOTE Confidence: 0.9962188

00:39:34.855 --> 00:39:36.295 and this is looking for

NOTE Confidence: 0.9962188

00:39:36.295 --> 00:39:37.915 young women who have

NOTE Confidence: 0.97545534

00:39:38.215 --> 00:39:40.215 oncotype below twenty five, which

NOTE Confidence: 0.97545534

00:39:40.215 --> 00:39:41.755 we generally think of as

NOTE Confidence: 0.97545534

00:39:41.950 --> 00:39:42.770 low risk,

NOTE Confidence: 0.9638348

00:39:43.230 --> 00:39:44.190 but they may have a

NOTE Confidence: 0.9638348

00:39:44.190 --> 00:39:46.530 positive lymph node and randomizing

NOTE Confidence: 0.9638348
00:39:46.750 --> 00:39:47.969 them to chemotherapy,
NOTE Confidence: 0.9993728
00:39:49.070 --> 00:39:50.190 which is the standard of
NOTE Confidence: 0.9993728
00:39:50.190 --> 00:39:50.690 care
NOTE Confidence: 0.6953426
00:39:50.989 --> 00:39:51.489 versus
NOTE Confidence: 0.96647596
00:39:52.110 --> 00:39:54.110 not doing chemotherapy, but really
NOTE Confidence: 0.96647596
00:39:54.110 --> 00:39:54.610 optimizing
NOTE Confidence: 0.99795806
00:39:55.244 --> 00:39:57.005 their estrogen blocking and putting
NOTE Confidence: 0.99795806
00:39:57.005 --> 00:39:58.384 them into early menopause.
NOTE Confidence: 0.9937541
00:39:59.244 --> 00:40:00.125 And so this is an
NOTE Confidence: 0.9937541
00:40:00.125 --> 00:40:01.805 important trial and something to
NOTE Confidence: 0.9937541
00:40:01.805 --> 00:40:02.364 think about,
NOTE Confidence: 0.9792485
00:40:02.924 --> 00:40:04.204 especially if if you are
NOTE Confidence: 0.9792485
00:40:04.204 --> 00:40:05.644 a young woman being diagnosed
NOTE Confidence: 0.9792485
00:40:05.644 --> 00:40:06.844 or you know somebody who's
NOTE Confidence: 0.9792485
00:40:06.844 --> 00:40:07.505 being diagnosed,
NOTE Confidence: 0.9799245

00:40:08.125 --> 00:40:10.020 because we're really starting to
NOTE Confidence: 0.9799245

00:40:10.020 --> 00:40:11.700 think that maybe it's not
NOTE Confidence: 0.9799245

00:40:11.700 --> 00:40:12.760 so much the chemotherapy,
NOTE Confidence: 0.9776851

00:40:13.060 --> 00:40:14.840 but the actual menopause status,
NOTE Confidence: 0.99053603

00:40:15.380 --> 00:40:16.840 that may be benefiting
NOTE Confidence: 0.8367033

00:40:17.700 --> 00:40:18.760 these young women.
NOTE Confidence: 0.9965609

00:40:19.940 --> 00:40:21.219 And then we also know
NOTE Confidence: 0.9965609

00:40:21.219 --> 00:40:23.060 that there's probably a subgroup
NOTE Confidence: 0.9965609

00:40:23.060 --> 00:40:24.920 of hormone positive breast cancers
NOTE Confidence: 0.9965609

00:40:25.114 --> 00:40:26.474 that are really high risk,
NOTE Confidence: 0.97895163

00:40:26.875 --> 00:40:28.255 high risk for coming back.
NOTE Confidence: 0.98654836

00:40:28.555 --> 00:40:29.594 And so how can we
NOTE Confidence: 0.98654836

00:40:29.594 --> 00:40:31.594 escalate and optimize treatment for
NOTE Confidence: 0.98654836

00:40:31.594 --> 00:40:32.414 those patients?
NOTE Confidence: 0.9648068

00:40:33.194 --> 00:40:34.315 And so there's a trial
NOTE Confidence: 0.9648068

00:40:34.315 --> 00:40:35.755 being run by Swag here

NOTE Confidence: 0.9648068
00:40:35.755 --> 00:40:37.515 at Yale called, two two
NOTE Confidence: 0.9648068
00:40:37.515 --> 00:40:38.910 zero six that is looking
NOTE Confidence: 0.9648068
00:40:38.910 --> 00:40:40.589 at something called mamaprint, which
NOTE Confidence: 0.9648068
00:40:40.589 --> 00:40:42.290 is very similar to Oncotype,
NOTE Confidence: 0.95505446
00:40:42.750 --> 00:40:44.030 but is a different assay
NOTE Confidence: 0.95505446
00:40:44.030 --> 00:40:45.150 looking at a different set
NOTE Confidence: 0.95505446
00:40:45.150 --> 00:40:45.730 of genes.
NOTE Confidence: 0.9593294
00:40:46.430 --> 00:40:47.950 And for patients who score
NOTE Confidence: 0.9593294
00:40:47.950 --> 00:40:48.989 in the in that really
NOTE Confidence: 0.9593294
00:40:48.989 --> 00:40:51.069 high risk category called high
NOTE Confidence: 0.9593294
00:40:51.069 --> 00:40:52.930 risk two or MP two,
NOTE Confidence: 0.99412835
00:40:53.424 --> 00:40:55.364 they're being randomized to adding
NOTE Confidence: 0.9995793
00:40:55.744 --> 00:40:56.244 immunotherapy
NOTE Confidence: 0.99942726
00:40:56.944 --> 00:40:57.684 to chemotherapy.
NOTE Confidence: 0.99955463
00:40:58.385 --> 00:40:59.045 In general,
NOTE Confidence: 0.9973761

00:40:59.344 --> 00:41:00.864 we don't think of hormone

NOTE Confidence: 0.9973761

00:41:00.864 --> 00:41:02.164 positive breast cancer,

NOTE Confidence: 0.99320257

00:41:02.785 --> 00:41:03.984 as a cancer that's very

NOTE Confidence: 0.99320257

00:41:03.984 --> 00:41:05.285 responsive to immunotherapy,

NOTE Confidence: 0.98198307

00:41:05.910 --> 00:41:06.950 But we think that there

NOTE Confidence: 0.98198307

00:41:06.950 --> 00:41:08.390 might be a subgroup of

NOTE Confidence: 0.98198307

00:41:08.390 --> 00:41:10.549 these very aggressive, fast growing

NOTE Confidence: 0.98198307

00:41:10.549 --> 00:41:12.230 hormone positive breast cancers that

NOTE Confidence: 0.98198307

00:41:12.230 --> 00:41:13.910 may benefit, and that's what

NOTE Confidence: 0.98198307

00:41:13.910 --> 00:41:15.289 that trial is looking at.

NOTE Confidence: 0.9884208

00:41:16.549 --> 00:41:18.069 We also wanna think about

NOTE Confidence: 0.9884208

00:41:18.069 --> 00:41:19.609 how can we tailor chemotherapy

NOTE Confidence: 0.98771393

00:41:20.315 --> 00:41:22.335 for triple negative breast cancer.

NOTE Confidence: 0.9772564

00:41:23.275 --> 00:41:24.315 And so there is a

NOTE Confidence: 0.9772564

00:41:24.315 --> 00:41:26.174 trial also out of SWOG

NOTE Confidence: 0.9546282

00:41:26.474 --> 00:41:27.755 that is looking at,

NOTE Confidence: 0.9994369
00:41:28.394 --> 00:41:30.714 patients with early stage triple
NOTE Confidence: 0.9994369
00:41:30.714 --> 00:41:31.934 negative breast cancer
NOTE Confidence: 0.9848466
00:41:32.234 --> 00:41:32.894 and randomizing
NOTE Confidence: 0.99804854
00:41:33.434 --> 00:41:33.934 to
NOTE Confidence: 0.96950865
00:41:34.700 --> 00:41:35.579 standard of care,
NOTE Confidence: 0.95201206
00:41:36.059 --> 00:41:36.559 chemotherapy,
NOTE Confidence: 0.97041786
00:41:37.660 --> 00:41:39.599 versus standard of care chemotherapy,
NOTE Confidence: 0.97041786
00:41:39.739 --> 00:41:41.119 but without the AC.
NOTE Confidence: 0.9557864
00:41:41.900 --> 00:41:43.359 And the AC drugs,
NOTE Confidence: 0.98744124
00:41:44.460 --> 00:41:45.579 often referred to as the
NOTE Confidence: 0.98744124
00:41:45.579 --> 00:41:46.960 red devil on the Internet,
NOTE Confidence: 0.9996028
00:41:47.715 --> 00:41:48.755 are the ones that have
NOTE Confidence: 0.9996028
00:41:48.755 --> 00:41:49.655 the most toxicity
NOTE Confidence: 0.9024949
00:41:50.275 --> 00:41:51.495 in terms of the chemotherapies
NOTE Confidence: 0.99949354
00:41:51.795 --> 00:41:52.614 that we use
NOTE Confidence: 0.9344435

00:41:52.915 --> 00:41:54.515 and also have a small
NOTE Confidence: 0.9344435

00:41:54.515 --> 00:41:56.775 but significant risk of potentially
NOTE Confidence: 0.9344435

00:41:56.915 --> 00:41:58.455 heart failure in the future.
NOTE Confidence: 0.9755228

00:41:58.755 --> 00:41:59.715 So we would like to
NOTE Confidence: 0.9755228

00:41:59.715 --> 00:42:00.835 avoid them as much as
NOTE Confidence: 0.9755228

00:42:00.835 --> 00:42:02.390 we can, And so we're
NOTE Confidence: 0.9755228

00:42:02.390 --> 00:42:04.570 hopeful that because triple negative
NOTE Confidence: 0.9967632

00:42:04.950 --> 00:42:06.330 tends to be more responsive
NOTE Confidence: 0.9967632

00:42:06.390 --> 00:42:07.050 to immunotherapy,
NOTE Confidence: 0.99844193

00:42:08.070 --> 00:42:09.270 we're hoping that this trial
NOTE Confidence: 0.99844193

00:42:09.270 --> 00:42:10.150 will show that we can
NOTE Confidence: 0.99844193

00:42:10.150 --> 00:42:11.130 avoid anthracyclines
NOTE Confidence: 0.98915434

00:42:11.510 --> 00:42:13.290 or AC in the future.
NOTE Confidence: 0.98292226

00:42:15.595 --> 00:42:16.955 And so the other thing
NOTE Confidence: 0.98292226

00:42:16.955 --> 00:42:18.395 that I think about, for
NOTE Confidence: 0.98292226

00:42:18.395 --> 00:42:20.075 hormone positive breast cancers in

NOTE Confidence: 0.98292226
00:42:20.075 --> 00:42:21.595 particular is how can we
NOTE Confidence: 0.98292226
00:42:21.595 --> 00:42:22.655 tailor our treatments
NOTE Confidence: 0.98021954
00:42:22.955 --> 00:42:24.075 to decrease the risk of
NOTE Confidence: 0.98021954
00:42:24.075 --> 00:42:26.095 late recurrence. So in general,
NOTE Confidence: 0.98021954
00:42:26.155 --> 00:42:27.150 most breast
NOTE Confidence: 0.98275846
00:42:27.450 --> 00:42:28.989 cancers, if they come back,
NOTE Confidence: 0.98275846
00:42:29.050 --> 00:42:30.330 they often come back in
NOTE Confidence: 0.98275846
00:42:30.330 --> 00:42:31.630 the first five years,
NOTE Confidence: 0.9720743
00:42:31.930 --> 00:42:33.869 but hormone positive breast cancers
NOTE Confidence: 0.9720743
00:42:34.010 --> 00:42:35.450 can come back late. So
NOTE Confidence: 0.9720743
00:42:35.450 --> 00:42:36.730 even as far as ten
NOTE Confidence: 0.9720743
00:42:36.730 --> 00:42:37.790 years out sometimes.
NOTE Confidence: 0.9993567
00:42:38.730 --> 00:42:39.850 And we don't really have
NOTE Confidence: 0.9993567
00:42:39.850 --> 00:42:41.130 a good way to detect
NOTE Confidence: 0.9993567
00:42:41.130 --> 00:42:41.630 them
NOTE Confidence: 0.9866178

00:42:41.955 --> 00:42:43.955 besides continuing to screen with
NOTE Confidence: 0.9866178

00:42:43.955 --> 00:42:45.575 our breast imaging with mammograms
NOTE Confidence: 0.9866178

00:42:45.715 --> 00:42:46.455 and ultrasounds.
NOTE Confidence: 0.97142607

00:42:47.155 --> 00:42:48.594 So this is, a trial
NOTE Confidence: 0.97142607

00:42:48.594 --> 00:42:50.195 called KEATS, that is now
NOTE Confidence: 0.97142607

00:42:50.195 --> 00:42:51.715 open at Yale and will
NOTE Confidence: 0.97142607

00:42:51.715 --> 00:42:53.555 be open across several different
NOTE Confidence: 0.97142607

00:42:53.555 --> 00:42:54.775 sites through the TBCRC.
NOTE Confidence: 0.9727002

00:42:55.850 --> 00:42:57.050 And this is looking at
NOTE Confidence: 0.9727002

00:42:57.050 --> 00:42:58.969 using a novel test called
NOTE Confidence: 0.9727002

00:42:58.969 --> 00:43:00.510 circulating tumor DNA,
NOTE Confidence: 0.9994085

00:43:01.770 --> 00:43:03.210 to see whether we can
NOTE Confidence: 0.9994085

00:43:03.210 --> 00:43:03.710 detect
NOTE Confidence: 0.993054

00:43:04.090 --> 00:43:05.610 cancer coming back at just
NOTE Confidence: 0.993054

00:43:05.610 --> 00:43:06.270 the microscopic
NOTE Confidence: 0.99513036

00:43:06.650 --> 00:43:07.150 level.

NOTE Confidence: 0.9808791
00:43:07.450 --> 00:43:08.650 And so for patients who
NOTE Confidence: 0.9808791
00:43:08.650 --> 00:43:09.850 are more than five years
NOTE Confidence: 0.9808791
00:43:09.850 --> 00:43:11.714 out from diagnosis with hormone
NOTE Confidence: 0.9808791
00:43:11.714 --> 00:43:13.474 positive breast cancer, who have
NOTE Confidence: 0.9808791
00:43:13.474 --> 00:43:14.994 completed all of their prior
NOTE Confidence: 0.9808791
00:43:14.994 --> 00:43:15.494 treatments,
NOTE Confidence: 0.95884985
00:43:16.755 --> 00:43:17.875 on this trial, they can
NOTE Confidence: 0.95884985
00:43:17.875 --> 00:43:19.635 get the ctDNA test, which
NOTE Confidence: 0.95884985
00:43:19.635 --> 00:43:21.315 is a blood test every
NOTE Confidence: 0.95884985
00:43:21.315 --> 00:43:21.974 three months.
NOTE Confidence: 0.9990612
00:43:22.515 --> 00:43:23.910 And if they end up
NOTE Confidence: 0.9990612
00:43:24.069 --> 00:43:25.910 coming back positive on this
NOTE Confidence: 0.9990612
00:43:25.910 --> 00:43:26.410 test
NOTE Confidence: 0.9807279
00:43:26.710 --> 00:43:28.069 and they don't have cancer
NOTE Confidence: 0.9807279
00:43:28.069 --> 00:43:29.369 yet on their scans,
NOTE Confidence: 0.9795992

00:43:29.670 --> 00:43:31.030 we're gonna be treating them
NOTE Confidence: 0.9795992

00:43:31.030 --> 00:43:31.690 with elocestrant,
NOTE Confidence: 0.9455382

00:43:32.150 --> 00:43:33.130 which is a pill.
NOTE Confidence: 0.9993648

00:43:33.430 --> 00:43:34.730 And it's one of these
NOTE Confidence: 0.9993648

00:43:34.869 --> 00:43:35.369 newer
NOTE Confidence: 0.96508104

00:43:35.750 --> 00:43:37.369 estrogen receptor degraders.
NOTE Confidence: 0.95832044

00:43:37.829 --> 00:43:39.270 So not just a blocker,
NOTE Confidence: 0.95832044

00:43:39.270 --> 00:43:40.864 but actually degrading the estrogen
NOTE Confidence: 0.95832044

00:43:41.005 --> 00:43:41.505 receptor.
NOTE Confidence: 0.9907997

00:43:42.364 --> 00:43:43.985 And we're hopeful that by,
NOTE Confidence: 0.9981723

00:43:44.685 --> 00:43:45.185 intervening
NOTE Confidence: 0.9997801

00:43:45.485 --> 00:43:46.385 at the microscopic
NOTE Confidence: 0.99192744

00:43:46.765 --> 00:43:48.685 state, we can prevent these
NOTE Confidence: 0.99192744

00:43:48.685 --> 00:43:50.285 cells from growing back into
NOTE Confidence: 0.99192744

00:43:50.285 --> 00:43:51.565 a tumor and growing back
NOTE Confidence: 0.99192744

00:43:51.565 --> 00:43:53.344 into a breast cancer recurrence.

NOTE Confidence: 0.9810672
00:43:55.170 --> 00:43:56.290 So thank you very much,
NOTE Confidence: 0.9810672
00:43:56.290 --> 00:43:57.730 and I hope that if
NOTE Confidence: 0.9810672
00:43:57.730 --> 00:43:59.170 you're a patient or a
NOTE Confidence: 0.9810672
00:43:59.170 --> 00:44:00.950 family member or a treating
NOTE Confidence: 0.9810672
00:44:01.089 --> 00:44:02.450 physician that you think about
NOTE Confidence: 0.9810672
00:44:02.450 --> 00:44:04.210 clinical trials or at least
NOTE Confidence: 0.9810672
00:44:04.210 --> 00:44:05.890 discuss clinical trials with your
NOTE Confidence: 0.9810672
00:44:05.890 --> 00:44:07.349 oncologist. Thank you.
NOTE Confidence: 0.97475815
00:44:08.165 --> 00:44:09.844 Thank you very much, doctor
NOTE Confidence: 0.97475815
00:44:09.844 --> 00:44:10.344 Rosenblatt.
NOTE Confidence: 0.9413103
00:44:11.844 --> 00:44:13.705 So we've answered many questions
NOTE Confidence: 0.9413103
00:44:13.765 --> 00:44:14.724 in the chat. This has
NOTE Confidence: 0.9413103
00:44:14.724 --> 00:44:16.344 been a fast and furious
NOTE Confidence: 0.9413103
00:44:16.484 --> 00:44:18.325 overview on updates in early
NOTE Confidence: 0.9413103
00:44:18.325 --> 00:44:20.085 stage breast cancer. We learned,
NOTE Confidence: 0.9413103

00:44:20.405 --> 00:44:22.930 surgical therapy from doctor Berger,
NOTE Confidence: 0.9413103

00:44:22.930 --> 00:44:24.930 options for reconstruction from doctor
NOTE Confidence: 0.9413103

00:44:24.930 --> 00:44:26.610 Hakal as well as updates
NOTE Confidence: 0.9413103

00:44:26.610 --> 00:44:27.830 and systemic therapy
NOTE Confidence: 0.9179023

00:44:28.370 --> 00:44:29.510 from doctor Rosenblit.
NOTE Confidence: 0.99155146

00:44:31.090 --> 00:44:32.130 I think the last thing
NOTE Confidence: 0.99155146

00:44:32.130 --> 00:44:33.250 we'd love to share with
NOTE Confidence: 0.99155146

00:44:33.250 --> 00:44:34.690 our attendees is that we
NOTE Confidence: 0.99155146

00:44:34.690 --> 00:44:35.969 do make decisions as a
NOTE Confidence: 0.99155146

00:44:35.969 --> 00:44:38.215 multi disciplinary cancer team. So
NOTE Confidence: 0.99155146

00:44:38.215 --> 00:44:39.114 patients that
NOTE Confidence: 0.97176826

00:44:39.495 --> 00:44:41.175 come to any site across
NOTE Confidence: 0.97176826

00:44:41.175 --> 00:44:42.715 the Yale Smilow network
NOTE Confidence: 0.9804726

00:44:43.094 --> 00:44:44.614 will meet with a medical
NOTE Confidence: 0.9804726

00:44:44.614 --> 00:44:45.114 oncologist,
NOTE Confidence: 0.9772515

00:44:45.655 --> 00:44:47.975 surgeon, radiation oncologist, and plastic

NOTE Confidence: 0.9772515
00:44:47.975 --> 00:44:48.475 surgeon,
NOTE Confidence: 0.9092379
00:44:49.010 --> 00:44:50.130 and we work as a
NOTE Confidence: 0.9092379
00:44:50.130 --> 00:44:52.130 cohesive united team in patients
NOTE Confidence: 0.9092379
00:44:52.130 --> 00:44:52.630 care.
NOTE Confidence: 0.972694
00:44:53.410 --> 00:44:55.010 I think there's one last
NOTE Confidence: 0.972694
00:44:55.010 --> 00:44:56.369 question in the chat, doctor
NOTE Confidence: 0.972694
00:44:56.369 --> 00:44:57.989 Rosenblatt, about a lobular
NOTE Confidence: 0.9778885
00:44:58.609 --> 00:45:00.150 carcinoma with an oncotype
NOTE Confidence: 0.99761695
00:45:00.530 --> 00:45:01.670 of thirty four
NOTE Confidence: 0.9923586
00:45:02.255 --> 00:45:02.735 and,
NOTE Confidence: 0.99948853
00:45:03.215 --> 00:45:04.995 some concern about how estrogen
NOTE Confidence: 0.9694295
00:45:05.375 --> 00:45:06.195 gene expression,
NOTE Confidence: 0.9927826
00:45:07.935 --> 00:45:09.475 being borderline positive
NOTE Confidence: 0.9146848
00:45:10.015 --> 00:45:10.915 and how that
NOTE Confidence: 0.9983505
00:45:11.775 --> 00:45:12.275 information
NOTE Confidence: 0.99697185

00:45:12.975 --> 00:45:15.475 influences your recommendations for systemic
NOTE Confidence: 0.99697185

00:45:15.614 --> 00:45:16.114 therapy.
NOTE Confidence: 0.99670905

00:45:21.670 --> 00:45:23.690 That's a great question. So
NOTE Confidence: 0.99670905

00:45:23.829 --> 00:45:24.329 Oncotype
NOTE Confidence: 0.9996166

00:45:24.630 --> 00:45:26.650 was really designed to
NOTE Confidence: 0.93731946

00:45:27.029 --> 00:45:28.950 answer the question of, is
NOTE Confidence: 0.93731946

00:45:28.950 --> 00:45:30.410 there benefit to chemotherapy
NOTE Confidence: 0.9659013

00:45:30.869 --> 00:45:31.529 or not?
NOTE Confidence: 0.960485

00:45:32.035 --> 00:45:33.815 And it really wasn't designed
NOTE Confidence: 0.960485

00:45:34.035 --> 00:45:34.535 to
NOTE Confidence: 0.84106827

00:45:35.875 --> 00:45:37.175 kind of investigate
NOTE Confidence: 0.99966884

00:45:37.555 --> 00:45:38.455 how hormone
NOTE Confidence: 0.9598734

00:45:38.755 --> 00:45:40.515 positive a breast cancer is.
NOTE Confidence: 0.9598734

00:45:40.515 --> 00:45:42.035 So we still do rely
NOTE Confidence: 0.9598734

00:45:42.035 --> 00:45:42.535 on
NOTE Confidence: 0.9695376

00:45:42.915 --> 00:45:44.594 looking at the tumor under

NOTE Confidence: 0.9695376
00:45:44.594 --> 00:45:46.329 the microscope, and that would
NOTE Confidence: 0.9695376
00:45:46.329 --> 00:45:47.869 be a discussion with your
NOTE Confidence: 0.90702164
00:45:48.969 --> 00:45:50.190 team, including the pathologist
NOTE Confidence: 0.94620055
00:45:50.569 --> 00:45:52.190 in terms of how,
NOTE Confidence: 0.9978469
00:45:52.650 --> 00:45:54.650 how much estrogen positivity you're
NOTE Confidence: 0.9978469
00:45:54.650 --> 00:45:55.869 seeing in that case.
NOTE Confidence: 0.99462223
00:45:56.730 --> 00:45:57.550 In general,
NOTE Confidence: 0.9989968
00:45:58.445 --> 00:45:59.825 even for borderline
NOTE Confidence: 0.9999143
00:46:00.205 --> 00:46:00.705 positive
NOTE Confidence: 0.96939635
00:46:01.245 --> 00:46:01.745 cases,
NOTE Confidence: 0.9809399
00:46:02.445 --> 00:46:03.485 it looks like in this
NOTE Confidence: 0.9809399
00:46:03.485 --> 00:46:04.625 case, it was
NOTE Confidence: 0.97052073
00:46:04.925 --> 00:46:06.364 ninety percent is what I'm
NOTE Confidence: 0.97052073
00:46:06.364 --> 00:46:06.864 understanding
NOTE Confidence: 0.99098337
00:46:07.325 --> 00:46:07.825 from
NOTE Confidence: 0.9875386

00:46:08.364 --> 00:46:09.025 the report.
NOTE Confidence: 0.9790204
00:46:09.885 --> 00:46:10.844 We would go ahead and
NOTE Confidence: 0.9790204
00:46:10.844 --> 00:46:12.225 treat that as an estrogen,
NOTE Confidence: 0.9404736
00:46:13.820 --> 00:46:15.440 hormone positive breast cancer.
NOTE Confidence: 0.99502337
00:46:15.980 --> 00:46:17.739 There are borderline cases where
NOTE Confidence: 0.99502337
00:46:17.739 --> 00:46:19.500 the estrogen positivity is very
NOTE Confidence: 0.99502337
00:46:19.500 --> 00:46:20.940 low, and that becomes just
NOTE Confidence: 0.99502337
00:46:20.940 --> 00:46:22.780 a very complex discussion with
NOTE Confidence: 0.99502337
00:46:22.780 --> 00:46:23.920 your medical oncologist.
NOTE Confidence: 0.9907307
00:46:24.460 --> 00:46:25.500 And in that case, they
NOTE Confidence: 0.9907307
00:46:25.500 --> 00:46:25.965 might
NOTE Confidence: 0.9997082
00:46:26.765 --> 00:46:27.905 tailor the chemotherapy
NOTE Confidence: 0.99952114
00:46:28.205 --> 00:46:29.485 and offer you a slightly
NOTE Confidence: 0.99952114
00:46:29.485 --> 00:46:30.385 different chemotherapy
NOTE Confidence: 0.9793243
00:46:30.925 --> 00:46:31.905 if it's borderline.
NOTE Confidence: 0.9998594
00:46:33.405 --> 00:46:35.085 Thank you very much. There's

NOTE Confidence: 0.9998594
00:46:35.085 --> 00:46:36.705 another question about
NOTE Confidence: 0.99959344
00:46:37.885 --> 00:46:39.405 what we recommend for young
NOTE Confidence: 0.99959344
00:46:39.405 --> 00:46:40.705 women who are
NOTE Confidence: 0.9948567
00:46:42.070 --> 00:46:43.849 thinking about future pregnancy
NOTE Confidence: 0.9644534
00:46:44.310 --> 00:46:46.170 and have an estrogen positive
NOTE Confidence: 0.9644534
00:46:46.230 --> 00:46:47.130 tumor. Unfortunately,
NOTE Confidence: 0.96488523
00:46:48.230 --> 00:46:49.910 the positive trial, which was
NOTE Confidence: 0.96488523
00:46:49.910 --> 00:46:51.270 run out of Dana Farber
NOTE Confidence: 0.96488523
00:46:51.270 --> 00:46:52.969 but included multiple institutions
NOTE Confidence: 0.9651647
00:46:53.270 --> 00:46:54.630 across the country and the
NOTE Confidence: 0.9651647
00:46:54.630 --> 00:46:55.130 world,
NOTE Confidence: 0.96799827
00:46:55.535 --> 00:46:57.135 did look at young women.
NOTE Confidence: 0.96799827
00:46:57.135 --> 00:46:58.575 They were forty two or
NOTE Confidence: 0.96799827
00:46:58.575 --> 00:46:59.635 younger who
NOTE Confidence: 0.98807865
00:47:00.015 --> 00:47:01.935 were treated for hormone receptor
NOTE Confidence: 0.98807865

00:47:01.935 --> 00:47:03.875 positive breast cancer and received
NOTE Confidence: 0.98807865

00:47:03.935 --> 00:47:05.715 between eighteen and thirty months
NOTE Confidence: 0.8542176

00:47:06.335 --> 00:47:08.255 of anti estrogen therapy or
NOTE Confidence: 0.8542176

00:47:08.255 --> 00:47:08.755 hormone,
NOTE Confidence: 0.9963076

00:47:09.980 --> 00:47:11.739 endocrine therapy to target their
NOTE Confidence: 0.9963076

00:47:11.739 --> 00:47:13.260 breast cancer. They went on
NOTE Confidence: 0.9963076

00:47:13.260 --> 00:47:14.460 to take a break for
NOTE Confidence: 0.9963076

00:47:14.460 --> 00:47:15.680 pregnancy and
NOTE Confidence: 0.9834119

00:47:16.059 --> 00:47:18.160 potential breastfeeding, and their pregnancy
NOTE Confidence: 0.99962616

00:47:18.460 --> 00:47:20.000 success was very good
NOTE Confidence: 0.95827687

00:47:20.540 --> 00:47:21.980 as well as the risk
NOTE Confidence: 0.95827687

00:47:21.980 --> 00:47:22.880 of a recurrence
NOTE Confidence: 0.99882156

00:47:23.180 --> 00:47:24.655 was similar to the women
NOTE Confidence: 0.99882156

00:47:24.655 --> 00:47:25.855 who did not go ahead
NOTE Confidence: 0.99882156

00:47:25.855 --> 00:47:27.454 with pregnancy. So the data
NOTE Confidence: 0.99882156

00:47:27.454 --> 00:47:28.674 we currently have

NOTE Confidence: 0.9996669
00:47:29.135 --> 00:47:30.994 is showing great promise
NOTE Confidence: 0.98910344
00:47:31.535 --> 00:47:33.375 that it's safe for select
NOTE Confidence: 0.98910344
00:47:33.375 --> 00:47:35.694 women with hormone receptor positive
NOTE Confidence: 0.98910344
00:47:35.694 --> 00:47:37.560 breast cancers to take a
NOTE Confidence: 0.98910344
00:47:37.560 --> 00:47:39.420 break for pregnancy and,
NOTE Confidence: 0.95895493
00:47:40.360 --> 00:47:40.860 future,
NOTE Confidence: 0.871452
00:47:41.480 --> 00:47:41.980 breastfeeding.
NOTE Confidence: 0.9921204
00:47:42.440 --> 00:47:43.960 And this is certainly something
NOTE Confidence: 0.9921204
00:47:43.960 --> 00:47:45.820 you should discuss with your
NOTE Confidence: 0.9902169
00:47:46.200 --> 00:47:48.040 oncology team. It's important that
NOTE Confidence: 0.9902169
00:47:48.040 --> 00:47:49.080 you're at a right stage
NOTE Confidence: 0.9902169
00:47:49.080 --> 00:47:50.520 of your cancer treatment and
NOTE Confidence: 0.9902169
00:47:50.520 --> 00:47:52.435 that we can monitor you
NOTE Confidence: 0.9902169
00:47:52.435 --> 00:47:53.954 as well as possible during
NOTE Confidence: 0.9902169
00:47:53.954 --> 00:47:55.015 and after pregnancy.
NOTE Confidence: 0.99332213

00:47:57.315 --> 00:47:59.494 There's another question about,
NOTE Confidence: 0.99778885

00:47:59.954 --> 00:48:01.795 a recent article on spike
NOTE Confidence: 0.99778885

00:48:01.795 --> 00:48:02.295 proteins
NOTE Confidence: 0.9645371

00:48:02.915 --> 00:48:04.614 and the aggressive new cancers.
NOTE Confidence: 0.9645371

00:48:04.675 --> 00:48:06.790 Doctor Rosenblatt, I'd I'd defer
NOTE Confidence: 0.9645371

00:48:06.790 --> 00:48:07.910 to you if you're able
NOTE Confidence: 0.9645371

00:48:07.910 --> 00:48:09.210 to answer this question.
NOTE Confidence: 0.9967861

00:48:11.270 --> 00:48:12.469 I don't see this question
NOTE Confidence: 0.9967861

00:48:12.469 --> 00:48:13.930 about the spike proteins.
NOTE Confidence: 0.977864

00:48:15.109 --> 00:48:16.630 It says, any comment on
NOTE Confidence: 0.977864

00:48:16.630 --> 00:48:18.150 the recent article on spike
NOTE Confidence: 0.977864

00:48:18.150 --> 00:48:20.170 protein and aggressive new cancers?
NOTE Confidence: 0.9993556

00:48:22.495 --> 00:48:23.855 I'm not exactly sure what
NOTE Confidence: 0.9993556

00:48:23.855 --> 00:48:25.875 this article is referring to.
NOTE Confidence: 0.9828689

00:48:26.495 --> 00:48:27.375 There is a lot of
NOTE Confidence: 0.9828689

00:48:27.375 --> 00:48:28.975 research out there trying to

NOTE Confidence: 0.9828689
00:48:28.975 --> 00:48:29.795 figure out,
NOTE Confidence: 0.98968184
00:48:30.335 --> 00:48:32.515 better ways of predicting aggressiveness
NOTE Confidence: 0.98968184
00:48:32.655 --> 00:48:34.415 and recurrence, so that's probably
NOTE Confidence: 0.98968184
00:48:34.415 --> 00:48:35.795 what that's referring to.
NOTE Confidence: 0.9930942
00:48:36.650 --> 00:48:38.250 It's nothing that has reached,
NOTE Confidence: 0.9930942
00:48:38.250 --> 00:48:39.610 you know, standard of care
NOTE Confidence: 0.9930942
00:48:39.610 --> 00:48:41.630 yet. It hasn't entered mainstream
NOTE Confidence: 0.9930942
00:48:41.850 --> 00:48:42.350 practice.
NOTE Confidence: 0.9963893
00:48:43.050 --> 00:48:44.170 But, yeah, I I look
NOTE Confidence: 0.9963893
00:48:44.170 --> 00:48:45.210 forward to reading more about
NOTE Confidence: 0.9963893
00:48:45.210 --> 00:48:45.710 it.
NOTE Confidence: 0.9993653
00:48:46.250 --> 00:48:46.750 Okay.
NOTE Confidence: 0.9996875
00:48:47.290 --> 00:48:48.810 And then there's another question
NOTE Confidence: 0.9996875
00:48:48.810 --> 00:48:50.270 about tracking recurrences
NOTE Confidence: 0.9684714
00:48:50.570 --> 00:48:52.430 and HER2 positive versus
NOTE Confidence: 0.9968696

00:48:52.785 --> 00:48:53.605 hormone receptor
NOTE Confidence: 0.9720924

00:48:54.224 --> 00:48:56.005 positive HER2 negative cancers.
NOTE Confidence: 0.9715191

00:48:56.704 --> 00:48:58.224 I'll dive in very quickly
NOTE Confidence: 0.9715191

00:48:58.224 --> 00:48:59.585 as a surgeon. I think
NOTE Confidence: 0.9715191

00:48:59.585 --> 00:49:01.585 locally, we're examining your skin.
NOTE Confidence: 0.9715191

00:49:01.585 --> 00:49:03.204 We're looking at any changes.
NOTE Confidence: 0.9982894

00:49:04.305 --> 00:49:05.585 There can be there was
NOTE Confidence: 0.9982894

00:49:05.585 --> 00:49:07.530 another comment and question in
NOTE Confidence: 0.9982894

00:49:07.530 --> 00:49:08.730 the chat. There can be
NOTE Confidence: 0.9982894

00:49:08.730 --> 00:49:10.250 ongoing changes in the breast
NOTE Confidence: 0.9982894

00:49:10.250 --> 00:49:10.750 tissue
NOTE Confidence: 0.98328185

00:49:11.130 --> 00:49:13.550 after surgery, reconstruction, and radiation
NOTE Confidence: 0.98328185

00:49:13.690 --> 00:49:15.210 for even a couple years,
NOTE Confidence: 0.98328185

00:49:15.210 --> 00:49:16.969 but most cancer patients should
NOTE Confidence: 0.98328185

00:49:16.969 --> 00:49:18.489 be under surveillance with their
NOTE Confidence: 0.98328185

00:49:18.489 --> 00:49:19.630 oncology team.

NOTE Confidence: 0.9502033
00:49:20.325 --> 00:49:22.405 We decide to survey people
NOTE Confidence: 0.9502033
00:49:22.405 --> 00:49:24.005 for a distant recurrence in
NOTE Confidence: 0.9502033
00:49:24.005 --> 00:49:25.625 the setting of of symptoms
NOTE Confidence: 0.9502033
00:49:25.685 --> 00:49:27.205 or abnormal labs, and doctor
NOTE Confidence: 0.9502033
00:49:27.205 --> 00:49:29.045 Rosenblitz really an expert in
NOTE Confidence: 0.9502033
00:49:29.045 --> 00:49:29.545 ctDNA.
NOTE Confidence: 0.9309252
00:49:29.925 --> 00:49:32.244 So I'll, turn that over
NOTE Confidence: 0.9309252
00:49:32.244 --> 00:49:32.905 to her.
NOTE Confidence: 0.9893918
00:49:33.900 --> 00:49:36.000 Yeah. So the main surveillance
NOTE Confidence: 0.9893918
00:49:36.140 --> 00:49:37.980 mechanism, like we mentioned, is
NOTE Confidence: 0.9893918
00:49:37.980 --> 00:49:39.980 physical exam and then breast
NOTE Confidence: 0.9893918
00:49:39.980 --> 00:49:40.480 imaging.
NOTE Confidence: 0.9981876
00:49:41.579 --> 00:49:42.940 In breast cancer, we have
NOTE Confidence: 0.9981876
00:49:42.940 --> 00:49:44.160 not seen any benefit
NOTE Confidence: 0.9861653
00:49:44.460 --> 00:49:45.819 from PET scans or CAT
NOTE Confidence: 0.9861653

00:49:45.819 --> 00:49:47.099 scans, and so we don't
NOTE Confidence: 0.9861653

00:49:47.099 --> 00:49:48.079 do them because
NOTE Confidence: 0.9905095

00:49:49.224 --> 00:49:50.344 the risk of the radiation
NOTE Confidence: 0.9905095

00:49:50.344 --> 00:49:51.965 from the scans actually outweighs
NOTE Confidence: 0.9905095

00:49:52.025 --> 00:49:53.625 any any benefit in terms
NOTE Confidence: 0.9905095

00:49:53.625 --> 00:49:54.925 of finding a recurrence.
NOTE Confidence: 0.9753808

00:49:55.864 --> 00:49:57.065 And we don't have good
NOTE Confidence: 0.9753808

00:49:57.065 --> 00:49:58.744 blood tests either. There are
NOTE Confidence: 0.9753808

00:49:58.744 --> 00:49:59.864 blood tests out there called
NOTE Confidence: 0.9753808

00:49:59.864 --> 00:50:01.305 tumor markers and we use
NOTE Confidence: 0.9753808

00:50:01.305 --> 00:50:03.145 them for metastatic breast cancer
NOTE Confidence: 0.9753808

00:50:03.145 --> 00:50:04.420 all the time, But for
NOTE Confidence: 0.9753808

00:50:04.420 --> 00:50:06.340 early stage breast cancer, they've
NOTE Confidence: 0.9753808

00:50:06.340 --> 00:50:07.700 been shown to have what's
NOTE Confidence: 0.9753808

00:50:07.700 --> 00:50:09.380 called low sensitivity and low
NOTE Confidence: 0.9753808

00:50:09.380 --> 00:50:10.820 specificity. So they can be

NOTE Confidence: 0.9753808
00:50:10.820 --> 00:50:12.100 negative and there can still
NOTE Confidence: 0.9753808
00:50:12.100 --> 00:50:13.380 be a cancer and they
NOTE Confidence: 0.9753808
00:50:13.380 --> 00:50:14.420 can be positive and there
NOTE Confidence: 0.9753808
00:50:14.420 --> 00:50:15.700 could be no cancer. So
NOTE Confidence: 0.9753808
00:50:15.700 --> 00:50:16.820 they're not very helpful to
NOTE Confidence: 0.9753808
00:50:16.820 --> 00:50:18.055 us. And that's why we're
NOTE Confidence: 0.9753808
00:50:18.055 --> 00:50:19.415 trying to develop this new
NOTE Confidence: 0.9753808
00:50:19.415 --> 00:50:21.255 blood test called circulating tumor
NOTE Confidence: 0.9753808
00:50:21.255 --> 00:50:21.755 DNA.
NOTE Confidence: 0.9926834
00:50:22.135 --> 00:50:23.335 Right now, we're looking at
NOTE Confidence: 0.9926834
00:50:23.335 --> 00:50:24.535 it just in the research
NOTE Confidence: 0.9926834
00:50:24.535 --> 00:50:26.395 setting because we don't know
NOTE Confidence: 0.9926834
00:50:26.614 --> 00:50:28.295 yet how helpful this test
NOTE Confidence: 0.9926834
00:50:28.295 --> 00:50:30.060 is, and we don't have
NOTE Confidence: 0.9926834
00:50:30.219 --> 00:50:31.340 a treatment option. We need
NOTE Confidence: 0.9926834

00:50:31.340 --> 00:50:32.780 to investigate what treatment we

NOTE Confidence: 0.9926834

00:50:32.780 --> 00:50:33.820 can give if that test

NOTE Confidence: 0.9926834

00:50:33.820 --> 00:50:34.560 is positive.

NOTE Confidence: 0.98905396

00:50:34.940 --> 00:50:36.219 So there are trials going

NOTE Confidence: 0.98905396

00:50:36.219 --> 00:50:37.260 on for that for both

NOTE Confidence: 0.98905396

00:50:37.260 --> 00:50:39.360 hormone positive and HER2 positive

NOTE Confidence: 0.98905396

00:50:39.420 --> 00:50:40.940 and triple negative breast cancer.

NOTE Confidence: 0.98905396

00:50:40.940 --> 00:50:42.320 So if you're really interested,

NOTE Confidence: 0.9988585

00:50:43.045 --> 00:50:44.085 please look out for those

NOTE Confidence: 0.9988585

00:50:44.085 --> 00:50:44.565 trials.

NOTE Confidence: 0.9939486

00:50:44.965 --> 00:50:46.825 They're in very early stages,

NOTE Confidence: 0.9997353

00:50:47.125 --> 00:50:48.405 but we'll probably see more

NOTE Confidence: 0.9997353

00:50:48.405 --> 00:50:50.165 of those clinical trials in

NOTE Confidence: 0.9997353

00:50:50.165 --> 00:50:51.465 the next couple of years.

NOTE Confidence: 0.9939114

00:50:53.844 --> 00:50:55.125 Alright. Well, thank you to

NOTE Confidence: 0.9939114

00:50:55.125 --> 00:50:56.265 my esteemed colleagues,

NOTE Confidence: 0.9651952
00:50:56.965 --> 00:50:58.440 for joining us tonight and
NOTE Confidence: 0.9651952
00:50:58.440 --> 00:50:59.719 sharing your knowledge, and thank
NOTE Confidence: 0.9651952
00:50:59.719 --> 00:51:01.020 you to all the attendees
NOTE Confidence: 0.9651952
00:51:01.080 --> 00:51:02.440 for joining us for this
NOTE Confidence: 0.9651952
00:51:02.440 --> 00:51:03.739 Milo shares. We,
NOTE Confidence: 0.9608205
00:51:04.440 --> 00:51:05.960 encourage you to attend our
NOTE Confidence: 0.9608205
00:51:05.960 --> 00:51:07.480 future sessions in the month
NOTE Confidence: 0.9608205
00:51:07.480 --> 00:51:08.839 of October, which as many
NOTE Confidence: 0.9608205
00:51:08.839 --> 00:51:09.800 of you know is breast
NOTE Confidence: 0.9608205
00:51:09.800 --> 00:51:12.119 cancer awareness month. And please
NOTE Confidence: 0.9608205
00:51:12.119 --> 00:51:12.599 reach out,
NOTE Confidence: 0.995776
00:51:13.594 --> 00:51:14.954 to any member of our
NOTE Confidence: 0.995776
00:51:14.954 --> 00:51:16.954 program if you or family
NOTE Confidence: 0.995776
00:51:16.954 --> 00:51:18.154 or friends need to be
NOTE Confidence: 0.995776
00:51:18.154 --> 00:51:18.654 seen.
NOTE Confidence: 0.99352664

00:51:19.355 --> 00:51:20.555 We wish you all well,

NOTE Confidence: 0.99352664

00:51:20.555 --> 00:51:21.055 and

NOTE Confidence: 0.99633205

00:51:21.434 --> 00:51:22.974 thank you again for joining.