WEBVTT

00:00:00.000 --> 00:00:02.475 Support for Yale Cancer Answers NOTE Confidence: 0.9132006 $00{:}00{:}02{.}475 \dashrightarrow 00{:}00{:}04{.}922$ comes from AstraZeneca, working to NOTE Confidence: 0.9132006 00:00:04.922 --> 00:00:08.296 eliminate cancer as a cause of death. NOTE Confidence: 0.9132006 00:00:08.300 --> 00:00:11.840 Learn more at astrazeneca-us.com. NOTE Confidence: 0.9132006 00:00:11.840 --> 00:00:13.304 Welcome to Yale Cancer NOTE Confidence: 0.9132006 00:00:13.304 --> 00:00:14.768 Answers with your host NOTE Confidence: 0.9132006 00:00:14.770 --> 00:00:16.595 Doctor Anees Chagpar. NOTE Confidence: 0.9132006 $00:00:18.060 \dashrightarrow 00:00:20.015$ Yale Cancer Answers features the NOTE Confidence: 0.9132006 $00:00:20.015 \rightarrow 00:00:22.415$ latest information on cancer care by NOTE Confidence: 0.9132006 $00{:}00{:}22.415 \dashrightarrow 00{:}00{:}23.955$ welcoming on cologists and specialists NOTE Confidence: 0.9132006 00:00:23.955 - 00:00:26.532 who are on the forefront of the NOTE Confidence: 0.9132006 $00:00:26.532 \rightarrow 00:00:28.308$ battle to fight cancer. This week, NOTE Confidence: 0.9132006 $00:00:28.310 \rightarrow 00:00:30.025$ it's a conversation about thyroid NOTE Confidence: 0.9132006 $00{:}00{:}30.025 \dashrightarrow 00{:}00{:}31.740$ cancer and the management of NOTE Confidence: 0.9132006 $00:00:31.804 \rightarrow 00:00:33.799$ thyroid nodules with Doctor Grace Lee. NOTE Confidence: 0.9132006

00:00:33.800 --> 00:00:35.750 Doctor Lee is an assistant professor NOTE Confidence: 0.9132006 $00{:}00{:}35{.}750 \dashrightarrow 00{:}00{:}38{.}102$ in the section of endocrinology and NOTE Confidence: 0.9132006 $00{:}00{:}38.102 \dashrightarrow 00{:}00{:}40.130$ metabolism at the Yale School of NOTE Confidence: 0.9132006 $00:00:40.130 \rightarrow 00:00:42.272$ Medicine where Doctor Schwartz is the NOTE Confidence: 0.9132006 00:00:42.272 --> 00:00:44.408 John Slade Eli Professor of obstetrics, NOTE Confidence: 0.9132006 00:00:44.410 --> 00:00:47.618 gynecology and Reproductive Sciences. NOTE Confidence: 0.9132006 00:00:47.950 --> 00:00:49.762 Doctor Lee, my first question is NOTE Confidence: 0.93558043 $00{:}00{:}49.762 \dashrightarrow 00{:}00{:}52.402$ can you tell us a little bit about NOTE Confidence: 0.93558043 $00:00:52.402 \rightarrow 00:00:54.442$ yourself and your area of expertise? NOTE Confidence: 0.93558043 $00:00:54.450 \rightarrow 00:00:56.070$ What cancers do you treat? NOTE Confidence: 0.93558043 $00:00:56.070 \rightarrow 00:00:58.020$ What's your role at the Veterans NOTE Confidence: 0.93558043 00:00:58.020 --> 00:00:58.670 Administration Hospital? NOTE Confidence: 0.9168032 00:01:00.310 --> 00:01:01.766 So as you mentioned, NOTE Confidence: 0.9168032 $00:01:01.766 \rightarrow 00:01:03.950$ I'm assistant professor of Medicine in NOTE Confidence: 0.9168032 $00:01:04.021 \rightarrow 00:01:06.307$ the section of endocrinology at Yale. NOTE Confidence: 0.9168032 00:01:06.310 --> 00:01:08.190 There I teach Endocrinology Fellows,

- NOTE Confidence: 0.9168032
- 00:01:08.190 --> 00:01:09.686 medical residents as well

 $00{:}01{:}09.686 \dashrightarrow 00{:}01{:}10.808$ as medical students.

NOTE Confidence: 0.9168032

 $00{:}01{:}10.810 \dashrightarrow 00{:}01{:}12.795$ I'm also a clinical endocrinologist

NOTE Confidence: 0.9168032

00:01:12.795 --> 00:01:14.780 at the Veterans Affairs Connecticut

NOTE Confidence: 0.9168032

 $00:01:14.839 \rightarrow 00:01:16.439$ healthcare system for the VA.

NOTE Confidence: 0.9168032

 $00{:}01{:}16.440 \dashrightarrow 00{:}01{:}19.440$ I serve veterans at both the West Haven,

NOTE Confidence: 0.9168032

 $00:01:19.440 \longrightarrow 00:01:20.565$ and Newington locations.

NOTE Confidence: 0.9168032

00:01:20.565 --> 00:01:22.440 My areas of expertise include

NOTE Confidence: 0.9168032

00:01:22.440 --> 00:01:23.940 thyroid nodules, thyroid cancer,

NOTE Confidence: 0.9168032

 $00{:}01{:}25{.}440 \dashrightarrow 00{:}01{:}27{.}690$ along with other metabolic bone diseases.

NOTE Confidence: 0.9168032

00:01:27.690 --> 00:01:29.560 I also practice general endocrinology.

NOTE Confidence: 0.9036068

00:01:32.180 --> 00:01:34.220 How common is thyroid cancer,

NOTE Confidence: 0.9036068

 $00:01:34.220 \longrightarrow 00:01:35.240$ especially in veterans?

NOTE Confidence: 0.9036068

 $00:01:35.240 \dashrightarrow 00:01:37.280$ And how is it typically diagnosed?

NOTE Confidence: 0.9036068

 $00:01:37.280 \longrightarrow 00:01:38.980$ Are there any symptoms that

 $00:01:38.980 \longrightarrow 00:01:40.680$ people should be aware of?

NOTE Confidence: 0.9036068

00:01:40.680 --> 00:01:43.060 In general, I can tell you

NOTE Confidence: 0.9036068

 $00:01:43.060 \longrightarrow 00:01:44.380$ about the thyroid itself.

NOTE Confidence: 0.9036068

 $00:01:44.380 \longrightarrow 00:01:46.779$ Not a lot of people know where

NOTE Confidence: 0.9036068

 $00{:}01{:}46.779 \dashrightarrow 00{:}01{:}48.840$ the thyroid is, so let's start

NOTE Confidence: 0.9036068

 $00:01:48.840 \longrightarrow 00:01:50.880$ off by saying where that is.

NOTE Confidence: 0.9036068

 $00:01:50.880 \longrightarrow 00:01:52.920$ It's a gland that's very

NOTE Confidence: 0.9036068

 $00:01:52.920 \longrightarrow 00:01:54.280$ important to the body.

NOTE Confidence: 0.9036068

00:01:54.280 $\operatorname{-->}$ 00:01:57.496 It's in the front of the neck and

NOTE Confidence: 0.9036068

 $00:01:57.496 \rightarrow 00:02:00.700$ is right on top of your windpipe.

NOTE Confidence: 0.9036068

 $00:02:00.700 \longrightarrow 00:02:02.938$ You know when you ask about

NOTE Confidence: 0.9036068

00:02:02.938 --> 00:02:04.720 how common thyroid cancer is,

NOTE Confidence: 0.9036068

 $00:02:04.720 \longrightarrow 00:02:07.079$ it really depends on the type of

NOTE Confidence: 0.9036068

 $00:02:07.079 \rightarrow 00:02:09.460$ thyroid cancer that we're talking about.

NOTE Confidence: 0.9036068

 $00{:}02{:}09{.}460 \dashrightarrow 00{:}02{:}11{.}285$ And mainly there's about four

NOTE Confidence: 0.9036068

 $00:02:11.285 \rightarrow 00:02:13.110$ different types of thyroid cancer,

- NOTE Confidence: 0.9036068
- 00:02:13.110 --> 00:02:14.570 the most common being
- NOTE Confidence: 0.9036068
- $00:02:14.570 \longrightarrow 00:02:15.665$ papillary thyroid cancer,
- NOTE Confidence: 0.9036068
- $00:02:15.670 \longrightarrow 00:02:18.092$ and that's about 15 in every 100,000
- NOTE Confidence: 0.9036068
- $00{:}02{:}18.092 \dashrightarrow 00{:}02{:}20.642$ people an this being the most common
- NOTE Confidence: 0.9036068
- $00:02:20.642 \longrightarrow 00:02:23.249$ type of cancer is actually also the
- NOTE Confidence: 0.9036068
- $00:02:23.249 \rightarrow 00:02:25.517$ most benign type of thyroid cancer.
- NOTE Confidence: 0.9036068
- 00:02:25.520 --> 00:02:27.096 I shouldn't say benign,
- NOTE Confidence: 0.9036068
- $00:02:27.096 \longrightarrow 00:02:29.066$ the least aggressive of all
- NOTE Confidence: 0.9036068
- $00:02:29.066 \rightarrow 00:02:31.080$ different types of thyroid cancer.
- NOTE Confidence: 0.9036068
- $00:02:31.080 \rightarrow 00:02:32.750$ The more aggressive type would
- NOTE Confidence: 0.9036068
- $00:02:32.750 \longrightarrow 00:02:34.086$ be considered something called
- NOTE Confidence: 0.9036068
- $00:02:34.086 \longrightarrow 00:02:35.169$ anaplastic thyroid cancer,
- NOTE Confidence: 0.9036068
- 00:02:35.170 00:02:36.875 which Fortunately is only less
- NOTE Confidence: 0.9036068
- $00{:}02{:}36.875 \dashrightarrow 00{:}02{:}38.924$ than 3% of the different types
- NOTE Confidence: 0.9036068
- $00:02:38.924 \longrightarrow 00:02:40.629$ of thyroid cancer that exists.
- NOTE Confidence: 0.9036068

 $00{:}02{:}40{.}630 \dashrightarrow 00{:}02{:}42{.}622$ You asked about symptoms that people

NOTE Confidence: 0.9036068

 $00:02:42.622 \dashrightarrow 00:02:45.399$ should be aware of and how it's diagnosed.

NOTE Confidence: 0.9036068

00:02:45.400 --> 00:02:46.764 Typically somebody may notice

NOTE Confidence: 0.9036068

 $00:02:46.764 \longrightarrow 00:02:48.469$ a lump in their neck,

NOTE Confidence: 0.9036068

 $00{:}02{:}48{.}470 \dashrightarrow 00{:}02{:}50{.}456$ which can be either from a

NOTE Confidence: 0.9036068

 $00{:}02{:}50{.}456 \dashrightarrow 00{:}02{:}52{.}886$ Mass in the thyroid or from an

NOTE Confidence: 0.9036068

 $00{:}02{:}52.886 \dashrightarrow 00{:}02{:}54.950$ abnormal lymph node in the neck,

NOTE Confidence: 0.9036068

 $00:02:54.950 \longrightarrow 00:02:56.660$ or an enlarged lymph node.

NOTE Confidence: 0.9036068

 $00{:}02{:}56.660 \dashrightarrow 00{:}02{:}58.360$ Another way it's typically diagnoses,

NOTE Confidence: 0.9036068

 $00:02:58.360 \rightarrow 00:02:59.082$ actually, incidentally,

NOTE Confidence: 0.9036068

 $00:02:59.082 \longrightarrow 00:02:59.804$ for example,

NOTE Confidence: 0.9036068

 $00:02:59.804 \longrightarrow 00:03:01.248$ if somebody has a.

NOTE Confidence: 0.9036068

00:03:01.250 --> 00:03:02.865 Car accident and has a

NOTE Confidence: 0.9036068

 $00:03:02.865 \longrightarrow 00:03:04.480$ cat scan for their neck.

NOTE Confidence: 0.9036068

 $00{:}03{:}04{.}480 \dashrightarrow 00{:}03{:}06{.}214$ They might be surprised to find

NOTE Confidence: 0.9036068

 $00:03:06.214 \rightarrow 00:03:08.359$ out that they have thyroid nodules,

- NOTE Confidence: 0.9036068
- $00:03:08.360 \dashrightarrow 00:03:10.425$ but actually they are very common and NOTE Confidence: 0.9036068
- 00:03:10.425 --> 00:03:12.420 thyroid cancer is actually a very
- NOTE Confidence: 0.9036068
- $00:03:12.420 \rightarrow 00:03:14.165$ small percentage of thyroid nodules.
- NOTE Confidence: 0.9036068
- $00{:}03{:}14.170 \dashrightarrow 00{:}03{:}16.006$ But those are the main different
- NOTE Confidence: 0.9036068
- 00:03:16.006 --> 00:03:17.964 types of thyroid cancer and chances
- NOTE Confidence: 0.9036068
- $00{:}03{:}17{.}964 \dashrightarrow 00{:}03{:}19{.}974$ are if you're diagnosed with thy roid
- NOTE Confidence: 0.9036068
- $00:03:19.980 \longrightarrow 00:03:21.595$ cancer it is probably going to
- NOTE Confidence: 0.9036068
- $00:03:21.595 \longrightarrow 00:03:22.887$ be papillary thyroid cancer.
- NOTE Confidence: 0.9203451
- $00{:}03{:}25{.}850 \dashrightarrow 00{:}03{:}28{.}626$ I was very interested to see a
- NOTE Confidence: 0.9203451
- $00{:}03{:}28.626 \dashrightarrow 00{:}03{:}30.647$ difference between women and men in
- NOTE Confidence: 0.9203451
- $00:03:30.647 \dashrightarrow 00:03:33.050$ terms of the incidence of thyroid cancer.
- NOTE Confidence: 0.9203451
- $00{:}03{:}33{.}050 \dashrightarrow 00{:}03{:}35{.}486$ My impression is that women now have NOTE Confidence: 0.9203451
- $00{:}03{:}35{.}486 \dashrightarrow 00{:}03{:}38{.}199$ about 3 times as many cancers as men,
- NOTE Confidence: 0.9203451
- $00{:}03{:}38{.}200 \dashrightarrow 00{:}03{:}41{.}287$ but it seems to be less deadly in women.
- NOTE Confidence: 0.9203451
- $00:03:41.290 \longrightarrow 00:03:43.602$ Can you talk to us a little bit
- NOTE Confidence: 0.9203451

 $00{:}03{:}43{.}602 \dashrightarrow 00{:}03{:}46{.}087$ about how this phenomenon may occur

NOTE Confidence: 0.9203451

00:03:46.090 --> 00:03:48.826 and what should women be aware of,

NOTE Confidence: 0.9203451

 $00:03:48.830 \longrightarrow 00:03:49.520$ particularly during

NOTE Confidence: 0.9203451

 $00:03:49.520 \rightarrow 00:03:51.578$ reproductive age?

NOTE Confidence: 0.9203451

 $00:03:51.580 \rightarrow 00:03:54.800$ It's not exactly known why that's true.

NOTE Confidence: 0.9203451

 $00{:}03{:}54{.}800 \dashrightarrow 00{:}03{:}56{.}405$ Some people think that women

NOTE Confidence: 0.9203451

 $00{:}03{:}56{.}405 \dashrightarrow 00{:}03{:}58{.}694$ come under the care

NOTE Confidence: 0.9203451

 $00:03:58.694 \rightarrow 00:04:00.536$ of providers more than men do,

NOTE Confidence: 0.9203451

 $00{:}04{:}00{.}540 \dashrightarrow 00{:}04{:}03{.}730$ and it's true that in men it seems to be

NOTE Confidence: 0.9203451

 $00{:}04{:}03.730 \dashrightarrow 00{:}04{:}07.097$ more of an aggressive

NOTE Confidence: 0.9203451

 $00:04:07.100 \longrightarrow 00:04:08.234$ cancer, however,

NOTE Confidence: 0.9203451

 $00:04:08.234 \longrightarrow 00:04:10.880$ it's all individual based on

NOTE Confidence: 0.9203451

 $00:04:10.945 \longrightarrow 00:04:12.937$ the patient and that doesn't necessarily

NOTE Confidence: 0.9203451

 $00:04:12.937 \longrightarrow 00:04:15.440$ mean that all men are going to have

NOTE Confidence: 0.9203451

 $00{:}04{:}15{.}440 \dashrightarrow 00{:}04{:}17{.}788$ poor prognoses.

NOTE Confidence: 0.9203451

00:04:17.788 --> 00:04:20.126 I forgot to mention earlier,

- NOTE Confidence: 0.9203451
- $00:04:20.130 \longrightarrow 00:04:22.706$ you mentioned what other

 $00:04:22.706 \longrightarrow 00:04:24.795$ symptoms that women should watch out

NOTE Confidence: 0.9203451

 $00{:}04{:}24.795 \dashrightarrow 00{:}04{:}27.312$ for and men should watch out for.

NOTE Confidence: 0.9203451

 $00:04:27.312 \rightarrow 00:04:29.808$ In addition to looking for lumps in the neck,

NOTE Confidence: 0.9203451

 $00{:}04{:}29{.}810 \dashrightarrow 00{:}04{:}32{.}429$ which you may just find by feeling your neck

NOTE Confidence: 0.9203451

 $00{:}04{:}32{.}429 \dashrightarrow 00{:}04{:}35{.}159$ you can actually, as the disease progresses,

NOTE Confidence: 0.9203451

00:04:35.160 - 00:04:36.222 have compressive symptoms.

 $00:04:38.350 \longrightarrow 00:04:40.471$ So symptoms where in the neck

NOTE Confidence: 0.9203451

 $00{:}04{:}40{.}471 \dashrightarrow 00{:}04{:}42{.}900$ the mass in the thy roid is large,

NOTE Confidence: 0.9203451

 $00:04:42.900 \dashrightarrow 00:04:44.850$ it can push on different structures.

NOTE Confidence: 0.9203451

 $00{:}04{:}44.850 \dashrightarrow 00{:}04{:}46.978$ For example, it can make it difficult

NOTE Confidence: 0.9203451

 $00:04:46.978 \longrightarrow 00:04:48.430$ to swallow or breathe.

NOTE Confidence: 0.9203451

 $00:04:48.430 \longrightarrow 00:04:51.030$ It can also actually cause a horse voice.

NOTE Confidence: 0.9203451

 $00:04:51.030 \longrightarrow 00:04:52.550$ There's an important nerve that

NOTE Confidence: 0.9203451

 $00{:}04{:}52{.}550 \dashrightarrow 00{:}04{:}54{.}491$ travels near the thyroid called the

NOTE Confidence: 0.9203451

 $00:04:54.491 \rightarrow 00:04:56.552$ recurrent laryngeal nerve, and if that

- NOTE Confidence: 0.9203451
- $00:04:56.552 \rightarrow 00:04:58.496$ is somehow invaded or pushed upon,
- NOTE Confidence: 0.9203451
- $00{:}04{:}58{.}500 \dashrightarrow 00{:}05{:}00{.}450$ that can cause a horse voice.
- NOTE Confidence: 0.9203451
- $00:05:00.450 \rightarrow 00:05:03.050$ In addition to that, when it's very large,
- NOTE Confidence: 0.9203451
- $00:05:03.050 \longrightarrow 00:05:04.290$ if you're lying flat,
- NOTE Confidence: 0.9203451
- $00:05:04.290 \longrightarrow 00:05:05.840$ people actually feel like
- NOTE Confidence: 0.9203451
- $00:05:05.840 \longrightarrow 00:05:07.292$ they're choking, but again,
- NOTE Confidence: 0.9203451
- $00{:}05{:}07.292 \dashrightarrow 00{:}05{:}08.947$ these are more advanced forms
- NOTE Confidence: 0.9203451
- $00{:}05{:}08{.}947 \dashrightarrow 00{:}05{:}10{.}250$ of the cancer and
- NOTE Confidence: 0.9203451
- $00:05:10.250 \longrightarrow 00:05:12.427$ not typically in the very early stages.
- NOTE Confidence: 0.9338352
- 00:05:13.660 --> 00:05:16.33 I noticed that during pregnancy,
- NOTE Confidence: 0.9338352
- $00:05:16.330 \longrightarrow 00:05:18.110$ especially thyroid nodules in
- NOTE Confidence: 0.9338352
- $00{:}05{:}18{.}110 \dashrightarrow 00{:}05{:}20{.}780$ thyroid cancer can present in women
- NOTE Confidence: 0.91300833
- $00:05:22.920 \dashrightarrow 00:05:26.286$ yet they seem to be very low grade.
- NOTE Confidence: 0.91300833
- 00:05:26.290 --> 00:05:28.908 Can you tell us a little bit
- NOTE Confidence: 0.91300833
- $00:05:28.908 \longrightarrow 00:05:30.400$ about that phenomenon?
- NOTE Confidence: 0.91300833

 $00:05:30.400 \rightarrow 00:05:32.638$ Thyroid cancer in pregnancy does happen.

NOTE Confidence: 0.91300833

 $00{:}05{:}32{.}640 \dashrightarrow 00{:}05{:}35{.}632$ I would say that in most cases when

NOTE Confidence: 0.91300833

 $00:05:35.632 \dashrightarrow 00:05:38.510$ this occurs, as long as it's what we

NOTE Confidence: 0.91300833

00:05:38.510 --> 00:05:40.500 think is papillary thyroid cancer,

NOTE Confidence: 0.91300833

 $00:05:40.500 \longrightarrow 00:05:42.948$ we typically do not like to

NOTE Confidence: 0.91300833

 $00:05:42.948 \longrightarrow 00:05:45.359$ operate on pregnant women.

NOTE Confidence: 0.91300833

 $00{:}05{:}45{.}360 \dashrightarrow 00{:}05{:}47{.}677$ An OB I'm sure would feel the same

NOTE Confidence: 0.91300833

 $00:05:47.677 \longrightarrow 00:05:50.218$ and we will monitor the nodule

NOTE Confidence: 0.91300833

 $00:05:50.220 \longrightarrow 00:05:51.411$ and recommend surgery

NOTE Confidence: 0.91300833

 $00:05:51.411 \rightarrow 00:05:54.190$ ideally after the birth of the child.

NOTE Confidence: 0.91300833

 $00{:}05{:}54{.}190 \dashrightarrow 00{:}05{:}56{.}758$ However, I would say in rare cases if

NOTE Confidence: 0.91300833

 $00{:}05{:}56{.}758 \dashrightarrow 00{:}05{:}58{.}700$ something like an aplastic is found,

NOTE Confidence: 0.91300833

00:05:58.700 --> 00:06:00.435 which I've never had happened

NOTE Confidence: 0.91300833

 $00:06:00.435 \longrightarrow 00:06:02.170$ to me or my patients,

NOTE Confidence: 0.91300833

 $00:06:02.170 \rightarrow 00:06:04.599$ but if that were to happen, management,

NOTE Confidence: 0.91300833

00:06:04.600 --> 00:06:06.340 I assume would be different,

- NOTE Confidence: 0.91300833
- $00{:}06{:}06{.}340 \dashrightarrow 00{:}06{:}08{.}075$ but typically because the cancers

00:06:08.075 --> 00:06:09.810 tend to be less aggressive,

NOTE Confidence: 0.91300833

 $00:06:09.810 \longrightarrow 00:06:12.029$ we try to put off surgery for

NOTE Confidence: 0.91300833

 $00:06:12.029 \longrightarrow 00:06:13.969$ the thyroid in someone who's

NOTE Confidence: 0.89682907

 $00:06:13.970 \longrightarrow 00:06:16.889$ pregnant.

NOTE Confidence: 0.89682907

 $00:06:16.890 \dashrightarrow 00:06:18.850$ And for veterans in the Vietnam War,

NOTE Confidence: 0.89682907

 $00:06:18.850 \dashrightarrow 00:06:21.349$ of course, Agent Orange became an issue

NOTE Confidence: 0.89682907

 $00{:}06{:}21.349 \dashrightarrow 00{:}06{:}24.181$ and I know that there's one recent

NOTE Confidence: 0.89682907

 $00{:}06{:}24.181 \dashrightarrow 00{:}06{:}26.707$ study that suggested that there was

NOTE Confidence: 0.89682907

00:06:26.787 --> 00:06:29.412 a 24 % relative risk measure

NOTE Confidence: 0.89682907

 $00{:}06{:}29{.}412 \dashrightarrow 00{:}06{:}31{.}750$ or increased risk of thyroid cancers,

NOTE Confidence: 0.89682907

 $00:06:31.750 \dashrightarrow 00:06:34.090$ and those exposed to Agent Orange.

NOTE Confidence: 0.89682907

 $00:06:34.090 \longrightarrow 00:06:36.722$ Is this still a problem for our

NOTE Confidence: 0.89682907

 $00{:}06{:}36{.}722 \dashrightarrow 00{:}06{:}39{.}397$ Vietnam Veterans today and are

NOTE Confidence: 0.89682907

 $00{:}06{:}39{.}397 \dashrightarrow 00{:}06{:}41{.}611$ veterans from the Middle East exposed

- $00:06:41.683 \rightarrow 00:06:44.257$ to increased risk for thyroid cancer?
- NOTE Confidence: 0.89682907
- $00{:}06{:}44.260 \dashrightarrow 00{:}06{:}45.820$ So those are all
- NOTE Confidence: 0.92615265
- $00:06:45.820 \longrightarrow 00:06:46.664$ great questions.
- NOTE Confidence: 0.92615265
- 00:06:46.664 --> 00:06:49.196 I can't tell you the exact
- NOTE Confidence: 0.92615265
- $00{:}06{:}49{.}200 \dashrightarrow 00{:}06{:}51{.}837$ answer to that, although I can say that if
- NOTE Confidence: 0.92615265
- $00:06:51.837 \dashrightarrow 00:06:54.018$ there's any type of radiation exposure,
- NOTE Confidence: 0.92615265
- $00:06:54.020 \rightarrow 00:06:56.650$ especially at a younger age,
- NOTE Confidence: 0.92615265
- $00{:}06{:}56{.}650 \dashrightarrow 00{:}06{:}58{.}210$ that does increase
- NOTE Confidence: 0.92615265
- 00:06:58.210 --> 00:07:00.160 someone's risk of thyroid cancer,
- NOTE Confidence: 0.92615265
- $00:07:00.160 \longrightarrow 00:07:02.500$ and typically we think of incidents
- NOTE Confidence: 0.92615265
- $00:07:02.500 \longrightarrow 00:07:04.060$ like Chernobyl or
- NOTE Confidence: 0.92615265
- $00:07:04.060 \longrightarrow 00:07:05.392$ nuclear accidents that occur.
- NOTE Confidence: 0.92615265
- $00{:}07{:}05{.}392 \dashrightarrow 00{:}07{:}08{.}401$ So any agents that are used that
- NOTE Confidence: 0.92615265
- $00:07:08.401 \dashrightarrow 00:07:10.297$ potentially could have radioactivity.
- NOTE Confidence: 0.92615265
- $00:07:10.300 \rightarrow 00:07:12.490$ There are also certain explosive devices
- NOTE Confidence: 0.92615265
- $00:07:12.490 \longrightarrow 00:07:14.590$ that may have involved radiation.

- NOTE Confidence: 0.92615265
- $00{:}07{:}14.590 \dashrightarrow 00{:}07{:}15.643$ Anything like that.
- NOTE Confidence: 0.92615265
- $00:07:15.643 \longrightarrow 00:07:17.749$ If you're in contact with that it
- NOTE Confidence: 0.92615265
- $00:07:17.749 \longrightarrow 00:07:19.473$ can certainly increase your
- NOTE Confidence: 0.92615265
- 00:07:19.473 --> 00:07:21.610 risk of thyroid cancer, yes.
- NOTE Confidence: 0.9259281
- $00{:}07{:}23.140 \dashrightarrow 00{:}07{:}25.790$ And what are the treatment
- NOTE Confidence: 0.9259281
- $00:07:25.790 \rightarrow 00:07:27.910$ options available to patients?
- NOTE Confidence: 0.9135173
- $00:07:28.800 \longrightarrow 00:07:30.630$ So in terms of treatment in
- NOTE Confidence: 0.9135173
- $00:07:30.630 \dashrightarrow 00:07:32.899$ patients who have what's called the
- NOTE Confidence: 0.9135173
- $00{:}07{:}32.899 \dashrightarrow 00{:}07{:}34.378$ differentiated thyroid cancers,
- NOTE Confidence: 0.9135173
- 00:07:34.380 --> 00:07:36.977 which are the very well developed cancers
- NOTE Confidence: 0.9135173
- $00:07:36.980 \dashrightarrow 00:07:38.840$ we mentioned, papillary thyroid cancer,
- NOTE Confidence: 0.9135173
- $00{:}07{:}38{.}840 \dashrightarrow 00{:}07{:}41{.}078$ follicular thyroid cancer is another type.
- NOTE Confidence: 0.9135173
- $00:07:41.080 \longrightarrow 00:07:42.770$ The main treatment actually is
- NOTE Confidence: 0.9135173
- $00{:}07{:}42.770 \dashrightarrow 00{:}07{:}44.954$ surgery to remove the thyroid
- NOTE Confidence: 0.9135173
- $00:07:44.954 \dashrightarrow 00:07:47.079$ cancer that's present and luckily
- NOTE Confidence: 0.9135173

 $00:07:47.079 \rightarrow 00:07:49.166$ we have specialist surgeons who

NOTE Confidence: 0.9135173

 $00{:}07{:}49{.}166 \dashrightarrow 00{:}07{:}51{.}116$ can provide this kind of surgery.

NOTE Confidence: 0.9135173

00:07:51.120 --> 00:07:53.322 People who have high volumes of

NOTE Confidence: 0.9135173

 $00{:}07{:}53.322 \dashrightarrow 00{:}07{:}56.339$ these types of patients to work on,

NOTE Confidence: 0.9135173

 $00:07:56.339 \dashrightarrow 00:07:58.189$ they tend to have minimal complications.

NOTE Confidence: 0.9135173

 $00:07:58.190 \dashrightarrow 00:08:01.598$ So really surgery is the mainstay

NOTE Confidence: 0.9135173

00:08:01.600 -> 00:08:02.844 treatment for thyroid cancer.

NOTE Confidence: 0.9135173

 $00:08:02.844 \rightarrow 00:08:05.290$ In terms of types of thyroid surgeries,

NOTE Confidence: 0.9135173

00:08:05.290 --> 00:08:07.460 you can either do a total thyroidectomy

NOTE Confidence: 0.9135173

 $00{:}08{:}07{.}460 \dashrightarrow 00{:}08{:}10{.}222$ which is to take out the entire thy roid

NOTE Confidence: 0.9135173

 $00:08:10.222 \longrightarrow 00:08:12.379$ gland or a thyroidectomy

NOTE Confidence: 0.9135173

 $00:08:12.379 \longrightarrow 00:08:15.003$ to remove just half the gland

NOTE Confidence: 0.9135173

 $00{:}08{:}15{.}003 \dashrightarrow 00{:}08{:}17{.}236$ depending on where and how large the

NOTE Confidence: 0.9135173

 $00:08:17.236 \longrightarrow 00:08:19.322$ tumor is will determine the surgeons

NOTE Confidence: 0.9135173

00:08:19.322 --> 00:08:21.596 approach in whether they'll take out

NOTE Confidence: 0.9135173

 $00:08:21.596 \rightarrow 00:08:23.904$ the entire gland or half the gland

 $00:08:23.904 \dashrightarrow 00:08:26.380$ and then in addition to that there can

NOTE Confidence: 0.9135173

 $00:08:26.380 \longrightarrow 00:08:28.360$ be extra surgery called a dissection

NOTE Confidence: 0.9135173

 $00:08:28.360 \rightarrow 00:08:30.840$ to take out any affected lymph nodes,

NOTE Confidence: 0.9135173

 $00:08:30.840 \longrightarrow 00:08:33.380$ typically in the neck area

NOTE Confidence: 0.9135173

 $00{:}08{:}33{.}380 \dashrightarrow 00{:}08{:}35{.}156$ in the middle of the neck

NOTE Confidence: 0.9135173

 $00:08:35.156 \longrightarrow 00:08:36.340$ where the thyroid is,

NOTE Confidence: 0.9135173

 $00{:}08{:}36{.}340 \dashrightarrow 00{:}08{:}38{.}995$ but then also on the sides of the neck.

NOTE Confidence: 0.9135173

 $00{:}08{:}39{.}000 \dashrightarrow 00{:}08{:}41{.}142$ So actually one of the things that's

NOTE Confidence: 0.9135173

00:08:41.142 --> 00:08:42.378 really important before somebody

NOTE Confidence: 0.9135173

 $00{:}08{:}42.378 \dashrightarrow 00{:}08{:}44.233$ has surgery for thy roid cancer is to

NOTE Confidence: 0.9135173

 $00{:}08{:}44{.}233 \dashrightarrow 00{:}08{:}46{.}042$ have a neck ultrasound looking at

NOTE Confidence: 0.9135173

 $00{:}08{:}46{.}042 \dashrightarrow 00{:}08{:}47{.}878$ all the lymph nodes including the

NOTE Confidence: 0.9135173

00:08:47.880 --> 00:08:49.968 sides of the neck so that the surgeon NOTE Confidence: 0.9135173

00:08:49.968 --> 00:08:51.614 can plan the appropriate operation

NOTE Confidence: 0.9135173

00:08:51.614 --> 00:08:54.085 and really have the best outcome and NOTE Confidence: 0.9135173

- $00{:}08{:}54{.}142 \dashrightarrow 00{:}08{:}55{.}277$ not have to go again
- NOTE Confidence: 0.90298164
- $00:08:55.280 \longrightarrow 00:08:56.186$ for surgery.
- NOTE Confidence: 0.90298164
- $00{:}08{:}56.186 \dashrightarrow 00{:}08{:}58.904$ I understand that there is some
- NOTE Confidence: 0.90298164
- $00:08:58.910 \longrightarrow 00:09:00.198$ controversy about how extensive
- NOTE Confidence: 0.90298164
- $00:09:00.198 \longrightarrow 00:09:01.486$ the surgery should be.
- NOTE Confidence: 0.90298164
- $00{:}09{:}01{.}490 \dashrightarrow 00{:}09{:}03{.}722$ What would be the difference between
- NOTE Confidence: 0.90298164
- $00{:}09{:}03.722 \dashrightarrow 00{:}09{:}05.525$ a partial thyroidectomy versus the
- NOTE Confidence: 0.90298164
- $00{:}09{:}05{.}525 \dashrightarrow 00{:}09{:}07{.}345$ complete removal of a gland in terms
- NOTE Confidence: 0.90298164
- $00{:}09{:}07{.}345 \dashrightarrow 00{:}09{:}09{.}540$ of the patient and her side affects?
- NOTE Confidence: 0.90298164
- $00:09:09.540 \longrightarrow 00:09:11.790$ So that's a good question. In
- NOTE Confidence: 0.92633855
- $00:09:11.790 \longrightarrow 00:09:13.365$ terms of total thyroidectomy which
- NOTE Confidence: 0.92633855
- $00{:}09{:}13.365 \dashrightarrow 00{:}09{:}15.330$ is taking up the entire gland,
- NOTE Confidence: 0.92633855
- $00:09:15.330 \rightarrow 00:09:17.738$ actually in both cases I should probably
- NOTE Confidence: 0.92633855
- $00{:}09{:}17.738 \dashrightarrow 00{:}09{:}19.985$ talk about what the risks are in
- NOTE Confidence: 0.92633855
- $00:09:19.985 \rightarrow 00:09:22.090$ both and then kind of separate them.
- NOTE Confidence: 0.92633855
- 00:09:22.090 --> 00:09:24.322 So a risk of course in any procedure

- NOTE Confidence: 0.92633855
- 00:09:24.322 --> 00:09:26.279 would be infection or bleeding,
- NOTE Confidence: 0.92633855
- $00{:}09{:}26.280 \dashrightarrow 00{:}09{:}29.456$ but in particular to thy roid surgery is that
- NOTE Confidence: 0.92633855
- $00:09:29.460 \longrightarrow 00:09:31.707$ there could be damage to that
- NOTE Confidence: 0.92633855
- $00:09:31.707 \rightarrow 00:09:33.979$ nerve that we mentioned earlier,
- NOTE Confidence: 0.92633855
- $00:09:33.980 \dashrightarrow 00:09:36.308$ the recurrent laryngeal nerve which could
- NOTE Confidence: 0.92633855
- $00{:}09{:}36{.}308 \dashrightarrow 00{:}09{:}38{.}629$ actually cause a permanent or temporary
- NOTE Confidence: 0.92633855
- $00:09:38.629 \longrightarrow 00:09:40.765$ hoarse voice for someone.
- NOTE Confidence: 0.92633855
- $00:09:40.770 \rightarrow 00:09:43.409$ Actually, that can be a big change
- NOTE Confidence: 0.92633855
- 00:09:43.409 00:09:45.294 in their life, especially someone
- NOTE Confidence: 0.92633855
- $00:09:45.294 \dashrightarrow 00:09:47.179$ who's a singer or their vocation
- NOTE Confidence: 0.92633855
- $00:09:47.180 \rightarrow 00:09:49.060$ includes speaking and giving lectures,
- NOTE Confidence: 0.92633855
- $00:09:49.060 \longrightarrow 00:09:51.390$ for example.
- NOTE Confidence: 0.92633855
- $00{:}09{:}51{.}390 \dashrightarrow 00{:}09{:}53{.}538$ In terms of other side effects,
- NOTE Confidence: 0.92633855
- $00{:}09{:}53{.}540 \dashrightarrow 00{:}09{:}55{.}115$ right behind the thyroid gland
- NOTE Confidence: 0.92633855
- $00{:}09{:}55{.}115 \dashrightarrow 00{:}09{:}57{.}182$ are tiny little rice grain sized
- NOTE Confidence: 0.92633855

- $00:09:57.182 \dashrightarrow 00:09:58.906$ glands called parathyroid glands.
- NOTE Confidence: 0.92633855
- $00{:}09{:}58{.}910 \dashrightarrow 00{:}09{:}59{.}969$ And
- NOTE Confidence: 0.92633855
- $00:09:59.969 \rightarrow 00:10:01.734$ even though they're very small,
- NOTE Confidence: 0.92633855
- $00:10:01.740 \longrightarrow 00:10:03.365$ they are very important in
- NOTE Confidence: 0.92633855
- $00:10:03.365 \rightarrow 00:10:04.990$ controlling the body's calcium level,
- NOTE Confidence: 0.92633855
- 00:10:04.990 --> 00:10:06.290 and as you know,
- NOTE Confidence: 0.92633855
- $00:10:06.290 \rightarrow 00:10:08.240$ things like really like the heart,
- NOTE Confidence: 0.92633855
- $00:10:08.240 \longrightarrow 00:10:08.918$ for example,
- NOTE Confidence: 0.92633855
- 00:10:08.918 --> 00:10:10.274 rely on important calcium
- NOTE Confidence: 0.92633855
- $00:10:10.274 \rightarrow 00:10:11.985$ concentration so you know those
- NOTE Confidence: 0.92633855
- $00:10:11.985 \rightarrow 00:10:13.755$ glands are essential to the body.
- NOTE Confidence: 0.92633855
- 00:10:13.760 --> 00:10:15.930 And it takes a very skilled surgeon
- NOTE Confidence: 0.92633855
- $00{:}10{:}15{.}930 \dashrightarrow 00{:}10{:}18{.}193$ to make sure that those are not
- NOTE Confidence: 0.92633855
- $00{:}10{:}18{.}193 \dashrightarrow 00{:}10{:}20{.}502$ harmed or the blood supply to those
- NOTE Confidence: 0.92633855
- $00:10:20.502 \rightarrow 00:10:22.536$ glands are not harmed as well.
- NOTE Confidence: 0.92633855
- $00:10:22.540 \longrightarrow 00:10:24.028$ So one of the complications can

- NOTE Confidence: 0.92633855
- 00:10:24.028 --> 00:10:25.467 be an under active parathyroid

 $00{:}10{:}25.467 \dashrightarrow 00{:}10{:}27.447$ gland or parathyroid glands

NOTE Confidence: 0.92633855

 $00:10:27.447 \rightarrow 00:10:29.031$ that aren't functioning properly.

NOTE Confidence: 0.92633855

 $00{:}10{:}29{.}040 \dashrightarrow 00{:}10{:}30{.}720$ So I would say that

NOTE Confidence: 0.92633855

 $00{:}10{:}30{.}720 \dashrightarrow 00{:}10{:}31{.}416$ in particular,

NOTE Confidence: 0.92633855

 $00{:}10{:}31{.}416 \dashrightarrow 00{:}10{:}33{.}156$ that parathyroid effect would be

NOTE Confidence: 0.92633855

 $00{:}10{:}33{.}156 \dashrightarrow 00{:}10{:}35{.}587$ a higher risk in patients with a

NOTE Confidence: 0.92633855

 $00:10:35.587 \rightarrow 00:10:36.911$ total thyroidectomy versus only

NOTE Confidence: 0.92633855

 $00:10:36.911 \longrightarrow 00:10:39.118$ half of the thyroid being removed.

NOTE Confidence: 0.92633855

00:10:39.120 --> 00:10:41.840 But even then the risk is actually very

NOTE Confidence: 0.92633855

 $00{:}10{:}41.840 \dashrightarrow 00{:}10{:}45.069$ quite low in patients who have both

NOTE Confidence: 0.92633855

 $00:10:45.070 \rightarrow 00:10:46.820$ these procedures in experienced hands.

NOTE Confidence: 0.92633855

00:10:46.820 --> 00:10:48.570 So I really don't worry

NOTE Confidence: 0.92633855

 $00{:}10{:}48{.}570 \dashrightarrow 00{:}10{:}50{.}320$ about that for my patients.

NOTE Confidence: 0.92633855

 $00{:}10{:}50{.}320 \dashrightarrow 00{:}10{:}52{.}770$ It sounds like experience is

 $00{:}10{:}52.770 \dashrightarrow 00{:}10{:}55.143$ a major issue and you really want

NOTE Confidence: 0.9285426

 $00{:}10{:}55{.}143 \dashrightarrow 00{:}10{:}57{.}818$ to be sure to have a surgeon who

NOTE Confidence: 0.9285426

 $00{:}10{:}57{.}818 \dashrightarrow 00{:}11{:}00{.}744$ does a lot of these surgeries on a

NOTE Confidence: 0.9285426

00:11:00.744 --> 00:11:03.720 routine basis

NOTE Confidence: 0.9285426

 $00:11:03.720 \longrightarrow 00:11:06.850$ if a total thyroidectomy is

NOTE Confidence: 0.9285426

 $00:11:06.850 \longrightarrow 00:11:08.270$ performed. What additional

NOTE Confidence: 0.9285426

 $00{:}11{:}08{.}270 \dashrightarrow 00{:}11{:}09{.}850$ replacement the rapies are necessary

NOTE Confidence: 0.9285426

 $00:11:09.850 \longrightarrow 00:11:11.946$ for the patient versus the

NOTE Confidence: 0.9285426

00:11:11.946 --> 00:11:12.860 partial thyroidectomy.

NOTE Confidence: 0.9285426

 $00:11:12.860 \longrightarrow 00:11:14.380$ Good question, in

NOTE Confidence: 0.9298462

 $00:11:14.380 \longrightarrow 00:11:15.905$ patients who have only part

NOTE Confidence: 0.9298462

 $00:11:15.905 \rightarrow 00:11:17.125$ of their thyroid removed,

NOTE Confidence: 0.9298462

 $00:11:17.130 \longrightarrow 00:11:18.655$ which is usually going to

NOTE Confidence: 0.9298462

00:11:18.655 --> 00:11:20.180 be half of the thyroid,

NOTE Confidence: 0.9298462

 $00{:}11{:}20{.}180 \dashrightarrow 00{:}11{:}22{.}210$ they actually have a chance of not

NOTE Confidence: 0.9298462

 $00{:}11{:}22{.}210$ --> $00{:}11{:}23{.}840$ needing thyroid hormone after surgery.

00:11:23.840 --> 00:11:25.700 It's interesting the other half of

NOTE Confidence: 0.9298462

 $00{:}11{:}25{.}700 \dashrightarrow 00{:}11{:}27{.}687$ the thyroid gland can build enough

NOTE Confidence: 0.9298462

 $00{:}11{:}27.687 \dashrightarrow 00{:}11{:}29.745$ response that they can make extra NOTE Confidence: 0.9298462

 $00{:}11{:}29.745 \dashrightarrow 00{:}11{:}31.491$ thyroid hormone so you don't have NOTE Confidence: 0.9298462

00:11:31.491 -> 00:11:33.281 to take the pills after the surgery,

NOTE Confidence: 0.9298462

00:11:33.281 --> 00:11:35.318 but that's not always the case and

NOTE Confidence: 0.9298462

 $00:11:35.318 \rightarrow 00:11:37.642$ so I would say if you're going in

NOTE Confidence: 0.9298462

 $00{:}11{:}37.642 \dashrightarrow 00{:}11{:}39.895$ and you know that you're going to

NOTE Confidence: 0.9298462

00:11:39.895 --> 00:11:41.680 have half your thyroid removed,

NOTE Confidence: 0.9298462

00:11:41.680 --> 00:11:43.542 I would expect that you may need

NOTE Confidence: 0.9298462

 $00:11:43.542 \longrightarrow 00:11:45.675$ to take a pill afterwards with

NOTE Confidence: 0.9298462

 $00{:}11{:}45.675 \dashrightarrow 00{:}11{:}47.780$ the whole thyroid being removed.

NOTE Confidence: 0.9298462

 $00:11:47.780 \longrightarrow 00:11:49.470$ You'll definitely need to have

NOTE Confidence: 0.9298462

 $00:11:49.470 \rightarrow 00:11:50.822$ thyroid hormone therapy afterwards,

NOTE Confidence: 0.9298462

 $00{:}11{:}50{.}830 \dashrightarrow 00{:}11{:}53{.}203$ and that's usually in the form of

 $00:11:53.203 \rightarrow 00:11:54.220$ something called Levothyroxine.

NOTE Confidence: 0.9298462

 $00:11:54.220 \longrightarrow 00:11:55.915$ This thyroid hormone would be

NOTE Confidence: 0.9298462

00:11:55.915 --> 00:11:57.610 a life long treatment because,

NOTE Confidence: 0.9298462

 $00:11:57.610 \longrightarrow 00:11:59.062$ as we mentioned earlier,

NOTE Confidence: 0.9298462

 $00:11:59.062 \longrightarrow 00:12:01.240$ the thyroid has lots of effects

NOTE Confidence: 0.9298462

 $00{:}12{:}01{.}305 \dashrightarrow 00{:}12{:}03{.}377$ in the body and you really can't

NOTE Confidence: 0.91646624

 $00:12:03.380 \longrightarrow 00:12:04.732$ live without thyroid hormone.

NOTE Confidence: 0.91646624

 $00:12:04.732 \longrightarrow 00:12:06.765$ Well, you mentioned earlier also that

NOTE Confidence: 0.91646624

 $00{:}12{:}06.765 \dashrightarrow 00{:}12{:}08.855$ most of the thyroid cancers that

NOTE Confidence: 0.91646624

 $00{:}12{:}08.855 \dashrightarrow 00{:}12{:}10.829$ we're seeing are low grade cancers.

NOTE Confidence: 0.91646624

 $00{:}12{:}10.830 \dashrightarrow 00{:}12{:}12.326$ Are additional treatments necessary

NOTE Confidence: 0.91646624

 $00:12:12.326 \longrightarrow 00:12:14.570$ for high grade cancers or for

NOTE Confidence: 0.91646624

 $00:12:14.628 \longrightarrow 00:12:16.700$ cancers that have spread to

NOTE Confidence: 0.91646624

00:12:16.700 --> 00:12:18.630 local lymph nodes or beyond

NOTE Confidence: 0.91145074

 $00:12:18.630 \longrightarrow 00:12:20.898$ that?

NOTE Confidence: 0.91145074

 $00:12:20.898 \rightarrow 00:12:23.840$ Yes, for those types of cancers we also offer

- NOTE Confidence: 0.91145074
- $00:12:23.840 \rightarrow 00:12:25.640$ something called radioactive iodine

 $00{:}12{:}25.640 \dashrightarrow 00{:}12{:}28.321$ the rapy and I think that this is

NOTE Confidence: 0.91145074

 $00:12:28.321 \longrightarrow 00:12:31.332$ very what we would call a

NOTE Confidence: 0.91145074

 $00{:}12{:}31{.}332 \dashrightarrow 00{:}12{:}33{.}202$ targeted the rapy because a thyroid

NOTE Confidence: 0.91145074

 $00:12:33.202 \rightarrow 00:12:35.574$ gland is really good at absorbing

NOTE Confidence: 0.91145074

 $00{:}12{:}35{.}574 \dashrightarrow 00{:}12{:}38{.}320$ iodine and we take advantage of that.

NOTE Confidence: 0.91145074

 $00:12:38.320 \longrightarrow 00:12:39.956$ That's

NOTE Confidence: 0.91145074

 $00{:}12{:}39{.}956 \dashrightarrow 00{:}12{:}42{.}410$ radioactive and what can happen is

NOTE Confidence: 0.91145074

 $00:12:42.480 \rightarrow 00:12:44.856$ the patient when they take radioactive

NOTE Confidence: 0.91145074

 $00:12:44.856 \longrightarrow 00:12:46.900$ iodine that iodine can go to

NOTE Confidence: 0.91145074

 $00:12:46.900 \longrightarrow 00:12:48.688$ all parts of the body that

NOTE Confidence: 0.91145074

 $00:12:48.688 \longrightarrow 00:12:49.582$ have thyroid tissue,

NOTE Confidence: 0.91145074

 $00:12:49.590 \rightarrow 00:12:52.272$ whether it be in your lungs or other parts,

NOTE Confidence: 0.91145074

 $00:12:52.280 \longrightarrow 00:12:54.296$ where it may have spread all

NOTE Confidence: 0.91145074

 $00{:}12{:}54{.}296 \dashrightarrow 00{:}12{:}56{.}436$ they have to do is take the pill

 $00:12:56.436 \longrightarrow 00:12:58.773$ and it will go to both the neck

NOTE Confidence: 0.91145074

 $00:12:58.773 \rightarrow 00:13:00.891$ area where there is probably little

NOTE Confidence: 0.91145074

 $00{:}13{:}00{.}891 \dashrightarrow 00{:}13{:}02{.}685$ bits of thy roid cells left behind

NOTE Confidence: 0.91145074

 $00:13:02.685 \longrightarrow 00:13:04.540$ and then also to the lungs

NOTE Confidence: 0.91145074

 $00{:}13{:}04{.}540 \dashrightarrow 00{:}13{:}05{.}995$ if there is spread

NOTE Confidence: 0.91145074

 $00{:}13{:}05{.}995 \dashrightarrow 00{:}13{:}07{.}830$ of the cancer to the lungs,

NOTE Confidence: 0.91145074

00:13:07.830 --> 00:13:09.923 so instead of

NOTE Confidence: 0.91145074

 $00:13:09.923 \rightarrow 00:13:10.820$ a general chemotherapy,

NOTE Confidence: 0.91145074

 $00{:}13{:}10.820 \dashrightarrow 00{:}13{:}12.440$ it's really a targeted the rapy

NOTE Confidence: 0.91145074

 $00:13:12.440 \longrightarrow 00:13:14.366$ to that thyroid tissue and that

NOTE Confidence: 0.91145074

 $00:13:14.366 \longrightarrow 00:13:15.596$ is sort of the beauty of

NOTE Confidence: 0.9230708

 $00{:}13{:}15.600 \dashrightarrow 00{:}13{:}16.254$ the treatment.

NOTE Confidence: 0.9230708

 $00:13:16.254 \rightarrow 00:13:17.889$ Are there any additional side

NOTE Confidence: 0.9230708

 $00{:}13{:}17.889 \dashrightarrow 00{:}13{:}19.808$ effects that would be expected with

NOTE Confidence: 0.9230708

00:13:19.810 --> 00:13:20.803 radioactive iodine being

NOTE Confidence: 0.9230708

 $00:13:20.803 \rightarrow 00:13:22.127$ injected?

- NOTE Confidence: 0.8973591
- $00:13:22.130 \longrightarrow 00:13:24.778$ We think at low doses,
- NOTE Confidence: 0.8973591
- $00:13:24.780 \rightarrow 00:13:27.342$ really patients tolerate it very well
- NOTE Confidence: 0.8973591
- $00{:}13{:}27{.}342 \dashrightarrow 00{:}13{:}29{.}620$ an the biggest complaint that I usually get
- NOTE Confidence: 0.8973591
- $00:13:29.620 \longrightarrow 00:13:32.029$ about it is fatigue or the fact that
- NOTE Confidence: 0.8973591
- $00{:}13{:}32{.}029 \dashrightarrow 00{:}13{:}34{.}374$ they have to actually be on something
- NOTE Confidence: 0.8973591
- $00{:}13{:}34{.}374 \dashrightarrow 00{:}13{:}37{.}048$ called a low iodine diet beforehand and
- NOTE Confidence: 0.8973591
- $00{:}13{:}37{.}048 \dashrightarrow 00{:}13{:}39{.}352$ the reasoning for the low iodine diet
- NOTE Confidence: 0.8973591
- 00:13:39.352 --> 00:13:41.989 is to make your body hungry for iodine,
- NOTE Confidence: 0.8973591
- $00{:}13{:}41{.}990 \dashrightarrow 00{:}13{:}44{.}300$ so that will take up the
- NOTE Confidence: 0.8973591
- $00:13:44.300 \longrightarrow 00:13:47.030$ iodine to the thyroid
- NOTE Confidence: 0.8973591
- $00:13:47.030 \rightarrow 00:13:49.060$ tissue where it's widespread
- NOTE Confidence: 0.8973591
- $00{:}13{:}49{.}060 \dashrightarrow 00{:}13{:}51{.}005$ in terms of side effects.
- NOTE Confidence: 0.8973591
- 00:13:51.010 --> 00:13:53.188 Some people do get dry mouth,
- NOTE Confidence: 0.8973591
- 00:13:53.190 00:13:55.000 you can get watery eyes.
- NOTE Confidence: 0.8973591
- $00:13:55.000 \rightarrow 00:13:57.178$ Some people get sort of this
- NOTE Confidence: 0.8973591

 $00:13:57.180 \longrightarrow 00:13:59.304$ inflammation of the stomach and these

NOTE Confidence: 0.8973591

 $00:13:59.304 \rightarrow 00:14:01.540$ can be either temporary or permanent,

NOTE Confidence: 0.8973591

 $00:14:01.540 \longrightarrow 00:14:04.050$ but typically the stomach effect

NOTE Confidence: 0.8973591

 $00:14:04.050 \rightarrow 00:14:07.100$ is very limited and goes away.

NOTE Confidence: 0.8973591

00:14:07.100 --> 00:14:09.494 And in rare cases, at higher doses,

NOTE Confidence: 0.8973591

 $00{:}14{:}09{.}500 \dashrightarrow 00{:}14{:}11{.}432$ there is a concern for other

NOTE Confidence: 0.8973591

 $00:14:11.432 \rightarrow 00:14:13.270$ malignancies occurring such as leukemia.

NOTE Confidence: 0.8973591

00:14:13.270 --> 00:14:13.918 But again,

NOTE Confidence: 0.8973591

 $00{:}14{:}13{.}918 \dashrightarrow 00{:}14{:}15{.}862$ those risks are minimal and typically

NOTE Confidence: 0.8973591

 $00:14:15.862 \rightarrow 00:14:18.079$ with higher doses of radioactive iodine.

NOTE Confidence: 0.8973591

 $00:14:18.080 \longrightarrow 00:14:19.452$ So all in all,

NOTE Confidence: 0.8973591

 $00{:}14{:}19{.}452 \dashrightarrow 00{:}14{:}20{.}824$ patients really usually tolerate

NOTE Confidence: 0.8973591

00:14:20.824 --> 00:14:22.190 radioactive iodine rather well,

NOTE Confidence: 0.8973591

 $00{:}14{:}22{.}190 \dashrightarrow 00{:}14{:}23{.}900$ and if patients are complaining

NOTE Confidence: 0.8973591

 $00:14:23.900 \longrightarrow 00:14:25.970$ most about the low iodine diet,

NOTE Confidence: 0.8973591

 $00:14:25.970 \longrightarrow 00:14:28.022$ it tells you that the effects

- NOTE Confidence: 0.8973591
- $00:14:28.022 \rightarrow 00:14:29.740$ usually are not that bad.
- $00:14:30.080 \longrightarrow 00:14:32.334$ We're going to take a

 $00{:}14{:}32{.}334 \dashrightarrow 00{:}14{:}34{.}538$ short break for a medical minute.

NOTE Confidence: 0.9178545

 $00:14:34.540 \longrightarrow 00:14:36.320$ Please stay tuned to learn

NOTE Confidence: 0.9178545

 $00:14:36.320 \longrightarrow 00:14:37.744$ more about thyroid cancer

NOTE Confidence: 0.9178545

 $00{:}14{:}37{.}750 \dashrightarrow 00{:}14{:}39{.}540$ and the management of thy roid

NOTE Confidence: 0.9178545

 $00{:}14{:}39{.}540 \dashrightarrow 00{:}14{:}41{.}330$ nodules with Doctor Grace Lee.

NOTE Confidence: 0.92476696

00:14:42.050 --> 00:14:44.580 Support for Yale Cancer Answers

NOTE Confidence: 0.92476696

00:14:44.580 --> 00:14:47.110 comes from AstraZeneca providing

NOTE Confidence: 0.92476696

 $00{:}14{:}47.191 \dashrightarrow 00{:}14{:}49.275$ important treatment options for

NOTE Confidence: 0.92476696

 $00{:}14{:}49{.}275 \dashrightarrow 00{:}14{:}52{.}401$ various types and stages of cancer.

NOTE Confidence: 0.92476696

 $00{:}14{:}52{.}410 \dashrightarrow 00{:}14{:}56{.}290$ More information at a strazeneca-us.com.

NOTE Confidence: 0.92476696

 $00{:}14{:}56{.}290 \dashrightarrow 00{:}14{:}59{.}504$ This is a medical minute about lung cancer.

NOTE Confidence: 0.92476696

 $00{:}14{:}59{.}510 \dashrightarrow 00{:}15{:}02{.}044$ More than 85% of lung cancer diagnosis

NOTE Confidence: 0.92476696

 $00{:}15{:}02{.}044 \dashrightarrow 00{:}15{:}04{.}946$ are related to smoking and quitting even

NOTE Confidence: 0.92476696

 $00:15:04.946 \rightarrow 00:15:07.568$ after decades of use can significantly

 $00:15:07.638 \rightarrow 00:15:10.014$ reduce your risk of developing lung

NOTE Confidence: 0.92476696

 $00{:}15{:}10.014 \dashrightarrow 00{:}15{:}11.991$ cancer for lung cancer patients.

NOTE Confidence: 0.92476696

 $00{:}15{:}11{.}991 \dashrightarrow 00{:}15{:}13{.}946$ Clinical trials are currently under

NOTE Confidence: 0.92476696

 $00:15:13.946 \rightarrow 00:15:16.440$ way to test innovative new treatments.

NOTE Confidence: 0.92476696

 $00:15:16.440 \longrightarrow 00:15:19.458$ Advances are being made by utilizing

NOTE Confidence: 0.92476696

 $00{:}15{:}19{.}458 \dashrightarrow 00{:}15{:}21{.}470$ targeted the rapies and immunotherapy's

NOTE Confidence: 0.92476696

 $00{:}15{:}21.545 \dashrightarrow 00{:}15{:}23.519$ the BATTLE 2 trial aims to learn

NOTE Confidence: 0.92476696

 $00:15:23.519 \rightarrow 00:15:26.069$ if a drug or combination of drugs

NOTE Confidence: 0.92476696

 $00{:}15{:}26.069 \dashrightarrow 00{:}15{:}28.114$ based on personal biomarkers can

NOTE Confidence: 0.92476696

 $00:15:28.114 \rightarrow 00:15:31.038$ help to control non small cell lung cancer.

NOTE Confidence: 0.92476696

 $00:15:31.040 \longrightarrow 00:15:33.940$ More information is available

NOTE Confidence: 0.92476696

 $00{:}15{:}33{.}940 \dashrightarrow 00{:}15{:}35{.}100$ at yale cancercenter.org.

NOTE Confidence: 0.92476696

00:15:35.100 --> 00:15:38.580 You're listening to Connecticut public radio.

NOTE Confidence: 0.9029416

 $00{:}15{:}39{.}890 \dashrightarrow 00{:}15{:}42{.}098$ Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.9029416

 $00{:}15{:}42.100 \dashrightarrow 00{:}15{:}43.985$ This is doctor Peter Schwartz

- $00:15:43.985 \longrightarrow 00:15:46.289$ and I'm joined to night by
- NOTE Confidence: 0.9029416
- 00:15:46.289 --> 00:15:48.347 my guest Doctor Grace Lee
- NOTE Confidence: 0.9029416
- $00:15:48.350 \longrightarrow 00:15:51.006$ and we are discussing thyroid
- NOTE Confidence: 0.9029416
- 00:15:51.006 --> 00:15:53.867 cancer and the management of thyroid nodules.
- NOTE Confidence: 0.9029416
- $00:15:53.870 \longrightarrow 00:15:56.446$ So doctor Lee, what are thyroid nodules?
- NOTE Confidence: 0.9029416
- $00:15:56.450 \longrightarrow 00:15:57.918$ How are they managed?
- NOTE Confidence: 0.9029416
- $00:15:57.918 \longrightarrow 00:15:59.386$ Can they be cancerous?
- NOTE Confidence: 0.9029416
- $00:15:59.390 \longrightarrow 00:16:01.230$ What causes them?
- NOTE Confidence: 0.9029416
- $00:16:01.230 \longrightarrow 00:16:03.035$ Thyroid nodules are actually nodularity of
- NOTE Confidence: 0.9029416
- $00:16:03.035 \rightarrow 00:16:05.649$ the thyroid tissue so I describe it
- $00:16:07.485 \longrightarrow 00:16:08.953$ as little balls within your thyroid.
- NOTE Confidence: 0.9029416
- $00{:}16{:}08{.}960 \dashrightarrow 00{:}16{:}11.426$ They're very common and actually can
- NOTE Confidence: 0.9029416
- 00:16:11.426 --> 00:16:13.858 be president in up to 68% of
- NOTE Confidence: 0.9029416
- 00:16:13.860 --> 00:16:16.204 adults, if you look at adults with ultrasound
- NOTE Confidence: 0.9029416
- $00{:}16{:}16{.}204 \dashrightarrow 00{:}16{:}18{.}309$ and they actually increase with age,
- NOTE Confidence: 0.9029416
- $00:16:18.310 \longrightarrow 00:16:19.582$ they are often found
- NOTE Confidence: 0.9029416

 $00:16:19.582 \longrightarrow 00:16:21.808$ incidentally most of the time.

NOTE Confidence: 0.9029416

00:16:21.810 --> 00:16:24.130 How I see patients as referrals is that

NOTE Confidence: 0.9029416

 $00:16:24.130 \longrightarrow 00:16:26.257$ they were found for another reason.

NOTE Confidence: 0.9029416

 $00:16:26.260 \longrightarrow 00:16:26.874$ For example,

NOTE Confidence: 0.9029416

 $00:16:26.874 \longrightarrow 00:16:28.716$ they had a carotid ultrasound to

NOTE Confidence: 0.9029416

 $00:16:28.716 \longrightarrow 00:16:30.932$ look at their arteries and

NOTE Confidence: 0.9029416

00:16:30.932 --> 00:16:32.940 happen to find a thyroid nodule,

NOTE Confidence: 0.9029416

 $00:16:32.940 \rightarrow 00:16:35.476$ and then I end up seeing those patients.

NOTE Confidence: 0.9029416

 $00{:}16{:}35{.}480 \dashrightarrow 00{:}16{:}37{.}538$ And we mentioned earlier another

NOTE Confidence: 0.9029416

00:16:37.538 --> 00:16:39.911 time is when people have CAT scans

NOTE Confidence: 0.9029416

 $00{:}16{:}39{.}911 \dashrightarrow 00{:}16{:}41{.}783$ for other reasons of their neck

NOTE Confidence: 0.9029416

 $00{:}16{:}41.783 \dashrightarrow 00{:}16{:}44.028$ and they find the thy roid nodules.

NOTE Confidence: 0.9029416

00:16:44.030 --> 00:16:44.826 And typically,

NOTE Confidence: 0.9029416

 $00:16:44.826 \longrightarrow 00:16:47.612$ the way to best evaluate them is

NOTE Confidence: 0.9029416

 $00:16:47.612 \longrightarrow 00:16:49.580$ actually a thyroid ultrasound.

NOTE Confidence: 0.9029416

 $00:16:49.580 \rightarrow 00:16:52.086$ Most of these nodules are benign and

- NOTE Confidence: 0.9029416
- $00{:}16{:}52.086 \dashrightarrow 00{:}16{:}54.463$ I think that's the biggest message I
- NOTE Confidence: 0.9029416
- $00:16:54.463 \rightarrow 00:16:57.170$ want to say is that if somebody tells
- NOTE Confidence: 0.9029416
- 00:16:57.170 --> 00:16:59.900 you that you have a thyroid nodule,
- NOTE Confidence: 0.9029416
- $00:16:59.900 \longrightarrow 00:17:02.399$ the first thing is not to panic.
- NOTE Confidence: 0.9029416
- $00{:}17{:}02{.}400 \dashrightarrow 00{:}17{:}04{.}536$ There actually very common and only
- NOTE Confidence: 0.9029416
- $00:17:04.536 \longrightarrow 00:17:07.357$ about four to $6 \ 1/2\%$ of these thyroid
- NOTE Confidence: 0.9029416
- $00{:}17{:}07{.}357 \dashrightarrow 00{:}17{:}09{.}800$ nodules are cancerous in terms of who
- NOTE Confidence: 0.9029416
- $00:17:09.870 \longrightarrow 00:17:12.495$ is at risk for these thyroid
- NOTE Confidence: 0.9029416
- $00{:}17{:}12.495 \dashrightarrow 00{:}17{:}14.679$ cancers they are usually people who have had
- NOTE Confidence: 0.9029416
- 00:17:14.679 --> 00:17:16.989 radiation to the head or neck area,
- NOTE Confidence: 0.9029416
- $00:17:16.990 \longrightarrow 00:17:18.510$ especially as a child,
- NOTE Confidence: 0.9029416
- $00{:}17{:}18{.}510 \dashrightarrow 00{:}17{:}20{.}410$ or have had radiation exposure.
- NOTE Confidence: 0.9029416
- $00{:}17{:}20{.}410 \dashrightarrow 00{:}17{:}22{.}573$ And who another risk factor would be
- NOTE Confidence: 0.9029416
- $00{:}17{:}22.573 \dashrightarrow 00{:}17{:}24.615$ having a family history of thy roid
- NOTE Confidence: 0.9029416
- $00{:}17{:}24.615 \dashrightarrow 00{:}17{:}26.715$ cancer in a first degree relative.
- NOTE Confidence: 0.9252893

- $00:17:29.780 \longrightarrow 00:17:31.220$ So I guess the next
- NOTE Confidence: 0.9252893
- $00{:}17{:}31{.}220 \dashrightarrow 00{:}17{:}32{.}660$ question that people ask me,
- NOTE Confidence: 0.9252893
- 00:17:32.660 --> 00:17:35.540 what do I do when I find a thyroid nodule?
- NOTE Confidence: 0.9252893
- $00:17:35.540 \longrightarrow 00:17:37.423$ What does the doctor do or what
- NOTE Confidence: 0.9252893
- $00:17:37.423 \longrightarrow 00:17:39.000$ should they do?
- NOTE Confidence: 0.9252893
- $00:17:39.000 \longrightarrow 00:17:41.583$ The first thing to do is a blood test,
- NOTE Confidence: 0.9252893
- $00:17:41.590 \longrightarrow 00:17:43.480$ and in addition to the thyroid
- NOTE Confidence: 0.9252893
- $00:17:43.480 \rightarrow 00:17:45.306$ ultrasound that I mentioned and the
- NOTE Confidence: 0.9252893
- $00{:}17{:}45.306 \dashrightarrow 00{:}17{:}47.091$ blood test is really to see whether
- NOTE Confidence: 0.9252893
- $00{:}17{:}47.091$ --> $00{:}17{:}49.096$ you have a normal amount of thyroid NOTE Confidence: 0.9252893
- 00:17:49.096 --> 00:17:50.812 hormone in your body and that's
- NOTE Confidence: 0.9252893
- 00:17:50.812 --> 00:17:52.558 done through a test called thyroid
- NOTE Confidence: 0.9252893
- $00:17:52.558 \dashrightarrow 00:17:53.679$ stimulating hormone called TSH.
- NOTE Confidence: 0.9252893
- $00:17:53.680 \longrightarrow 00:17:55.521$ And so the reason we do that
- NOTE Confidence: 0.9252893
- $00:17:55.521 \rightarrow 00:17:56.850$ is that thyroid nodules,
- NOTE Confidence: 0.9252893
- $00:17:56.850 \longrightarrow 00:17:58.968$ actually some of them can make

- NOTE Confidence: 0.9252893
- $00:17:58.970 \longrightarrow 00:18:00.294$ thyroid hormone and those

 $00{:}18{:}00{.}294 \dashrightarrow 00{:}18{:}01{.}618$ are called hot nodules.

NOTE Confidence: 0.9252893

 $00:18:01.620 \longrightarrow 00:18:02.844$ On the other hand,

NOTE Confidence: 0.9252893

 $00:18:02.844 \rightarrow 00:18:04.374$ there are thyroid nodules that

NOTE Confidence: 0.9252893

 $00:18:04.374 \longrightarrow 00:18:06.248$ don't make extra thyroid hormone,

NOTE Confidence: 0.9252893

 $00:18:06.250 \longrightarrow 00:18:08.371$ and those are the ones that

NOTE Confidence: 0.9252893

 $00:18:08.371 \rightarrow 00:18:10.399$ typically need to be more evaluated

NOTE Confidence: 0.9252893

 $00:18:10.399 \rightarrow 00:18:12.863$ for whether they are cancerous or not.

NOTE Confidence: 0.9252893

 $00:18:12.870 \longrightarrow 00:18:14.858$ So if somebody has a test that

NOTE Confidence: 0.9252893

 $00:18:14.858 \longrightarrow 00:18:16.554$ shows that their thyroid

NOTE Confidence: 0.9252893

00:18:16.554 --> 00:18:18.499 hormone levels are very high,

NOTE Confidence: 0.9252893

 $00:18:18.500 \longrightarrow 00:18:20.396$ then it's very unlikely for that

NOTE Confidence: 0.9252893

 $00:18:20.396 \longrightarrow 00:18:22.140$ thyroid nodule to be cancer,

NOTE Confidence: 0.9252893

 $00{:}18{:}22{.}140 \dashrightarrow 00{:}18{:}23{.}800$ and in that case

NOTE Confidence: 0.9252893

 $00{:}18{:}23.800 \dashrightarrow 00{:}18{:}25.450$ it's not something that's biopsied.

00:18:25.450 --> 00:18:27.767 However, if you find a cold nodule,

NOTE Confidence: 0.9252893

 $00{:}18{:}27.770 \dashrightarrow 00{:}18{:}30.164$ what we do is a thyroid ultrasound.

NOTE Confidence: 0.9252893

 $00{:}18{:}30{.}170 \dashrightarrow 00{:}18{:}32{.}207$ We look at the ultrasound to see

NOTE Confidence: 0.9252893

 $00:18:32.207 \longrightarrow 00:18:34.199$ what does this nodule look like.

NOTE Confidence: 0.9252893

 $00:18:34.200 \longrightarrow 00:18:36.060$ Are there things in the nodule

NOTE Confidence: 0.9252893

 $00:18:36.060 \longrightarrow 00:18:37.300$ that are more concerning?

NOTE Confidence: 0.9252893

 $00:18:37.300 \longrightarrow 00:18:37.912$ For example,

NOTE Confidence: 0.9252893

 $00{:}18{:}37{.}912 \dashrightarrow 00{:}18{:}39{.}748$ sometimes tiny bits of calcium can

NOTE Confidence: 0.9252893

 $00{:}18{:}39{.}748 \dashrightarrow 00{:}18{:}42{.}211$ be seen in the nodule and that can be

NOTE Confidence: 0.9252893

 $00:18:42.211 \rightarrow 00:18:44.429$ very classic for papillary thyroid cancer.

NOTE Confidence: 0.9252893

 $00{:}18{:}44{.}430 \dashrightarrow 00{:}18{:}46{.}614$ So in those cases we're more

NOTE Confidence: 0.9252893

 $00{:}18{:}46.614 \dashrightarrow 00{:}18{:}48.418$ concerned will offer the patient a

NOTE Confidence: 0.9252893

 $00:18:48.418 \rightarrow 00:18:50.308$ biopsy which is done with a very

NOTE Confidence: 0.9252893

00:18:50.375 - 00:18:52.385 fine needle where only cells are

NOTE Confidence: 0.9252893

 $00{:}18{:}52{.}385 \dashrightarrow 00{:}18{:}54{.}350$ removed from the thyroid nodule and

NOTE Confidence: 0.9252893

 $00:18:54.350 \rightarrow 00:18:55.900$ then looked at under the microscope.

- NOTE Confidence: 0.91901743
- $00{:}18{:}57{.}520 \dashrightarrow 00{:}19{:}00{.}285$ You mentioned some of the risk factors

 $00:19:01.080 \longrightarrow 00:19:03.450$ are radiation,

NOTE Confidence: 0.91901743

 $00:19:03.450 \longrightarrow 00:19:05.026$ especially and

NOTE Confidence: 0.91901743

 $00:19:05.026 \rightarrow 00:19:06.208$ other inherited susceptibilities.

NOTE Confidence: 0.91901743

 $00:19:06.210 \dashrightarrow 00:19:08.358$ I guess what I'm really asking

NOTE Confidence: 0.91901743

 $00:19:08.358 \longrightarrow 00:19:10.560$ is who should be screened?

NOTE Confidence: 0.91901743

 $00{:}19{:}10.560 \dashrightarrow 00{:}19{:}13.031$ Or should screening be done on a

NOTE Confidence: 0.91901743

00:19:13.031 --> 00:19:15.300 routine basis for thyroid nodules?

NOTE Confidence: 0.91901743

 $00{:}19{:}15{.}300 \dashrightarrow 00{:}19{:}16{.}479$ So I would

NOTE Confidence: 0.91901743

 $00:19:16.480 \longrightarrow 00:19:18.976$ say that screening just doing ultrasounds

NOTE Confidence: 0.91901743

 $00:19:18.976 \longrightarrow 00:19:21.220$ on everybody should not be done.

NOTE Confidence: 0.91901743

00:19:21.220 --> 00:19:24.244 I believe that if that's done there would

NOTE Confidence: 0.91901743

 $00{:}19{:}24{.}244 \dashrightarrow 00{:}19{:}27{.}626$ be a lot of patients who would have

NOTE Confidence: 0.91901743

 $00:19:27.630 \longrightarrow 00:19:28.336$ unnecessary biopsies

NOTE Confidence: 0.91901743

 $00:19:28.336 \longrightarrow 00:19:29.748$ potentially and tiny tiny

 $00:19:29.750 \rightarrow 00:19:32.130$ thyroid cancers being found that really

NOTE Confidence: 0.91901743

 $00:19:32.130 \rightarrow 00:19:35.038$ may not have caused the patient any trouble.

NOTE Confidence: 0.91901743

00:19:35.040 --> 00:19:36.099 So generally speaking,

NOTE Confidence: 0.91901743

00:19:36.099 - 00:19:38.570 if a nodule is palpated on exam,

NOTE Confidence: 0.91901743

 $00{:}19{:}38{.}570 \dashrightarrow 00{:}19{:}40{.}520$ so having good physical exams at

NOTE Confidence: 0.91901743

 $00:19:40.520 \rightarrow 00:19:42.460$ your annual physical is important.

NOTE Confidence: 0.91901743

 $00:19:42.460 \longrightarrow 00:19:44.924$ If something is found there, then yes,

NOTE Confidence: 0.91901743

 $00:19:44.924 \rightarrow 00:19:46.684$ thyroid ultrasound should be performed.

NOTE Confidence: 0.91901743

 $00{:}19{:}46{.}690 \dashrightarrow 00{:}19{:}49{.}345$ Or if one of the thyroid cancers that we NOTE Confidence: 0.91901743

 $00{:}19{:}49{.}345 \dashrightarrow 00{:}19{:}52{.}042$ didn't really talk about much today but NOTE Confidence: 0.91901743

 $00:19:52.042 \rightarrow 00:19:54.110$ is called medullary thyroid cancer,

NOTE Confidence: 0.91901743

 $00:19:54.110 \longrightarrow 00:19:56.216$ and that one can run in families,

NOTE Confidence: 0.91901743

 $00:19:56.220 \longrightarrow 00:19:58.356$ meaning that it can be passed

NOTE Confidence: 0.91901743

 $00:19:58.356 \longrightarrow 00:20:00.310$ on from parent to child.

NOTE Confidence: 0.91901743

 $00{:}20{:}00{.}310 \dashrightarrow 00{:}20{:}01{.}426$ And

NOTE Confidence: 0.91901743

 $00{:}20{:}01{.}426 \dashrightarrow 00{:}20{:}03{.}491$ is often due to a genetic mutation

- NOTE Confidence: 0.91901743
- $00:20:03.491 \longrightarrow 00:20:05.399$ that can be checked for in

 $00{:}20{:}05{.}399 \dashrightarrow 00{:}20{:}07{.}308$ those types of families, yes,

NOTE Confidence: 0.91901743

 $00:20:07.308 \rightarrow 00:20:08.898$ thyroid ultrasound would be indicated,

NOTE Confidence: 0.91901743

 $00:20:08.900 \rightarrow 00:20:10.490$ but in the general public,

NOTE Confidence: 0.91901743

00:20:10.490 --> 00:20:12.380 I wouldn't say at a specific age

NOTE Confidence: 0.91901743

 $00:20:12.380 \longrightarrow 00:20:14.026$ that people should

NOTE Confidence: 0.91901743

 $00:20:14.026 \rightarrow 00:20:15.566$ just generally be screened.

NOTE Confidence: 0.91901743

00:20:15.570 -> 00:20:18.432 I think that would be finding too many

NOTE Confidence: 0.91901743

 $00:20:18.440 \longrightarrow 00:20:20.025$ and there would be too many

NOTE Confidence: 0.91901743

00:20:20.025 --> 00:20:20.659 unnecessary procedures.

NOTE Confidence: 0.91901743

00:20:20.660 --> 00:20:21.300 I'm aware

NOTE Confidence: 0.91530627

00:20:21.300 --> 00:20:22.580 of a Korean study,

NOTE Confidence: 0.91530627

 $00{:}20{:}22{.}580 \dashrightarrow 00{:}20{:}23{.}860$ and apparently the conclusion

NOTE Confidence: 0.91530627

 $00{:}20{:}23.860 \dashrightarrow 00{:}20{:}26.109$ was they went through the roof with

NOTE Confidence: 0.91530627

 $00:20:26.109 \rightarrow 00:20:27.654$ finding so many thyroid nodules,

 $00:20:27.660 \longrightarrow 00:20:29.879$ so we don't need to do that.

NOTE Confidence: 0.91530627

 $00{:}20{:}29{.}880 \dashrightarrow 00{:}20{:}31{.}160$ I think that's a

NOTE Confidence: 0.91530627

 $00:20:31.160 \longrightarrow 00:20:33.379$ perfect example of what you just said.

NOTE Confidence: 0.91414344

 $00:20:33.790 \rightarrow 00:20:36.232$ Another controversy seems to be

NOTE Confidence: 0.91414344

 $00{:}20{:}36{.}232 \dashrightarrow 00{:}20{:}37{.}860$ regarding these indeterminant fine

NOTE Confidence: 0.91414344

 $00{:}20{:}37{.}919 \dashrightarrow 00{:}20{:}39{.}529$ needle aspiration biopsies. Can you NOTE Confidence: 0.91414344

 $00:20:39.529 \rightarrow 00:20:41.787$ discuss that for us? It seems like

NOTE Confidence: 0.91414344

 $00:20:41.787 \longrightarrow 00:20:44.510$ it's around 25% or so of biopsy is

NOTE Confidence: 0.91414344

 $00{:}20{:}44{.}510 \dashrightarrow 00{:}20{:}46{.}570$ a significant number of patients so

NOTE Confidence: 0.91414344

 $00{:}20{:}46.570 \dashrightarrow 00{:}20{:}49.410$ so let me walk you through a biopsy.

NOTE Confidence: 0.91414344

 $00{:}20{:}49{.}410 \dashrightarrow 00{:}20{:}52{.}090$ If I send you for a biopsy and you

NOTE Confidence: 0.91414344

 $00:20:52.166 \longrightarrow 00:20:54.361$ had this aspiration biopsy

NOTE Confidence: 0.91414344

 $00:20:54.361 \rightarrow 00:20:57.660$ the results can be one of the following

NOTE Confidence: 0.91414344

 $00:20:57.660 \longrightarrow 00:21:00.500$ so they can come back and say

NOTE Confidence: 0.91414344

 $00:21:00.500 \longrightarrow 00:21:03.580$ this is most likely benign.

NOTE Confidence: 0.91414344

 $00:21:03.580 \longrightarrow 00:21:05.296$ Two, they can come back and

 $00:21:05.296 \rightarrow 00:21:07.419$ say, this is most likely cancer.

NOTE Confidence: 0.91414344

 $00:21:07.420 \rightarrow 00:21:09.016$ And then there's this whole gray

NOTE Confidence: 0.91414344

 $00:21:09.016 \longrightarrow 00:21:10.937$ area in between of what you've

NOTE Confidence: 0.91414344

 $00{:}21{:}10{.}937 \dashrightarrow 00{:}21{:}12{.}537$ described called indeterminate.

NOTE Confidence: 0.91414344

 $00:21:12.540 \longrightarrow 00:21:13.820$ It's very frustrating both

NOTE Confidence: 0.91414344

 $00:21:13.820 \longrightarrow 00:21:15.100$ for patients and providers.

NOTE Confidence: 0.91414344

 $00:21:15.100 \longrightarrow 00:21:16.420$ What does that mean?

NOTE Confidence: 0.91414344

 $00:21:16.420 \rightarrow 00:21:18.940$ How much percentage risk of cancer is that?

NOTE Confidence: 0.91414344

 $00{:}21{:}18{.}940 \dashrightarrow 00{:}21{:}20{.}830$ It's a large range and so

NOTE Confidence: 0.91414344

 $00:21:20.830 \longrightarrow 00:21:22.827$ management can be difficult if you

NOTE Confidence: 0.91414344

 $00:21:22.827 \rightarrow 00:21:24.697$ just get this intermediate result.

NOTE Confidence: 0.91414344

 $00{:}21{:}24.700 \dashrightarrow 00{:}21{:}26.940$ So over the past couple of years,

NOTE Confidence: 0.91414344

 $00{:}21{:}26{.}940 \dashrightarrow 00{:}21{:}28{.}540$ what's been developed is called

NOTE Confidence: 0.91414344

00:21:28.540 --> 00:21:29.180 molecular testing,

NOTE Confidence: 0.91414344

 $00{:}21{:}29{.}180 \dashrightarrow 00{:}21{:}31{.}676$ where they take the RNA or the ribo

 $00{:}21{:}31.676 \dashrightarrow 00{:}21{:}33.755$ nucleic acid from these cells that

NOTE Confidence: 0.91414344

00:21:33.755 --> 00:21:35.825 you have taken from the biopsy.

NOTE Confidence: 0.91414344

00:21:35.830 --> 00:21:37.870 And actually test that for different

NOTE Confidence: 0.91414344

 $00:21:37.870 \longrightarrow 00:21:39.951$ mutations or changes that

NOTE Confidence: 0.91414344

 $00{:}21{:}39{.}951 \dashrightarrow 00{:}21{:}41{.}943$ are typically seen in thy roid cancer.

NOTE Confidence: 0.91414344

 $00{:}21{:}41{.}950 \dashrightarrow 00{:}21{:}44{.}351$ If those are seen than the results

NOTE Confidence: 0.91414344

 $00:21:44.351 \longrightarrow 00:21:46.370$ can come back and say,

NOTE Confidence: 0.91414344

00:21:46.370 --> 00:21:48.070 you actually have, for example,

NOTE Confidence: 0.91414344

00:21:48.070 --> 00:21:49.770 of 40% risk of cancer,

NOTE Confidence: 0.91414344

00:21:49.770 --> 00:21:52.150 not a 15% risk of cancer in

NOTE Confidence: 0.91414344

 $00:21:52.150 \rightarrow 00:21:53.170$ that indeterminate category,

NOTE Confidence: 0.91414344

 $00:21:53.170 \longrightarrow 00:21:55.550$ and that can sway you and say,

NOTE Confidence: 0.91414344

00:21:55.550 --> 00:21:56.818 you know what?

NOTE Confidence: 0.91414344

 $00{:}21{:}56.818 \dashrightarrow 00{:}21{:}59.500$ This makes more sense to take the patient

NOTE Confidence: 0.91414344

 $00:21:59.500 \rightarrow 00:22:02.348$ to surgery or offer them a thyroid surgery,

NOTE Confidence: 0.91414344

 $00:22:02.350 \rightarrow 00:22:05.142$ at least for that side of the thyroid

- NOTE Confidence: 0.91414344
- $00{:}22{:}05{.}142 \dashrightarrow 00{:}22{:}07{.}880$ as opposed to watching that nodule, so
- NOTE Confidence: 0.91414344
- $00{:}22{:}07.880 \dashrightarrow 00{:}22{:}09.505$ this molecular testing has been
- NOTE Confidence: 0.91414344
- 00:22:09.505 --> 00:22:11.565 very helpful in guiding us in
- NOTE Confidence: 0.91414344
- 00:22:11.565 --> 00:22:12.699 managing these patients,
- NOTE Confidence: 0.91414344
- 00:22:12.700 --> 00:22:13.376 but yes,
- NOTE Confidence: 0.91414344
- $00:22:13.376 \longrightarrow 00:22:14.728$ a very frustrating result
- NOTE Confidence: 0.91414344
- $00:22:14.728 \longrightarrow 00:22:16.480$ when you get that gray,
- NOTE Confidence: 0.91414344
- $00{:}22{:}16.480 \dashrightarrow 00{:}22{:}17.856$ area result.
- $00{:}22{:}18{.}200 \dashrightarrow 00{:}22{:}20{.}264$ Do you find the patients tend to
- NOTE Confidence: 0.91683185
- 00:22:20.264 --> 00:22:21.640 lean more towards surgery
- NOTE Confidence: 0.91683185
- $00:22:21.640 \longrightarrow 00:22:24.910$ then follow up because of this
- NOTE Confidence: 0.91683185
- $00:22:24.910 \longrightarrow 00:22:26.335$ uncertainty about the
- NOTE Confidence: 0.91683185
- $00:22:26.335 \longrightarrow 00:22:28.570$ nature of the nodules.
- NOTE Confidence: 0.92605644
- $00{:}22{:}28.570 \dashrightarrow 00{:}22{:}31.250$ It varies. I've had both ends of the
- NOTE Confidence: 0.92605644
- $00:22:31.250 \longrightarrow 00:22:33.719$ spectrum more so I would say more of
- NOTE Confidence: 0.92605644
- $00:22:33.719 \longrightarrow 00:22:36.403$ my patients would be more

- NOTE Confidence: 0.92605644
- 00:22:36.403 --> 00:22:38.228 proactive.
- NOTE Confidence: 0.92605644
- 00:22:38.230 --> 00:22:40.228 I don't want to categorize people,
- NOTE Confidence: 0.92605644
- $00:22:40.230 \rightarrow 00:22:42.645$ but there are patients also who are
- NOTE Confidence: 0.92605644
- $00{:}22{:}42.645 \dashrightarrow 00{:}22{:}44.754$ very conservative and maybe with more
- NOTE Confidence: 0.92605644
- $00{:}22{:}44.754 \dashrightarrow 00{:}22{:}47.120$ advanced age with other risk factors for NOTE Confidence: 0.92605644
- $00{:}22{:}47.190 \dashrightarrow 00{:}22{:}49.550$ surgery they may want to just watch it
- NOTE Confidence: 0.92605644
- $00{:}22{:}49{.}550 \dashrightarrow 00{:}22{:}51{.}386$ and I think that makes sense
- NOTE Confidence: 0.92605644
- $00:22:51.386 \longrightarrow 00:22:53.220$ if you have other reasons,
- NOTE Confidence: 0.92605644
- $00:22:53.220 \longrightarrow 00:22:55.206$ severe heart disease or heart failure.
- NOTE Confidence: 0.92605644
- $00:22:55.210 \longrightarrow 00:22:57.100$ Other things that may increase your
- NOTE Confidence: 0.92605644
- $00:22:57.100 \rightarrow 00:22:59.020$ risk of complications post operatively,
- NOTE Confidence: 0.92605644
- $00:22:59.020 \longrightarrow 00:23:01.756$ then it would make sense to watch them,
- NOTE Confidence: 0.92605644
- 00:23:01.760 --> 00:23:03.140 especially if your risk
- NOTE Confidence: 0.9100267
- $00{:}23{:}03{.}140 \dashrightarrow 00{:}23{:}05{.}186$ ends up being low.
- NOTE Confidence: 0.9100267
- $00{:}23{:}05{.}190 \dashrightarrow 00{:}23{:}08{.}133$ Let's move on and let me ask
- NOTE Confidence: 0.9100267

 $00:23:08.133 \rightarrow 00:23:10.266$ you this, what is endocrinology?

NOTE Confidence: 0.9100267

 $00:23:10.266 \rightarrow 00:23:13.699$ What is the role that hormones play and

NOTE Confidence: 0.9100267

 $00{:}23{:}13.699 \dashrightarrow 00{:}23{:}16.347$ how is that managed and what does the

NOTE Confidence: 0.9113048

00:23:16.350 --> 00:23:18.951 thyroid do?

NOTE Confidence: 0.9113048

00:23:18.951 --> 00:23:21.358 You're an endocrinologist.

NOTE Confidence: 0.9113048

 $00:23:21.360 \longrightarrow 00:23:23.868$ What exactly do you do?

NOTE Confidence: 0.9113048

 $00:23:23.868 \rightarrow 00:23:26.374$ Endocrinology is a study of the body's

NOTE Confidence: 0.9113048

 $00:23:26.374 \rightarrow 00:23:28.161$ endocrine system, which is basically

NOTE Confidence: 0.9113048

 $00{:}23{:}28{.}161 \dashrightarrow 00{:}23{:}30{.}303$ the system that controls your hormones,

NOTE Confidence: 0.9113048

 $00:23:30.310 \longrightarrow 00:23:32.100$ and this includes the pancreas,

NOTE Confidence: 0.9113048

 $00:23:32.100 \longrightarrow 00:23:33.180$ the thyroid, parathyroid,

NOTE Confidence: 0.9113048

 $00:23:33.180 \rightarrow 00:23:36.040$ the parathyroid and thyroid in your neck.

NOTE Confidence: 0.9113048

 $00:23:36.040 \rightarrow 00:23:38.194$ The hypothalamus and pituitary which are

NOTE Confidence: 0.9113048

00:23:38.194 --> 00:23:41.240 in your brain and adrenal glands

NOTE Confidence: 0.9113048

 $00:23:41.240 \longrightarrow 00:23:44.592$ I like to say sit on top of the

NOTE Confidence: 0.9113048

 $00:23:44.592 \rightarrow 00:23:47.968$ kidneys are like little hats on the kidneys.

- NOTE Confidence: 0.9113048
- $00:23:47.970 \longrightarrow 00:23:49.926$ In addition to that, sex hormones

 $00{:}23{:}49{.}926 \dashrightarrow 00{:}23{:}52{.}569$ are made by the testes and ovaries.

NOTE Confidence: 0.9113048

 $00{:}23{:}52{.}570 \dashrightarrow 00{:}23{:}54{.}845$ So as an endocrinologist I manage diseases

NOTE Confidence: 0.9113048

 $00:23:54.845 \rightarrow 00:23:56.820$ that involve the endocrine system,

NOTE Confidence: 0.9113048

 $00:23:56.820 \longrightarrow 00:23:57.876$ including thyroid disorders,

NOTE Confidence: 0.9113048

 $00:23:57.876 \rightarrow 00:23:59.284$ osteoporosis and bone diseases,

NOTE Confidence: 0.9113048

00:23:59.290 --> 00:24:00.352 diabetes, pituitary disease,

NOTE Confidence: 0.9113048

 $00{:}24{:}00{.}352 \dashrightarrow 00{:}24{:}01{.}768$ and even transgender medicine.

NOTE Confidence: 0.93411225

00:24:03.030 --> 00:24:05.354 You mentioned a lot of

NOTE Confidence: 0.93411225

 $00{:}24{:}05{.}354 \dashrightarrow 00{:}24{:}07{.}400$ organs that are now sometimes

NOTE Confidence: 0.93411225

 $00{:}24{:}07{.}400 \dashrightarrow 00{:}24{:}09{.}825$ affected by our newer medications.

NOTE Confidence: 0.93411225

00:24:09.830 --> 00:24:12.049 We have targeted therapy and a lot

NOTE Confidence: 0.93411225

 $00{:}24{:}12.049 \dashrightarrow 00{:}24{:}14.629$ of the new checkpoint inhibitors,

NOTE Confidence: 0.93411225

 $00:24:14.630 \longrightarrow 00:24:16.630$ for instance, affect these organs.

NOTE Confidence: 0.93411225

 $00:24:16.630 \rightarrow 00:24:20.630$ Can you talk a little bit about that?

- 00:24:20.630 --> 00:24:20.990 Definitely,
- NOTE Confidence: 0.9177834
- $00:24:20.990 \longrightarrow 00:24:23.126$ so we've had a lot of rules over
- NOTE Confidence: 0.9177834
- $00:24:23.126 \longrightarrow 00:24:25.955$ the last few years as those
- NOTE Confidence: 0.9177834
- $00{:}24{:}25{.}955 \dashrightarrow 00{:}24{:}28{.}383$ immuno
therapy's have been used and these
- NOTE Confidence: 0.9177834
- $00{:}24{:}28{.}383 \dashrightarrow 00{:}24{:}30{.}563$ immuno therapies are basically tricking
- NOTE Confidence: 0.9177834
- $00{:}24{:}30{.}563 \dashrightarrow 00{:}24{:}32{.}969$ your body's immune system to attacking NOTE Confidence: 0.9177834
- 00:24:32.969 --> 00:24:35.510 the cancer and it works really well.
- NOTE Confidence: 0.9177834
- $00:24:35.510 \longrightarrow 00:24:37.568$ But actually also tends to attack
- NOTE Confidence: 0.9177834
- 00:24:37.568 --> 00:24:39.943 these glands that I treat so quite
- NOTE Confidence: 0.9177834
- $00{:}24{:}39{.}943 \dashrightarrow 00{:}24{:}42{.}120$ often I will see patients who are
- NOTE Confidence: 0.9177834
- $00:24:42.187 \rightarrow 00:24:44.713$ getting these treatments and will have NOTE Confidence: 0.9177834
- 00:24:44.713 --> 00:24:47.146 what we call thyrotoxicosis or too
- NOTE Confidence: 0.9177834
- $00{:}24{:}47.146 \dashrightarrow 00{:}24{:}49.384$ much thyroid hormone because the
- NOTE Confidence: 0.9177834
- $00:24:49.384 \rightarrow 00:24:51.600$ thyroid gland is being attacked by
- NOTE Confidence: 0.9177834
- $00:24:51.600 \rightarrow 00:24:53.568$ the agents. In addition to that,
- NOTE Confidence: 0.9177834
- $00:24:53.570 \longrightarrow 00:24:55.215$ you can actually see also

- NOTE Confidence: 0.9177834
- $00:24:55.215 \rightarrow 00:24:56.860$ inflammation of your pituitary gland,

 $00:24:56.860 \longrightarrow 00:24:59.108$ which is the gland which is a tiny

NOTE Confidence: 0.9177834

 $00:24:59.108 \rightarrow 00:25:01.301$ gland in the middle of your brain

NOTE Confidence: 0.9177834

 $00:25:01.301 \longrightarrow 00:25:03.697$ and we call it actually the master

NOTE Confidence: 0.9177834

 $00:25:03.697 \longrightarrow 00:25:05.971$ gland because it sends out

NOTE Confidence: 0.9177834

00:25:05.971 -> 00:25:08.046 hormones to other parts of your

NOTE Confidence: 0.9177834

 $00:25:08.046 \rightarrow 00:25:10.020$ body and glands to control those.

 $00:25:10.678 \rightarrow 00:25:13.310$ The beauty though is that we never tell

NOTE Confidence: 0.9177834

 $00:25:13.310 \longrightarrow 00:25:14.960$ on cologists

NOTE Confidence: 0.9177834

 $00:25:14.960 \rightarrow 00:25:16.280$ to stop their treatment.

NOTE Confidence: 0.9177834

 $00:25:16.280 \longrightarrow 00:25:18.184$ The beauty of it is that we

NOTE Confidence: 0.9177834

00:25:18.184 --> 00:25:20.268 have all the hormones to replace

NOTE Confidence: 0.9177834

 $00:25:20.268 \longrightarrow 00:25:22.263$ that in terms of treatment.

NOTE Confidence: 0.9177834

 $00:25:22.270 \longrightarrow 00:25:24.160$ So whatever needs to be done

NOTE Confidence: 0.9177834

 $00:25:24.160 \rightarrow 00:25:25.420$ for their primary cancer,

NOTE Confidence: 0.9177834

 $00:25:25.420 \rightarrow 00:25:27.571$ we say go on and do what you need

- NOTE Confidence: 0.9177834
- $00{:}25{:}27{.}571 \dashrightarrow 00{:}25{:}30{.}024$ to do and we will take care

 $00{:}25{:}30{.}024 \dashrightarrow 00{:}25{:}32{.}168$ of this equality that happens with

NOTE Confidence: 0.9177834

 $00:25:32.168 \rightarrow 00:25:34.484$ the hormones and we will replace

NOTE Confidence: 0.9177834

 $00:25:34.484 \longrightarrow 00:25:35.818$ whatever hormones needed to

NOTE Confidence: 0.90957636

00:25:35.820 --> 00:25:37.390 be replaced so the thyroid,

NOTE Confidence: 0.90957636

 $00:25:37.390 \longrightarrow 00:25:39.106$ in my experience, can be both

NOTE Confidence: 0.90957636

00:25:39.106 --> 00:25:40.860 overactive as you just mentioned,

NOTE Confidence: 0.90957636

 $00:25:40.860 \longrightarrow 00:25:42.028$ but also under active.

NOTE Confidence: 0.90957636

 $00{:}25{:}42.028 \dashrightarrow 00{:}25{:}44.950$ So you need to be able to evaluate that.

NOTE Confidence: 0.90957636

 $00:25:47.470 \rightarrow 00:25:50.142$ One of the reasons I love endocrinology

NOTE Confidence: 0.90957636

 $00:25:50.142 \longrightarrow 00:25:52.477$ is that we can check blood work

NOTE Confidence: 0.90957636

 $00{:}25{:}52{.}480 \dashrightarrow 00{:}25{:}55{.}336$ and blood work can be very helpful

NOTE Confidence: 0.90957636

 $00:25:55.336 \longrightarrow 00:25:57.727$ in telling you what is going on.

NOTE Confidence: 0.90957636

 $00{:}25{:}57{.}730 \dashrightarrow 00{:}25{:}59{.}480$ So one of the things

NOTE Confidence: 0.90957636

 $00:25:59.480 \longrightarrow 00:26:01.580$ that can happen is inflammation,

- $00:26:01.580 \longrightarrow 00:26:03.368$ or thyroiditis of the
- NOTE Confidence: 0.90957636
- 00:26:03.368 --> 00:26:05.061 thyroid gland can happen with
- NOTE Confidence: 0.90957636
- $00{:}26{:}05{.}061 \dashrightarrow 00{:}26{:}06{.}829$ these immune checkpoint inhibitors.
- NOTE Confidence: 0.90957636
- $00{:}26{:}06{.}830 \dashrightarrow 00{:}26{:}08{.}906$ So initially what happens with them
- NOTE Confidence: 0.90957636
- $00{:}26{:}08{.}906 \dashrightarrow 00{:}26{:}11{.}475$ is inflammation of the gland and there
- NOTE Confidence: 0.90957636
- $00:26:11.475 \longrightarrow 00:26:13.350$ is actually a thyroid hormone
- NOTE Confidence: 0.90957636
- $00{:}26{:}13.350 \dashrightarrow 00{:}26{:}16.064$ within the gland that as it's attacked is
- NOTE Confidence: 0.90957636
- $00{:}26{:}16.064 \dashrightarrow 00{:}26{:}18.024$ released and so because that happens,
- NOTE Confidence: 0.90957636
- $00{:}26{:}18.024 \dashrightarrow 00{:}26{:}20.453$ there's a lot of extra thyroid hormone
- NOTE Confidence: 0.90957636
- $00{:}26{:}20{.}453 \dashrightarrow 00{:}26{:}22{.}803$ in the body and patients can feel
- NOTE Confidence: 0.90957636
- $00:26:22.803 \rightarrow 00:26:25.170$ symptoms of too much thyroid hormone.
- NOTE Confidence: 0.90957636
- $00:26:25.170 \longrightarrow 00:26:27.474$ What would those be?
- NOTE Confidence: 0.90957636
- $00:26:27.474 \longrightarrow 00:26:30.028$ Feeling hot when no one else is hot.
- NOTE Confidence: 0.90957636
- 00:26:30.030 --> 00:26:32.431 Almost like a hot flash feeling
- NOTE Confidence: 0.90957636
- $00:26:32.431 \rightarrow 00:26:35.267$ very hungry and actually having weight loss.
- NOTE Confidence: 0.90957636
- $00:26:35.270 \rightarrow 00:26:37.545$ You can have weight gain, just an

- NOTE Confidence: 0.90957636
- 00:26:37.545 --> 00:26:39.794 imbalance in your thyroid
- NOTE Confidence: 0.90957636
- $00{:}26{:}39{.}794 \dashrightarrow 00{:}26{:}41{.}809$ hormone after that happens because
- NOTE Confidence: 0.90957636
- $00:26:41.809 \longrightarrow 00:26:44.240$ the thyroid gland has been inflamed.
- NOTE Confidence: 0.90957636
- $00:26:44.240 \longrightarrow 00:26:46.858$ It also can no longer make
- NOTE Confidence: 0.90957636
- $00:26:46.858 \longrightarrow 00:26:47.606$ thyroid hormone,
- NOTE Confidence: 0.90957636
- $00{:}26{:}47.610 \dashrightarrow 00{:}26{:}50.589$ so a lot of
- NOTE Confidence: 0.90957636
- $00:26:50.589 \rightarrow 00:26:52.473$ thyroid hormone patients go through
- NOTE Confidence: 0.90957636
- $00{:}26{:}52{.}473 \dashrightarrow 00{:}26{:}56{.}000$ a state of
- NOTE Confidence: 0.90957636
- 00:26:56.000 -> 00:26:57.980 very low thyroid hormone and so
- NOTE Confidence: 0.90957636
- $00:26:57.980 \longrightarrow 00:27:00.206$ at that point the thyroid hormone
- NOTE Confidence: 0.90957636
- $00{:}27{:}00{.}206 \dashrightarrow 00{:}27{:}01{.}870$ needs to be replaced,
- NOTE Confidence: 0.90957636
- $00:27:01.870 \longrightarrow 00:27:04.072$ and so that's a very typical
- NOTE Confidence: 0.90957636
- $00{:}27{:}04.072 \dashrightarrow 00{:}27{:}05.540$ picture that we see.
- NOTE Confidence: 0.90957636
- $00{:}27{:}05{.}540 \dashrightarrow 00{:}27{:}07{.}008$ We call immuno therapy related.
- NOTE Confidence: 0.90957636
- $00{:}27{:}07{.}008 \dashrightarrow 00{:}27{:}09{.}210$ It's like a thyroiditis and the
- NOTE Confidence: 0.8940697

00:27:09.210 --> 00:27:11.779 symptoms of low thyroid.

NOTE Confidence: 0.8940697

 $00{:}27{:}11.780 \dashrightarrow 00{:}27{:}14.188$ And you can see the opposite

NOTE Confidence: 0.8940697

 $00:27:14.188 \longrightarrow 00:27:16.550$ so you can feel very tired.

NOTE Confidence: 0.8940697

00:27:16.550 --> 00:27:19.486 Feel cold when no one else is cold,

NOTE Confidence: 0.8940697

00:27:19.490 --> 00:27:21.300 constipated. And you can

NOTE Confidence: 0.8940697

 $00{:}27{:}21{.}300 \dashrightarrow 00{:}27{:}23{.}530$ also have a low heart rate.

NOTE Confidence: 0.8940697

00:27:23.530 --> 00:27:24.990 We're just about ready

NOTE Confidence: 0.8940697

 $00:27:24.990 \rightarrow 00:27:28.046$ to finish. But let me ask you are there any

NOTE Confidence: 0.8940697

 $00{:}27{:}28.050 \dashrightarrow 00{:}27{:}29.850$ recent advances that have been made or

NOTE Confidence: 0.8940697

 $00:27:29.850 \rightarrow 00:27:31.890$ exciting research in the pipeline?

NOTE Confidence: 0.91031694

 $00{:}27{:}31.890 \dashrightarrow 00{:}27{:}33.810$ You alluded to some of that.

NOTE Confidence: 0.91031694

 $00{:}27{:}33.810 \dashrightarrow 00{:}27{:}35.586$ Actually, immunotherapy is being used now

NOTE Confidence: 0.91031694

00:27:35.586 --> 00:27:38.184 in trials to see whether that can help

NOTE Confidence: 0.91031694

 $00:27:38.184 \rightarrow 00:27:39.884$ patients with advanced thyroid cancer.

NOTE Confidence: 0.91031694

 $00{:}27{:}39{.}890 \dashrightarrow 00{:}27{:}41{.}738$ And at Yale, there is a trial

NOTE Confidence: 0.91031694

00:27:41.738 --> 00:27:43.729 now ongoing with cabozantinib,

 $00:27:43.730 \rightarrow 00:27:45.802$ which is a tyrosine kinase inhibitor in

NOTE Confidence: 0.91031694

 $00{:}27{:}45.802 \dashrightarrow 00{:}27{:}48.100$ patients who have failed another type of

NOTE Confidence: 0.91031694

00:27:48.100 --> 00:27:50.128 tyrosine kinase inhibitor called Lynn VAT,

NOTE Confidence: 0.91031694

 $00:27:50.130 \rightarrow 00:27:52.356$ and if so, a lot of interesting

NOTE Confidence: 0.91031694

 $00{:}27{:}52{.}356 \dashrightarrow 00{:}27{:}54{.}289$ research is going on in advanced

NOTE Confidence: 0.91031694

 $00:27:54.290 \longrightarrow 00:27:55.570$ thyroid cancer these days.

NOTE Confidence: 0.941881

00:27:56.310 --> 00:27:58.374 Doctor Grace Lee is an assistant

NOTE Confidence: 0.941881

 $00:27:58.374 \longrightarrow 00:28:00.200$ professor in the section of

NOTE Confidence: 0.941881

 $00{:}28{:}00{.}200 \dashrightarrow 00{:}28{:}01{.}724$ endocrinology and metabolism at

NOTE Confidence: 0.941881

 $00:28:01.724 \longrightarrow 00:28:03.629$ the Yale School of Medicine.

NOTE Confidence: 0.941881

 $00:28:03.630 \longrightarrow 00:28:05.098$ If you have questions,

NOTE Confidence: 0.941881

 $00{:}28{:}05.098 \dashrightarrow 00{:}28{:}06.566$ the address is canceranswers@yale.edu

NOTE Confidence: 0.941881

 $00{:}28{:}06{.}566 \dashrightarrow 00{:}28{:}08{.}596$ and past editions of the program

NOTE Confidence: 0.941881

00:28:08.596 --> 00:28:10.450 are available in audio and written

NOTE Confidence: 0.941881

 $00{:}28{:}10.505 \dashrightarrow 00{:}28{:}12.050$ form at Yale cancercenter.org.

00:28:12.050 --> 00:28:14.474 We hope you'll join us next week to NOTE Confidence: 0.941881 00:28:14.474 --> 00:28:16.837 learn more about the fight against NOTE Confidence: 0.941881

00:28:16.837 --> 00:28:19.369 cancer here on Connecticut public radio.