$00:00:00.000 \longrightarrow 00:00:02.750$ Support for Yale Cancer Answers

NOTE Confidence: 0.8692404

 $00{:}00{:}02.750 \dashrightarrow 00{:}00{:}05.500$ comes from AstraZeneca, dedicated

NOTE Confidence: 0.8692404

00:00:05.594 --> 00:00:08.982 to providing innovative treatment

NOTE Confidence: 0.8692404

 $00:00:08.982 \longrightarrow 00:00:13.217$ options for people living with

NOTE Confidence: 0.8692404

 $00{:}00{:}13.217 \dashrightarrow 00{:}00{:}14.064$ cancer. Learn more at a strazeneca-us.com.

NOTE Confidence: 0.8692404

 $00:00:14.070 \longrightarrow 00:00:15.502$ Welcome to Yale Cancer Answers.

NOTE Confidence: 0.8692404

 $00:00:15.502 \longrightarrow 00:00:16.934$ with your host Dr. Anees Chagpar.

NOTE Confidence: 0.8692404

00:00:18.740 --> 00:00:20.655 Yale Cancer Answers features the

NOTE Confidence: 0.8692404

 $00{:}00{:}20.655 \dashrightarrow 00{:}00{:}23.009$ latest information on cancer care by

NOTE Confidence: 0.8692404

 $00:00:23.009 \longrightarrow 00:00:24.517$ welcoming oncologists and specialists

NOTE Confidence: 0.8692404

 $00:00:24.517 \longrightarrow 00:00:27.046$ who are on the forefront of the

NOTE Confidence: 0.8692404

00:00:27.046 --> 00:00:28.786 battle to fight cancer. This week,

NOTE Confidence: 0.8692404

 $00:00:28.790 \longrightarrow 00:00:30.465$ it's a conversation about focal

NOTE Confidence: 0.8692404

 $00:00:30.465 \longrightarrow 00:00:31.805$ therapy for prostate cancer

NOTE Confidence: 0.8692404

 $00:00:31.805 \longrightarrow 00:00:33.458$ with Doctor Preston Sprenkle.

NOTE Confidence: 0.8692404

 $00{:}00{:}33.460 \dashrightarrow 00{:}00{:}35.585$ Doctor Sprenkle is an associate

 $00:00:35.585 \longrightarrow 00:00:38.526$ professor of urology at the Yale School

NOTE Confidence: 0.8692404

 $00{:}00{:}38.526 \dashrightarrow 00{:}00{:}40.734$ of Medicine where Doctor Chagpar

NOTE Confidence: 0.8692404

 $00:00:40.734 \longrightarrow 00:00:43.779$ is a professor of surgical oncology.

 $00:00:44.230 \longrightarrow 00:00:46.470$ September is

NOTE Confidence: 0.88048846

 $00{:}00{:}46.470 \dashrightarrow 00{:}00{:}48.262$ Prostate Cancer Awareness Month.

NOTE Confidence: 0.88048846

 $00:00:48.270 \longrightarrow 00:00:50.510$ Tell us what's new and

NOTE Confidence: 0.88048846

 $00:00:50.510 \longrightarrow 00:00:52.302$ interesting in the world

NOTE Confidence: 0.88048846

 $00:00:52.310 \longrightarrow 00:00:53.609$ of prostate cancer.

NOTE Confidence: 0.88048846

 $00{:}00{:}53.609 --> 00{:}00{:}56.207$ Well, we're making a lot of

NOTE Confidence: 0.88048846

 $00{:}00{:}56.207 \dashrightarrow 00{:}00{:}58.773$ advances in the treatment of

NOTE Confidence: 0.88048846

 $00{:}00{:}58.773 \dashrightarrow 00{:}01{:}01{:}390$ high risk advanced disease with

NOTE Confidence: 0.88048846

 $00:01:01.390 \longrightarrow 00:01:03.825$ many new medications that have

NOTE Confidence: 0.88048846

 $00{:}01{:}03.825 \dashrightarrow 00{:}01{:}06.230$ been released in treatments

NOTE Confidence: 0.88048846

 $00:01:06.230 \longrightarrow 00:01:08.030$ on the diagnostic side,

NOTE Confidence: 0.88048846

 $00:01:08.030 \longrightarrow 00:01:09.942$ we've continued to pioneer

NOTE Confidence: 0.88048846

 $00{:}01{:}09.942 \dashrightarrow 00{:}01{:}11.376$ improvements in noninvasive

 $00:01:11.376 \longrightarrow 00:01:13.719$ diagnostics such as prostate MRI.

NOTE Confidence: 0.88048846

 $00{:}01{:}13.720 \dashrightarrow 00{:}01{:}15.844$ And we're very excited to continue

NOTE Confidence: 0.88048846

00:01:15.844 --> 00:01:17.687 to identify patients who may

NOTE Confidence: 0.88048846

00:01:17.687 --> 00:01:18.767 not need evaluation.

NOTE Confidence: 0.88048846

 $00:01:18.770 \longrightarrow 00:01:21.658$ Or maybe we can avoid a prostate biopsy.

NOTE Confidence: 0.88048846

 $00:01:21.660 \longrightarrow 00:01:23.108$ Wow, that all sounds

NOTE Confidence: 0.88313323

 $00:01:23.110 \longrightarrow 00:01:23.830$ really interesting.

NOTE Confidence: 0.88313323

 $00:01:23.830 \longrightarrow 00:01:26.354$ Those are two very

NOTE Confidence: 0.88313323

00:01:26.354 --> 00:01:28.159 different ends of the spectrum,

NOTE Confidence: 0.88313323

 $00:01:28.160 \longrightarrow 00:01:31.094$ so may be we will take each of them in turn

NOTE Confidence: 0.88313323

 $00{:}01{:}31.094 \dashrightarrow 00{:}01{:}34.047$ and work our way from prevention

NOTE Confidence: 0.88313323

 $00{:}01{:}34.047 \dashrightarrow 00{:}01{:}37.187$ all the way up to metastatic disease.

NOTE Confidence: 0.88313323

 $00{:}01{:}37.190 \dashrightarrow 00{:}01{:}39.710$ In terms of prevention and detection,

NOTE Confidence: 0.88313323

 $00:01:39.710 \longrightarrow 00:01:42.188$ you mentioned that you have been doing

NOTE Confidence: 0.88313323

 $00:01:42.188 \longrightarrow 00:01:44.768$ some great work in terms of detection.

 $00:01:44.770 \longrightarrow 00:01:47.026$ Tell us more about that and

NOTE Confidence: 0.88313323

 $00:01:47.030 \longrightarrow 00:01:49.837$ what are the current guidelines in terms

NOTE Confidence: 0.88313323

 $00:01:49.837 \longrightarrow 00:01:53.237$ of what people should be doing in order

NOTE Confidence: 0.88313323

 $00{:}01{:}53.237 \dashrightarrow 00{:}01{:}55.580$ to either prevent prostate cancer or

NOTE Confidence: 0.89631885

 $00:01:55.580 \longrightarrow 00:01:58.429$ find it early.

NOTE Confidence: 0.89631885

00:01:58.430 --> 00:02:00.460 Prostate cancer screening, which is evaluation of

risk

NOTE Confidence: 0.89631885

 $00:02:00.460 \longrightarrow 00:02:02.084$ factors for prostate cancer,

NOTE Confidence: 0.89631885

 $00{:}02{:}02.090 \dashrightarrow 00{:}02{:}03.718$ has been somewhat controversial

NOTE Confidence: 0.89631885

00:02:03.718 --> 00:02:05.756 over the last decade. Fortunately,

NOTE Confidence: 0.89631885

 $00:02:05.756 \longrightarrow 00:02:08.598$ within the past five or six years,

NOTE Confidence: 0.89631885

 $00:02:08.600 \longrightarrow 00:02:11.596$ it has become pretty clear that screening

NOTE Confidence: 0.89631885

 $00:02:11.596 \longrightarrow 00:02:14.634$ for prostate cancer remains a very important

NOTE Confidence: 0.89631885

 $00:02:14.634 \longrightarrow 00:02:17.160$ part of menn's general health.

NOTE Confidence: 0.89631885

 $00:02:17.160 \longrightarrow 00:02:19.644$ So we screen for prostate cancer

NOTE Confidence: 0.89631885

 $00:02:19.644 \longrightarrow 00:02:23.089$ starting in men at around the age of 50.

00:02:23.090 --> 00:02:26.204 If a man has a higher risk feature for

NOTE Confidence: 0.89631885

 $00{:}02{:}26.204 \dashrightarrow 00{:}02{:}28.219$ potentially having prostate cancer,

NOTE Confidence: 0.89631885

 $00:02:28.220 \longrightarrow 00:02:30.632$ which currently is a first degree

NOTE Confidence: 0.89631885

 $00:02:30.632 \longrightarrow 00:02:32.678$ relative with prostate cancer or

NOTE Confidence: 0.89631885

00:02:32.678 --> 00:02:34.538 being of Afro Caribbean descent,

NOTE Confidence: 0.89631885

 $00:02:34.540 \longrightarrow 00:02:37.126$ those men can be screened even

NOTE Confidence: 0.89631885

 $00:02:37.126 \longrightarrow 00:02:39.678$ earlier at around age 40 to 45.

NOTE Confidence: 0.89631885

 $00:02:39.680 \longrightarrow 00:02:40.862$ And by screening.

NOTE Confidence: 0.89631885

 $00{:}02{:}40.862 \dashrightarrow 00{:}02{:}43.226$ this entails a PSA blood test.

NOTE Confidence: 0.89631885

 $00:02:43.230 \longrightarrow 00:02:45.234$ So it's a simple blood test

NOTE Confidence: 0.89631885

00:02:45.234 --> 00:02:47.630 as well as a

NOTE Confidence: 0.89631885

 $00:02:47.630 \longrightarrow 00:02:49.325$ physical examination of the prostate

NOTE Confidence: 0.89631885

 $00:02:49.325 \longrightarrow 00:02:51.618$ with a digital rectal exam.

NOTE Confidence: 0.89539075

 $00:02:51.620 \longrightarrow 00:02:54.052$ Are those recommendations in terms of if you

NOTE Confidence: 0.89539075

00:02:54.052 --> 00:02:56.530 don't have one of those high risk features,

NOTE Confidence: 0.89539075

 $00:02:56.530 \longrightarrow 00:02:59.068$ every man at the age of 50 should have

 $00:02:59.068 \longrightarrow 00:03:01.595$ a PSA and a digital rectal exam?

NOTE Confidence: 0.89539075

00:03:01.595 --> 00:03:04.448 As you say,

NOTE Confidence: 0.89539075

 $00:03:04.448 \longrightarrow 00:03:06.450$ it's been so controversial and it seems

NOTE Confidence: 0.89539075

 $00:03:06.513 \longrightarrow 00:03:08.507$ like it gets really confusing.

NOTE Confidence: 0.89539075

 $00{:}03{:}08.507 \dashrightarrow 00{:}03{:}10.349$ They say every body should do this,

NOTE Confidence: 0.89539075

 $00:03:10.350 \longrightarrow 00:03:12.186$ sometimes they say, well,

NOTE Confidence: 0.89539075

 $00:03:12.190 \longrightarrow 00:03:14.008$ you should really talk to your

NOTE Confidence: 0.89539075

 $00{:}03{:}14.008 \dashrightarrow 00{:}03{:}15.570$ doctor about pros and cons.

NOTE Confidence: 0.89539075

 $00:03:15.570 \longrightarrow 00:03:17.719$ So where are we at right now?

NOTE Confidence: 0.90739983

 $00:03:17.800 \longrightarrow 00:03:20.957$ I think the large part

NOTE Confidence: 0.90739983

 $00:03:20.957 \longrightarrow 00:03:23.689$ depends on who you talk to.

NOTE Confidence: 0.90739983

 $00:03:23.690 \longrightarrow 00:03:26.290$ Unfortunately, the US Preventive Services

NOTE Confidence: 0.90739983

 $00{:}03{:}26.290 \dashrightarrow 00{:}03{:}29.853$ Task Force which is given the power

NOTE Confidence: 0.90739983

 $00:03:29.853 \longrightarrow 00:03:32.505$ to review and make recommendations on

NOTE Confidence: 0.90739983

00:03:32.505 --> 00:03:35.488 what kind of screening is necessary,

 $00:03:35.490 \longrightarrow 00:03:38.339$ in 2016, finally gave prostate cancer a

NOTE Confidence: 0.90739983

 $00:03:38.339 \longrightarrow 00:03:41.673$ more likely to be beneficial than not

NOTE Confidence: 0.90739983

00:03:41.673 --> 00:03:44.540 in terms of prostate cancer screening,

NOTE Confidence: 0.90739983

 $00:03:44.540 \longrightarrow 00:03:46.700$ so it is still, however,

NOTE Confidence: 0.90739983

 $00:03:46.700 \longrightarrow 00:03:49.280$ something that not everyone does routinely.

NOTE Confidence: 0.90739983

 $00:03:49.280 \longrightarrow 00:03:52.288$ I think for a man who is concerned

NOTE Confidence: 0.90739983

00:03:52.288 --> 00:03:54.889 about possibly having prostate cancer,

NOTE Confidence: 0.90739983

 $00:03:54.890 \longrightarrow 00:03:57.040$ they definitely should be screened.

NOTE Confidence: 0.90739983

 $00{:}03{:}57.040 \dashrightarrow 00{:}04{:}00.057$ There are men who preferred not to,

NOTE Confidence: 0.90739983

 $00:04:00.060 \longrightarrow 00:04:01.353$ and the language,

NOTE Confidence: 0.90739983

 $00{:}04{:}01.353 \dashrightarrow 00{:}04{:}04.370$ as used in many of the guidelines,

NOTE Confidence: 0.90739983

 $00:04:04.370 \longrightarrow 00:04:05.690$ is informed decision-making.

NOTE Confidence: 0.90739983

00:04:05.690 --> 00:04:07.890 And informed decision making is

NOTE Confidence: 0.90739983

 $00:04:07.890 \longrightarrow 00:04:09.900$ a challenging term because who

NOTE Confidence: 0.90739983

 $00:04:09.900 \longrightarrow 00:04:11.324$ is informing the patient?

NOTE Confidence: 0.90739983

 $00:04:11.330 \longrightarrow 00:04:13.085$ Very often primary care physicians

 $00:04:13.085 \longrightarrow 00:04:16.126$ do not have time to have a full

NOTE Confidence: 0.90739983

 $00:04:16.126 \longrightarrow 00:04:17.742$ informed discussion with their

NOTE Confidence: 0.90739983

 $00:04:17.742 \longrightarrow 00:04:20.640$ patients about what are the risks and

NOTE Confidence: 0.90739983

 $00:04:20.640 \longrightarrow 00:04:22.665$ benefits of prostate cancer screening.

NOTE Confidence: 0.90739983

 $00:04:22.670 \longrightarrow 00:04:25.942$ And so it is kind of challenging for

NOTE Confidence: 0.90739983

 $00:04:25.942 \longrightarrow 00:04:30.052$ them to be able to figure out when they

NOTE Confidence: 0.90739983

 $00:04:30.052 \longrightarrow 00:04:33.467$ should screen and when they should not.

NOTE Confidence: 0.90739983

 $00:04:33.470 \longrightarrow 00:04:35.355$ As urologists we are very comfortable

NOTE Confidence: 0.90739983

00:04:35.355 --> 00:04:36.863 having those discussions,

NOTE Confidence: 0.90739983

 $00{:}04{:}36.870 \longrightarrow 00{:}04{:}39.894$ but it's hard to say that across the

NOTE Confidence: 0.90739983

00:04:39.894 --> 00:04:42.096 board everyone should be screened.

00:04:48.370 --> 00:04:51.090 I think I'm still a little confused because,

NOTE Confidence: 0.8970561

 $00:04:51.090 \longrightarrow 00:04:52.790$ you know, at least coming

NOTE Confidence: 0.8970561

 $00:04:52.790 \longrightarrow 00:04:54.490$ from the breast cancer world,

NOTE Confidence: 0.8970561

00:04:54.490 --> 00:04:57.550 which is kind of my neck of the woods,

NOTE Confidence: 0.8970561

 $00:04:57.550 \longrightarrow 00:05:00.086$ it seems to me that screening

 $00:05:00.086 \longrightarrow 00:05:02.308$ allows people to detect cancer earlier,

NOTE Confidence: 0.8970561

 $00{:}05{:}02.310 \dashrightarrow 00{:}05{:}05.710$ so if you told a woman

NOTE Confidence: 0.8970561

 $00:05:05.710 \longrightarrow 00:05:07.410$ you can get a mammogram,

NOTE Confidence: 0.8970561

 $00:05:07.410 \longrightarrow 00:05:10.130$ but it's really up to you,

NOTE Confidence: 0.8970561

00:05:10.130 --> 00:05:11.830 most women would say, well,

NOTE Confidence: 0.8970561

 $00:05:11.830 \longrightarrow 00:05:14.557$ I want to detect cancer early so that it

NOTE Confidence: 0.8970561

 $00:05:14.557 \longrightarrow 00:05:17.239$ can be treated more effectively and it

NOTE Confidence: 0.8970561

 $00:05:17.239 \longrightarrow 00:05:20.298$ reduces my chances of dying of the disease.

NOTE Confidence: 0.8970561

 $00:05:20.300 \longrightarrow 00:05:22.304$ So what does that conversation really

NOTE Confidence: 0.8970561

 $00:05:22.304 \longrightarrow 00:05:24.839$ look like in terms of prostate cancer?

NOTE Confidence: 0.8970561

 $00{:}05{:}24.840 \to 00{:}05{:}27.972$ When you're talking to a man about,

NOTE Confidence: 0.8970561

 $00{:}05{:}27.980 \dashrightarrow 00{:}05{:}29.720$ should you get prostate cancer

NOTE Confidence: 0.8970561

 $00:05:29.720 \longrightarrow 00:05:30.764$ screening or not?

NOTE Confidence: 0.8970561

00:05:30.770 --> 00:05:32.720 Let's suppose that they don't have

NOTE Confidence: 0.8970561

 $00:05:32.720 \longrightarrow 00:05:34.960$ one of those high risk features.

00:05:34.960 --> 00:05:37.172 They haven't had a family history and

NOTE Confidence: 0.8970561

 $00:05:37.172 \longrightarrow 00:05:39.840$ they are not of Afro Caribbean descent,

NOTE Confidence: 0.8970561

 $00:05:39.840 \longrightarrow 00:05:42.283$ but they are your regular 60

NOTE Confidence: 0.8970561

 $00:05:42.283 \longrightarrow 00:05:44.212$ year old Caucasian gentleman who

NOTE Confidence: 0.8970561

00:05:44.212 --> 00:05:46.252 really doesn't have family history

NOTE Confidence: 0.8970561

 $00:05:46.252 \longrightarrow 00:05:48.648$ of cancer but doesn't want to be

NOTE Confidence: 0.8970561

 $00:05:48.648 \longrightarrow 00:05:50.776$ the first one to get it either.

NOTE Confidence: 0.8970561

 $00:05:50.776 \longrightarrow 00:05:54.038$ And doesn't want to find it late.

NOTE Confidence: 0.8970561

 $00:05:54.040 \longrightarrow 00:05:56.260$ What does that conversation look like?

 $00:05:57.370 \longrightarrow 00:05:59.590$ How do men make that decision?

NOTE Confidence: 0.8970561

 $00{:}05{:}59.590 \dashrightarrow 00{:}06{:}01.921$ because it seems to me that a

NOTE Confidence: 0.8970561

 $00:06:01.921 \longrightarrow 00:06:03.818$ lot of gentlemen are going

NOTE Confidence: 0.8970561

 $00{:}06{:}03.818 \dashrightarrow 00{:}06{:}05.878$ to do whatever you recommend.

NOTE Confidence: 0.91886014

 $00{:}06{:}07.080 \dashrightarrow 00{:}06{:}09.924$ I think you hit it on the head

NOTE Confidence: 0.91886014

 $00:06:09.924 \longrightarrow 00:06:12.966$ when you said men don't want to be the

NOTE Confidence: 0.91886014

 $00:06:12.966 \longrightarrow 00:06:16.098$ first one to be diagnosed with it either.

 $00:06:16.100 \longrightarrow 00:06:18.800$ I think there is a large

NOTE Confidence: 0.91886014

00:06:18.800 --> 00:06:22.388 component of fear.

NOTE Confidence: 0.91886014

 $00:06:22.390 \longrightarrow 00:06:24.750$ And as we discussed mens health,

NOTE Confidence: 0.91886014

00:06:24.750 --> 00:06:28.558 many men do not necessarily take care of

NOTE Confidence: 0.91886014

 $00:06:28.558 \longrightarrow 00:06:31.809$ themselves to the extent that women do,

NOTE Confidence: 0.91886014

 $00:06:31.810 \longrightarrow 00:06:34.626$ and so in a sense, we,

NOTE Confidence: 0.91886014

 $00{:}06{:}34.626 \dashrightarrow 00{:}06{:}37.362$ as urologists and as physicians that

NOTE Confidence: 0.91886014

 $00:06:37.362 \longrightarrow 00:06:39.820$ are concerned with men's health,

NOTE Confidence: 0.91886014

 $00:06:39.820 \longrightarrow 00:06:43.246$ a large part of it is

NOTE Confidence: 0.91886014

 $00:06:43.250 \longrightarrow 00:06:44.902$ an information campaign to

NOTE Confidence: 0.91886014

 $00{:}06{:}44.902 \dashrightarrow 00{:}06{:}47.931$ reassure men that we do have ways

NOTE Confidence: 0.91886014

 $00:06:47.931 \longrightarrow 00:06:50.306$ of managing these scary diseases,

NOTE Confidence: 0.91886014

 $00:06:50.310 \longrightarrow 00:06:53.574$ so the conversations are a large part

NOTE Confidence: 0.91886014

 $00:06:53.574 \longrightarrow 00:06:56.039$ about information,

NOTE Confidence: 0.91886014

 $00:06:56.040 \longrightarrow 00:06:58.749$ and helping men assess what is their

NOTE Confidence: 0.91886014

 $00{:}06{:}58.749 \dashrightarrow 00{:}07{:}01.768$ actual risk of having prostate cancer.

 $00:07:01.770 \longrightarrow 00:07:04.416$ What is the drawback to screening?

NOTE Confidence: 0.91886014

 $00:07:04.420 \longrightarrow 00:07:07.066$ What is a drawback to having

NOTE Confidence: 0.91886014

 $00:07:07.066 \longrightarrow 00:07:08.830$ a simple blood test,

NOTE Confidence: 0.91886014

 $00:07:08.830 \longrightarrow 00:07:11.082$ which can be exceptionally

NOTE Confidence: 0.91886014

00:07:11.082 --> 00:07:13.334 reassuring if it's normal

NOTE Confidence: 0.91886014

 $00:07:13.340 \longrightarrow 00:07:15.180$ and a little bit anxiety provoking

NOTE Confidence: 0.91886014

 $00:07:15.180 \longrightarrow 00:07:16.227$ if it's not.

NOTE Confidence: 0.91886014

 $00{:}07{:}16.227 \dashrightarrow 00{:}07{:}19.580$ But then what are the benefits of doing that?

NOTE Confidence: 0.91886014

 $00:07:19.580 \longrightarrow 00:07:21.960$ So there are more extended risk benefit

NOTE Confidence: 0.91886014

 $00:07:21.960 \longrightarrow 00:07:24.348$ discussions on a pretty routine basis.

NOTE Confidence: 0.91886014

 $00{:}07{:}25.096 \dashrightarrow 00{:}07{:}26.961$ Overall the important thing to

NOTE Confidence: 0.91886014

 $00:07:26.961 \longrightarrow 00:07:28.833$ understand is that

NOTE Confidence: 0.91886014

00:07:28.833 --> 00:07:30.217 prostate cancer is common,

NOTE Confidence: 0.91886014

 $00:07:30.220 \longrightarrow 00:07:33.523$ but it's not so common that everyone gets it.

NOTE Confidence: 0.91886014

00:07:33.530 --> 00:07:35.034 It's common enough though,

 $00:07:35.034 \longrightarrow 00:07:37.731$ that most men as they get older

NOTE Confidence: 0.91886014

00:07:37.731 --> 00:07:40.265 are at risk and it's worth having

NOTE Confidence: 0.91886014

 $00:07:40.265 \longrightarrow 00:07:42.451$ some simple tests to evaluate if

NOTE Confidence: 0.91886014

 $00:07:42.451 \longrightarrow 00:07:44.988$ you are at higher risk than others.

NOTE Confidence: 0.91886014

00:07:44.988 --> 00:07:47.676 Because cancer can definitely be

NOTE Confidence: 0.91886014

00:07:47.676 --> 00:07:50.450 treated and stopped in his tracks, right?

NOTE Confidence: 0.8847773

 $00:07:50.450 \longrightarrow 00:07:53.040$ So it sounds like the general recommendation,

NOTE Confidence: 0.8847773

 $00:07:53.040 \longrightarrow 00:07:55.260$ and I know that

NOTE Confidence: 0.8847773

 $00{:}07{:}55.260 \dashrightarrow 00{:}07{:}57.480$ we don't always want to give

NOTE Confidence: 0.8847773

 $00:07:57.480 \longrightarrow 00:07:58.220$ general recommendations,

NOTE Confidence: 0.8847773

 $00{:}07{:}58.220 \dashrightarrow 00{:}08{:}00.794$ but it seems to me that in general this

NOTE Confidence: 0.8847773

 $00:08:00.794 \longrightarrow 00:08:03.191$ is something that people really should

NOTE Confidence: 0.8847773

 $00{:}08{:}03.191 \dashrightarrow 00{:}08{:}06.126$ consider and vtalk to their doctor

NOTE Confidence: 0.8847773

 $00{:}08{:}06.126 \dashrightarrow 00{:}08{:}08.580$ about in terms of getting screened.

NOTE Confidence: 0.8847773

 $00:08:08.580 \longrightarrow 00:08:11.163$ So let's move on to the next kind

NOTE Confidence: 0.8847773

 $00:08:11.163 \longrightarrow 00:08:14.126$ of phase after screening comes detection,

 $00:08:14.130 \longrightarrow 00:08:16.890$ and you alluded to some of the really

NOTE Confidence: 0.8847773

 $00:08:16.890 \longrightarrow 00:08:19.058$ interesting work that's been happening

NOTE Confidence: 0.8847773

 $00:08:19.060 \longrightarrow 00:08:21.196$ and pioneered really here at Yale.

NOTE Confidence: 0.8847773

 $00:08:21.200 \longrightarrow 00:08:23.784$ Tell us more about that work and

NOTE Confidence: 0.8847773

 $00{:}08{:}23.784 \longrightarrow 00{:}08{:}26.814$ where we are in terms of state of the

NOTE Confidence: 0.8847773

 $00:08:26.814 \longrightarrow 00:08:29.029$ art detection for prostate cancer.

NOTE Confidence: 0.8447579

 $00:08:30.500 \longrightarrow 00:08:32.957$ The first step as you

NOTE Confidence: 0.8447579

 $00:08:32.957 \longrightarrow 00:08:34.933$ mentioned is screening so that the

NOTE Confidence: 0.8447579

 $00:08:34.933 \longrightarrow 00:08:37.364$ first test with a PSA blood test and a

NOTE Confidence: 0.8447579

 $00:08:37.364 \longrightarrow 00:08:39.548$ prostate exam are the initial ways

NOTE Confidence: 0.8447579

 $00:08:39.548 \longrightarrow 00:08:42.332$ that we evaluate if a man may be at

NOTE Confidence: 0.8447579

 $00:08:42.332 \longrightarrow 00:08:44.700$ risk for harboring a prostate cancer.

 $00:08:46.720 \longrightarrow 00:08:49.720$ As you mentioned, Yale was one of the

NOTE Confidence: 0.8447579

 $00{:}08{:}49.720 \longrightarrow 00{:}08{:}52.320$ first sites around the country to

NOTE Confidence: 0.8447579

 $00:08:52.320 \longrightarrow 00:08:55.452$ be interested in use an MRI or a non

NOTE Confidence: 0.8447579

 $00:08:55.452 \longrightarrow 00:08:58.666$ invasive imaging test to evaluate a prostate

 $00{:}08{:}58.670 \dashrightarrow 00{:}09{:}01.052$ and look at a prostate for

NOTE Confidence: 0.8447579

 $00:09:01.052 \longrightarrow 00:09:02.640$ possible cancers within it.

NOTE Confidence: 0.8447579

 $00:09:02.640 \longrightarrow 00:09:04.585$ It's really interesting as the

NOTE Confidence: 0.8447579

 $00{:}09{:}04.585 \dashrightarrow 00{:}09{:}07.010$ prostate is the only solid organ

NOTE Confidence: 0.8447579

00:09:07.010 --> 00:09:09.386 until we started doing these mris,

NOTE Confidence: 0.8447579

 $00:09:09.390 \longrightarrow 00:09:12.326$ for which we did not have cross sectional

NOTE Confidence: 0.8447579

 $00:09:12.326 \longrightarrow 00:09:15.191$ imaging that could look inside the

NOTE Confidence: 0.8447579

 $00:09:15.191 \longrightarrow 00:09:18.130$ inside that organ to evaluate for tumors.

NOTE Confidence: 0.8447579

 $00:09:18.130 \longrightarrow 00:09:20.846$ So this has been a real boon

NOTE Confidence: 0.8447579

 $00:09:20.846 \longrightarrow 00:09:23.568$ in terms of our ability to

NOTE Confidence: 0.8447579

 $00:09:23.570 \longrightarrow 00:09:24.207$ diagnose prostate cancer in

NOTE Confidence: 0.8447579

 $00:09:24.207 \longrightarrow 00:09:28.666$ a non invasive manner.

NOTE Confidence: 0.8592296

 $00:09:30.220 \longrightarrow 00:09:32.488$ And so if somebody's

NOTE Confidence: 0.8592296

 $00:09:32.488 \longrightarrow 00:09:34.887$ PSA comes back high or

NOTE Confidence: 0.8592296

00:09:34.887 --> 00:09:36.915 somebody finds a lump in their

00:09:36.994 --> 00:09:39.299 prostate on digital rectal exam,

NOTE Confidence: 0.8592296

 $00:09:39.300 \longrightarrow 00:09:41.470$ is that the next step?

NOTE Confidence: 0.8592296

 $00:09:41.470 \longrightarrow 00:09:43.648$ It is at our institution.

NOTE Confidence: 0.8592296

 $00:09:43.650 \longrightarrow 00:09:46.184$ It is not the next step everywhere,

NOTE Confidence: 0.8592296

 $00:09:46.190 \longrightarrow 00:09:47.875$ because the reading and performance

NOTE Confidence: 0.8592296

 $00:09:47.875 \longrightarrow 00:09:50.405$ of the mris is an acquired skill

NOTE Confidence: 0.8592296

 $00:09:50.405 \longrightarrow 00:09:52.355$ and it does take experience.

NOTE Confidence: 0.8592296

00:09:52.360 --> 00:09:54.810 It is becoming more widespread to use

NOTE Confidence: 0.8592296

00:09:54.810 --> 00:09:58.167 an MRI of the prostate as the next step,

NOTE Confidence: 0.8592296

 $00:09:58.170 \longrightarrow 00:10:00.120$ and there recently have been

NOTE Confidence: 0.8592296

 $00{:}10{:}00.120 \dashrightarrow 00{:}10{:}02.676$ some publications in major medical journals,

NOTE Confidence: 0.8592296

 $00:10:02.680 \longrightarrow 00:10:04.380$ including the New England

NOTE Confidence: 0.8592296

00:10:04.380 --> 00:10:05.655 Journal of Medicine,

NOTE Confidence: 0.8592296

00:10:05.660 --> 00:10:08.210 looking at MRI of the prostate,

NOTE Confidence: 0.8592296

 $00:10:08.210 \longrightarrow 00:10:10.220$ and really the important thing

NOTE Confidence: 0.8592296

 $00:10:10.220 \longrightarrow 00:10:12.761$ about MRI is combining it with

 $00{:}10{:}12.761 \dashrightarrow 00{:}10{:}14.597$ a targeted prostate biopsy.

NOTE Confidence: 0.8592296

 $00:10:14.600 \longrightarrow 00:10:16.628$ So then using that information from

NOTE Confidence: 0.8592296

 $00:10:16.628 \longrightarrow 00:10:19.412$ the MRI and if suspicious areas are

NOTE Confidence: 0.8592296

 $00{:}10{:}19.412 \dashrightarrow 00{:}10{:}21.224$ identified using that information

NOTE Confidence: 0.8592296

00:10:21.224 --> 00:10:23.643 to target or direct prostate

NOTE Confidence: 0.8592296

00:10:23.643 --> 00:10:26.108 biopsies to detect prostate cancer,

NOTE Confidence: 0.8592296

00:10:26.110 --> 00:10:28.660 the MRI alone is very useful,

NOTE Confidence: 0.8592296

 $00:10:28.660 \longrightarrow 00:10:30.840$ but it's really in combination

NOTE Confidence: 0.8592296

 $00:10:30.840 \longrightarrow 00:10:32.148$ with the biopsy.

NOTE Confidence: 0.8592296

 $00:10:32.150 \longrightarrow 00:10:35.286$ And is MRI

NOTE Confidence: 0.8603246

 $00{:}10{:}35.290 {\:{\circ}{\circ}{\circ}}>00{:}10{:}37.250$ covered by insurance

NOTE Confidence: 0.8603246

 $00:10:37.250 \longrightarrow 00:10:39.632$ for people who are at risk

NOTE Confidence: 0.8603246

00:10:39.632 --> 00:10:41.560 of prostate cancer or

NOTE Confidence: 0.8603246

 $00:10:41.560 \longrightarrow 00:10:43.145$ people who have an elevated

NOTE Confidence: 0.8603246

 $00:10:43.145 \longrightarrow 00:10:45.809$ PSA and so on, are most

00:10:45.809 --> 00:10:47.825 insurance companies covering this?

NOTE Confidence: 0.8603246

00:10:47.830 --> 00:10:49.398 I would say most

NOTE Confidence: 0.8603246

 $00:10:49.400 \longrightarrow 00:10:51.360$ are and especially now after

NOTE Confidence: 0.8603246

 $00:10:51.360 \longrightarrow 00:10:53.320$ some of those recent articles,

NOTE Confidence: 0.8603246

00:10:53.320 --> 00:10:56.448 including the one in the New England Journal,

NOTE Confidence: 0.8603246

 $00:10:56.450 \longrightarrow 00:10:58.808$ there is more support of that,

NOTE Confidence: 0.8603246

 $00:10:58.810 \longrightarrow 00:11:01.624$ but there still are some insurance

NOTE Confidence: 0.8603246

00:11:01.624 --> 00:11:04.798 companies that will not pay for an MRI

NOTE Confidence: 0.8603246

 $00{:}11{:}04.800 \longrightarrow 00{:}11{:}07.030$ as an initial diagnostic biopsy,

NOTE Confidence: 0.8603246

 $00:11:07.030 \longrightarrow 00:11:09.706$ they still require an initial transrectal

NOTE Confidence: 0.8603246

 $00{:}11{:}09.706 \dashrightarrow 00{:}11{:}11.490$ ultrasound guided prostate biopsy,

NOTE Confidence: 0.8603246

 $00:11:11.490 \longrightarrow 00:11:14.563$ which is the goal which has been

NOTE Confidence: 0.8603246

 $00:11:14.563 \longrightarrow 00:11:17.289$ the gold standard for 30-40 years.

NOTE Confidence: 0.85390764

00:11:19.320 --> 00:11:20.880 They will require that first,

NOTE Confidence: 0.85390764

00:11:20.880 --> 00:11:23.312 and only if that does not detect cancer

NOTE Confidence: 0.85390764

 $00:11:23.312 \longrightarrow 00:11:25.868$ would they pay for an MRI targeted biopsy.

00:11:25.870 --> 00:11:27.118 I believe we're continuing

NOTE Confidence: 0.85390764

 $00:11:27.118 \longrightarrow 00:11:28.994$ to see a shift, though toward

NOTE Confidence: 0.85390764

 $00:11:28.994 \longrightarrow 00:11:31.490$ use of MRI as an initial diagnostic tool.

NOTE Confidence: 0.85390764

 $00:11:31.490 \longrightarrow 00:11:34.298$ In the United Kingdom

NOTE Confidence: 0.85390764

 $00:11:34.300 \longrightarrow 00:11:35.672$ it actually is mandatory.

NOTE Confidence: 0.85390764

00:11:35.672 --> 00:11:37.387 Anyone with an abnormal PSA

NOTE Confidence: 0.85390764

 $00:11:37.387 \longrightarrow 00:11:38.980$ that next step is an MRI,

NOTE Confidence: 0.85390764

 $00{:}11{:}38.980 \dashrightarrow 00{:}11{:}41.779$ and they use it as a screening tool.

NOTE Confidence: 0.85390764

 $00:11:41.780 \longrightarrow 00:11:43.652$ We're not quite to that point

NOTE Confidence: 0.85390764

 $00:11:43.652 \longrightarrow 00:11:44.900$ yet in the United

NOTE Confidence: 0.85390764

 $00:11:44.900 \longrightarrow 00:11:46.778$ States.

NOTE Confidence: 0.85390764

 $00:11:46.780 \longrightarrow 00:11:48.064$ That's so interesting because we always think

NOTE Confidence: 0.85390764

00:11:48.064 --> 00:11:49.669 about the UK as being

NOTE Confidence: 0.85390764

00:11:49.670 --> 00:11:51.818 a country that really does put

NOTE Confidence: 0.85390764

 $00:11:51.818 \longrightarrow 00:11:54.375$ a premium on value in terms of

00:11:54.375 --> 00:11:56.825 healthcare costs and so on

NOTE Confidence: 0.85390764

 $00{:}11{:}56.907 \dashrightarrow 00{:}11{:}59.317$ and their National Health System.

NOTE Confidence: 0.85390764

00:11:59.320 --> 00:12:01.636 It seems if they're adopting it,

NOTE Confidence: 0.85390764

 $00:12:01.640 \longrightarrow 00:12:04.480$ they have such a rigorous process to

NOTE Confidence: 0.85390764

00:12:04.480 --> 00:12:07.427 make sure that things are cost effective,

NOTE Confidence: 0.85390764

 $00:12:07.430 \longrightarrow 00:12:10.125$ that that would be reasonable to adopt.

 $00{:}12{:}11.290 \dashrightarrow 00{:}12{:}13.796$ I think we're starting to get into

NOTE Confidence: 0.87191916

 $00:12:13.796 \longrightarrow 00:12:16.907$ some of the nuances of

NOTE Confidence: 0.87191916

 $00{:}12{:}16.907 \dashrightarrow 00{:}12{:}19.371$ the health care systems and some

NOTE Confidence: 0.87191916

 $00:12:19.371 \longrightarrow 00:12:21.975$ of the cost and price disparities

NOTE Confidence: 0.87191916

 $00{:}12{:}21.980 \dashrightarrow 00{:}12{:}24.140$ across providers that we see in

NOTE Confidence: 0.87191916

00:12:24.140 --> 00:12:26.739 the United States,

NOTE Confidence: 0.87191916

 $00:12:26.740 \longrightarrow 00:12:29.122$ which is a much bigger and

NOTE Confidence: 0.87191916

 $00{:}12{:}29.122 \dashrightarrow 00{:}12{:}30.313$ more complicated discussion.

NOTE Confidence: 0.87191916

 $00:12:30.320 \longrightarrow 00:12:32.906$ But in general MRI is significantly

NOTE Confidence: 0.87191916

 $00:12:32.906 \longrightarrow 00:12:35.877$ cheaper across the pond than it is here.

 $00:12:36.990 \longrightarrow 00:12:39.150$ Interesting, so the next step,

NOTE Confidence: 0.87789434

 $00:12:39.150 \longrightarrow 00:12:42.590$ as you mentioned that goes hand in hand

NOTE Confidence: 0.87789434

 $00:12:42.590 \longrightarrow 00:12:46.055$ with the MRI of course is the biopsy.

NOTE Confidence: 0.87789434

 $00:12:46.060 \longrightarrow 00:12:48.988$ So tell me a little bit more

NOTE Confidence: 0.87789434

 $00:12:48.988 \longrightarrow 00:12:52.253$ about some of the work that's been

NOTE Confidence: 0.87789434

 $00:12:52.253 \longrightarrow 00:12:54.693$ going on with prostate biopsies.

NOTE Confidence: 0.87789434

 $00{:}12{:}54.700 \dashrightarrow 00{:}12{:}57.340$ I understand that people are now

NOTE Confidence: 0.87789434

00:12:57.340 --> 00:12:59.100 looking at artificial intelligence

NOTE Confidence: 0.87789434

 $00{:}12{:}59.166 \dashrightarrow 00{:}13{:}01.246$ and machine learning to improve

NOTE Confidence: 0.87789434

00:13:01.246 --> 00:13:02.910 biopsies of the prostate.

NOTE Confidence: 0.87789434

 $00{:}13{:}02.910 \dashrightarrow 00{:}13{:}05.070$ That just sounds so Avantgarde.

NOTE Confidence: 0.82170516

 $00:13:07.410 \longrightarrow 00:13:10.418$ Well it is. It is one of the

NOTE Confidence: 0.82170516

00:13:10.418 --> 00:13:12.460 directions that

NOTE Confidence: 0.82170516

 $00:13:12.460 \longrightarrow 00:13:14.888$ we are embracing technology

NOTE Confidence: 0.82170516

 $00:13:14.888 \longrightarrow 00:13:17.923$ to improve what we do

NOTE Confidence: 0.82170516

 $00{:}13{:}17.930 \dashrightarrow 00{:}13{:}19.630$ using that same MRI image

00:13:19.630 --> 00:13:22.140 in an MRI of the prostate,

NOTE Confidence: 0.82170516

 $00:13:22.140 \longrightarrow 00:13:24.620$ we are able to make a 3D model

NOTE Confidence: 0.82170516

 $00:13:24.620 \longrightarrow 00:13:27.036$ of the prostate gland and we

NOTE Confidence: 0.82170516

 $00{:}13{:}27.036 \dashrightarrow 00{:}13{:}29.598$ combine that with a real time

NOTE Confidence: 0.82170516

 $00{:}13{:}29.690 \dashrightarrow 00{:}13{:}32.708$ ultrasound 3D model of the prostate

NOTE Confidence: 0.82170516

 $00:13:32.710 \longrightarrow 00:13:34.936$ to guide our needle biopsy in

NOTE Confidence: 0.82170516

 $00:13:34.936 \longrightarrow 00:13:37.275$ the office so it's different than

NOTE Confidence: 0.82170516

 $00{:}13{:}37.275 \dashrightarrow 00{:}13{:}39.977$ doing it in the MRI scanner where

NOTE Confidence: 0.82170516

00:13:39.977 --> 00:13:42.227 you do have an image and you

NOTE Confidence: 0.82170516

00:13:42.227 --> 00:13:44.864 have a 2D image and you can place

NOTE Confidence: 0.82170516

 $00:13:44.864 \longrightarrow 00:13:47.350$ the needle by using 3D imaging

NOTE Confidence: 0.82170516

 $00:13:47.350 \longrightarrow 00:13:49.590$ which allows us to perform the procedure

NOTE Confidence: 0.82170516

 $00:13:49.590 \longrightarrow 00:13:51.633$ in the office in the outpatient

NOTE Confidence: 0.82170516

 $00:13:51.633 \longrightarrow 00:13:54.006$ setting in a more convenient and for

NOTE Confidence: 0.82170516

 $00:13:54.071 \longrightarrow 00:13:56.266$ many patients more comfortable way.

 $00:13:56.270 \longrightarrow 00:13:58.556$ The machine learning is

NOTE Confidence: 0.82170516

 $00{:}13{:}58.556 \dashrightarrow 00{:}14{:}00.792$ enhancing our modeling so it is

NOTE Confidence: 0.82170516

00:14:00.792 --> 00:14:02.700 making the way that we target

NOTE Confidence: 0.82170516

 $00:14:02.700 \longrightarrow 00:14:04.836$ the biopsy is much more accurate.

NOTE Confidence: 0.86124295

 $00:14:05.520 \longrightarrow 00:14:08.896$ We need to do delve more into that,

NOTE Confidence: 0.86124295

 $00{:}14{:}08.900 \dashrightarrow 00{:}14{:}11.860$ but first we need to take short break

NOTE Confidence: 0.86124295

00:14:11.860 --> 00:14:14.824 for a medical minute. Please stay

NOTE Confidence: 0.86124295

00:14:14.824 --> 00:14:17.360 tuned to learn more about prostate

NOTE Confidence: 0.86124295

 $00:14:17.360 \longrightarrow 00:14:19.480$ cancer with my guest doctor

NOTE Confidence: 0.86124295

00:14:19.480 --> 00:14:21.550 Preston Spenkle.

NOTE Confidence: 0.86124295

 $00:14:21.550 \longrightarrow 00:14:24.130$ Support for Yale Cancer Answers comes from

Astra Zeneca.

NOTE Confidence: 0.86124295

00:14:24.130 --> 00:14:25.786 Proud partner and personalized

NOTE Confidence: 0.86124295

 $00{:}14{:}25.786 \dashrightarrow 00{:}14{:}27.028$ medicine developing tailored

NOTE Confidence: 0.86124295

00:14:27.028 --> 00:14:28.790 treatments for cancer patients.

NOTE Confidence: 0.86124295

 $00{:}14{:}28.790 \dashrightarrow 00{:}14{:}32.130$ Learn more at a strazeneca-us.com.

 $00:14:32.130 \longrightarrow 00:14:34.916$ This is a medical minute about Melanoma.

NOTE Confidence: 0.86124295

 $00{:}14{:}34.920 \dashrightarrow 00{:}14{:}36.920$ While Melanoma accounts for only

NOTE Confidence: 0.86124295

 $00:14:36.920 \longrightarrow 00:14:39.168$ about 4% of skin cancer cases,

NOTE Confidence: 0.86124295

00:14:39.168 --> 00:14:41.340 it causes the most skin cancer

NOTE Confidence: 0.86124295

 $00:14:41.417 \longrightarrow 00:14:43.297$ deaths. When detected early,

NOTE Confidence: 0.86124295

00:14:43.300 --> 00:14:45.290 however, Melanoma is easily treated

NOTE Confidence: 0.86124295

 $00:14:45.290 \longrightarrow 00:14:46.882$ and highly curable. Clinical

NOTE Confidence: 0.86124295

00:14:46.890 --> 00:14:49.182 trials are currently underway to test

NOTE Confidence: 0.86124295

 $00:14:49.182 \longrightarrow 00:14:51.280$ innovative new treatments for Melanoma.

NOTE Confidence: 0.86124295

 $00:14:51.280 \longrightarrow 00:14:53.806$ The goal of the specialized programs

NOTE Confidence: 0.86124295

 $00{:}14{:}53.806 \dashrightarrow 00{:}14{:}56.299$ of research excellence in skin cancer

NOTE Confidence: 0.86124295

00:14:56.299 --> 00:14:58.868 or spore grant is to better understand

NOTE Confidence: 0.86124295

 $00:14:58.868 \longrightarrow 00:15:02.063$ the biology of skin cancer with a focus

NOTE Confidence: 0.86124295

 $00:15:02.063 \longrightarrow 00:15:04.585$ on discovering targets that will lead

NOTE Confidence: 0.86124295

 $00:15:04.585 \longrightarrow 00:15:06.810$ to improved diagnosis and treatment.

NOTE Confidence: 0.86124295

 $00:15:06.810 \longrightarrow 00:15:08.914$ More information is available

 $00:15:08.914 \longrightarrow 00:15:09.966$ at yalecancercenter.org.

NOTE Confidence: 0.86124295

 $00:15:09.970 \longrightarrow 00:15:15.130$ You're listening to Connecticut public radio.

NOTE Confidence: 0.86124295

 $00:15:15.130 \longrightarrow 00:15:15.550$ Welcome

NOTE Confidence: 0.8515469

 $00:15:15.550 \longrightarrow 00:15:17.640$ back to Yale Cancer Answers.

NOTE Confidence: 0.8515469

00:15:17.640 --> 00:15:19.901 This is doctor Anees Chagpar

NOTE Confidence: 0.8515469

00:15:19.901 --> 00:15:23.055 and I am joined to night by my

NOTE Confidence: 0.8515469

 $00:15:23.055 \longrightarrow 00:15:25.155$ guest doctor Preston Sprenkle.

NOTE Confidence: 0.8515469

 $00:15:25.160 \longrightarrow 00:15:27.360$ We're talking about diagnosis and

NOTE Confidence: 0.8515469

 $00:15:27.360 \longrightarrow 00:15:29.560$ treatment of prostate cancer and

NOTE Confidence: 0.8515469

 $00{:}15{:}29.629 \dashrightarrow 00{:}15{:}31.945$ right before the break Preston you

NOTE Confidence: 0.8515469

 $00{:}15{:}31.945 \dashrightarrow 00{:}15{:}34.390$ were talking about this really cool

NOTE Confidence: 0.8515469

 $00{:}15{:}34.390 \dashrightarrow 00{:}15{:}36.868$ technique of using MRI to diagnose

NOTE Confidence: 0.8515469

 $00{:}15{:}36.868 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}15{:}39.340$ prostate cancer and what was interesting

NOTE Confidence: 0.8515469

00:15:39.340 --> 00:15:42.296 was that you were talking about how

NOTE Confidence: 0.8515469

00:15:42.296 --> 00:15:44.804 that really gets paired with biopsy,

00:15:44.810 --> 00:15:47.000 but you're not doing biopsies

NOTE Confidence: 0.8515469

 $00{:}15{:}47.000 \dashrightarrow 00{:}15{:}48.312$ in the MRI suite,

NOTE Confidence: 0.8515469

00:15:48.312 --> 00:15:50.986 which I can imagine is just

NOTE Confidence: 0.8515469

 $00:15:50.986 \longrightarrow 00:15:52.751$ claustrophobic and not the most

NOTE Confidence: 0.8515469

 $00:15:52.751 \longrightarrow 00:15:54.867$ comfortable setting in the world for men.

NOTE Confidence: 0.8515469

00:15:54.870 --> 00:15:58.047 But tell me a little bit more about how

NOTE Confidence: 0.8515469

00:15:58.047 --> 00:16:01.355 you take that MRI guided image

NOTE Confidence: 0.8515469

00:16:01.360 --> 00:16:04.860 to actually guide a biopsy that you're

NOTE Confidence: 0.8515469

 $00{:}16{:}04.860 \dashrightarrow 00{:}16{:}07.700$ doing with ultrasound in your office.

NOTE Confidence: 0.8760629

 $00:16:08.560 \longrightarrow 00:16:10.912$ Yeah, so there are a few different

NOTE Confidence: 0.8760629

 $00{:}16{:}10.912 \dashrightarrow 00{:}16{:}12.590$ technologies that are available.

NOTE Confidence: 0.8760629

 $00:16:12.590 \longrightarrow 00:16:15.875$ We talk about this as sort of a fusion.

NOTE Confidence: 0.8760629

 $00:16:15.880 \longrightarrow 00:16:18.448$ How do we fuse these two images

NOTE Confidence: 0.8760629

 $00{:}16{:}18.448 \to 00{:}16{:}21.329$ and we can use cognitive fusion which

NOTE Confidence: 0.8760629

 $00:16:21.329 \longrightarrow 00:16:24.553$ is using the human brain to look at

NOTE Confidence: 0.8760629

00:16:24.553 --> 00:16:27.226 2 pictures side by side and say OK

 $00:16:27.226 \longrightarrow 00:16:29.788$ this looks like where they line up.

NOTE Confidence: 0.8760629

 $00:16:29.790 \longrightarrow 00:16:32.558$ We then use computer fusion which is what

NOTE Confidence: 0.8760629

 $00:16:32.558 \longrightarrow 00:16:35.639$ we use at Yale with our Artemis Device.

NOTE Confidence: 0.8760629

 $00:16:35.640 \longrightarrow 00:16:38.132$ And then there are quite a few

NOTE Confidence: 0.8760629

 $00:16:38.132 \longrightarrow 00:16:40.190$ of these computer fusion devices

NOTE Confidence: 0.8760629

 $00:16:40.190 \longrightarrow 00:16:42.470$ that exist around the world.

 $00:16:45.508 \longrightarrow 00:16:48.180$ And we like using this Artemis device because it

has,

NOTE Confidence: 0.8760629

00:16:48.180 --> 00:16:49.912 like I mentioned earlier,

NOTE Confidence: 0.8760629

 $00:16:49.912 \longrightarrow 00:16:53.037$ the ability to take a 3D model

NOTE Confidence: 0.8760629

00:16:53.037 --> 00:16:55.635 of the prostate from the MRI.

NOTE Confidence: 0.8760629

 $00:16:55.640 \longrightarrow 00:16:59.582$ We use Artemis Device to create a 3D model of

NOTE Confidence: 0.8760629

 $00:16:59.590 \longrightarrow 00:17:01.710$ the prostate with the ultrasound

NOTE Confidence: 0.8760629

 $00:17:01.710 \longrightarrow 00:17:04.339$ and then we overlap those and

NOTE Confidence: 0.8760629

 $00:17:04.339 \longrightarrow 00:17:06.494$ we're moving towards the computer

NOTE Confidence: 0.8760629

 $00:17:06.494 \longrightarrow 00:17:09.249$ having the ability to overlap them.

 $00:17:09.250 \longrightarrow 00:17:12.414$ Right now the urologist and surgeon are

NOTE Confidence: 0.8760629

 $00:17:12.420 \longrightarrow 00:17:14.460$ very involved in making sure

NOTE Confidence: 0.8760629

 $00:17:14.460 \longrightarrow 00:17:15.684$ the pictures lineup,

NOTE Confidence: 0.8760629

 $00:17:15.690 \longrightarrow 00:17:17.800$ but then the artificial intelligence

NOTE Confidence: 0.8760629

 $00:17:17.800 \longrightarrow 00:17:20.721$ side is learning what are the shapes

NOTE Confidence: 0.8760629

00:17:20.721 --> 00:17:22.929 of these prostates and can we predict

NOTE Confidence: 0.8760629

 $00:17:22.929 \longrightarrow 00:17:25.422$ how these prostates are going to

NOTE Confidence: 0.8760629

00:17:25.422 --> 00:17:27.954 deform and change and really matching

NOTE Confidence: 0.8760629

 $00:17:27.960 \longrightarrow 00:17:30.872$ up that fusion product or that model

NOTE Confidence: 0.8760629

 $00:17:30.872 \longrightarrow 00:17:33.760$ of the prostate so that it's much

NOTE Confidence: 0.8760629

 $00{:}17{:}33.760 \mathrel{--}{>} 00{:}17{:}35.730$ more precise and this translates

NOTE Confidence: 0.8760629

 $00:17:35.730 \longrightarrow 00:17:38.190$ to more accurate biopsies.

NOTE Confidence: 0.83939284

00:17:38.190 --> 00:17:40.890 The Artemis Device, just so that

NOTE Confidence: 0.83939284

00:17:40.890 --> 00:17:43.190 I've got this straight,

NOTE Confidence: 0.83939284

 $00:17:43.190 \longrightarrow 00:17:46.650$ I kind of get the idea that the

NOTE Confidence: 0.83939284

 $00{:}17{:}46.740 \dashrightarrow 00{:}17{:}50.550$ man goes in and gets an MRI of the prostate,

00:17:50.550 --> 00:17:53.840 just like you get an MRI of your

NOTE Confidence: 0.83939284

00:17:53.921 --> 00:17:56.805 knee or your brain or whatever else.

NOTE Confidence: 0.83939284

 $00:17:56.810 \longrightarrow 00:17:59.379$ They get an MRI of the prostate.

NOTE Confidence: 0.83939284

00:17:59.380 --> 00:18:02.180 This Artemis device kind of takes that

NOTE Confidence: 0.83939284

 $00{:}18{:}02.180 \dashrightarrow 00{:}18{:}04.612$ image and transforms it into an image

NOTE Confidence: 0.83939284

 $00:18:04.612 \longrightarrow 00:18:07.110$ that you could get with an ultrasound

NOTE Confidence: 0.88867766

 $00:18:07.110 \longrightarrow 00:18:09.686$ so that it can overlay it well.

NOTE Confidence: 0.88867766

 $00:18:09.690 \longrightarrow 00:18:10.719$ Interestingly,

NOTE Confidence: 0.88867766

 $00:18:10.719 \longrightarrow 00:18:12.777$ we still rely very much on

NOTE Confidence: 0.88867766

00:18:12.777 --> 00:18:14.599 non human interpretation so

NOTE Confidence: 0.88867766

 $00:18:14.600 \longrightarrow 00:18:16.290$ the radiologist takes the MRI,

NOTE Confidence: 0.88867766

 $00:18:16.290 \longrightarrow 00:18:19.660$ so a man will have an MRI of his prostate,

NOTE Confidence: 0.88867766

 $00{:}18{:}19.660 \dashrightarrow 00{:}18{:}21.694$ the radiologist will read that and will

NOTE Confidence: 0.88867766

00:18:21.694 --> 00:18:24.089 evaluate and look at the MRI for

NOTE Confidence: 0.88867766

 $00:18:24.089 \longrightarrow 00:18:25.714$ any areas that look suspicious,

 $00:18:25.720 \longrightarrow 00:18:27.796$ they grade it on a standardized grading

NOTE Confidence: 0.88867766

 $00{:}18{:}27.796 \dashrightarrow 00{:}18{:}29.881$ scale that was helped developed by

NOTE Confidence: 0.88867766

00:18:29.881 --> 00:18:32.114 one of our radiologist here at Yale,

NOTE Confidence: 0.88867766

 $00:18:32.120 \longrightarrow 00:18:32.794$ Jeff Weinreb.

NOTE Confidence: 0.88867766

 $00:18:32.794 \longrightarrow 00:18:34.479$ So it's an international scale and is

NOTE Confidence: 0.88867766

 $00:18:34.480 \longrightarrow 00:18:36.170$ now the gold standard,

NOTE Confidence: 0.88867766

00:18:36.170 --> 00:18:38.529 and that was partly designed at Yale,

NOTE Confidence: 0.88867766

 $00:18:38.530 \longrightarrow 00:18:40.763$ so they'll get a score of any

NOTE Confidence: 0.88867766

 $00{:}18{:}40.763 \dashrightarrow 00{:}18{:}42.908$ lesions that are in the prostate.

NOTE Confidence: 0.88867766

 $00:18:42.910 \longrightarrow 00:18:44.700$ The radiologist then

NOTE Confidence: 0.88867766

 $00:18:44.700 \longrightarrow 00:18:47.376$ outlines the prostate and those images

NOTE Confidence: 0.88867766

 $00{:}18{:}47.376 \longrightarrow 00{:}18{:}50.359$ are imported into our Artemis device.

NOTE Confidence: 0.842574

00:18:52.640 --> 00:18:55.160 I, or one of our other urologists,

NOTE Confidence: 0.842574

 $00:18:55.160 \longrightarrow 00:18:56.664$ are doing the biopsies.

NOTE Confidence: 0.842574

00:18:56.664 --> 00:18:58.920 We similarly use an ultrasound to

NOTE Confidence: 0.842574

 $00:18:58.993 \longrightarrow 00:19:01.275$ make a model of the prostate and,

 $00:19:01.280 \longrightarrow 00:19:03.720$ then the job of the computer and what

NOTE Confidence: 0.842574

 $00{:}19{:}03.720 \longrightarrow 00{:}19{:}06.211$ we're trying to improve with some of

NOTE Confidence: 0.842574

 $00:19:06.211 \longrightarrow 00:19:08.484$ our mathematical models and

NOTE Confidence: 0.842574

 $00:19:08.484 \longrightarrow 00:19:10.479$ artificial intelligence has now improved how

NOTE Confidence: 0.842574

00:19:10.479 --> 00:19:12.986 those two pictures of the prostate,

NOTE Confidence: 0.842574

00:19:12.986 --> 00:19:15.704 look or

NOTE Confidence: 0.842574

 $00:19:15.710 \longrightarrow 00:19:16.630$ if they look different,

NOTE Confidence: 0.842574

 $00{:}19{:}16.630 \dashrightarrow 00{:}19{:}18.293$ why are they different and how do

NOTE Confidence: 0.842574

 $00:19:18.293 \longrightarrow 00:19:19.498$ we correct for that difference?

NOTE Confidence: 0.87529445

 $00:19:21.040 \longrightarrow 00:19:23.595$ So this is interesting

NOTE Confidence: 0.87529445

 $00{:}19{:}23.595 \dashrightarrow 00{:}19{:}25.478$ because you're taking two different

NOTE Confidence: 0.87529445

00:19:25.478 --> 00:19:27.991 pictures of the same organ done by

NOTE Confidence: 0.87529445

00:19:27.991 --> 00:19:30.255 different modalities, and

NOTE Confidence: 0.87529445

00:19:30.255 --> 00:19:32.180 if I understand this correctly,

NOTE Confidence: 0.87529445

 $00:19:32.180 \longrightarrow 00:19:34.095$ you're putting both of them

 $00:19:34.095 \longrightarrow 00:19:35.627$ into this Artemis system,

NOTE Confidence: 0.87529445

 $00{:}19{:}35.630 \dashrightarrow 00{:}19{:}38.606$ which kind of lines them up and says

NOTE Confidence: 0.87529445

00:19:38.606 --> 00:19:41.759 what you saw here on the MRI is what

NOTE Confidence: 0.87529445

00:19:41.759 --> 00:19:44.564 you see here on the ultrasound and

NOTE Confidence: 0.87529445

 $00:19:44.564 \longrightarrow 00:19:47.938$ kind of making this image that

NOTE Confidence: 0.87529445

 $00:19:47.938 \longrightarrow 00:19:50.696$ when you see that on the ultrasound,

NOTE Confidence: 0.87529445

 $00{:}19{:}50.700 \dashrightarrow 00{:}19{:}52.499$ that really is that area that was

NOTE Confidence: 0.87529445

 $00:19:52.499 \longrightarrow 00:19:54.412$ on the MRI and that's what you

NOTE Confidence: 0.87529445

 $00{:}19{:}54.412 \dashrightarrow 00{:}19{:}56.500$ need to go after with your biopsy.

NOTE Confidence: 0.87529445

00:19:56.500 --> 00:19:57.880 Do I have that right?

NOTE Confidence: 0.8684337

 $00{:}19{:}57.880 {\:{\circ}{\circ}{\circ}}>00{:}19{:}59.028$ Yep, you're absolutely correct,

NOTE Confidence: 0.8684337

 $00:19:59.028 \longrightarrow 00:20:00.176$ so it's taking

NOTE Confidence: 0.8684337

 $00:20:00.180 \longrightarrow 00:20:02.226$ two things side by side.

NOTE Confidence: 0.8684337

 $00:20:02.230 \longrightarrow 00:20:04.258$ You can imagine these

NOTE Confidence: 0.8684337

00:20:04.258 --> 00:20:06.000 two pictures just merging into

NOTE Confidence: 0.8684337

 $00:20:06.000 \longrightarrow 00:20:07.920$ one and overlapping and we make

 $00:20:07.920 \longrightarrow 00:20:09.664$ sure that where those overlap

NOTE Confidence: 0.8684337

 $00{:}20{:}09.664 \dashrightarrow 00{:}20{:}11.464$ appears correct and so then

NOTE Confidence: 0.8755718

 $00:20:11.470 \longrightarrow 00:20:13.998$ that that is a real boon because then

NOTE Confidence: 0.8755718

 $00:20:13.998 \longrightarrow 00:20:16.936$ you can use something that is

NOTE Confidence: 0.8755718

 $00:20:16.936 \longrightarrow 00:20:18.651$ patient friendly like an ultrasound

NOTE Confidence: 0.8755718

 $00:20:18.651 \longrightarrow 00:20:21.038$ and do the biopsy in the office.

NOTE Confidence: 0.8755718

00:20:21.040 --> 00:20:23.776 I mean that is just such cool technology.

NOTE Confidence: 0.8755718

 $00{:}20{:}23.780 \dashrightarrow 00{:}20{:}25.831$ I wonder if the same thing can

NOTE Confidence: 0.8755718

 $00:20:25.831 \longrightarrow 00:20:28.219$ be done in other organ systems.

NOTE Confidence: 0.8755718

 $00:20:28.220 \longrightarrow 00:20:30.542$ Do you know if this Artemis

NOTE Confidence: 0.8755718

 $00{:}20{:}30.542 \dashrightarrow 00{:}20{:}32.650$ devices is being used in other

NOTE Confidence: 0.8755718

 $00:20:32.650 \longrightarrow 00:20:34.728$ diseases?

NOTE Confidence: 0.89466214

00:20:34.730 --> 00:20:36.710 It isn't really

NOTE Confidence: 0.89466214

 $00:20:36.710 \longrightarrow 00:20:39.185$ because

NOTE Confidence: 0.89466214

 $00:20:39.190 \longrightarrow 00:20:41.482$ if you think about many other

 $00:20:41.482 \longrightarrow 00:20:43.010$ lesions, in liver lesions,

NOTE Confidence: 0.89466214

 $00{:}20{:}43.010 \dashrightarrow 00{:}20{:}45.302$ many of those are very well

NOTE Confidence: 0.89466214

00:20:45.302 --> 00:20:46.448 visualized with ultrasound,

NOTE Confidence: 0.89466214

 $00:20:46.450 \longrightarrow 00:20:50.026$ and so the real time ultrasound is actually

NOTE Confidence: 0.89466214

 $00:20:50.026 \longrightarrow 00:20:52.981$ as good or better at characterizing

NOTE Confidence: 0.89466214

00:20:52.981 --> 00:20:56.549 where the lesion is than MRI or CT.

NOTE Confidence: 0.89466214

 $00:20:56.550 \longrightarrow 00:20:58.958$ That kind of fusion that we need

NOTE Confidence: 0.89466214

 $00{:}20{:}58.958 \dashrightarrow 00{:}21{:}02.285$ to do for the prostate is kind of

NOTE Confidence: 0.89466214

 $00{:}21{:}02.285 \dashrightarrow 00{:}21{:}04.336$ unique compared to, for example,

NOTE Confidence: 0.89466214

 $00:21:04.336 \longrightarrow 00:21:06.877$ the brain where you have a solid

NOTE Confidence: 0.89466214

 $00{:}21{:}06.877 \dashrightarrow 00{:}21{:}08.630$ calvarium around the brain and

NOTE Confidence: 0.89466214

 $00:21:08.630 \longrightarrow 00:21:11.148$ so the ability to predict and do

NOTE Confidence: 0.89466214

 $00{:}21{:}11.148 \dashrightarrow 00{:}21{:}12.555$ stereotactic localization within

NOTE Confidence: 0.89466214

 $00:21:12.555 \longrightarrow 00:21:14.900$ this solid structure is much

NOTE Confidence: 0.89466214

 $00:21:14.900 \longrightarrow 00:21:16.874$ easier than with a soft,

NOTE Confidence: 0.89466214

 $00:21:16.874 \longrightarrow 00:21:19.130$ malleable organ that is very able

 $00:21:19.206 \longrightarrow 00:21:21.636$ to move around within the pelvis.

NOTE Confidence: 0.89466214

 $00{:}21{:}21.640 \dashrightarrow 00{:}21{:}24.307$ So the process is really kind of a

NOTE Confidence: 0.89466214

00:21:24.307 --> 00:21:26.729 unique location and a unique target

NOTE Confidence: 0.89466214

 $00:21:26.730 \longrightarrow 00:21:29.474$ given all these sort of anatomic limitations.

NOTE Confidence: 0.8814459

00:21:34.671 --> 00:21:38.370 Moving on from once you get the biopsy,

NOTE Confidence: 0.8814459

 $00:21:38.370 \longrightarrow 00:21:40.960$ let's talk a little

NOTE Confidence: 0.8814459

 $00:21:40.960 \longrightarrow 00:21:43.063$ bit about getting screening or a

NOTE Confidence: 0.8814459

 $00:21:43.063 \longrightarrow 00:21:45.358$ gentleman went and got screening,

NOTE Confidence: 0.8814459

 $00:21:45.360 \longrightarrow 00:21:46.816$ he got his MRI,

NOTE Confidence: 0.8814459

00:21:46.816 --> 00:21:49.000 he had this really cool artificial

NOTE Confidence: 0.8814459

 $00:21:49.081 \longrightarrow 00:21:50.801$ intelligence thing happening so

NOTE Confidence: 0.8814459

 $00:21:50.801 \longrightarrow 00:21:53.881$ he could have his biopsy in the

NOTE Confidence: 0.8814459

 $00{:}21{:}53.881 \dashrightarrow 00{:}21{:}55.996$ office and he gets diagnosed

NOTE Confidence: 0.8814459

 $00:21:55.996 \longrightarrow 00:21:58.235$ with early stage prostate cancer

NOTE Confidence: 0.8814459

 $00:21:58.235 \longrightarrow 00:22:01.505$ because he found it really early.

 $00:22:01.510 \longrightarrow 00:22:03.846$ Tell us a little bit more about what's

NOTE Confidence: 0.8814459

 $00{:}22{:}03.846 \rightarrow 00{:}22{:}06.534$ new and interesting in terms of the

NOTE Confidence: 0.8814459

 $00:22:06.534 \longrightarrow 00:22:08.569$ management of early prostate cancer.

NOTE Confidence: 0.88097554

 $00:22:10.030 \longrightarrow 00:22:12.446$ In the field of

NOTE Confidence: 0.88097554

 $00:22:12.446 \longrightarrow 00:22:15.040$ urology we are becoming much

NOTE Confidence: 0.88097554

 $00:22:15.040 \longrightarrow 00:22:17.430$ more comfortable with active

NOTE Confidence: 0.88097554

 $00{:}22{:}17.430 \dashrightarrow 00{:}22{:}19.674$ surveillance or really a deferred

NOTE Confidence: 0.88097554

 $00:22:19.674 \longrightarrow 00:22:22.206$ treatment for men with prostate cancer.

NOTE Confidence: 0.88097554

 $00:22:22.210 \longrightarrow 00:22:25.045$ And that's based on many large studies.

NOTE Confidence: 0.88097554

00:22:25.050 --> 00:22:27.482 Now with long term follow up as well

NOTE Confidence: 0.88097554

 $00{:}22{:}27.482 \dashrightarrow 00{:}22{:}30.212$ as a better understanding of the

NOTE Confidence: 0.88097554

 $00:22:30.212 \longrightarrow 00:22:32.767$ genomic nature of prostate cancer.

NOTE Confidence: 0.88097554

 $00:22:32.770 \longrightarrow 00:22:35.706$ So not only are we typically talking

NOTE Confidence: 0.88097554

00:22:35.706 --> 00:22:38.346 about things like the Gleason score

NOTE Confidence: 0.88097554

 $00:22:38.346 \longrightarrow 00:22:41.088$ when we are diagnosed with prostate cancer

NOTE Confidence: 0.88097554

00:22:41.166 --> 00:22:43.638 and the higher the Gleason score,

 $00:22:43.640 \longrightarrow 00:22:45.350$ the sort of worse the prognosis,

NOTE Confidence: 0.88097554

 $00:22:45.350 \longrightarrow 00:22:47.378$ or the more aggressive prostate cancer

NOTE Confidence: 0.88097554

00:22:47.378 --> 00:22:49.799 we are now able to sub stratify

NOTE Confidence: 0.88097554

 $00:22:49.800 \longrightarrow 00:22:51.924$ many of these patients using

NOTE Confidence: 0.88097554

 $00{:}22{:}51.924 \dashrightarrow 00{:}22{:}53.784$ genomic testing which is specialized

NOTE Confidence: 0.88097554

 $00:22:53.784 \longrightarrow 00:22:56.088$ testing of the cancer cells themselves

NOTE Confidence: 0.88097554

 $00:22:56.088 \longrightarrow 00:22:59.232$ that tells us if it is at a lower risk

NOTE Confidence: 0.88097554

 $00{:}22{:}59.232 \dashrightarrow 00{:}23{:}01.424$ and intermediate risk or higher risk of

NOTE Confidence: 0.88097554

 $00:23:01.424 \longrightarrow 00:23:02.788$ progression and developing metastasis.

NOTE Confidence: 0.88097554

 $00:23:02.790 \longrightarrow 00:23:05.409$ So I think one of the many

NOTE Confidence: 0.88097554

 $00{:}23{:}05.409 \dashrightarrow 00{:}23{:}07.676$ exciting things is we feel more

NOTE Confidence: 0.88097554

 $00:23:07.676 \longrightarrow 00:23:09.581$ comfortable knowing who does not

NOTE Confidence: 0.88097554

 $00{:}23{:}09.653 \dashrightarrow 00{:}23{:}11.687$ need treatment and really can avoid

NOTE Confidence: 0.88097554

00:23:11.687 --> 00:23:14.076 many of the side effects that

NOTE Confidence: 0.88097554

 $00:23:14.076 \longrightarrow 00:23:15.444$ we associate with treatment.

00:23:16.630 --> 00:23:19.526 And part and parcel of that is,

NOTE Confidence: 0.856714

 $00{:}23{:}19.526 \dashrightarrow 00{:}23{:}21.612$ I know that many gentlemen who

NOTE Confidence: 0.856714

00:23:21.612 --> 00:23:23.869 get their prostate biopsy,

NOTE Confidence: 0.856714

 $00:23:23.870 \longrightarrow 00:23:26.222$ they've got a low Gleason score and

NOTE Confidence: 0.856714

 $00:23:26.222 \longrightarrow 00:23:28.149$ they're put on this watchful

NOTE Confidence: 0.856714

 $00:23:28.150 \longrightarrow 00:23:29.134$ waiting regimen.

NOTE Confidence: 0.856714

 $00:23:29.134 \longrightarrow 00:23:30.774$ But for some of them,

NOTE Confidence: 0.856714

00:23:30.780 --> 00:23:32.420 that's really anxiety provoking, right?

NOTE Confidence: 0.856714

 $00:23:32.420 \longrightarrow 00:23:34.190$ Because they're sitting there

NOTE Confidence: 0.856714

 $00:23:34.190 \longrightarrow 00:23:36.557$ and we already talked before the break

NOTE Confidence: 0.856714

 $00{:}23{:}36.557 \dashrightarrow 00{:}23{:}38.165$ about how fearful some people are

NOTE Confidence: 0.856714

 $00:23:38.165 \longrightarrow 00:23:40.317$ with a diagnosis of prostate cancer.

NOTE Confidence: 0.856714

 $00{:}23{:}40.320 \dashrightarrow 00{:}23{:}41.965$ Here you are telling people

NOTE Confidence: 0.856714

00:23:41.965 --> 00:23:43.610 you've got a prostate cancer,

NOTE Confidence: 0.856714

 $00:23:43.610 \longrightarrow 00:23:45.906$ but it's really

NOTE Confidence: 0.856714

00:23:45.910 --> 00:23:47.980 pretty indolent, we think,

00:23:47.980 --> 00:23:50.136 so you don't need to be treated,

NOTE Confidence: 0.856714

 $00{:}23{:}50.140 \dashrightarrow 00{:}23{:}51.808$ but it sounds like with genomics

NOTE Confidence: 0.856714

00:23:51.808 --> 00:23:54.017 you can get a little bit more

NOTE Confidence: 0.856714

 $00:23:54.017 \longrightarrow 00:23:55.397$ personalized and say no,

NOTE Confidence: 0.856714

 $00:23:55.400 \longrightarrow 00:23:57.248$ we've looked at your tumor,

NOTE Confidence: 0.856714

 $00:23:57.250 \longrightarrow 00:23:59.406$ this is a very low score,

NOTE Confidence: 0.856714

 $00:23:59.410 \longrightarrow 00:24:01.586$ but are there some people who would normally

NOTE Confidence: 0.856714

 $00:24:01.586 \longrightarrow 00:24:04.049$ be in the watchful waiting category who,

NOTE Confidence: 0.856714

00:24:04.050 --> 00:24:05.282 based on genomic analysis,

NOTE Confidence: 0.856714

 $00:24:05.282 \longrightarrow 00:24:06.209$ you think, geez,

NOTE Confidence: 0.856714

 $00:24:06.209 \longrightarrow 00:24:08.990$ I need to be a little bit more aggressive?

 $00:24:10.230 \longrightarrow 00:24:12.084$ I just want to

NOTE Confidence: 0.8520703

 $00:24:12.084 \longrightarrow 00:24:13.320$ caution and correct

NOTE Confidence: 0.8520703

 $00{:}24{:}13.320 \dashrightarrow 00{:}24{:}15.168$ the terminology just for a second.

NOTE Confidence: 0.8520703

00:24:15.170 --> 00:24:16.685 So active surveillance is what

NOTE Confidence: 0.8520703

 $00:24:16.685 \longrightarrow 00:24:18.880$ we do for men with low grade,

 $00:24:18.880 \longrightarrow 00:24:20.520$ and low risk prostate cancer.

NOTE Confidence: 0.8520703

 $00:24:20.520 \longrightarrow 00:24:22.501$ Watchful waiting is what we

NOTE Confidence: 0.8520703

00:24:22.501 --> 00:24:23.659 characterize men with prostate

NOTE Confidence: 0.8520703

 $00:24:23.659 \longrightarrow 00:24:25.707$ cancer who do not want to treat it,

NOTE Confidence: 0.8520703

 $00:24:25.710 \longrightarrow 00:24:28.710$ nor do they want to do any follow up of it.

NOTE Confidence: 0.8520703

00:24:28.710 --> 00:24:29.798 Because prostate cancer

NOTE Confidence: 0.8520703

 $00:24:29.798 \longrightarrow 00:24:30.886$ is so slow growing,

NOTE Confidence: 0.8520703

 $00:24:30.890 \longrightarrow 00:24:32.773$ there are some men who are diagnosed

NOTE Confidence: 0.8520703

 $00{:}24{:}32.773 \dashrightarrow 00{:}24{:}34.733$ who are elderly or have other health

NOTE Confidence: 0.8520703

 $00:24:34.733 \longrightarrow 00:24:36.377$ problems that decide they do not

NOTE Confidence: 0.8520703

 $00:24:36.436 \longrightarrow 00:24:38.020$ want to treat it because prostate

NOTE Confidence: 0.8520703

 $00{:}24{:}38.020 \dashrightarrow 00{:}24{:}39.899$ cancer is so slow growing it will

NOTE Confidence: 0.8520703

 $00:24:39.899 \longrightarrow 00:24:41.537$ not cause them a problem ever.

NOTE Confidence: 0.8520703

 $00:24:41.540 \longrightarrow 00:24:43.457$ Those are sort of who we say are on

NOTE Confidence: 0.8520703

 $00:24:43.457 \longrightarrow 00:24:45.131$ watchful waiting because we're waiting

00:24:45.131 --> 00:24:47.238 for them to have any symptoms of

NOTE Confidence: 0.8520703

 $00:24:47.238 \longrightarrow 00:24:49.188$ their prostate cancer before we treat.

NOTE Confidence: 0.8520703

00:24:49.190 --> 00:24:50.732 Active surveillance is kind of the

NOTE Confidence: 0.8520703

 $00:24:50.732 \longrightarrow 00:24:52.569$ other end of the spectrum where

NOTE Confidence: 0.8520703

 $00:24:52.570 \longrightarrow 00:24:54.658$ men have a very low grade,

NOTE Confidence: 0.8520703

00:24:54.660 --> 00:24:57.006 low risk prostate cancer and we

NOTE Confidence: 0.8520703

 $00:24:57.006 \longrightarrow 00:24:58.570$ are actively surveilling their

NOTE Confidence: 0.8520703

 $00:24:58.634 \longrightarrow 00:25:00.972$ cancer for any signs that it has

NOTE Confidence: 0.8520703

 $00{:}25{:}00.972 \dashrightarrow 00{:}25{:}02.966$ progressed or gotten to the point

NOTE Confidence: 0.8520703

 $00:25:02.966 \longrightarrow 00:25:04.511$ where it may require treatment

NOTE Confidence: 0.8520703

00:25:04.511 --> 00:25:06.258 or we may advise treatment,

NOTE Confidence: 0.8520703

 $00:25:06.258 \longrightarrow 00:25:08.138$ but you're absolutely right with

NOTE Confidence: 0.8520703

 $00:25:08.138 \longrightarrow 00:25:10.508$ a genomic testing we can now have

NOTE Confidence: 0.8520703

00:25:10.508 --> 00:25:12.063 much more confidence and much

NOTE Confidence: 0.8520703

00:25:12.130 --> 00:25:13.865 more security and telling some

NOTE Confidence: 0.8520703

 $00:25:13.865 \longrightarrow 00:25:15.950$ men that it's appropriate to watch

 $00:25:15.950 \longrightarrow 00:25:18.050$ their cancer and not treat it.

NOTE Confidence: 0.8520703

00:25:18.050 --> 00:25:19.094 And you're right,

NOTE Confidence: 0.8520703

 $00:25:19.094 \longrightarrow 00:25:20.834$ anxiety is a major component.

NOTE Confidence: 0.8520703

00:25:20.840 --> 00:25:22.840 Very understandably, I think we

NOTE Confidence: 0.8520703

 $00:25:22.840 \longrightarrow 00:25:24.450$ gain confidence with

NOTE Confidence: 0.8520703

 $00:25:24.450 \longrightarrow 00:25:26.060$ data in the genomic testing,

NOTE Confidence: 0.8520703

 $00:25:26.060 \longrightarrow 00:25:28.508$ we can more strongly tell our patients with

NOTE Confidence: 0.8520703

 $00:25:28.508 \longrightarrow 00:25:30.570$ security that they don't need treatment.

NOTE Confidence: 0.8520703

 $00:25:30.570 \longrightarrow 00:25:34.626$ They are not in danger from this cancer.

 $00:25:38.322 \longrightarrow 00:25:41.410$ Let's say there are some men though that

NOTE Confidence: 0.8520703

 $00{:}25{:}41.488 \dashrightarrow 00{:}25{:}44.015$ do really want to have treatment.

NOTE Confidence: 0.8520703

 $00:25:44.020 \longrightarrow 00:25:45.420$ As a general rule,

NOTE Confidence: 0.8520703

 $00:25:45.420 \longrightarrow 00:25:48.021$ if they have very low risk

NOTE Confidence: 0.8520703

 $00:25:48.021 \longrightarrow 00:25:50.096$ and low risk prostate cancer,

NOTE Confidence: 0.8520703

 $00:25:50.100 \longrightarrow 00:25:52.380$ we do not treat them. Getting

NOTE Confidence: 0.8520703

 $00{:}25{:}52.380 \rightarrow 00{:}25{:}53.900$ into an intermediate risk,

 $00:25:53.900 \longrightarrow 00:25:55.800$ some of those men actually

NOTE Confidence: 0.8520703

 $00:25:55.800 \longrightarrow 00:25:57.320$ don't need treatment either.

NOTE Confidence: 0.8520703

 $00:25:57.320 \longrightarrow 00:25:58.840$ Some intermediate risk men

NOTE Confidence: 0.8520703

 $00:25:58.840 \longrightarrow 00:26:00.360$ may benefit from treatment,

NOTE Confidence: 0.8520703

 $00{:}26{:}00.360 \dashrightarrow 00{:}26{:}02.260$ and again we're using genomic

NOTE Confidence: 0.8520703

 $00:26:02.260 \longrightarrow 00:26:03.780$ testing to stratify that.

NOTE Confidence: 0.8520703

 $00:26:03.780 \longrightarrow 00:26:06.335$ An one of the main reasons that

NOTE Confidence: 0.8520703

 $00{:}26{:}06.335 \dashrightarrow 00{:}26{:}09.525$ we are concerned and we try not to

NOTE Confidence: 0.8520703

 $00:26:09.525 \longrightarrow 00:26:11.540$ treat everyone with prostate cancer

NOTE Confidence: 0.8520703

 $00{:}26{:}11.622 \dashrightarrow 00{:}26{:}14.205$ is that there are side effects so

NOTE Confidence: 0.8520703

 $00{:}26{:}14.210 \dashrightarrow 00{:}26{:}17.106$ there can be an impact on urinary function.

NOTE Confidence: 0.8520703

 $00:26:17.110 \longrightarrow 00:26:19.606$ There can be an impact on sexual function

NOTE Confidence: 0.8520703

 $00{:}26{:}19.606 \dashrightarrow 00{:}26{:}22.168$ with any treatment for prostate cancer,

NOTE Confidence: 0.8520703

00:26:22.170 --> 00:26:23.618 whether surgery or radiation

NOTE Confidence: 0.8520703

 $00:26:23.618 \longrightarrow 00:26:24.704$ or even ablation.

 $00:26:24.710 \longrightarrow 00:26:27.188$ So we're going to talk a little

NOTE Confidence: 0.8520703

 $00:26:27.188 \longrightarrow 00:26:29.408$ bit about that unless you had

NOTE Confidence: 0.86417973

 $00:26:29.410 \longrightarrow 00:26:30.758$ another question.

NOTE Confidence: 0.86417973

00:26:30.758 --> 00:26:33.400 I'd love to learn more about ablation,

NOTE Confidence: 0.86417973

 $00:26:33.400 \longrightarrow 00:26:35.566$ because it sounds like

NOTE Confidence: 0.86417973

 $00{:}26{:}35.570 \dashrightarrow 00{:}26{:}37.768$ that might be a minimally invasive

NOTE Confidence: 0.86417973

 $00:26:37.768 \longrightarrow 00:26:39.987$ way to treat prostate cancer without

NOTE Confidence: 0.86417973

00:26:39.987 --> 00:26:42.801 having major surgery that can cause more

NOTE Confidence: 0.86417973

 $00:26:42.810 \longrightarrow 00:26:44.620$ side effects, so

NOTE Confidence: 0.86417973

 $00:26:48.410 \longrightarrow 00:26:50.546$ much of the discussion that we

NOTE Confidence: 0.86417973

 $00:26:50.546 \longrightarrow 00:26:52.970$ have in the urology community is,

NOTE Confidence: 0.86417973

00:26:52.970 --> 00:26:54.490 will ablation replace surgery,

NOTE Confidence: 0.86417973

 $00:26:54.490 \longrightarrow 00:26:56.470$ or radiation?

NOTE Confidence: 0.86417973

 $00{:}26{:}56.470 \dashrightarrow 00{:}26{:}58.300$ I would say no, it is not a replacement for

NOTE Confidence: 0.86417973

00:26:58.371 --> 00:27:00.567 these gold standard treatments,

NOTE Confidence: 0.86417973

 $00:27:00.570 \longrightarrow 00:27:03.666$ but it is an alternative for the appropriate

 $00{:}27{:}03.666 \dashrightarrow 00{:}27{:}06.266$ person and it is a good alternative.

NOTE Confidence: 0.86417973

 $00{:}27{:}06.270 \dashrightarrow 00{:}27{:}08.448$ So a blation is typically using

NOTE Confidence: 0.86417973

 $00:27:08.448 \longrightarrow 00:27:11.210$ some form of energy beacon.

NOTE Confidence: 0.86417973

00:27:11.210 --> 00:27:14.426 Heat, or we can use cold, we can use other

NOTE Confidence: 0.86417973

 $00{:}27{:}14.426 \dashrightarrow 00{:}27{:}16.546$ things like light or ultrasound

NOTE Confidence: 0.86417973

 $00{:}27{:}16.546 {\:{\circ}{\circ}{\circ}}>00{:}27{:}19.428$ or electricity to generate heat,

NOTE Confidence: 0.86417973

00:27:19.430 --> 00:27:22.422 but we're trying to destroy just the part

NOTE Confidence: 0.86417973

 $00:27:22.422 \longrightarrow 00:27:25.900$ of the prostate that has prostate cancer.

NOTE Confidence: 0.86417973

00:27:25.900 --> 00:27:27.019 By doing this,

NOTE Confidence: 0.86417973

 $00{:}27{:}27.019 \dashrightarrow 00{:}27{:}29.257$ we can often avoid the structures

NOTE Confidence: 0.86417973

 $00:27:29.257 \longrightarrow 00:27:32.001$ and areas near the prostate that

NOTE Confidence: 0.86417973

00:27:32.001 --> 00:27:33.837 are associated with urinary

NOTE Confidence: 0.86417973

 $00{:}27{:}33.837 \dashrightarrow 00{:}27{:}35.808$ control and sexual function,

NOTE Confidence: 0.86417973

 $00{:}27{:}35.810 \longrightarrow 00{:}27{:}38.978$ so we can have much less impact on

NOTE Confidence: 0.86417973

00:27:38.978 --> 00:27:41.681 someone's quality of life while having

 $00:27:41.681 \longrightarrow 00:27:44.423$ a successful treatment of their cancer.

NOTE Confidence: 0.8667462

 $00:27:45.530 \longrightarrow 00:27:46.850$ So do we know what

NOTE Confidence: 0.8667462

 $00:27:46.850 \longrightarrow 00:27:48.946$ the long term results of that are?

NOTE Confidence: 0.8667462

 $00:27:48.950 \longrightarrow 00:27:50.595$ I mean, do you get recurrence rates

NOTE Confidence: 0.8667462

 $00:27:50.595 \longrightarrow 00:27:52.919$ that are as low as you would get with

NOTE Confidence: 0.8667462

 $00:27:52.919 \longrightarrow 00:27:54.470$ surgery and radiation with ablation?

NOTE Confidence: 0.89189684

 $00:27:56.170 \longrightarrow 00:27:58.150$ It's interesting, there have

NOTE Confidence: 0.89189684

 $00{:}27{:}58.150 \dashrightarrow 00{:}27{:}59.734$ been no randomized trials

NOTE Confidence: 0.89189684

 $00{:}27{:}59.734 \dashrightarrow 00{:}28{:}01.450$ comparing surgery or radiation

NOTE Confidence: 0.89189684

 $00:28:01.450 \longrightarrow 00:28:03.880$ to an ablation, so

NOTE Confidence: 0.89189684

 $00{:}28{:}03.880 \dashrightarrow 00{:}28{:}07.392$ all we can do is compare the sort

NOTE Confidence: 0.89189684

 $00:28:07.392 \longrightarrow 00:28:11.280$ of data from the different studies.

NOTE Confidence: 0.89189684

 $00{:}28{:}11.280 \dashrightarrow 00{:}28{:}12.800$ The combination of treatment with

NOTE Confidence: 0.89189684

 $00{:}28{:}12.800 \dashrightarrow 00{:}28{:}14.930$ ablation tends to be quite successful,

NOTE Confidence: 0.89189684

 $00:28:14.930 \longrightarrow 00:28:16.425$ though because

NOTE Confidence: 0.89189684

 $00:28:16.425 \longrightarrow 00:28:18.580$ we're held to a high standard,

00:28:18.580 --> 00:28:21.252 we are doing repeat biopsy's and many of

NOTE Confidence: 0.89189684

 $00{:}28{:}21.252 \dashrightarrow 00{:}28{:}23.556$ these patients who are having an

NOTE Confidence: 0.89189684

 $00:28:23.560 \longrightarrow 00:28:24.888$ ablation or treatment of

NOTE Confidence: 0.89189684

00:28:24.888 --> 00:28:26.548 this part of their prostate,

NOTE Confidence: 0.89189684

 $00:28:26.550 \longrightarrow 00:28:28.874$ and we find very greater than

NOTE Confidence: 0.89189684

 $00:28:28.874 \longrightarrow 00:28:31.198 80$ or 90% success rate when we

NOTE Confidence: 0.89189684

 $00:28:31.198 \longrightarrow 00:28:32.858$ biopsy areas that were treated.

NOTE Confidence: 0.89189684

 $00:28:32.860 \longrightarrow 00:28:35.149$ The trick is that if we're treating

NOTE Confidence: 0.89189684

 $00:28:35.149 \longrightarrow 00:28:37.204$ only part of the prostate and

NOTE Confidence: 0.89189684

 $00{:}28{:}37.204 \dashrightarrow 00{:}28{:}39.542$ this is why it's hard to compare

NOTE Confidence: 0.89189684

 $00{:}28{:}39.613 \dashrightarrow 00{:}28{:}41.249$ to surgery or radiation.

NOTE Confidence: 0.89189684

 $00:28:41.250 \longrightarrow 00:28:42.810$ When we are treating just

NOTE Confidence: 0.89189684

 $00:28:42.810 \longrightarrow 00:28:44.058$ part of the prostate,

NOTE Confidence: 0.89189684

 $00:28:44.060 \longrightarrow 00:28:46.034$ there still is the other side of

NOTE Confidence: 0.89189684

 $00:28:46.034 \longrightarrow 00:28:48.285$ prostate or the rest of prostate that

00:28:48.285 --> 00:28:50.295 could develop cancer in the future.

NOTE Confidence: 0.89189684

 $00:28:50.300 \longrightarrow 00:28:51.203$ So you know,

NOTE Confidence: 0.89189684

00:28:51.203 --> 00:28:54.350 if we look at the areas that are ablated

NOTE Confidence: 0.89189684

00:28:54.350 --> 00:28:56.228 then yes, things like Cryo Ablation,

NOTE Confidence: 0.89189684

 $00:28:56.230 \longrightarrow 00:28:56.852$ irreversible electroporation,

NOTE Confidence: 0.89189684

00:28:56.852 --> 00:28:58.718 HIFU or high intensity focused ultrasound,

NOTE Confidence: 0.89189684

 $00:28:58.720 \longrightarrow 00:29:00.480$ those are very good techniques

NOTE Confidence: 0.89189684

 $00:29:00.480 \longrightarrow 00:29:02.240$ to destroy the cancer tissue

NOTE Confidence: 0.89189684

 $00:29:02.300 \longrightarrow 00:29:04.029$ in the area that is ablated

NOTE Confidence: 0.89189684

00:29:04.030 --> 00:29:05.925 but inherently it's not treating

NOTE Confidence: 0.89189684

 $00{:}29{:}05.925 \dashrightarrow 00{:}29{:}08.366$ the other side of prostate so it

NOTE Confidence: 0.89189684

 $00:29:08.366 \longrightarrow 00:29:10.270$ is a little bit of a trade off.

NOTE Confidence: 0.89189684

 $00{:}29{:}10.270 \dashrightarrow 00{:}29{:}12.388$ It's a little bit less treatment.

NOTE Confidence: 0.89189684

 $00{:}29{:}12.390 \to 00{:}29{:}14.610$ Meaning we're not treating the

NOTE Confidence: 0.89189684

 $00:29:14.610 \longrightarrow 00:29:15.498$ whole prostate,

NOTE Confidence: 0.89189684

 $00:29:15.500 \longrightarrow 00:29:16.832$ but definitely associated

 $00:29:16.832 \longrightarrow 00:29:18.608$ with fewer side effects.

NOTE Confidence: 0.8425057

00:29:18.610 --> 00:29:22.102 So in terms of picking patients

NOTE Confidence: 0.8425057

00:29:22.102 --> 00:29:25.709 in whom this technique might be optimal,

NOTE Confidence: 0.8425057

 $00:29:25.710 \longrightarrow 00:29:28.653$ it seems to me that if you've

NOTE Confidence: 0.8425057

 $00:29:28.653 \longrightarrow 00:29:31.508$ got somebody who's really worried about

NOTE Confidence: 0.8425057

00:29:31.508 --> 00:29:34.563 the side effects of radical surgery,

NOTE Confidence: 0.8425057

00:29:34.563 --> 00:29:37.695 has a relatively small prostate cancer,

NOTE Confidence: 0.8425057

 $00:29:37.700 \longrightarrow 00:29:40.105$ and wants a less invasive

NOTE Confidence: 0.8425057

00:29:40.105 --> 00:29:42.510 technique and may not have

NOTE Confidence: 0.8425057

00:29:42.510 --> 00:29:44.960 long to really wait and get

NOTE Confidence: 0.8425057

 $00:29:44.960 \longrightarrow 00:29:47.370$ a new prostate cancer in another

NOTE Confidence: 0.8425057

 $00:29:47.370 \longrightarrow 00:29:49.070$ part of the prostate,

NOTE Confidence: 0.8425057

 $00{:}29{:}49.070 \dashrightarrow 00{:}29{:}50.618$ that might be a

NOTE Confidence: 0.8433173

 $00:29:50.620 \longrightarrow 00:29:52.160$ good candidate.

NOTE Confidence: 0.8433173

 $00:29:52.160 \longrightarrow 00:29:53.315$ Yes, definitely.

 $00:29:53.315 \longrightarrow 00:29:56.018$ And this moves towards focal

NOTE Confidence: 0.8433173

00:29:56.020 --> 00:29:58.715 ablation so it is becoming more popular,

NOTE Confidence: 0.8433173

 $00:29:58.720 \longrightarrow 00:29:59.866$ especially in academic centers,

NOTE Confidence: 0.8433173

 $00{:}29{:}59.866 \dashrightarrow 00{:}30{:}02.158$ and this has really grown out of

NOTE Confidence: 0.8433173

 $00:30:02.160 \longrightarrow 00:30:04.330$ the interest in it and the increased

NOTE Confidence: 0.8433173

 $00:30:04.330 \longrightarrow 00:30:06.437$ usage of these techniques has really grown

NOTE Confidence: 0.8433173

 $00:30:06.437 \longrightarrow 00:30:09.149$ out of the MRI in a targeted biopsy,

NOTE Confidence: 0.8433173

 $00:30:09.150 \longrightarrow 00:30:11.058$ because we now can localize prostate

NOTE Confidence: 0.8433173

 $00:30:11.058 \dashrightarrow 00:30:13.284$ cancer within the prostate, which is new.

NOTE Confidence: 0.8433173

 $00:30:13.284 \longrightarrow 00:30:14.874$ It's new since MRI.

NOTE Confidence: 0.8433173

 $00{:}30{:}16.152 \dashrightarrow 00{:}30{:}18.060$ We can know where to treat.

NOTE Confidence: 0.8433173

 $00:30:18.060 \longrightarrow 00:30:20.062$ So one of the reasons we don't

NOTE Confidence: 0.8433173

00:30:20.062 --> 00:30:22.636 have long term data is this is all

NOTE Confidence: 0.8433173

 $00:30:22.636 \longrightarrow 00:30:24.286$ relatively new technology that

NOTE Confidence: 0.8433173

 $00:30:24.356 \longrightarrow 00:30:26.624$ has really been born out of our

NOTE Confidence: 0.8433173

 $00{:}30{:}26.624 {\:{\circ}{\circ}{\circ}}> 00{:}30{:}28.234$ ability to identify and localized

00:30:28.234 --> 00:30:29.819 prostate cancer with much more

NOTE Confidence: 0.87077275

 $00:30:29.820 \longrightarrow 00:30:31.472$ accuracy.

NOTE Confidence: 0.87077275

 $00:30:31.472 \longrightarrow 00:30:33.950$ Doctor Preston Sprenkle is an associate professor

of urology

NOTE Confidence: 0.87077275

 $00:30:34.014 \longrightarrow 00:30:35.820$ at the Yale School of Medicine.

NOTE Confidence: 0.87077275

00:30:35.820 --> 00:30:37.324 If you have questions,

NOTE Confidence: 0.87077275

 $00:30:37.324 \dashrightarrow 00:30:38.828$ the address is canceranswers@yale.edu

NOTE Confidence: 0.87077275

 $00:30:38.828 \longrightarrow 00:30:40.907$ and past editions of the program

NOTE Confidence: 0.87077275

00:30:40.907 --> 00:30:42.803 are available in audio and written

NOTE Confidence: 0.87077275

 $00:30:42.866 \longrightarrow 00:30:44.450$ form at Yalecancercenter.org.

NOTE Confidence: 0.87077275

00:30:44.450 --> 00:30:47.218 We hope you'll join us next week to

NOTE Confidence: 0.87077275

00:30:47.218 --> 00:30:49.910 learn more about the fight against

NOTE Confidence: 0.87077275

 $00:30:49.910 \longrightarrow 00:30:52.796$ cancer here on Connecticut public radio.