WEBVTT

NOTE duration: "00:41:04.3840000"

NOTE language:en-us

NOTE Confidence: 0.8713133

00:00:00.000 --> 00:00:01.900 Medicine family medical education

NOTE Confidence: 0.8713133

 $00:00:01.900 \longrightarrow 00:00:04.275$ faculty fellowship in patient centered

NOTE Confidence: 0.8713133

 $00:00:04.275 \longrightarrow 00:00:06.849$ care and fellowship in Sleep Medicine.

NOTE Confidence: 0.8713133

 $00:00:06.850 \longrightarrow 00:00:08.666$ She's currently a clinical

NOTE Confidence: 0.8713133

 $00{:}00{:}08.666 \dashrightarrow 00{:}00{:}10.936$ assistant professor in the division

NOTE Confidence: 0.8713133

00:00:10.936 --> 00:00:12.296 of pediatric pulmonologist,

NOTE Confidence: 0.8713133

 $00:00:12.296 \longrightarrow 00:00:15.014$ asthma and Sleep Medicine at Stanford,

NOTE Confidence: 0.8713133

 $00:00:15.020 \longrightarrow 00:00:17.475$ an associate program director for

NOTE Confidence: 0.8713133

 $00{:}00{:}17.475 \dashrightarrow 00{:}00{:}19.439$ the Stanford pediatric residency

NOTE Confidence: 0.8713133

00:00:19.439 --> 00:00:21.992 program in member of the Stanford

NOTE Confidence: 0.8713133

00:00:21.992 --> 00:00:23.645 teaching and mentoring Academy,

NOTE Confidence: 0.8713133

 $00:00:23.645 \longrightarrow 00:00:26.370$ she's received numerous awards for her

NOTE Confidence: 0.8713133

 $00:00:26.370 \longrightarrow 00:00:29.280$ clinical teaching and work in medical

NOTE Confidence: 0.8713133

 $00:00:29.280 \longrightarrow 00:00:31.650$ education and patient centered care.

00:00:31.650 --> 00:00:33.926 In her research concludes a project

NOTE Confidence: 0.8713133

 $00:00:33.926 \longrightarrow 00:00:36.356$ related to burnout among physicians.

NOTE Confidence: 0.8713133

00:00:36.360 --> 00:00:38.590 I personally have had the privilege

NOTE Confidence: 0.8713133

00:00:38.590 --> 00:00:40.416 of working alongside Doctorow Cory

NOTE Confidence: 0.8713133

 $00{:}00{:}40.416 \dashrightarrow 00{:}00{:}42.588$ on the American College of chest

NOTE Confidence: 0.8713133

 $00:00:42.588 \longrightarrow 00:00:44.517$ position sleep Network Committee an.

NOTE Confidence: 0.8713133

00:00:44.520 --> 00:00:46.963 I was delighted when she accepted my

NOTE Confidence: 0.8713133

 $00{:}00{:}46.963 \dashrightarrow 00{:}00{:}49.240$ invitation to share her expertise in

NOTE Confidence: 0.8713133

00:00:49.240 --> 00:00:51.568 pediatric Sleep Medicine with us today,

NOTE Confidence: 0.8713133

 $00{:}00{:}51.570 \dashrightarrow 00{:}00{:}53.799$ so please join me in welcoming

NOTE Confidence: 0.8713133

 $00:00:53.800 \longrightarrow 00:00:56.026$ her and thanks for your patience

NOTE Confidence: 0.8713133

 $00:00:56.026 \longrightarrow 00:00:57.510$ with the technological challenges

NOTE Confidence: 0.8713133

 $00:00:57.510 \longrightarrow 00:00:59.360$ this morning or this afternoon.

NOTE Confidence: 0.91129214

 $00:01:02.710 \longrightarrow 00:01:05.330$ Thank you so much.

NOTE Confidence: 0.91129214

 $00:01:05.330 \longrightarrow 00:01:07.786$ Is very kind of you to say Lauren

 $00:01:07.786 \longrightarrow 00:01:09.620$ are doctor Tobias. It's been.

NOTE Confidence: 0.91129214

 $00:01:09.620 \longrightarrow 00:01:12.260$ Thank you so much for having me everybody.

NOTE Confidence: 0.91129214

 $00:01:12.260 \longrightarrow 00:01:14.900$ So I I this is not obviously exhausted.

NOTE Confidence: 0.91129214

 $00:01:14.900 \longrightarrow 00:01:17.210$ Talk about sleep in autism spectrum disorder,

NOTE Confidence: 0.91129214

 $00:01:17.210 \longrightarrow 00:01:19.498$ but I thought they might be helpful to

NOTE Confidence: 0.91129214

 $00{:}01{:}19.498 \dashrightarrow 00{:}01{:}21.830$ get little perspective about what's out.

NOTE Confidence: 0.91129214

 $00:01:21.830 \longrightarrow 00:01:23.762$ There was kind of recent and

NOTE Confidence: 0.91129214

 $00:01:23.762 \longrightarrow 00:01:25.460$ leisure regarding this this issue.

NOTE Confidence: 0.91129214

 $00:01:25.460 \longrightarrow 00:01:27.876$ I even though what time for questions at

NOTE Confidence: 0.91129214

00:01:27.876 --> 00:01:30.326 the end if there's anything I say that's

NOTE Confidence: 0.91129214

 $00{:}01{:}30.326 \to 00{:}01{:}33.089$ kind of out of Turner really spark some

NOTE Confidence: 0.91129214

00:01:33.089 --> 00:01:35.796 interesting debate you want to talk about?

NOTE Confidence: 0.91129214

00:01:35.796 --> 00:01:37.976 Please by all means just.

NOTE Confidence: 0.91129214

00:01:37.980 --> 00:01:38.721 I don't know.

NOTE Confidence: 0.91129214

00:01:38.721 --> 00:01:40.709 I think this way like raise your hand

NOTE Confidence: 0.91129214

 $00:01:40.709 \longrightarrow 00:01:42.545$ or put in the chat and we can try

 $00:01:42.600 \longrightarrow 00:01:44.478$ to have some lively discussion too.

NOTE Confidence: 0.91129214

 $00{:}01{:}44.480 \dashrightarrow 00{:}01{:}47.248$ So I have no commercial support for this

NOTE Confidence: 0.91129214

 $00:01:47.248 \longrightarrow 00:01:49.798$ presentation or conflicts of interest report,

NOTE Confidence: 0.91129214

 $00:01:49.800 \longrightarrow 00:01:51.700$ so the my objectives include

NOTE Confidence: 0.91129214

 $00{:}01{:}51.700 \dashrightarrow 00{:}01{:}53.600$ I'm helping us to understand.

NOTE Confidence: 0.91129214

00:01:53.600 --> 00:01:55.345 Sleep disturbance is very common

NOTE Confidence: 0.91129214

 $00:01:55.345 \longrightarrow 00:01:56.741$ among children and adults

NOTE Confidence: 0.91129214

 $00{:}01{:}56.741 \dashrightarrow 00{:}01{:}58.538$ with autism spectrum disorder.

NOTE Confidence: 0.91129214

 $00:01:58.540 \longrightarrow 00:02:00.475$ Recall the common sleep disruption

NOTE Confidence: 0.91129214

 $00{:}02{:}00.475 \dashrightarrow 00{:}02{:}02{:}410$ complaints in children and adults

NOTE Confidence: 0.91129214

 $00:02:02.473 \longrightarrow 00:02:04.238$ with autism recognize the role

NOTE Confidence: 0.91129214

 $00{:}02{:}04.238 \dashrightarrow 00{:}02{:}06.003$ the comorbid medical and mental

NOTE Confidence: 0.91129214

 $00:02:06.064 \longrightarrow 00:02:08.386$ health conditions can play in the

NOTE Confidence: 0.91129214

 $00:02:08.386 \longrightarrow 00:02:09.934$ exacerbations of sleep complaints.

NOTE Confidence: 0.91129214

 $00:02:09.940 \longrightarrow 00:02:13.480$ Understand the consequences is specific to.

 $00:02:13.480 \longrightarrow 00:02:14.500$ Spectrum disorder and

NOTE Confidence: 0.91129214

 $00:02:14.500 \longrightarrow 00:02:15.180$ explore recommendations.

NOTE Confidence: 0.91129214

 $00:02:15.180 \longrightarrow 00:02:17.460$ How to develop a plan to evaluate and

NOTE Confidence: 0.91129214

 $00:02:17.460 \longrightarrow 00:02:19.701$ treats some concerns in these patients

NOTE Confidence: 0.91129214

00:02:19.701 --> 00:02:21.711 and even review some frequently

NOTE Confidence: 0.91129214

 $00:02:21.711 \longrightarrow 00:02:23.570$ considered pharmacologic therapies.

NOTE Confidence: 0.91129214

00:02:23.570 --> 00:02:25.094 So just very briefly,

NOTE Confidence: 0.91129214

00:02:25.094 --> 00:02:27.380 autism spectrum disorder is an early

NOTE Confidence: 0.91129214

 $00:02:27.447 \longrightarrow 00:02:29.311$ onset neurodevelopmental disorder with

NOTE Confidence: 0.91129214

 $00:02:29.311 \longrightarrow 00:02:32.310$ core features defined by the DSM 5,

NOTE Confidence: 0.91129214

 $00:02:32.310 \longrightarrow 00:02:35.215$ so effects point 61.7% of people worldwide.

NOTE Confidence: 0.91129214

 $00:02:35.220 \longrightarrow 00:02:37.524$ It's obviously a spectrum of symptoms

NOTE Confidence: 0.91129214

 $00:02:37.524 \longrightarrow 00:02:39.060$ with characterized by persistent

NOTE Confidence: 0.91129214

00:02:39.118 --> 00:02:41.038 difficulties in social interaction,

NOTE Confidence: 0.91129214

00:02:41.040 --> 00:02:42.288 communication, stereotypic behaviors,

NOTE Confidence: 0.91129214

 $00:02:42.288 \longrightarrow 00:02:43.120$ restricted interests,

 $00:02:43.120 \longrightarrow 00:02:45.028$ and atypical sensory activity.

NOTE Confidence: 0.91129214

 $00:02:45.028 \longrightarrow 00:02:47.413$ So an intellectual disability is

NOTE Confidence: 0.91129214

 $00:02:47.413 \longrightarrow 00:02:49.672$ observed in at least 50% of cases.

NOTE Confidence: 0.91129214

00:02:49.672 --> 00:02:50.394 And no,

NOTE Confidence: 0.91129214

 $00:02:50.394 \longrightarrow 00:02:53.183$ I mean the most of this data

NOTE Confidence: 0.91129214

00:02:53.183 --> 00:02:54.770 is from Children's.

NOTE Confidence: 0.91129214

 $00:02:54.770 \longrightarrow 00:02:57.476$ That's where most of the studies.

NOTE Confidence: 0.91129214

 $00:02:57.480 \longrightarrow 00:02:58.629$ The city's life.

NOTE Confidence: 0.91129214

00:02:58.629 --> 00:03:00.161 Most common sleep complaints

NOTE Confidence: 0.91129214

 $00:03:00.161 \longrightarrow 00:03:01.840$ are the most common.

NOTE Confidence: 0.91129214

 $00:03:01.840 \longrightarrow 00:03:04.108$ Complaints are sleep 50 to 80%.

NOTE Confidence: 0.91129214

00:03:04.110 --> 00:03:06.000 Children with ASD do have

NOTE Confidence: 0.91129214

 $00{:}03{:}06.000 \dashrightarrow 00{:}03{:}07.890$ some sort of sleep complaints.

NOTE Confidence: 0.91129214

 $00:03:07.890 \longrightarrow 00:03:11.010$ The most common is delayed sleep onset and

NOTE Confidence: 0.91129214

 $00:03:11.010 \longrightarrow 00:03:12.859$ frequent nighttime awakenings were kind

 $00:03:12.859 \longrightarrow 00:03:15.830$ of right at the top short sleep duration.

NOTE Confidence: 0.91129214

00:03:15.830 --> 00:03:16.964 Early morning awakening,

NOTE Confidence: 0.91129214

 $00:03:16.964 \longrightarrow 00:03:18.098$ delayed sleep phase,

NOTE Confidence: 0.91129214

 $00:03:18.100 \longrightarrow 00:03:20.580$ erratic sleep patterns and daytime

NOTE Confidence: 0.91129214

 $00:03:20.580 \longrightarrow 00:03:23.060$ sleepiness are also very common.

NOTE Confidence: 0.91129214

 $00:03:23.060 \longrightarrow 00:03:25.412$ And when we look at objective measures

NOTE Confidence: 0.91129214

00:03:25.412 --> 00:03:27.480 of sleep during polysomnography,

NOTE Confidence: 0.91129214

00:03:27.480 --> 00:03:27.832 actigraphy,

NOTE Confidence: 0.91129214

 $00:03:27.832 \longrightarrow 00:03:30.296$ the studies at present have shown that

NOTE Confidence: 0.91129214

 $00:03:30.296 \longrightarrow 00:03:32.709$ we have decreased sleep efficiency,

NOTE Confidence: 0.91129214

 $00:03:32.710 \longrightarrow 00:03:33.913$ decreased REM sleep,

NOTE Confidence: 0.91129214

 $00:03:33.913 \longrightarrow 00:03:35.517$ decreased total sleep time,

NOTE Confidence: 0.91129214

 $00:03:35.520 \longrightarrow 00:03:36.726$ sleep onset latency,

NOTE Confidence: 0.91129214

 $00:03:36.726 \longrightarrow 00:03:38.334$ wake after sleep increased.

NOTE Confidence: 0.91129214

 $00:03:38.340 \longrightarrow 00:03:39.944$ Sorry, increased sleep onset,

NOTE Confidence: 0.91129214

 $00{:}03{:}39.944 \dashrightarrow 00{:}03{:}42.354$ latency increase, wake after sleep onset,

 $00:03:42.354 \longrightarrow 00:03:43.557$ increased daytime naps.

NOTE Confidence: 0.91129214

 $00:03:43.560 \longrightarrow 00:03:46.374$ These, of course, are some SMS heterogeneity.

NOTE Confidence: 0.91129214

 $00:03:46.380 \longrightarrow 00:03:47.182$ Genetic studies.

NOTE Confidence: 0.91129214

 $00:03:47.182 \longrightarrow 00:03:48.786$ They are mostly pediatric.

NOTE Confidence: 0.91129214

 $00:03:48.790 \longrightarrow 00:03:49.996$ There's limited data.

NOTE Confidence: 0.91129214

00:03:49.996 --> 00:03:52.408 An adult with autism spectrum disorder,

NOTE Confidence: 0.91129214

 $00:03:52.410 \longrightarrow 00:03:54.062$ an intellectual disability due

NOTE Confidence: 0.91129214

00:03:54.062 --> 00:03:56.127 to the past having trouble.

NOTE Confidence: 0.91129214

 $00:03:56.130 \longrightarrow 00:03:58.146$ Then tolerating the sleep study actigraphy,

NOTE Confidence: 0.91129214

 $00{:}03{:}58.150 \dashrightarrow 00{:}03{:}59.835$ and many of these patients

NOTE Confidence: 0.91129214

 $00:03:59.835 \longrightarrow 00:04:00.846$ have comorbid conditions,

NOTE Confidence: 0.91129214

 $00{:}04{:}00.850 \dashrightarrow 00{:}04{:}03.402$ but at least it gives us some idea

NOTE Confidence: 0.91129214

 $00{:}04{:}03.402 \dashrightarrow 00{:}04{:}05.507$ of how their sleep architecture

NOTE Confidence: 0.91129214

 $00:04:05.507 \longrightarrow 00:04:08.727$ can be can be perturbed by autism.

NOTE Confidence: 0.91129214

00:04:08.730 --> 00:04:10.858 And when we look at insomnia severity

 $00:04:10.858 \longrightarrow 00:04:12.815$ in adults with ASD sleep difficulties

NOTE Confidence: 0.91129214

 $00:04:12.815 \longrightarrow 00:04:15.104$ as we know tent from childhood to

NOTE Confidence: 0.808747650000001

 $00{:}04{:}15.172 \dashrightarrow 00{:}04{:}17.170$ persist into a dulthood and so in

NOTE Confidence: 0.808747650000001

00:04:17.170 --> 00:04:19.164 some nice trading adults with ASD

NOTE Confidence: 0.808747650000001

 $00:04:19.164 \longrightarrow 00:04:20.799$ is associated with hyper reactivity

NOTE Confidence: 0.808747650000001

00:04:20.799 --> 00:04:22.419 and social skills in Pyramid.

NOTE Confidence: 0.808747650000001

 $00:04:22.420 \longrightarrow 00:04:24.590$ So the hypothesis is that you have

NOTE Confidence: 0.808747650000001

 $00:04:24.590 \longrightarrow 00:04:26.329$ hyper reactivity to sounds light.

NOTE Confidence: 0.808747650000001

 $00{:}04{:}26.330 \dashrightarrow 00{:}04{:}27.806$ Make sleep more difficult.

NOTE Confidence: 0.808747650000001

00:04:27.806 --> 00:04:29.282 Social skills impairments have

NOTE Confidence: 0.808747650000001

 $00{:}04{:}29.282 \dashrightarrow 00{:}04{:}31.399$ lack of social skills are unable

NOTE Confidence: 0.808747650000001

 $00:04:31.399 \longrightarrow 00:04:33.373$ to organ impairment in the social

NOTE Confidence: 0.808747650000001

 $00{:}04{:}33.438 \dashrightarrow 00{:}04{:}35.307$ skills so unable to go to school

NOTE Confidence: 0.808747650000001

 $00:04:35.307 \longrightarrow 00:04:37.414$ work unable to have a daily routine

NOTE Confidence: 0.808747650000001

 $00:04:37.414 \longrightarrow 00:04:39.370$ which we also know affect sleep.

NOTE Confidence: 0.808747650000001

 $00:04:39.370 \longrightarrow 00:04:42.028$ So it's a little bit of.

 $00:04:42.030 \longrightarrow 00:04:45.150$ Feeding into this issue.

NOTE Confidence: 0.808747650000001

 $00:04:45.150 \longrightarrow 00:04:47.299$ And then we look at consequences of

NOTE Confidence: 0.808747650000001

00:04:47.299 --> 00:04:49.608 poor sleep in patients with autism.

NOTE Confidence: 0.808747650000001

00:04:49.610 --> 00:04:51.320 We had increased sleep disruption,

NOTE Confidence: 0.808747650000001

00:04:51.320 --> 00:04:53.378 just positive, correlated with ASD symptoms.

NOTE Confidence: 0.808747650000001

 $00:04:53.380 \longrightarrow 00:04:55.348$ So it's almost like you have

NOTE Confidence: 0.808747650000001

 $00:04:55.348 \longrightarrow 00:04:57.080$ this self reinforcing loop where

NOTE Confidence: 0.808747650000001

 $00{:}04{:}57.080 \dashrightarrow 00{:}04{:}58.870$ you have more autism symptoms,

NOTE Confidence: 0.808747650000001

 $00{:}04{:}58.870 \dashrightarrow 00{:}05{:}01.012$ which leads to more sleep disruption which

NOTE Confidence: 0.808747650000001

 $00{:}05{:}01.012 \dashrightarrow 00{:}05{:}03.272$ lead to more autism disruption, etc.

NOTE Confidence: 0.808747650000001

 $00:05:03.272 \longrightarrow 00:05:04.118$ Out some symptoms.

NOTE Confidence: 0.808747650000001

 $00:05:04.118 \longrightarrow 00:05:06.249$ You kind of keep getting into this

NOTE Confidence: 0.808747650000001

 $00{:}05{:}06.249 \dashrightarrow 00{:}05{:}08.139$ unfortunate loop and that's associated

NOTE Confidence: 0.808747650000001

 $00{:}05{:}08.139 \dashrightarrow 00{:}05{:}10.077$ with increased frequency of self

NOTE Confidence: 0.808747650000001

 $00:05:10.077 \longrightarrow 00:05:11.897$ harm or other challenging behaviors.

 $00:05:11.900 \longrightarrow 00:05:13.064$ Increased difficulty attending

NOTE Confidence: 0.808747650000001

 $00{:}05{:}13.064 \dashrightarrow 00{:}05{:}14.616$ school or securing employment.

NOTE Confidence: 0.808747650000001

 $00:05:14.620 \longrightarrow 00:05:16.125$ And just increased stress on the family.

NOTE Confidence: 0.808747650000001

 $00:05:16.130 \longrightarrow 00:05:16.950$ For those of you,

NOTE Confidence: 0.808747650000001

 $00:05:16.950 \longrightarrow 00:05:18.180$ take care of patients with with

NOTE Confidence: 0.808747650000001

 $00:05:18.228 \longrightarrow 00:05:19.566$ autism or offices in the family,

NOTE Confidence: 0.808747650000001

 $00:05:19.570 \longrightarrow 00:05:21.040$ you know it can really affect the

NOTE Confidence: 0.808747650000001

 $00:05:21.040 \longrightarrow 00:05:22.580$ whole family in the quality of life.

NOTE Confidence: 0.8458342

 $00{:}05{:}24.950 \dashrightarrow 00{:}05{:}26.942$ So a lot of questions that

NOTE Confidence: 0.8458342

 $00:05:26.942 \longrightarrow 00:05:28.536$ people are wondering. So wait.

NOTE Confidence: 0.8458342

 $00{:}05{:}28.536 \dashrightarrow 00{:}05{:}30.324$ So does autism cause sleep disruption

NOTE Confidence: 0.8458342

 $00:05:30.324 \longrightarrow 00:05:32.587$ or do sleep problems cause autism.

NOTE Confidence: 0.8458342

 $00{:}05{:}32.590 \dashrightarrow 00{:}05{:}34.576$ And so I think this question.

NOTE Confidence: 0.8458342

00:05:34.580 --> 00:05:37.084 These are just some of the more recent

NOTE Confidence: 0.8458342

 $00:05:37.084 \longrightarrow 00:05:38.559$ explorations into this question.

NOTE Confidence: 0.8458342

 $00:05:38.560 \longrightarrow 00:05:40.220$ There's of course several others,

 $00:05:40.220 \longrightarrow 00:05:41.996$ but studying 2017 found that maybe

NOTE Confidence: 0.8458342

 $00:05:41.996 \longrightarrow 00:05:44.209$ they saw a few patients asleep.

NOTE Confidence: 0.8458342

00:05:44.210 --> 00:05:45.865 Problems may have a pathogenic

NOTE Confidence: 0.8458342

00:05:45.865 --> 00:05:47.189 role leading to autism.

NOTE Confidence: 0.8458342

 $00:05:47.190 \longrightarrow 00:05:48.518$ Another study showed that.

NOTE Confidence: 0.8458342

00:05:48.518 --> 00:05:50.740 Well, maybe there was a perspective

NOTE Confidence: 0.8458342

 $00:05:50.740 \longrightarrow 00:05:52.252$ Association between having infant

NOTE Confidence: 0.8458342

 $00:05:52.252 \longrightarrow 00:05:54.279$ sleep problems at 12 months of age.

NOTE Confidence: 0.8458342

 $00:05:54.280 \longrightarrow 00:05:57.619$ And ASD symptoms later on 24 months of age,

NOTE Confidence: 0.8458342

00:05:57.620 --> 00:05:59.858 and it gives more predict if

NOTE Confidence: 0.8458342

 $00:05:59.858 \longrightarrow 00:06:01.777$ another study was prospective cohort

NOTE Confidence: 0.8458342

00:06:01.777 --> 00:06:03.925 study did not find sleep issues,

NOTE Confidence: 0.8458342

 $00{:}06{:}03.930 \dashrightarrow 00{:}06{:}05.414$ were antecedent ASD necessarily,

NOTE Confidence: 0.8458342

 $00:06:05.414 \longrightarrow 00:06:07.269$ but kind of Co curd?

NOTE Confidence: 0.8458342

00:06:07.270 --> 00:06:08.010 So really,

 $00:06:08.010 \longrightarrow 00:06:09.860$ essentially the question remains more,

NOTE Confidence: 0.8458342

 $00:06:09.860 \longrightarrow 00:06:12.959$ studies are needed.

NOTE Confidence: 0.8458342

00:06:12.960 --> 00:06:14.946 So when thinking of contributing factors,

NOTE Confidence: 0.8458342

 $00:06:14.950 \longrightarrow 00:06:16.936$ so we'll just highlight a few,

NOTE Confidence: 0.8458342

 $00:06:16.940 \longrightarrow 00:06:19.264$ but learned behaviors that can delay sleep.

NOTE Confidence: 0.8458342

00:06:19.270 --> 00:06:20.426 Delayed melatonin peak will

NOTE Confidence: 0.8458342

 $00{:}06{:}20.426 \dashrightarrow 00{:}06{:}22.641$ talk about that a little bit on

NOTE Confidence: 0.8458342

00:06:22.641 --> 00:06:23.919 circadian rhythm dysfunctions,

NOTE Confidence: 0.8458342

 $00{:}06{:}23.920 \dashrightarrow 00{:}06{:}27.220$ regularity related to that, melaton in.

NOTE Confidence: 0.8458342

00:06:27.220 --> 00:06:27.577 Normality.

NOTE Confidence: 0.8458342

 $00:06:27.577 \longrightarrow 00:06:30.076$ You can also have restless leg symptoms

NOTE Confidence: 0.8458342

 $00:06:30.076 \longrightarrow 00:06:31.869$ and patients who are nonverbal,

NOTE Confidence: 0.8458342

00:06:31.870 --> 00:06:32.866 specially pediatric patients.

NOTE Confidence: 0.8458342

 $00:06:32.866 \longrightarrow 00:06:34.858$ They just have a hard time

NOTE Confidence: 0.8458342

 $00:06:34.858 \longrightarrow 00:06:36.528$ describing what they're experiencing.

NOTE Confidence: 0.8458342

00:06:36.530 --> 00:06:37.604 Mental health, comorbidities,

00:06:37.604 --> 00:06:38.320 GI complaints,

NOTE Confidence: 0.8458342

 $00:06:38.320 \longrightarrow 00:06:40.105$ neurologic conditions such as you

NOTE Confidence: 0.8458342

00:06:40.105 --> 00:06:42.710 and epilepsy, and, of course,

NOTE Confidence: 0.8458342

 $00:06:42.710 \longrightarrow 00:06:45.230$ medication side side effects.

NOTE Confidence: 0.8458342

 $00:06:45.230 \longrightarrow 00:06:47.630$ So learn behaviors just to highlight

NOTE Confidence: 0.8458342

 $00:06:47.630 \longrightarrow 00:06:49.621$ could be for separations, compulsions,

NOTE Confidence: 0.8458342

00:06:49.621 --> 00:06:51.185 ritualistic behaviors that really

NOTE Confidence: 0.8458342

 $00:06:51.185 \longrightarrow 00:06:53.630$ prevent this easy transition into arrested,

NOTE Confidence: 0.8458342

 $00:06:53.630 \longrightarrow 00:06:54.430$ relaxed state.

NOTE Confidence: 0.8458342

 $00:06:54.430 \longrightarrow 00:06:56.430$ Then when checked melatonin in

NOTE Confidence: 0.8458342

 $00:06:56.430 \longrightarrow 00:06:57.230$ these patients.

NOTE Confidence: 0.8458342

 $00:06:57.230 \longrightarrow 00:07:00.030$ So I think as we all know,

NOTE Confidence: 0.8458342

 $00{:}07{:}00.030 \dashrightarrow 00{:}07{:}01.638$ melaton in naturally synthesized hormones

NOTE Confidence: 0.8458342

 $00:07:01.638 \longrightarrow 00:07:04.430$ are created mainly from the pineal gland.

NOTE Confidence: 0.8458342

 $00:07:04.430 \longrightarrow 00:07:05.842$ It helps regulate regularly

 $00:07:05.842 \longrightarrow 00:07:07.960$ participates in the regulation of our

NOTE Confidence: 0.8458342

 $00{:}07{:}08.018 \dashrightarrow 00{:}07{:}10.030$ behavioral and physiologic processes,

NOTE Confidence: 0.8458342

 $00:07:10.030 \longrightarrow 00:07:13.630$ including our sleeping wakefulness cycle.

NOTE Confidence: 0.8458342

 $00:07:13.630 \longrightarrow 00:07:15.850$ You know an adaption adaptation to

NOTE Confidence: 0.8458342

 $00:07:15.850 \longrightarrow 00:07:18.234$ seasonal changes are daylight savings, etc.

NOTE Confidence: 0.8458342

 $00:07:18.234 \longrightarrow 00:07:19.770$ As we we know,

NOTE Confidence: 0.8458342

00:07:19.770 --> 00:07:21.310 light sensor inhibits melatonin

NOTE Confidence: 0.8458342

 $00:07:21.310 \longrightarrow 00:07:22.080$ production secretion,

NOTE Confidence: 0.8458342

 $00{:}07{:}22.080 \rightarrow 00{:}07{:}23.325$ darkness, pensis stimulated,

NOTE Confidence: 0.8458342

 $00:07:23.325 \longrightarrow 00:07:26.230$ and so the thought is that in

NOTE Confidence: 0.8458342

 $00{:}07{:}26.302 \dashrightarrow 00{:}07{:}28.605$ patients with a C or the findings

NOTE Confidence: 0.8458342

 $00:07:28.605 \longrightarrow 00:07:31.630$ I should say is that there are low

NOTE Confidence: 0.8458342

 $00{:}07{:}31.630 \dashrightarrow 00{:}07{:}33.595$ melaton in levels that were noted.

NOTE Confidence: 0.8458342

 $00:07:33.600 \longrightarrow 00:07:35.520$ Melatonin level was inversely associated

NOTE Confidence: 0.8458342

00:07:35.520 --> 00:07:37.440 with severity of ASD symptoms,

NOTE Confidence: 0.8458342

 $00{:}07{:}37.440 \dashrightarrow 00{:}07{:}39.215$ so there's growing evidence that

00:07:39.215 --> 00:07:41.966 low melatonin may be due to outer

NOTE Confidence: 0.8458342

 $00{:}07{:}41.966 \dashrightarrow 00{:}07{:}44.236$ mountains and melatonin synthesis pathway.

NOTE Confidence: 0.8458342

 $00:07:44.240 \longrightarrow 00:07:45.472$ An abnormal melatonin metabolism.

NOTE Confidence: 0.8458342

 $00:07:45.472 \longrightarrow 00:07:47.596$ I started to really read a lot

NOTE Confidence: 0.8458342

 $00:07:47.596 \longrightarrow 00:07:49.108$ about this and I found I felt

NOTE Confidence: 0.8458342

 $00:07:49.108 \longrightarrow 00:07:50.520$ that was talking of itself.

NOTE Confidence: 0.8458342

 $00:07:50.520 \longrightarrow 00:07:51.312$ Really interesting stuff,

NOTE Confidence: 0.8458342

00:07:51.312 --> 00:07:53.799 but I don't go into too much detail here,

NOTE Confidence: 0.8458342

 $00:07:53.800 \longrightarrow 00:07:55.372$ but if anyone happens to be

NOTE Confidence: 0.8458342

 $00:07:55.372 \longrightarrow 00:07:57.070$ doing research and so loved here,

NOTE Confidence: 0.8458342

 $00:07:57.070 \longrightarrow 00:07:58.974$ you know if you found anything new.

NOTE Confidence: 0.8458342

 $00{:}07{:}58.980 \dashrightarrow 00{:}08{:}00.807$ But that's kind of at least where

NOTE Confidence: 0.8458342

00:08:00.807 --> 00:08:02.259 the literature is pointing to,

NOTE Confidence: 0.8458342

 $00{:}08{:}02.260 \mathrel{--}{>} 00{:}08{:}03.898$ and low melaton in may be associated

NOTE Confidence: 0.8458342

00:08:03.898 --> 00:08:04.992 actually with anxiety, pain,

00:08:04.992 --> 00:08:05.808 sensory processing issues,

NOTE Confidence: 0.8458342

 $00:08:05.808 \longrightarrow 00:08:06.080$ even,

NOTE Confidence: 0.8458342

 $00:08:06.080 \longrightarrow 00:08:07.984$ maybe even relate to the GI dysfunction.

NOTE Confidence: 0.8458342

 $00:08:07.990 \longrightarrow 00:08:09.628$ Allow these patients have in addition

NOTE Confidence: 0.8458342

 $00:08:09.628 \longrightarrow 00:08:10.174$ to insomnia,

NOTE Confidence: 0.8458342

 $00:08:10.180 \longrightarrow 00:08:13.556$ so it's not to actually have a more

NOTE Confidence: 0.8458342

 $00:08:13.556 \longrightarrow 00:08:14.400$ global effect.

NOTE Confidence: 0.8458342

00:08:14.400 --> 00:08:16.464 And talking about these ungi factors

NOTE Confidence: 0.8458342

 $00{:}08{:}16.464 \dashrightarrow 00{:}08{:}18.247$ so children with autism have

NOTE Confidence: 0.8458342

 $00{:}08{:}18.247 \dashrightarrow 00{:}08{:}19.967$ higher instance of Asafa Gitis,

NOTE Confidence: 0.8458342

 $00{:}08{:}19.970 \dashrightarrow 00{:}08{:}21.358$ inflammatory bowel disease related

NOTE Confidence: 0.8458342

 $00:08:21.358 \longrightarrow 00:08:22.399$ to inflate inflammation.

NOTE Confidence: 0.8458342

 $00:08:22.400 \longrightarrow 00:08:23.444$ Dysregulating dysregulated gut

NOTE Confidence: 0.8458342

 $00:08:23.444 \longrightarrow 00:08:24.488$ motility and Constipation.

NOTE Confidence: 0.8458342

 $00:08:24.490 \longrightarrow 00:08:26.926$ And then we just know that also,

NOTE Confidence: 0.81385285

 $00{:}08{:}26.930 \dashrightarrow 00{:}08{:}28.934$ patients who are nonverbal have a

00:08:28.934 --> 00:08:31.449 higher rate of GI symptoms as well,

NOTE Confidence: 0.81385285

 $00{:}08{:}31.450 \to 00{:}08{:}33.732$ and then GI symptoms relieved to more

NOTE Confidence: 0.81385285

 $00{:}08{:}33.732 \dashrightarrow 00{:}08{:}35.280$ compulsive and repetitive behaviors,

NOTE Confidence: 0.81385285

 $00:08:35.280 \longrightarrow 00:08:38.056$ which, as we talked about can affect sleep.

NOTE Confidence: 0.81385285

 $00:08:38.060 \longrightarrow 00:08:40.844$ So all of these things are really related,

NOTE Confidence: 0.81385285

 $00:08:40.850 \longrightarrow 00:08:44.918$ and kids and adults with autism.

NOTE Confidence: 0.81385285

00:08:44.920 --> 00:08:47.846 And then talking a bit more about

NOTE Confidence: 0.81385285

 $00:08:47.846 \longrightarrow 00:08:49.100$ comorbid psychiatric conditions.

NOTE Confidence: 0.81385285

 $00{:}08{:}49.100 \dashrightarrow 00{:}08{:}51.602$ So I found this is staggering

NOTE Confidence: 0.81385285

 $00{:}08{:}51.602 \dashrightarrow 00{:}08{:}53.704$ statistics at 6979% of individuals

NOTE Confidence: 0.81385285

 $00:08:53.704 \longrightarrow 00:08:56.236$ are estimated to have a comorbid

NOTE Confidence: 0.81385285

 $00:08:56.236 \longrightarrow 00:08:57.955$ psychiatric condition in addition

NOTE Confidence: 0.81385285

 $00{:}08{:}57.955 \dashrightarrow 00{:}08{:}59.965$ to their autism spectrum disorder.

NOTE Confidence: 0.81385285

00:08:59.970 --> 00:09:01.638 So, anxiety, depression, ADHD,

NOTE Confidence: 0.81385285

 $00:09:01.638 \longrightarrow 00:09:03.723$ all associated with increased arousals,

 $00:09:03.730 \longrightarrow 00:09:05.402$ delayed sleep onset latency.

NOTE Confidence: 0.81385285

 $00{:}09{:}05.402 \dashrightarrow 00{:}09{:}06.656$ Zan general insomnia.

NOTE Confidence: 0.8331871

 $00:09:09.160 \longrightarrow 00:09:11.520$ There aren't a lot of studies in adults,

NOTE Confidence: 0.8331871

 $00:09:11.520 \longrightarrow 00:09:13.290$ but there's one that was just

NOTE Confidence: 0.8331871

 $00:09:13.290 \longrightarrow 00:09:14.470$ published September this year.

NOTE Confidence: 0.8331871

00:09:14.470 --> 00:09:16.342 This month I should say about

NOTE Confidence: 0.8331871

00:09:16.342 --> 00:09:17.590 looking at the relationship

NOTE Confidence: 0.8331871

00:09:17.653 --> 00:09:19.189 in adults with ASD and ADHD,

NOTE Confidence: 0.8331871

 $00:09:19.190 \longrightarrow 00:09:20.960$ so there's a lot in children,

NOTE Confidence: 0.8331871

00:09:20.960 --> 00:09:22.885 but I just wanted to highlight this

NOTE Confidence: 0.8331871

 $00:09:22.885 \longrightarrow 00:09:24.800$ one that was not noting adults,

NOTE Confidence: 0.8331871

 $00:09:24.800 \longrightarrow 00:09:26.570$ and I found what we are,

NOTE Confidence: 0.8331871

 $00:09:26.570 \longrightarrow 00:09:28.628$ not what we all kind of know,

NOTE Confidence: 0.8331871

 $00:09:28.630 \longrightarrow 00:09:30.990$ which is that we have increased sleep onset,

NOTE Confidence: 0.8331871

00:09:30.990 --> 00:09:32.170 latency, decreased sleep efficiency,

NOTE Confidence: 0.8331871

00:09:32.170 --> 00:09:33.645 increase weight after sleep onset,

 $00:09:33.650 \longrightarrow 00:09:35.708$ and there's a lower perceived sleep quality.

NOTE Confidence: 0.8331871

 $00:09:35.710 \longrightarrow 00:09:37.894$ So this finds that we see in

NOTE Confidence: 0.8331871

 $00:09:37.894 \longrightarrow 00:09:39.500$ childhood persistent to adulthood.

NOTE Confidence: 0.8331871

 $00:09:39.500 \longrightarrow 00:09:41.170$ You have the comorbid ADHD.

NOTE Confidence: 0.79331577

 $00:09:43.480 \dashrightarrow 00:09:44.920$ AC and intellectual disability.

NOTE Confidence: 0.79331577

 $00:09:44.920 \longrightarrow 00:09:47.060$ Like I said, we estimate the 50%

NOTE Confidence: 0.79331577

 $00:09:47.060 \longrightarrow 00:09:48.650$ of from the studies children have

NOTE Confidence: 0.79331577

 $00:09:48.709 \longrightarrow 00:09:50.170$ intellectual significant intellectual

NOTE Confidence: 0.79331577

 $00{:}09{:}50.170 \dashrightarrow 00{:}09{:}52.118$ disability with autism adults.

NOTE Confidence: 0.79331577

 $00{:}09{:}52.120 \dashrightarrow 00{:}09{:}54.577$ I think that's a less studied and

NOTE Confidence: 0.79331577

 $00:09:54.577 \longrightarrow 00:09:57.157$ especially in terms of their sleep issues.

NOTE Confidence: 0.79331577

 $00:09:57.160 \longrightarrow 00:10:00.104$ That's also an area that we really need.

NOTE Confidence: 0.79331577

 $00:10:00.110 \longrightarrow 00:10:02.630$ Have to look into.

NOTE Confidence: 0.79331577

 $00:10:02.630 \longrightarrow 00:10:04.610$ I just want to highlight that a lot of

NOTE Confidence: 0.79331577

 $00:10:04.610 \longrightarrow 00:10:06.382$ patients with these comorbid conditions

 $00:10:06.382 \longrightarrow 00:10:08.257$ are often prescribed an antidepressant

NOTE Confidence: 0.79331577

 $00{:}10{:}08.257 \dashrightarrow 00{:}10{:}09.786$ medication or something to help

NOTE Confidence: 0.79331577

00:10:09.786 --> 00:10:11.442 manage their behaviors and their mood,

NOTE Confidence: 0.79331577

00:10:11.450 --> 00:10:13.208 and so it's just, you know,

NOTE Confidence: 0.79331577

00:10:13.210 --> 00:10:15.570 one of the things I actually just saw,

NOTE Confidence: 0.79331577

00:10:15.570 --> 00:10:17.040 I mean, clinic this morning,

NOTE Confidence: 0.79331577

 $00:10:17.040 \longrightarrow 00:10:17.676$ this afternoon,

NOTE Confidence: 0.79331577

00:10:17.676 --> 00:10:19.902 and I actually just had a patient

NOTE Confidence: 0.79331577

 $00{:}10{:}19.902 \dashrightarrow 00{:}10{:}22.030$ who has a 6 year old with autism,

NOTE Confidence: 0.79331577

 $00:10:22.030 \longrightarrow 00:10:24.350$ and I always just look at the medication

NOTE Confidence: 0.79331577

 $00{:}10{:}24.350 \longrightarrow 00{:}10{:}26.697$ just to get a sense of you know

NOTE Confidence: 0.79331577

00:10:26.697 --> 00:10:28.499 what could be affecting her sleep,

NOTE Confidence: 0.79331577

 $00:10:28.500 \longrightarrow 00:10:30.270$ what could be contributing to it.

NOTE Confidence: 0.79331577

 $00:10:30.270 \longrightarrow 00:10:32.568$ So looking at things that affect.

NOTE Confidence: 0.79331577

 $00:10:32.570 \longrightarrow 00:10:34.200$ Quantity, quality and sleep architecture.

NOTE Confidence: 0.79331577

 $00:10:34.200 \longrightarrow 00:10:36.819$ So this is a I just love this really

 $00:10:36.819 \longrightarrow 00:10:39.738$ neat review paper that kind of goes over.

NOTE Confidence: 0.79331577

 $00:10:39.740 \longrightarrow 00:10:41.370$ We all love tables right?

NOTE Confidence: 0.79331577

00:10:41.370 --> 00:10:43.450 It just gives you kind of an idea

NOTE Confidence: 0.79331577

00:10:43.450 --> 00:10:45.604 of which sedative Tri cyclics what

NOTE Confidence: 0.79331577

 $00{:}10{:}45.604 \dashrightarrow 00{:}10{:}47.564$ they do for sleep architecture.

NOTE Confidence: 0.79331577

00:10:47.570 --> 00:10:49.834 Sri's you know a lot of us are

NOTE Confidence: 0.79331577

 $00:10:49.834 \longrightarrow 00:10:51.578$ familiar with and use frequently

NOTE Confidence: 0.79331577

00:10:51.578 --> 00:10:53.428 and how that affects sleep,

NOTE Confidence: 0.79331577

 $00:10:53.430 \longrightarrow 00:10:55.060$ namely suppressing REM sleep etc.

NOTE Confidence: 0.79331577

 $00{:}10{:}55.060 \dashrightarrow 00{:}10{:}57.364$ So I just always like to be aware

NOTE Confidence: 0.79331577

00:10:57.364 --> 00:10:58.974 of which antidepressants might

NOTE Confidence: 0.79331577

 $00:10:58.974 \longrightarrow 00:11:01.374$ be affecting sleep as well.

NOTE Confidence: 0.79331577

 $00:11:01.380 \longrightarrow 00:11:03.060$ So where do you start?

NOTE Confidence: 0.79331577

 $00{:}11{:}03.060 \dashrightarrow 00{:}11{:}05.380$ You have patient come in like I had

NOTE Confidence: 0.79331577

 $00:11:05.380 \longrightarrow 00:11:07.526$ this morning and really just obviously

00:11:07.526 --> 00:11:09.776 getting a really good sleep history,

NOTE Confidence: 0.79331577

 $00{:}11{:}09.780 \dashrightarrow 00{:}11{:}12.468$ which I know many of us already do.

NOTE Confidence: 0.79331577

00:11:12.470 --> 00:11:13.858 And then considering common

NOTE Confidence: 0.79331577

00:11:13.858 --> 00:11:15.593 diagnosis such as still sleep

NOTE Confidence: 0.79331577

 $00:11:15.593 \longrightarrow 00:11:17.167$ disordered breathing are less PMD.

NOTE Confidence: 0.8215363

 $00{:}11{:}19.370 \longrightarrow 00{:}11{:}21.090$ And you know, just to make sure that

NOTE Confidence: 0.8215363

 $00:11:21.090 \longrightarrow 00:11:22.916$ I'm also just doing the standard

NOTE Confidence: 0.8215363

00:11:22.916 --> 00:11:24.382 sleep evaluations, a sleep diary

NOTE Confidence: 0.8215363

 $00:11:24.382 \longrightarrow 00:11:25.966$ or sleep Journal is really helpful.

NOTE Confidence: 0.8215363

00:11:25.970 --> 00:11:27.797 I find a lot of parents really

NOTE Confidence: 0.8215363

 $00:11:27.797 \longrightarrow 00:11:29.682$ just struggle to be able to fully

NOTE Confidence: 0.8215363

 $00:11:29.682 \longrightarrow 00:11:31.248$ say what their kids are doing.

NOTE Confidence: 0.8215363

00:11:31.250 --> 00:11:32.828 I think they have an idea,

NOTE Confidence: 0.8215363

 $00{:}11{:}32.830 --> 00{:}11{:}34.925$ but I you know, I just say, hey,

NOTE Confidence: 0.8215363

00:11:34.925 --> 00:11:37.130 just take a piece of paper and start to

NOTE Confidence: 0.8215363

00:11:37.195 --> 00:11:39.427 write down what time your child is dead,

 $00:11:39.430 \longrightarrow 00:11:40.750$ what time they woke up,

NOTE Confidence: 0.8215363

 $00:11:40.750 \longrightarrow 00:11:42.598$ and you know how the day went.

NOTE Confidence: 0.8215363

00:11:42.600 --> 00:11:43.362 Afterwards, consider actigraphy.

NOTE Confidence: 0.8215363

00:11:43.362 --> 00:11:44.886 There's a lot of studies now

NOTE Confidence: 0.8215363

00:11:44.886 --> 00:11:46.028 bout looking at Actigraphy,

NOTE Confidence: 0.8215363

 $00:11:46.030 \longrightarrow 00:11:48.094$ and children without similar really great

NOTE Confidence: 0.8215363

00:11:48.094 --> 00:11:49.909 papers talking about different ways to.

NOTE Confidence: 0.8215363

 $00:11:49.910 \longrightarrow 00:11:51.856$ So in pockets into pajamas to actually

NOTE Confidence: 0.8215363

 $00:11:51.856 \longrightarrow 00:11:53.733$ help them if they don't tolerate

NOTE Confidence: 0.8215363

 $00:11:53.733 \longrightarrow 00:11:55.695$ having that activity on their wrists

NOTE Confidence: 0.8215363

 $00{:}11{:}55.695 \dashrightarrow 00{:}11{:}57.765$ and just to get a sense of what

NOTE Confidence: 0.8215363

 $00:11:57.765 \longrightarrow 00:11:59.345$ their sleep wake cycles really are.

NOTE Confidence: 0.8215363

00:11:59.345 --> 00:12:00.485 And consider Poly sonography,

NOTE Confidence: 0.8215363

 $00{:}12{:}00.490 \dashrightarrow 00{:}12{:}02.152$ I think as a pediatrician is

NOTE Confidence: 0.8215363

 $00:12:02.152 \longrightarrow 00:12:03.640$ a PS person you know,

 $00:12:03.640 \longrightarrow 00:12:05.070$ I think it's really important.

NOTE Confidence: 0.8215363

 $00:12:05.070 \longrightarrow 00:12:06.500$ Acclamation will be really important.

NOTE Confidence: 0.8215363

 $00:12:06.500 \longrightarrow 00:12:07.930$ Set your families up well.

NOTE Confidence: 0.8215363

 $00:12:07.930 \longrightarrow 00:12:10.297$ So what we have a little video that we

NOTE Confidence: 0.8215363

 $00:12:10.297 \longrightarrow 00:12:13.076$ show parents so they can know what to expect.

NOTE Confidence: 0.8215363

00:12:13.080 --> 00:12:13.379 Also,

NOTE Confidence: 0.8215363

 $00{:}12{:}13.379 \dashrightarrow 00{:}12{:}15.173$ pulmonologist so you know sometimes will

NOTE Confidence: 0.8215363

00:12:15.173 --> 00:12:17.170 have like a little nasal cannulas that

NOTE Confidence: 0.8215363

 $00:12:17.170 \longrightarrow 00:12:19.369$ the kids can just put in their nose,

NOTE Confidence: 0.8215363

 $00:12:19.370 \longrightarrow 00:12:21.365$ then get used to that sensory issue.

NOTE Confidence: 0.8215363

 $00{:}12{:}21.370 \dashrightarrow 00{:}12{:}23.540$ So I think you're going to sleep.

NOTE Confidence: 0.8215363

00:12:23.540 --> 00:12:24.910 In a child with autism,

NOTE Confidence: 0.8215363

00:12:24.910 --> 00:12:26.548 I think just being my Angel,

NOTE Confidence: 0.8215363

 $00:12:26.550 \longrightarrow 00:12:28.468$ they likely probably need acclimate to it.

NOTE Confidence: 0.8215363

00:12:28.470 --> 00:12:30.120 You have to simply sensitisation before,

NOTE Confidence: 0.8215363

 $00:12:30.120 \longrightarrow 00:12:32.829$ but it's possible.

00:12:32.830 --> 00:12:34.918 There's also questionnaires and then sure,

NOTE Confidence: 0.8215363

 $00:12:34.920 \longrightarrow 00:12:37.008$ many of you are aware of.

NOTE Confidence: 0.8215363

 $00:12:37.010 \longrightarrow 00:12:38.586$ There's the children sleep

NOTE Confidence: 0.8215363

 $00{:}12{:}38.586 \dashrightarrow 00{:}12{:}40.162$ habits questionnaire developed in

NOTE Confidence: 0.8215363

 $00:12:40.162 \longrightarrow 00:12:42.227$ 2000 by judo wins in a group.

NOTE Confidence: 0.8215363

 $00:12:42.230 \longrightarrow 00:12:44.444$ This is a parent reported screening

NOTE Confidence: 0.8215363

 $00:12:44.444 \longrightarrow 00:12:46.400$ designed for ages 4 to 10.

NOTE Confidence: 0.8215363

 $00:12:46.400 \longrightarrow 00:12:47.441$ There's 35 questions.

NOTE Confidence: 0.8215363

00:12:47.441 --> 00:12:49.523 8 domains looking at bedtime resistance,

NOTE Confidence: 0.8215363

00:12:49.530 --> 00:12:51.270 sleep onset, delay, sleep duration,

NOTE Confidence: 0.8215363

00:12:51.270 --> 00:12:52.314 anxiety night awakenings,

NOTE Confidence: 0.8215363

 $00:12:52.314 \longrightarrow 00:12:53.358$ daytime sleepiness, parasomnias,

NOTE Confidence: 0.8215363

00:12:53.358 --> 00:12:54.750 and sleep disordered breathing.

NOTE Confidence: 0.8215363

00:12:54.750 --> 00:12:55.749 It's a nice,

NOTE Confidence: 0.8215363

 $00:12:55.749 \longrightarrow 00:12:57.747$ comprehensive screening that you can help

00:12:57.747 --> 00:13:00.316 get out what parents really worried about.

NOTE Confidence: 0.8215363

 $00:13:00.320 \longrightarrow 00:13:02.055$ There's a modified version looking

NOTE Confidence: 0.8215363

 $00:13:02.055 \longrightarrow 00:13:03.443$ specifically at behavioral problems,

NOTE Confidence: 0.8215363

 $00:13:03.450 \longrightarrow 00:13:04.510$ and it just really.

NOTE Confidence: 0.8215363

 $00:13:04.510 \longrightarrow 00:13:06.100$ Takes out the questions about Parasomnias

NOTE Confidence: 0.8215363

 $00:13:06.143 \longrightarrow 00:13:07.487$ and sleep disordered breathing,

NOTE Confidence: 0.8215363

 $00:13:07.490 \longrightarrow 00:13:09.247$ so it shortens it a little bit.

NOTE Confidence: 0.8215363

00:13:09.250 --> 00:13:11.258 I think down about 20 three questions again,

NOTE Confidence: 0.8215363

 $00{:}13{:}11.260 \dashrightarrow 00{:}13{:}13.010$ if it just kind of helps parents,

NOTE Confidence: 0.8215363

00:13:13.010 --> 00:13:15.522 I think know where to start when they're

NOTE Confidence: 0.8215363

 $00{:}13{:}15.522 \to 00{:}13{:}17.588$ thinking about what their concerns are.

NOTE Confidence: 0.8215363

 $00:13:17.590 \longrightarrow 00:13:19.366$ There's also a sleep habits questionnaire

NOTE Confidence: 0.8215363

 $00:13:19.366 \longrightarrow 00:13:21.168$ for children with autism spectrum disorder

NOTE Confidence: 0.8215363

00:13:21.168 --> 00:13:23.156 developed by Doctor Mallo in her group.

NOTE Confidence: 0.8215363

00:13:23.160 --> 00:13:24.846 So just kind of going through

NOTE Confidence: 0.8215363

 $00:13:24.846 \longrightarrow 00:13:26.380$ what's the families sleep habits,

 $00:13:26.380 \longrightarrow 00:13:27.214$ 'cause I mean,

NOTE Confidence: 0.8215363

 $00:13:27.214 \longrightarrow 00:13:29.525$ as we know what happens during the day

NOTE Confidence: 0.8215363

00:13:29.525 --> 00:13:31.949 often affects how the child sleeps at night,

NOTE Confidence: 0.8215363

 $00:13:31.950 \longrightarrow 00:13:34.166$ so really kind of getting a sense of

NOTE Confidence: 0.8215363

 $00:13:34.166 \longrightarrow 00:13:36.637$ you know are the active during the day.

NOTE Confidence: 0.8215363

 $00:13:36.640 \longrightarrow 00:13:38.100$ Do they have a routine?

NOTE Confidence: 0.8215363

 $00:13:38.100 \longrightarrow 00:13:39.858$ Those kinds of things I think

NOTE Confidence: 0.8215363

 $00:13:39.858 \longrightarrow 00:13:40.737$ are really important.

NOTE Confidence: 0.8215363

00:13:40.740 --> 00:13:42.200 I don't necessarily always use

NOTE Confidence: 0.8215363

00:13:42.200 --> 00:13:43.368 these questionnaires very family,

NOTE Confidence: 0.8215363

 $00{:}13{:}43.370 \dashrightarrow 00{:}13{:}45.869$ but I think the questions that within

NOTE Confidence: 0.8215363

 $00{:}13{:}45.869 \dashrightarrow 00{:}13{:}48.410$ these or Wednesday I generally often ask.

NOTE Confidence: 0.8215363

 $00{:}13{:}48.410 \dashrightarrow 00{:}13{:}50.520$ And so I think it's just a helpful way to

NOTE Confidence: 0.8909955600:13:50.580 --> 00:13:50.890 start.

NOTE Confidence: 0.79841524

 $00:13:53.620 \longrightarrow 00:13:54.964$ In terms of guidelines,

 $00:13:54.964 \longrightarrow 00:13:56.644$ there actually is really nice.

NOTE Confidence: 0.79841524

00:13:56.650 --> 00:13:58.445 American Academy of neurology recently

NOTE Confidence: 0.79841524

 $00:13:58.445 \longrightarrow 00:14:00.240$ released practice guidelines for treatment

NOTE Confidence: 0.79841524

 $00{:}14{:}00.286 \dashrightarrow 00{:}14{:}01.836$ for insomnia and disrupted sleep

NOTE Confidence: 0.79841524

00:14:01.836 --> 00:14:03.386 behavior in children and adolescents,

NOTE Confidence: 0.79841524

 $00:14:03.390 \longrightarrow 00:14:04.401$ specifically with autism.

NOTE Confidence: 0.79841524

 $00:14:04.401 \longrightarrow 00:14:06.086$ So I thought this was.

NOTE Confidence: 0.79841524

 $00:14:06.090 \longrightarrow 00:14:08.786$ This was great that something just came out.

NOTE Confidence: 0.79841524

00:14:08.790 --> 00:14:10.300 In summary, we're first recommendation

NOTE Confidence: 0.79841524

 $00:14:10.300 \longrightarrow 00:14:12.244$ is screened for an address comorbid

NOTE Confidence: 0.79841524

 $00:14:12.244 \longrightarrow 00:14:14.179$ conditions in any contribute medications.

NOTE Confidence: 0.79841524

 $00:14:14.180 \longrightarrow 00:14:16.308$ So, just like we've already talked about

NOTE Confidence: 0.79841524

00:14:16.308 --> 00:14:18.220 looking for comorbid anxiety depression,

NOTE Confidence: 0.79841524

 $00:14:18.220 \longrightarrow 00:14:19.568$ are they taking medications

NOTE Confidence: 0.79841524

00:14:19.568 --> 00:14:20.579 that are contributing,

NOTE Confidence: 0.79841524

 $00{:}14{:}20.580 \dashrightarrow 00{:}14{:}23.002$ making them drowsy during the day, etc.

 $00{:}14{:}23.002 \dashrightarrow 00{:}14{:}24.610$ Anything that full assessment

NOTE Confidence: 0.79841524

 $00:14:24.610 \longrightarrow 00:14:26.990$ is step one and then two.

NOTE Confidence: 0.79841524

00:14:26.990 --> 00:14:29.336 It's behavioral strategies are first line,

NOTE Confidence: 0.79841524

 $00:14:29.340 \longrightarrow 00:14:31.686$ so this is things like family,

NOTE Confidence: 0.79841524

00:14:31.690 --> 00:14:32.866 cognitive, behavioral therapy,

NOTE Confidence: 0.79841524

00:14:32.866 --> 00:14:33.650 unmodified extinction,

NOTE Confidence: 0.79841524

 $00:14:33.650 \longrightarrow 00:14:36.394$ or the colloquialism of cried out as

NOTE Confidence: 0.79841524

 $00{:}14{:}36.394 \dashrightarrow 00{:}14{:}38.354$ some people say, graduated extinction,

NOTE Confidence: 0.79841524

 $00:14:38.354 \longrightarrow 00:14:40.314$ positive routines or bedtime fading.

NOTE Confidence: 0.79841524

 $00:14:40.320 \longrightarrow 00:14:42.707$ So just for those who maybe it's

NOTE Confidence: 0.79841524

 $00{:}14{:}42.707 \dashrightarrow 00{:}14{:}45.126$ been a while since you've done your

NOTE Confidence: 0.79841524

 $00:14:45.126 \longrightarrow 00:14:47.766$ Pediatrics rotations or it's been awhile,

NOTE Confidence: 0.79841524

 $00{:}14{:}47.770 \dashrightarrow 00{:}14{:}48.943$ but I modified.

NOTE Confidence: 0.79841524

00:14:48.943 --> 00:14:51.289 Extinction is just the caregiver imposes,

NOTE Confidence: 0.79841524

 $00:14:51.290 \longrightarrow 00:14:53.858$ has a bedtime and awake time.

 $00:14:53.860 \longrightarrow 00:14:56.330$ And really ignores all protests.

NOTE Confidence: 0.79841524

00:14:56.330 --> 00:14:57.086 And you know,

NOTE Confidence: 0.79841524

00:14:57.086 --> 00:14:58.850 after bedtime and before the wait time,

NOTE Confidence: 0.79841524

 $00:14:58.850 \longrightarrow 00:15:00.776$ so it's kind of put the child in the

NOTE Confidence: 0.79841524

 $00:15:00.776 \longrightarrow 00:15:02.725$ room and you just kind of plug your

NOTE Confidence: 0.79841524

 $00{:}15{:}02.725 \dashrightarrow 00{:}15{:}04.390$ ears and ignore cries afterwards.

NOTE Confidence: 0.79841524

 $00{:}15{:}04.390 --> 00{:}15{:}05.426$ You know, within reason,

NOTE Confidence: 0.79841524

00:15:05.426 --> 00:15:07.419 keeping an eye out for things of pain,

NOTE Confidence: 0.79841524

00:15:07.420 --> 00:15:07.672 hunger,

NOTE Confidence: 0.79841524

00:15:07.672 --> 00:15:08.932 you know that you're really

NOTE Confidence: 0.79841524

00:15:08.932 --> 00:15:09.940 worried about your child,

NOTE Confidence: 0.79841524

 $00:15:09.940 \longrightarrow 00:15:11.641$ but you really just kind of ignore

NOTE Confidence: 0.79841524

00:15:11.641 --> 00:15:13.188 all protests and hope the child

NOTE Confidence: 0.79841524

 $00:15:13.188 \longrightarrow 00:15:14.468$ eventually will go to sleep.

NOTE Confidence: 0.79841524

00:15:14.470 --> 00:15:15.438 It's brutal for parents,

NOTE Confidence: 0.79841524

00:15:15.438 --> 00:15:17.499 but it's actually been shown to be effective,

 $00:15:17.500 \longrightarrow 00:15:19.928$ and it works for.

NOTE Confidence: 0.79841524

 $00{:}15{:}19.930 \dashrightarrow 00{:}15{:}22.708$ Especially neurotypical kids.

NOTE Confidence: 0.79841524

 $00:15:22.710 \longrightarrow 00:15:23.730$ For graduated extinction,

NOTE Confidence: 0.79841524

 $00:15:23.730 \longrightarrow 00:15:25.770$ this is where the caregiver ignores

NOTE Confidence: 0.79841524

 $00:15:25.770 \longrightarrow 00:15:27.749$ bed time resistance for specified period.

NOTE Confidence: 0.79841524

 $00:15:27.750 \longrightarrow 00:15:30.641$ So if you could be fixed or

NOTE Confidence: 0.79841524

 $00:15:30.641 \longrightarrow 00:15:32.689$ progressively longer so they say.

NOTE Confidence: 0.79841524

 $00:15:32.690 \longrightarrow 00:15:32.962$ McElwain,

NOTE Confidence: 0.79841524

 $00:15:32.962 \longrightarrow 00:15:34.594$ until he cries for 10 minutes

NOTE Confidence: 0.79841524

 $00:15:34.594 \longrightarrow 00:15:36.299$ or in the next time I go,

NOTE Confidence: 0.79841524

 $00:15:36.300 \longrightarrow 00:15:37.838$ it'll be another 15 minutes, etc.

NOTE Confidence: 0.79841524

 $00:15:37.838 \longrightarrow 00:15:38.582$ So when responding,

NOTE Confidence: 0.79841524

 $00{:}15{:}38.582 \dashrightarrow 00{:}15{:}40.070$ the caregiver has very minimal interactions

NOTE Confidence: 0.79841524

00:15:40.106 --> 00:15:41.198 to avoid reinforcing behavior,

NOTE Confidence: 0.79841524

 $00:15:41.200 \longrightarrow 00:15:43.006$ so it doesn't pick the child up.

00:15:43.010 --> 00:15:44.816 Doesn't climb into bed with the child,

NOTE Confidence: 0.79841524

 $00:15:44.820 \longrightarrow 00:15:46.110$ but just kind of puts.

NOTE Confidence: 0.79841524

00:15:46.110 --> 00:15:48.286 Maybe a reassuring hand on the back, etc,

NOTE Confidence: 0.79841524

 $00:15:48.286 \longrightarrow 00:15:51.670$ and tries to help the child fall back asleep.

NOTE Confidence: 0.79841524

 $00:15:51.670 \longrightarrow 00:15:53.926$ Positive routines is just where the

NOTE Confidence: 0.79841524

 $00:15:53.926 \longrightarrow 00:15:55.827$ caregiver developed some strictly adheres

NOTE Confidence: 0.79841524

 $00:15:55.827 \longrightarrow 00:15:57.837$ to regular pre bed calming rituals.

NOTE Confidence: 0.79841524

00:15:57.840 --> 00:15:58.719 So to clarify,

NOTE Confidence: 0.79841524

00:15:58.719 --> 00:16:01.326 this is like this can help counter these

NOTE Confidence: 0.79841524

00:16:01.326 --> 00:16:03.290 learned behaviors of perseveration,

NOTE Confidence: 0.79841524

00:16:03.290 --> 00:16:04.376 compulsions and rituals,

NOTE Confidence: 0.79841524

 $00:16:04.376 \longrightarrow 00:16:05.100$ ritualistic behavior,

NOTE Confidence: 0.79841524

 $00:16:05.100 \longrightarrow 00:16:06.484$ so this can help.

NOTE Confidence: 0.79841524

 $00{:}16{:}06.484 \dashrightarrow 00{:}16{:}07.868$ Basically trying to transition

NOTE Confidence: 0.79841524

 $00:16:07.868 \longrightarrow 00:16:09.819$ the child into arrested state,

NOTE Confidence: 0.79841524

 $00:16:09.820 \longrightarrow 00:16:12.808$ so this can I would consider for a couple

 $00:16:12.808 \longrightarrow 00:16:15.627$ autism some of visual night routine chart.

NOTE Confidence: 0.79841524

00:16:15.630 --> 00:16:17.808 So here's an example of just

NOTE Confidence: 0.79841524

 $00:16:17.808 \longrightarrow 00:16:19.260$ things where taking bath,

NOTE Confidence: 0.79841524

 $00:16:19.260 \longrightarrow 00:16:20.744$ wash hair brush teeth.

NOTE Confidence: 0.79841524

 $00:16:20.744 \longrightarrow 00:16:22.228$ You have these visual.

NOTE Confidence: 0.79841524

 $00:16:22.230 \longrightarrow 00:16:24.327$ Q Think Child can look too and say yes.

NOTE Confidence: 0.79841524

 $00:16:24.330 \longrightarrow 00:16:25.495$ This is what we're supposed

NOTE Confidence: 0.79841524

 $00:16:25.495 \longrightarrow 00:16:26.660$ to do now and then.

NOTE Confidence: 0.79841524

 $00:16:26.660 \longrightarrow 00:16:27.825$ You can actually have the

NOTE Confidence: 0.79841524

 $00:16:27.825 \longrightarrow 00:16:28.990$ child interact with the chart,

NOTE Confidence: 0.79841524

00:16:28.990 --> 00:16:30.614 so either they check it off themselves,

NOTE Confidence: 0.79841524

 $00:16:30.620 \longrightarrow 00:16:32.370$ they point to what the next step

NOTE Confidence: 0.79841524

 $00:16:32.370 \longrightarrow 00:16:33.878$ is there involved in it as well.

NOTE Confidence: 0.79841524

00:16:33.880 --> 00:16:35.050 So that's actually found defective,

NOTE Confidence: 0.79841524

00:16:35.050 --> 00:16:36.210 not just for nighttime routine,

 $00:16:36.210 \longrightarrow 00:16:39.390$ but in general for kids autism.

NOTE Confidence: 0.8310081

 $00{:}16{:}39.390 \dashrightarrow 00{:}16{:}40.855$ And then another behavior strategy

NOTE Confidence: 0.8310081

 $00:16:40.855 \longrightarrow 00:16:42.027$ is called bedtime fading.

NOTE Confidence: 0.8310081

 $00:16:42.030 \longrightarrow 00:16:43.734$ So especially the 10th keeps Boston

NOTE Confidence: 0.8310081

 $00:16:43.734 \longrightarrow 00:16:45.540$ tend to have delayed sleep phase,

NOTE Confidence: 0.8310081

 $00:16:45.540 \longrightarrow 00:16:48.470$ so they tend to go to bed at 10:00 PM.

NOTE Confidence: 0.8310081

00:16:48.470 --> 00:16:51.400 So apparently, but I wanted to go to bed 7,

NOTE Confidence: 0.8310081

00:16:51.400 --> 00:16:52.870 you know or whatever time,

NOTE Confidence: 0.8310081

 $00{:}16{:}52.870 \dashrightarrow 00{:}16{:}55.014$ so I always tell the caregiver 1st put

NOTE Confidence: 0.8310081

 $00:16:55.014 \longrightarrow 00:16:57.311$ the patient in bed close to whatever time

NOTE Confidence: 0.8310081

 $00{:}16{:}57.311 \dashrightarrow 00{:}16{:}59.309$ that they currently are falling as leep,

NOTE Confidence: 0.8310081

 $00:16:59.310 \longrightarrow 00:17:01.068$ and then gradually adjust that bedtime.

NOTE Confidence: 0.8310081

 $00:17:01.070 \longrightarrow 00:17:01.913$ Little by little.

NOTE Confidence: 0.8310081

 $00{:}17{:}01.913 \dashrightarrow 00{:}17{:}04.238$ I consider I recommend doing it almost so

NOTE Confidence: 0.8310081

 $00:17:04.238 \longrightarrow 00:17:06.044$ it's almost imperceivable to the child.

NOTE Confidence: 0.8310081

 $00:17:06.050 \longrightarrow 00:17:08.218$ So I say 15 to 30 minutes every

 $00:17:08.218 \longrightarrow 00:17:09.619$ two to three days.

NOTE Confidence: 0.8310081

00:17:09.620 --> 00:17:10.418 It's very slow,

NOTE Confidence: 0.8310081

00:17:10.418 --> 00:17:12.280 but I found in my experience at

NOTE Confidence: 0.8310081

 $00:17:12.343 \longrightarrow 00:17:14.281$ the slow adjustment is much more

NOTE Confidence: 0.8310081

 $00:17:14.281 \longrightarrow 00:17:15.966$ effective than trying to just

NOTE Confidence: 0.8310081

 $00:17:15.966 \longrightarrow 00:17:17.958$ shifting faster the younger the kid.

NOTE Confidence: 0.8310081

00:17:17.960 --> 00:17:20.130 I think the slower the adjustment typically,

NOTE Confidence: 0.8310081

00:17:20.130 --> 00:17:22.010 or the more neurologic compromise

NOTE Confidence: 0.8310081

 $00:17:22.010 \longrightarrow 00:17:24.670$ the kid that's lower the transition.

NOTE Confidence: 0.8310081

 $00{:}17{:}24.670 \dashrightarrow 00{:}17{:}26.415$ Melatonin so recommended if behavioral

NOTE Confidence: 0.8310081

 $00:17:26.415 \longrightarrow 00:17:28.506$ strategies have not been helpful and

NOTE Confidence: 0.8310081

 $00{:}17{:}28.506 \dashrightarrow 00{:}17{:}30.246$ comorbid conditions of the we talked

NOTE Confidence: 0.8310081

 $00:17:30.246 \longrightarrow 00:17:31.909$ about have already been addressed.

NOTE Confidence: 0.8310081

 $00:17:31.910 \longrightarrow 00:17:33.550$ So if possible prescribed melatonin,

NOTE Confidence: 0.8310081

 $00:17:33.550 \longrightarrow 00:17:35.762$ I think many of us are probably

 $00:17:35.762 \longrightarrow 00:17:37.170$ familiar with the study.

NOTE Confidence: 0.8310081

 $00{:}17{:}37.170 \dashrightarrow 00{:}17{:}39.562$ Try to talk about few years ago where

NOTE Confidence: 0.8310081

00:17:39.562 --> 00:17:41.585 they actually were looking at the

NOTE Confidence: 0.8310081

 $00:17:41.585 \longrightarrow 00:17:43.625$ different doses of melatonin with over

NOTE Confidence: 0.8310081

 $00:17:43.691 \longrightarrow 00:17:45.695$ the counter of Formulations and found

NOTE Confidence: 0.8310081

 $00:17:45.695 \longrightarrow 00:17:47.698$ that the doses were highly variable,

NOTE Confidence: 0.8310081

 $00:17:47.698 \longrightarrow 00:17:49.343$ so if possible they record

NOTE Confidence: 0.8310081

 $00:17:49.343 \longrightarrow 00:17:50.330$ the American Academy.

NOTE Confidence: 0.8310081

 $00{:}17{:}50.330 \dashrightarrow 00{:}17{:}51.404$ Neurology recommends prescribing

NOTE Confidence: 0.8310081

 $00:17:51.404 \longrightarrow 00:17:53.194$ the melatonin get farm school

NOTE Confidence: 0.8310081

 $00{:}17{:}53.194 \dashrightarrow 00{:}17{:}54.960$ grade and get reliable dosing.

NOTE Confidence: 0.8310081

00:17:54.960 --> 00:17:56.856 This isn't always possible with insurance,

NOTE Confidence: 0.8310081

 $00:17:56.860 \longrightarrow 00:17:59.620$ but it's something to consider.

NOTE Confidence: 0.8310081

00:17:59.620 --> 00:18:01.420 And they also talked briefly about

NOTE Confidence: 0.8310081

00:18:01.420 --> 00:18:02.320 complementary and alternative

NOTE Confidence: 0.8310081

 $00:18:02.320 \longrightarrow 00:18:03.120$ medicine approaches.

00:18:03.120 --> 00:18:03.446 Really,

NOTE Confidence: 0.8310081

 $00:18:03.446 \longrightarrow 00:18:05.076$ there's were lacking really great

NOTE Confidence: 0.8310081

00:18:05.076 --> 00:18:06.620 high quality studies right now,

NOTE Confidence: 0.8310081

00:18:06.620 --> 00:18:08.528 but that's not to say that

NOTE Confidence: 0.8310081

 $00:18:08.528 \longrightarrow 00:18:09.800$ these aren't worth trying.

NOTE Confidence: 0.8310081

 $00:18:09.800 \longrightarrow 00:18:11.390$ So a lot of them,

NOTE Confidence: 0.8310081

00:18:11.390 --> 00:18:12.980 such as a weighted blanket,

NOTE Confidence: 0.8310081

 $00{:}18{:}12.980 \dashrightarrow 00{:}18{:}14.244$ there's something called Sound

NOTE Confidence: 0.8310081

 $00:18:14.244 \longrightarrow 00:18:14.876$ as leep mattress.

NOTE Confidence: 0.8310081

 $00:18:14.880 \longrightarrow 00:18:16.300$ There's white noise machines.

NOTE Confidence: 0.8310081

 $00:18:16.300 \longrightarrow 00:18:18.075$ All these different things that

NOTE Confidence: 0.8310081

 $00{:}18{:}18.075 \dashrightarrow 00{:}18{:}20.126$ I'm sure a lot of your families

NOTE Confidence: 0.8310081

 $00{:}18{:}20.126 \dashrightarrow 00{:}18{:}22.218$ may consider that have low or no

NOTE Confidence: 0.8310081

 $00{:}18{:}22.218 \dashrightarrow 00{:}18{:}23.788$ adverse events associated with them,

NOTE Confidence: 0.8310081

 $00:18:23.790 \longrightarrow 00:18:25.692$ but really have failed to show

00:18:25.692 --> 00:18:26.643 a significant difference,

NOTE Confidence: 0.8310081

00:18:26.650 --> 00:18:27.320 statistically speaking.

NOTE Confidence: 0.8310081

 $00:18:27.320 \longrightarrow 00:18:29.330$ But I actually still recommend it.

NOTE Confidence: 0.8310081

00:18:29.330 --> 00:18:32.554 For a lot of patients and parents usually

NOTE Confidence: 0.8310081

 $00:18:32.554 \longrightarrow 00:18:35.698$ find him to be quite pleasing to try.

NOTE Confidence: 0.8310081

 $00:18:35.700 \longrightarrow 00:18:37.160$ Couple of the words melatonin.

NOTE Confidence: 0.8310081

00:18:37.160 --> 00:18:39.015 This is one of the most commonly

NOTE Confidence: 0.8310081

 $00:18:39.015 \longrightarrow 00:18:40.649$ used therapies for sleep concerns,

NOTE Confidence: 0.8310081

 $00{:}18{:}40.650 \dashrightarrow 00{:}18{:}42.568$ as we know for the pediatric studies

NOTE Confidence: 0.8310081

 $00:18:42.568 \longrightarrow 00:18:44.140$ it's actually safe and effective.

NOTE Confidence: 0.8310081

 $00:18:44.140 \longrightarrow 00:18:46.372$ There are not the 10 or 20 year

NOTE Confidence: 0.8310081

 $00:18:46.372 \longrightarrow 00:18:48.210$ studies that we just don't have,

NOTE Confidence: 0.8310081

 $00:18:48.210 \longrightarrow 00:18:50.226$ but we have a few few studies

NOTE Confidence: 0.8310081

 $00:18:50.226 \longrightarrow 00:18:51.410$ that are coming out.

NOTE Confidence: 0.8310081

 $00:18:51.410 \longrightarrow 00:18:53.405$ There is immediate release for sleep onset

NOTE Confidence: 0.8310081

 $00:18:53.405 \longrightarrow 00:18:54.909$ versus extended release for melatonin.

00:18:54.910 --> 00:18:55.837 For sleep maintenance.

NOTE Confidence: 0.8310081

00:18:55.837 --> 00:18:57.382 Think it's important to know

NOTE Confidence: 0.8310081

 $00:18:57.382 \longrightarrow 00:18:58.853$ that the extended release tends

NOTE Confidence: 0.8310081

 $00:18:58.853 \longrightarrow 00:19:00.722$ to be a pill which is harder.

NOTE Confidence: 0.8310081

 $00{:}19{:}00.730 \dashrightarrow 00{:}19{:}02.458$ In my population of Pediatrics 'cause

NOTE Confidence: 0.8310081

 $00:19:02.458 \longrightarrow 00:19:04.220$ not every child can take those,

NOTE Confidence: 0.8310081

 $00:19:04.220 \longrightarrow 00:19:05.216$ so that is.

NOTE Confidence: 0.8310081

00:19:05.216 --> 00:19:07.540 Site limitation and we look at long

NOTE Confidence: 0.8310081

 $00{:}19{:}07.615 \dashrightarrow 00{:}19{:}09.991$ term use again on doctor mouse

NOTE Confidence: 0.8310081

 $00:19:09.991 \longrightarrow 00:19:12.057$ group had published study recently

NOTE Confidence: 0.8310081

 $00:19:12.057 \longrightarrow 00:19:14.517$ earlier this year that exam and

NOTE Confidence: 0.8310081

 $00:19:14.517 \longrightarrow 00:19:17.169$ long term effects of nightly along

NOTE Confidence: 0.8310081

00:19:17.169 --> 00:19:20.480 release melatonin at doses 25 and 10

NOTE Confidence: 0.81745124

 $00{:}19{:}20.579 \dashrightarrow 00{:}19{:}23.435$ for up to two years in patients.

NOTE Confidence: 0.81745124

 $00:19:23.440 \longrightarrow 00:19:26.026$ I'm sorry for I didn't put the ages on here.

 $00:19:26.030 \longrightarrow 00:19:27.542$ I feel like they were relatively

NOTE Confidence: 0.81745124

00:19:27.542 --> 00:19:28.880 young up until teenage years.

NOTE Confidence: 0.81745124

 $00:19:28.880 \longrightarrow 00:19:31.202$ I'm sorry, I forgot to note the ages here,

NOTE Confidence: 0.81745124

 $00:19:31.210 \longrightarrow 00:19:33.023$ but they also work followed by two

NOTE Confidence: 0.81745124

 $00:19:33.023 \longrightarrow 00:19:34.284$ week withdrawal period, placebo period.

NOTE Confidence: 0.81745124

 $00:19:34.284 \longrightarrow 00:19:35.978$ Just to see if there was any

NOTE Confidence: 0.81745124

 $00:19:35.978 \longrightarrow 00:19:38.720$ concerns of withdrawal, etc.

NOTE Confidence: 0.81745124

 $00:19:38.720 \longrightarrow 00:19:40.048$ She know, observe detrimental

NOTE Confidence: 0.81745124

 $00{:}19{:}40.048 \mathrel{--}{>} 00{:}19{:}41.708$ effects on the patients growth,

NOTE Confidence: 0.81745124

 $00:19:41.710 \longrightarrow 00:19:42.312$ people development,

NOTE Confidence: 0.81745124

00:19:42.312 --> 00:19:44.118 and no withdrawal or safety issues

NOTE Confidence: 0.81745124

 $00:19:44.118 \longrightarrow 00:19:46.020$ related to discontinue the medication.

NOTE Confidence: 0.81745124

 $00{:}19{:}46.020 \dashrightarrow 00{:}19{:}47.934$ The most common side effect that

NOTE Confidence: 0.81745124

 $00:19:47.934 \longrightarrow 00:19:49.616$ there were complications who did

NOTE Confidence: 0.81745124

00:19:49.616 --> 00:19:51.000 have some daytime drowsiness,

NOTE Confidence: 0.81745124

 $00{:}19{:}51.000 \dashrightarrow 00{:}19{:}52.336$ especially those higher doses.

 $00:19:52.336 \longrightarrow 00:19:54.722$ And there were some reports of some

NOTE Confidence: 0.81745124

 $00{:}19{:}54.722 \dashrightarrow 00{:}19{:}56.648$ potential nightmares and a few kids,

NOTE Confidence: 0.81745124

 $00:19:56.650 \longrightarrow 00:19:58.967$ but it seems like overall it was.

NOTE Confidence: 0.81745124

 $00:19:58.970 \longrightarrow 00:20:00.275$ It was reassuring.

NOTE Confidence: 0.81745124

 $00:20:00.275 \longrightarrow 00:20:01.580$ Oh, and Hi,

NOTE Confidence: 0.81745124

 $00:20:01.580 \longrightarrow 00:20:03.620$ said that these patients all

NOTE Confidence: 0.81745124

 $00:20:03.620 \longrightarrow 00:20:05.660$ had autism in this study.

NOTE Confidence: 0.81745124

 $00:20:05.660 \longrightarrow 00:20:07.235$ Ramelteon is another one that's

NOTE Confidence: 0.81745124

 $00{:}20{:}07.235 \dashrightarrow 00{:}20{:}08.810$ being considered in these patients,

NOTE Confidence: 0.81745124

 $00{:}20{:}08.810 \dashrightarrow 00{:}20{:}10.700$ and this is Milton Receptor agonist.

NOTE Confidence: 0.81745124

00:20:10.700 --> 00:20:12.793 It's FDA approved already for insomnia in

NOTE Confidence: 0.81745124

00:20:12.793 --> 00:20:15.109 adults are really limited studies for autism,

NOTE Confidence: 0.81745124

 $00:20:15.110 \longrightarrow 00:20:17.035$ and hopefully that's that's the

NOTE Confidence: 0.81745124

 $00:20:17.035 \longrightarrow 00:20:19.928$ next step we can see if it helps.

NOTE Confidence: 0.81745124

 $00:20:19.930 \longrightarrow 00:20:21.450$ So what about other medications?

 $00:20:21.450 \longrightarrow 00:20:22.626$ So at in Pediatrics,

NOTE Confidence: 0.81745124

 $00:20:22.626 \longrightarrow 00:20:24.096$ always like to remind patients

NOTE Confidence: 0.81745124

 $00:20:24.096 \longrightarrow 00:20:25.379$ in my colleagues at,

NOTE Confidence: 0.81745124

 $00:20:25.380 \longrightarrow 00:20:26.895$ there really are no FDA

NOTE Confidence: 0.81745124

00:20:26.895 --> 00:20:28.410 approved sleep drugs for kids,

NOTE Confidence: 0.81745124

 $00:20:28.410 \longrightarrow 00:20:29.930$ so a lot of them,

NOTE Confidence: 0.81745124

 $00:20:29.930 \longrightarrow 00:20:31.118$ a lot of it,

NOTE Confidence: 0.81745124

00:20:31.118 --> 00:20:33.260 is experience really kind of weighing risk,

NOTE Confidence: 0.81745124

 $00{:}20{:}33.260 \dashrightarrow 00{:}20{:}35.222$ benefits and kind of having discussion

NOTE Confidence: 0.81745124

 $00:20:35.222 \longrightarrow 00:20:36.857$ with the families and other

NOTE Confidence: 0.81745124

00:20:36.857 --> 00:20:38.719 colleagues is the best way to go.

NOTE Confidence: 0.81745124

 $00:20:38.720 \longrightarrow 00:20:39.545$ But here is,

NOTE Confidence: 0.81745124

 $00{:}20{:}39.545 \dashrightarrow 00{:}20{:}41.470$ I thought this was I looked at

NOTE Confidence: 0.81745124

 $00:20:41.534 \longrightarrow 00:20:43.259$ a lot of different reviews.

NOTE Confidence: 0.81745124

00:20:43.260 --> 00:20:45.572 I thought this was pretty good 'cause it

NOTE Confidence: 0.81745124

 $00:20:45.572 \longrightarrow 00:20:47.809$ actually also looked at Children and adults,

 $00:20:47.810 \longrightarrow 00:20:49.946$ so this was a research 1018 looking at

NOTE Confidence: 0.81745124

00:20:49.946 --> 00:20:51.720 sleep disturbance pharmacological approach.

NOTE Confidence: 0.81745124

00:20:51.720 --> 00:20:54.268 Sleep disturbances in autism

NOTE Confidence: 0.81745124

 $00:20:54.268 \longrightarrow 00:20:56.179$ with psychiatric comorbidities.

NOTE Confidence: 0.81745124

 $00:20:56.180 \longrightarrow 00:20:57.965$ So just to go through this table,

NOTE Confidence: 0.81745124

 $00:20:57.970 \longrightarrow 00:21:01.060$ we've already talked about melatonin here.

NOTE Confidence: 0.81745124

 $00:21:01.060 \longrightarrow 00:21:03.076$ In affected in children and we

NOTE Confidence: 0.81745124

 $00{:}21{:}03.076 \dashrightarrow 00{:}21{:}05.270$ know effective in jet lag as well.

NOTE Confidence: 0.81745124

 $00:21:05.270 \longrightarrow 00:21:07.854$ The dose range they have one to three.

NOTE Confidence: 0.81745124

 $00:21:07.860 \longrightarrow 00:21:10.128$ Obviously we've seen in the litter that

NOTE Confidence: 0.81745124

 $00:21:10.128 \longrightarrow 00:21:12.398$ people have got higher with the dose,

NOTE Confidence: 0.81745124

 $00{:}21{:}12.400 \dashrightarrow 00{:}21{:}15.070$ but I I tend not to go too high because

NOTE Confidence: 0.81745124

 $00{:}21{:}15.138 \dashrightarrow 00{:}21{:}17.258$ I have that day time drowsiness.

NOTE Confidence: 0.81745124

 $00{:}21{:}17.260 \dashrightarrow 00{:}21{:}19.198$ So I try to avoid that.

NOTE Confidence: 0.81745124

 $00:21:19.200 \longrightarrow 00:21:20.600$ Some antipsychotics that were tested

 $00:21:20.600 \longrightarrow 00:21:22.438$ that have been tested in patients

NOTE Confidence: 0.81745124

 $00{:}21{:}22.438 \dashrightarrow 00{:}21{:}24.388$ autism include olanzapine and risperidone.

NOTE Confidence: 0.81745124

 $00:21:24.390 \longrightarrow 00:21:26.005$ This is especially effective if

NOTE Confidence: 0.81745124

00:21:26.005 --> 00:21:27.297 there's comorbid maladaptive behavior,

NOTE Confidence: 0.81745124

00:21:27.300 --> 00:21:27.948 self injury,

NOTE Confidence: 0.81745124

 $00{:}21{:}27.948 \dashrightarrow 00{:}21{:}29.568$ aggression and things like that.

NOTE Confidence: 0.81745124

00:21:29.570 --> 00:21:31.290 So potential side effects include

NOTE Confidence: 0.81745124

 $00:21:31.290 \longrightarrow 00:21:31.978$ daytime drowsiness.

NOTE Confidence: 0.81745124

00:21:31.980 --> 00:21:33.972 Weight gain type of cluster linea

NOTE Confidence: 0.81745124

 $00:21:33.972 \longrightarrow 00:21:35.300$ diabetes and prolactin elevation

NOTE Confidence: 0.81745124

 $00{:}21{:}35.359 \dashrightarrow 00{:}21{:}36.619$ and then antidepressants.

NOTE Confidence: 0.81745124

 $00:21:36.620 \longrightarrow 00:21:39.476$ The one that they really kind of mentioned.

NOTE Confidence: 0.81745124

 $00:21:39.480 \longrightarrow 00:21:40.194$ I mean,

NOTE Confidence: 0.81745124

 $00:21:40.194 \longrightarrow 00:21:41.979$ there's a lot of antidepressants

NOTE Confidence: 0.81745124

00:21:41.979 --> 00:21:43.050 I've been considered,

NOTE Confidence: 0.81745124

 $00:21:43.050 \longrightarrow 00:21:45.318$ but the one that's been most tested

00:21:45.318 --> 00:21:47.330 with Trazodone in this population,

NOTE Confidence: 0.81745124

 $00:21:47.330 \longrightarrow 00:21:49.829$ and this is thought to be useful

NOTE Confidence: 0.81745124

 $00:21:49.829 \longrightarrow 00:21:50.900$ in comorbid depression.

NOTE Confidence: 0.81745124

 $00:21:50.900 \longrightarrow 00:21:53.756$ It is among one of the more sedating

NOTE Confidence: 0.81745124

 $00{:}21{:}53.756 \dashrightarrow 00{:}21{:}54.470$ antidepressant medications.

NOTE Confidence: 0.81745124

00:21:54.470 --> 00:21:56.606 Which is why it's so commonly

NOTE Confidence: 0.81745124

 $00:21:56.606 \longrightarrow 00:21:57.674$ used for insomnia.

NOTE Confidence: 0.81745124

 $00{:}21{:}57.680 {\:{\mbox{--}}\!>} 00{:}22{:}00.536$ But you do have side effects of dizziness,

NOTE Confidence: 0.81745124

00:22:00.540 --> 00:22:01.256 morning drowsiness,

NOTE Confidence: 0.81745124

 $00:22:01.256 \longrightarrow 00:22:02.938$ or possible prism, and hypotension.

NOTE Confidence: 0.81745124

 $00:22:02.938 \longrightarrow 00:22:04.458$ So that's something to be

NOTE Confidence: 0.81745124

 $00:22:04.458 \longrightarrow 00:22:06.417$ aware of and I gotta be honest,

NOTE Confidence: 0.81745124

00:22:06.420 --> 00:22:07.780 I just really haven't really

NOTE Confidence: 0.81745124

 $00:22:07.780 \longrightarrow 00:22:09.140$ used Trazodone and really young

NOTE Confidence: 0.8436319

 $00:22:09.193 \longrightarrow 00:22:11.450$ kids, but it's something to consider.

 $00:22:11.450 \longrightarrow 00:22:13.352$ Alpha adrenergic agonist and this is

NOTE Confidence: 0.8436319

 $00:22:13.352 \longrightarrow 00:22:15.269$ actually more commonly used in children,

NOTE Confidence: 0.8436319

 $00:22:15.270 \longrightarrow 00:22:16.860$ so things like Clonidine, guanfacine.

NOTE Confidence: 0.8436319

 $00:22:16.860 \longrightarrow 00:22:18.762$ This is typically uses recommended sleep

NOTE Confidence: 0.8436319

 $00:22:18.762 \longrightarrow 00:22:20.034$ initiation and maintenance. Insomnia.

NOTE Confidence: 0.8436319

00:22:20.034 --> 00:22:23.240 I just want to add I think guanfacine and now

NOTE Confidence: 0.8436319

 $00:22:23.240 \longrightarrow 00:22:25.760$ there's a neurologist in the in the group,

NOTE Confidence: 0.8436319

00:22:25.760 --> 00:22:27.818 but I think it's often using kids

NOTE Confidence: 0.8436319

00:22:27.818 --> 00:22:29.889 who also have like tic disorder.

NOTE Confidence: 0.8436319

 $00:22:29.890 \longrightarrow 00:22:32.123$ Another kind of things that keep them

NOTE Confidence: 0.8436319

 $00{:}22{:}32.123 \dashrightarrow 00{:}22{:}34.349$ from from being able to fall a sleep.

NOTE Confidence: 0.8436319

00:22:34.350 --> 00:22:36.750 So that's I've seen this and some of

NOTE Confidence: 0.8436319

 $00:22:36.750 \longrightarrow 00:22:38.797$ my patients and it's been helpful.

NOTE Confidence: 0.8436319

00:22:38.800 --> 00:22:40.708 The common side effects are hypotension,

NOTE Confidence: 0.8436319

00:22:40.710 --> 00:22:41.440 bradycardia, irritability.

NOTE Confidence: 0.8436319

00:22:41.440 --> 00:22:42.170 REM suppression,

 $00:22:42.170 \longrightarrow 00:22:45.421$ dry mouth and then as we know these are

NOTE Confidence: 0.8436319

 $00{:}22{:}45.421 \dashrightarrow 00{:}22{:}47.425$ medications that you can't abruptly stop.

NOTE Confidence: 0.8436319

 $00:22:47.430 \longrightarrow 00:22:50.470$ You usually have to wean them off or you get

NOTE Confidence: 0.8436319

 $00:22:50.540 \longrightarrow 00:22:53.648$ rebound hypertension or rebound increase ram.

NOTE Confidence: 0.8436319

 $00:22:53.650 \longrightarrow 00:22:54.330$ Anti histamines,

NOTE Confidence: 0.8436319

 $00:22:54.330 \longrightarrow 00:22:56.030$ very commonly over the counter.

NOTE Confidence: 0.8436319

00:22:56.030 --> 00:22:57.050 Your diphenhydramine useful

NOTE Confidence: 0.8436319

 $00:22:57.050 \longrightarrow 00:22:58.070$ and transient insomnia.

NOTE Confidence: 0.8436319

 $00:22:58.070 \longrightarrow 00:22:58.702$ In Pediatrics,

NOTE Confidence: 0.8436319

 $00:22:58.702 \longrightarrow 00:23:00.914$ we always have to be really worried

NOTE Confidence: 0.8436319

00:23:00.914 --> 00:23:03.169 for side effects not mentioned here,

NOTE Confidence: 0.8436319

00:23:03.170 --> 00:23:05.210 but we get some patients get

NOTE Confidence: 0.8436319

 $00{:}23{:}05.210 \dashrightarrow 00{:}23{:}06.230$ a paradoxical reaction.

NOTE Confidence: 0.8436319

 $00:23:06.230 \longrightarrow 00:23:06.513$ Anecdotally,

NOTE Confidence: 0.8436319

 $00:23:06.513 \longrightarrow 00:23:09.060$ I feel like a lot of my patients with

 $00:23:09.120 \longrightarrow 00:23:11.466$ autism can often have this paradoxical

NOTE Confidence: 0.8436319

 $00{:}23{:}11.466 \dashrightarrow 00{:}23{:}13.370$ reaction to diphen hydramine as well,

NOTE Confidence: 0.8436319

 $00:23:13.370 \longrightarrow 00:23:15.374$ so I'm more cautious about parents

NOTE Confidence: 0.8436319

 $00:23:15.374 \longrightarrow 00:23:17.790$ are using and I just have them.

NOTE Confidence: 0.8436319

00:23:17.790 --> 00:23:19.830 Be careful. And obviously it's not.

NOTE Confidence: 0.8436319

00:23:19.830 --> 00:23:21.605 Usually it's not designed to

NOTE Confidence: 0.8436319

00:23:21.605 --> 00:23:24.009 be a long term therapy as well.

NOTE Confidence: 0.8436319

 $00:23:24.010 \longrightarrow 00:23:27.146$ So you have a side effect of sedation

NOTE Confidence: 0.8436319

 $00{:}23{:}27.146 \dashrightarrow 00{:}23{:}29.030$ anticholinergic effects including fever,

NOTE Confidence: 0.8436319

00:23:29.030 --> 00:23:33.010 blurred vision, dry mouth Constipation, etc.

NOTE Confidence: 0.8436319

 $00:23:33.010 \longrightarrow 00:23:36.259$ Such that it is the only one of the

NOTE Confidence: 0.8436319

 $00{:}23{:}36.259 \dashrightarrow 00{:}23{:}39.786$ most testing in children is clonaze pam,

NOTE Confidence: 0.8436319

 $00:23:39.790 \longrightarrow 00:23:42.954$ which has been done betrayed to treat

NOTE Confidence: 0.8436319

00:23:42.954 --> 00:23:44.310 parasomnia spiritual movements,

NOTE Confidence: 0.8436319

00:23:44.310 --> 00:23:44.761 nocturnal,

NOTE Confidence: 0.8436319

 $00{:}23{:}44.761 \dashrightarrow 00{:}23{:}47.467$ biting the side effects are obvious.

 $00:23:47.470 \longrightarrow 00:23:49.278$ Then this would be be be be be a solution of the solution of th

NOTE Confidence: 0.8436319

00:23:49.278 --> 00:23:51.086 you have sedation headaches,

NOTE Confidence: 0.8436319

 $00:23:51.090 \longrightarrow 00:23:52.461$ dizziness and dependence,

NOTE Confidence: 0.8436319

 $00:23:52.461 \longrightarrow 00:23:56.166$ so it's not one that we usually go

NOTE Confidence: 0.8436319

00:23:56.166 --> 00:23:58.668 to from jump to iron supplements

NOTE Confidence: 0.8436319

00:23:58.668 --> 00:24:00.970 because there is actually relatively

NOTE Confidence: 0.8436319

 $00:24:00.970 \longrightarrow 00:24:03.380$ well known say Hi But.

NOTE Confidence: 0.8436319

 $00:24:03.380 \longrightarrow 00:24:05.258$ That could be an issue that

NOTE Confidence: 0.8436319

00:24:05.258 --> 00:24:06.197 patients are having.

NOTE Confidence: 0.8436319

 $00:24:06.200 \longrightarrow 00:24:07.660$ Apparently movements are are less

NOTE Confidence: 0.8436319

 $00{:}24{:}07.660 \dashrightarrow 00{:}24{:}09.640$ symptoms that they just can't verbalize.

NOTE Confidence: 0.8436319

 $00{:}24{:}09.640 \dashrightarrow 00{:}24{:}12.195$ So checking if Barrett and I think

NOTE Confidence: 0.8436319

 $00:24:12.195 \longrightarrow 00:24:14.215$ it's really important in these

NOTE Confidence: 0.8436319

 $00:24:14.215 \longrightarrow 00:24:16.355$ patients and supplementing with iron.

NOTE Confidence: 0.8436319

00:24:16.360 --> 00:24:16.818 As indicated,

 $00:24:16.818 \longrightarrow 00:24:18.421$ and then one thing that I as

NOTE Confidence: 0.8436319

00:24:18.421 --> 00:24:20.002 a pediatrician haven't really

NOTE Confidence: 0.8436319

00:24:20.002 --> 00:24:21.730 prescribed allotted nepas ill,

NOTE Confidence: 0.8436319

 $00:24:21.730 \longrightarrow 00:24:23.310$ which is an Alzheimer's medication.

NOTE Confidence: 0.8436319

00:24:23.310 --> 00:24:24.252 It's been studied,

NOTE Confidence: 0.8436319

00:24:24.252 --> 00:24:26.136 kind of recently been looking at

NOTE Confidence: 0.8436319

 $00{:}24{:}26.136 \dashrightarrow 00{:}24{:}27.751$ 'cause we know there's decreased

NOTE Confidence: 0.8436319

 $00:24:27.751 \longrightarrow 00:24:28.995$ REM sleep in autism.

NOTE Confidence: 0.8436319

 $00{:}24{:}29.000 \dashrightarrow 00{:}24{:}30.390$ There's been some studies looking

NOTE Confidence: 0.8436319

 $00:24:30.390 \longrightarrow 00:24:32.854$ to see if we can increase REM sleep

NOTE Confidence: 0.8436319

 $00:24:32.854 \longrightarrow 00:24:34.888$ thinking that we can actually increase

NOTE Confidence: 0.8436319

 $00:24:34.888 \longrightarrow 00:24:36.897$ the restful quality of sleep etc.

NOTE Confidence: 0.8436319

 $00{:}24{:}36.900 \dashrightarrow 00{:}24{:}38.796$ So I don't have personal experience

NOTE Confidence: 0.8436319

 $00:24:38.796 \longrightarrow 00:24:39.428$ using this,

NOTE Confidence: 0.8436319

 $00:24:39.430 \longrightarrow 00:24:41.325$ but it's been really interesting

NOTE Confidence: 0.8436319

00:24:41.325 --> 00:24:43.220 reading the literature that that's

 $00:24:43.277 \longrightarrow 00:24:45.107$ something that some people are are

NOTE Confidence: 0.8436319

 $00:24:45.107 \longrightarrow 00:24:47.348$ using and there was a clinical trial.

NOTE Confidence: 0.8436319

00:24:47.350 --> 00:24:49.822 I think even though I'm a couple years

NOTE Confidence: 0.8436319

00:24:49.822 --> 00:24:52.420 ago with this, I'm going to try to.

NOTE Confidence: 0.8436319

 $00:24:52.420 \longrightarrow 00:24:54.639 \text{ I didn't see the full report out}$

NOTE Confidence: 0.8436319

 $00:24:54.640 \longrightarrow 00:24:56.536$ but there's of course side effects

NOTE Confidence: 0.8436319

00:24:56.536 --> 00:24:58.444 of GI issues, vivid dreams, insomnia,

NOTE Confidence: 0.8436319

00:24:58.444 --> 00:25:01.210 Brady, Cardia, hypertension.

NOTE Confidence: 0.8436319

00:25:01.210 --> 00:25:03.499 And I just wanted to mention Doxepin,

NOTE Confidence: 0.8436319

 $00:25:03.500 \longrightarrow 00:25:05.456$ so this wasn't in that table.

NOTE Confidence: 0.8436319

 $00:25:05.460 \longrightarrow 00:25:07.273$ But this is a low dose Doxepin

NOTE Confidence: 0.8436319

 $00:25:07.273 \longrightarrow 00:25:08.050$ as many of

NOTE Confidence: 0.80414355

 $00{:}25{:}08.119 \dashrightarrow 00{:}25{:}10.751$ us know as a medication has been approved

NOTE Confidence: 0.80414355

 $00:25:10.751 \longrightarrow 00:25:13.310$ for adults for insomnia for maintenance.

NOTE Confidence: 0.80414355

00:25:13.310 --> 00:25:14.618 Insomnia hasn't really been

 $00:25:14.618 \longrightarrow 00:25:15.599$ approved for children,

NOTE Confidence: 0.80414355

 $00:25:15.600 \longrightarrow 00:25:17.814$ but there's a single center retrospective

NOTE Confidence: 0.80414355

 $00:25:17.814 \longrightarrow 00:25:20.496$ study that did only 29 kids were in it.

NOTE Confidence: 0.80414355

 $00:25:20.500 \longrightarrow 00:25:22.468$ They just 217 all had autism.

NOTE Confidence: 0.80414355

 $00:25:22.470 \longrightarrow 00:25:23.661$ They already failed.

NOTE Confidence: 0.80414355

 $00:25:23.661 \longrightarrow 00:25:25.646$ Behavioral intervention and melatonin and

NOTE Confidence: 0.80414355

 $00:25:25.646 \longrightarrow 00:25:28.195$ they started median starting dose is 2

NOTE Confidence: 0.80414355

 $00:25:28.195 \longrightarrow 00:25:29.890$ milligrams median maintenance dose was

NOTE Confidence: 0.80414355

 $00:25:29.947 \longrightarrow 00:25:31.811$ all the way up to 10 milligrams which

NOTE Confidence: 0.80414355

 $00:25:31.811 \longrightarrow 00:25:34.368$ I know is a little bit higher than.

NOTE Confidence: 0.80414355

 $00{:}25{:}34.370 \dashrightarrow 00{:}25{:}36.626$ The typical low dose not low dose toxin

NOTE Confidence: 0.80414355

 $00:25:36.626 \longrightarrow 00:25:39.350$ that we prescribe for maintenance insomnia,

NOTE Confidence: 0.80414355

 $00:25:39.350 \longrightarrow 00:25:41.486$ but the results were were

NOTE Confidence: 0.80414355

 $00:25:41.486 \longrightarrow 00:25:42.910$ kind of where reassuring.

NOTE Confidence: 0.80414355

 $00:25:42.910 \longrightarrow 00:25:44.695$ It showed that 27.8% showed

NOTE Confidence: 0.80414355

00:25:44.695 --> 00:25:46.122 modern improvement, 34 mild,

 $00:25:46.122 \longrightarrow 00:25:47.902$ 10 minimal or no improvement

NOTE Confidence: 0.80414355

 $00:25:47.902 \longrightarrow 00:25:48.970$ in 13 discontinuously,

NOTE Confidence: 0.80414355

 $00:25:48.970 \longrightarrow 00:25:51.100$ but it wasn't helping at all.

NOTE Confidence: 0.80414355

 $00:25:51.100 \longrightarrow 00:25:54.304$ Or they may be thought they had side effects.

NOTE Confidence: 0.80414355

 $00{:}25{:}54.310 \dashrightarrow 00{:}25{:}56.500$ So two patients that have increased

NOTE Confidence: 0.80414355

 $00{:}25{:}56.500 {\:{\mbox{--}}}{\:{\mbox{-}}} 00{:}25{:}59.384$ aggression in your racist but the rest of

NOTE Confidence: 0.80414355

 $00:25:59.384 \longrightarrow 00:26:01.430$ didn't have any significant side effects.

NOTE Confidence: 0.80414355

 $00:26:01.430 \longrightarrow 00:26:03.560$ So the conclusion that's potentially safe,

NOTE Confidence: 0.80414355

 $00:26:03.560 \longrightarrow 00:26:05.565$ well tolerated option for our

NOTE Confidence: 0.80414355

 $00{:}26{:}05.565 \dashrightarrow 00{:}26{:}07.169$ pediatric patients with autism.

NOTE Confidence: 0.80414355

 $00{:}26{:}07.170 \dashrightarrow 00{:}26{:}09.039$ To consider and I actually have a

NOTE Confidence: 0.80414355

 $00{:}26{:}09.039 \dashrightarrow 00{:}26{:}11.026$ couple of patients and I started on it

NOTE Confidence: 0.80414355

 $00{:}26{:}11.026 \dashrightarrow 00{:}26{:}12.879$ and it actually had some good success.

NOTE Confidence: 0.80414355

 $00:26:12.880 \longrightarrow 00:26:14.680$ What about the Z drugs?

NOTE Confidence: 0.80414355

 $00:26:14.680 \longrightarrow 00:26:17.186$ So the non benzodiazepine's are resulted etc.

00:26:17.190 --> 00:26:19.696 So these have a relatively short half-life,

NOTE Confidence: 0.80414355

 $00{:}26{:}19.700 \dashrightarrow 00{:}26{:}22.213$ may have a safer profile then are

NOTE Confidence: 0.80414355

 $00:26:22.213 \longrightarrow 00:26:23.290$ compared to Benzodiazepine's,

NOTE Confidence: 0.80414355

 $00:26:23.290 \longrightarrow 00:26:25.831$ but Dayton uses eat Rosie drugs in

NOTE Confidence: 0.80414355

 $00:26:25.831 \longrightarrow 00:26:27.688$ children is generally quite limited

NOTE Confidence: 0.80414355

 $00:26:27.688 \longrightarrow 00:26:30.138$ and the data shows clearance of drugs

NOTE Confidence: 0.80414355

 $00:26:30.138 \longrightarrow 00:26:32.657$ in children is 3 times higher than

NOTE Confidence: 0.80414355

00:26:32.657 --> 00:26:34.418 adults which can cause medication

NOTE Confidence: 0.80414355

 $00:26:34.418 \longrightarrow 00:26:35.850$ effectiveness but increase risk

NOTE Confidence: 0.80414355

 $00:26:35.850 \longrightarrow 00:26:37.282$ of abnormal sleep behaviors.

NOTE Confidence: 0.80414355

 $00{:}26{:}37.290 \dashrightarrow 00{:}26{:}39.090$ So more sleepwalking or sleep.

NOTE Confidence: 0.80414355

 $00:26:39.090 \longrightarrow 00:26:40.975$ Early hallucination and studies with

NOTE Confidence: 0.80414355

 $00:26:40.975 \longrightarrow 00:26:43.589$ kids with autism just are really are.

NOTE Confidence: 0.80414355

 $00:26:43.590 \longrightarrow 00:26:45.326$ There aren't a lot of studies as well,

NOTE Confidence: 0.80414355

 $00:26:45.330 \longrightarrow 00:26:48.095$ so but this is something to consider.

NOTE Confidence: 0.80414355

00:26:48.100 --> 00:26:50.388 So I'm just briefly my my approach and

 $00:26:50.388 \longrightarrow 00:26:53.321$ I'd love to hear if other people have

NOTE Confidence: 0.80414355

 $00{:}26{:}53.321 \dashrightarrow 00{:}26{:}54.853$ experiences with their approaches.

NOTE Confidence: 0.80414355

 $00:26:54.860 \longrightarrow 00:26:56.212$ Are is, you know,

NOTE Confidence: 0.80414355

00:26:56.212 --> 00:26:58.240 I take a good sleep history,

NOTE Confidence: 0.80414355

 $00:26:58.240 \longrightarrow 00:26:59.930$ get a good sleep screening,

NOTE Confidence: 0.80414355

 $00:26:59.930 \longrightarrow 00:27:02.261$ and then I really try to understand

NOTE Confidence: 0.80414355

 $00:27:02.261 \longrightarrow 00:27:04.327$ the expectations of the family. How?

NOTE Confidence: 0.80414355

 $00:27:04.327 \longrightarrow 00:27:06.686$ What are they hoping from this visit?

NOTE Confidence: 0.80414355

00:27:06.690 --> 00:27:09.056 How much sleep do they want their

NOTE Confidence: 0.80414355

 $00:27:09.056 \longrightarrow 00:27:10.070$ child to have?

NOTE Confidence: 0.80414355

 $00:27:10.070 \longrightarrow 00:27:12.086$ How much are there sleep issues

NOTE Confidence: 0.80414355

 $00:27:12.086 \longrightarrow 00:27:13.795$ really affecting the overall family

NOTE Confidence: 0.80414355

 $00:27:13.795 \longrightarrow 00:27:15.643$ quality of life or their child's

NOTE Confidence: 0.80414355

00:27:15.643 --> 00:27:17.727 health and then extreme for any

NOTE Confidence: 0.80414355

 $00:27:17.727 \longrightarrow 00:27:19.199$ issues of comorbid conditions,

 $00:27:19.200 \longrightarrow 00:27:19.900$ address medications?

NOTE Confidence: 0.80414355

 $00:27:19.900 \longrightarrow 00:27:21.650$ Of course, don't just change.

NOTE Confidence: 0.80414355

 $00:27:21.650 \longrightarrow 00:27:23.558$ Medications are prescribed by someone else,

NOTE Confidence: 0.80414355

 $00:27:23.560 \longrightarrow 00:27:25.468$ but maybe talk to the family.

NOTE Confidence: 0.80414355

 $00:27:25.470 \longrightarrow 00:27:27.206$ Reach out to that doctor and see

NOTE Confidence: 0.80414355

 $00:27:27.206 \longrightarrow 00:27:29.816$ what we can do to adjust and then

NOTE Confidence: 0.80414355

 $00:27:29.816 \longrightarrow 00:27:31.260$ help the family established

NOTE Confidence: 0.80414355

 $00:27:31.260 \longrightarrow 00:27:32.809$ individualized routine or schedule.

NOTE Confidence: 0.80414355

 $00:27:32.810 \longrightarrow 00:27:34.718$ If they don't have one already,

NOTE Confidence: 0.80414355

00:27:34.720 --> 00:27:36.000 I try non pharmacological

NOTE Confidence: 0.80414355

 $00:27:36.000 \longrightarrow 00:27:36.640$ interventions first.

NOTE Confidence: 0.80414355

 $00:27:36.640 \longrightarrow 00:27:37.594$ The weighted blanket,

NOTE Confidence: 0.80414355

00:27:37.594 --> 00:27:39.184 the white noise machine etc.

NOTE Confidence: 0.80414355

 $00:27:39.190 \longrightarrow 00:27:40.790$ And then I try melatonin.

NOTE Confidence: 0.80414355

 $00:27:40.790 \longrightarrow 00:27:42.416$ I have a pretty low threshold

NOTE Confidence: 0.80414355

 $00:27:42.416 \longrightarrow 00:27:44.610$ to try it in this population,

 $00:27:44.610 \longrightarrow 00:27:46.010$ especially having trouble falling

NOTE Confidence: 0.80414355

 $00{:}27{:}46.010 \dashrightarrow 00{:}27{:}48.110$ as leep and then I might consider

NOTE Confidence: 0.80414355

 $00:27:48.173 \longrightarrow 00:27:50.135$ other medications and usually I'm at.

NOTE Confidence: 0.80414355

 $00:27:50.140 \longrightarrow 00:27:51.013$ Akron, which imagined.

NOTE Confidence: 0.80414355

 $00{:}27{:}51.013 \dashrightarrow 00{:}27{:}53.050$ Alright Yeah where we have a lot

NOTE Confidence: 0.80414355

00:27:53.108 --> 00:27:54.774 of complex patients who have a lot

NOTE Confidence: 0.80414355

00:27:54.774 --> 00:27:56.130 of sub sub specialist,

NOTE Confidence: 0.80414355

 $00:27:56.130 \longrightarrow 00:27:57.612$ so I usually will do this

NOTE Confidence: 0.80414355

00:27:57.612 --> 00:27:58.600 in conjunction with the

NOTE Confidence: 0.8360868

 $00:27:58.654 \longrightarrow 00:27:59.546$ neurologist, developmental

NOTE Confidence: 0.8360868

 $00{:}27{:}59.546 \dashrightarrow 00{:}28{:}00.690$ pediatrician and psychiatrist milk.

NOTE Confidence: 0.8360868

 $00{:}28{:}00.690 \dashrightarrow 00{:}28{:}02.424$ I've come with a plan together

NOTE Confidence: 0.8360868

 $00:28:02.424 \longrightarrow 00:28:04.189$ just so the right hand is

NOTE Confidence: 0.8360868

 $00:28:04.189 \longrightarrow 00:28:05.815$ with the left hand is doing.

NOTE Confidence: 0.81860095

 $00:28:07.990 \longrightarrow 00:28:09.730$ So I think just bottom

 $00:28:09.730 \longrightarrow 00:28:11.122$ line and hopefully good.

NOTE Confidence: 0.81860095

00:28:11.130 --> 00:28:13.314 I wanted to have lots of time

NOTE Confidence: 0.81860095

 $00:28:13.314 \longrightarrow 00:28:14.970$ for discussion and questions.

NOTE Confidence: 0.81860095

 $00:28:14.970 \longrightarrow 00:28:16.318$ So basically sleep disruptions

NOTE Confidence: 0.81860095

 $00:28:16.318 \longrightarrow 00:28:18.340$ common in autism severity of autism

NOTE Confidence: 0.81860095

00:28:18.392 --> 00:28:20.654 is correlated with degree of sleep

NOTE Confidence: 0.81860095

 $00:28:20.654 \longrightarrow 00:28:22.162$ disruption and behavioral interventions

NOTE Confidence: 0.81860095

 $00:28:22.222 \longrightarrow 00:28:24.148$ really should be the first line

NOTE Confidence: 0.81860095

 $00{:}28{:}24.148 \mathrel{--}{>} 00{:}28{:}25.432$ and considered first regardless

NOTE Confidence: 0.81860095

00:28:25.440 --> 00:28:27.190 of severity of options symptoms,

NOTE Confidence: 0.81860095

 $00{:}28{:}27.190 \dashrightarrow 00{:}28{:}29.278$ knowing they may not be enough,

NOTE Confidence: 0.81860095

 $00:28:29.280 \longrightarrow 00:28:32.064$ but at least they should be in place.

NOTE Confidence: 0.81860095

 $00:28:32.070 \longrightarrow 00:28:33.462$ Pharmacologic therapies are often

NOTE Confidence: 0.81860095

 $00{:}28{:}33.462 \dashrightarrow 00{:}28{:}35.546$ used in this population, but really,

NOTE Confidence: 0.81860095

 $00:28:35.546 \longrightarrow 00:28:37.604$ there's not a lot of evidence

NOTE Confidence: 0.81860095

 $00:28:37.604 \longrightarrow 00:28:39.639$ for which are most effective.

00:28:39.640 --> 00:28:41.180 But there's there's emerging evidence,

NOTE Confidence: 0.81860095

 $00:28:41.180 \longrightarrow 00:28:43.412$ and it's nice to see this in the

NOTE Confidence: 0.81860095

 $00:28:43.412 \longrightarrow 00:28:44.859$ literature and more research.

NOTE Confidence: 0.81860095

 $00:28:44.860 \longrightarrow 00:28:45.166$ Really,

NOTE Confidence: 0.81860095

 $00:28:45.166 \longrightarrow 00:28:47.614$ looking at autism in a dults is really needed,

NOTE Confidence: 0.81860095

 $00:28:47.620 \longrightarrow 00:28:48.544$ particularly those with

NOTE Confidence: 0.81860095

 $00:28:48.544 \longrightarrow 00:28:49.160$ intellectual disability.

NOTE Confidence: 0.81860095

 $00:28:49.160 \longrightarrow 00:28:51.015$ They I fear a lot of them

NOTE Confidence: 0.81860095

 $00:28:51.015 \longrightarrow 00:28:52.839$ may not be getting well.

NOTE Confidence: 0.81860095

 $00:28:52.840 \longrightarrow 00:28:54.989$ It may not be recognized or not,

NOTE Confidence: 0.81860095

 $00{:}28{:}54.990 \dashrightarrow 00{:}28{:}57.965$ may not be getting all the therapies.

NOTE Confidence: 0.81860095

00:28:57.970 --> 00:28:59.686 So I just know to couple

NOTE Confidence: 0.81860095

 $00:28:59.686 \longrightarrow 00:29:01.230$ I'll just keep this here.

NOTE Confidence: 0.81860095

 $00:29:01.230 \longrightarrow 00:29:03.326$ If you want a screen shot this but a

NOTE Confidence: 0.81860095

 $00:29:03.326 \longrightarrow 00:29:05.368$ couple of key citations to explore.

 $00:29:05.370 \longrightarrow 00:29:08.338$ I thought these were like really helpful

NOTE Confidence: 0.81860095

 $00:29:08.338 \longrightarrow 00:29:11.737$ reviews just to kind of approach the topic.

NOTE Confidence: 0.81860095

 $00:29:11.740 \longrightarrow 00:29:12.920$ I think that's that's all

NOTE Confidence: 0.81860095

 $00:29:12.920 \longrightarrow 00:29:14.530$ the day I have for slides,

NOTE Confidence: 0.81860095

 $00:29:14.530 \longrightarrow 00:29:16.102$ and hopefully I want to get

NOTE Confidence: 0.81860095

 $00:29:16.102 \longrightarrow 00:29:17.839$ plenty of time for us to talk,

NOTE Confidence: 0.81860095

 $00:29:17.840 \longrightarrow 00:29:21.206$ so I hope thank you for your attention and.

NOTE Confidence: 0.81860095

00:29:21.210 --> 00:29:22.170 Hopefully we can just trying

NOTE Confidence: 0.81860095

 $00:29:22.170 \longrightarrow 00:29:22.938$ to talk from here.

NOTE Confidence: 0.83606935

 $00:29:24.100 \longrightarrow 00:29:25.846$ Thanks so much. That was wonderful.

NOTE Confidence: 0.83606935

 $00:29:25.850 \longrightarrow 00:29:27.894$ I will open it up to questions.

NOTE Confidence: 0.83606935

00:29:27.900 --> 00:29:29.769 Actually I think we have enough time

NOTE Confidence: 0.83606935

 $00:29:29.769 \longrightarrow 00:29:32.182$ that it folks would like to just unmute

NOTE Confidence: 0.83606935

 $00:29:32.182 \longrightarrow 00:29:33.732$ an ask their questions directly.

NOTE Confidence: 0.83606935

 $00:29:33.740 \longrightarrow 00:29:34.880$ That would be great.

NOTE Confidence: 0.83606935

 $00:29:34.880 \longrightarrow 00:29:36.950$ I'm going to check the chat room,

 $00:29:36.950 \longrightarrow 00:29:40.060$ but I didn't see anything.

NOTE Confidence: 0.83606935

 $00:29:40.060 \longrightarrow 00:29:41.896$ Just yet, when I last looked,

NOTE Confidence: 0.83606935

 $00:29:41.900 \longrightarrow 00:29:44.370$ I know that we, I think we have a few

NOTE Confidence: 0.83606935

 $00:29:44.445 \longrightarrow 00:29:46.785$ pediatricians at least on the call.

NOTE Confidence: 0.83606935

 $00{:}29{:}46.790 \longrightarrow 00{:}29{:}48.626$ Does anyone have any questions or

NOTE Confidence: 0.8615132

 $00:29:48.630 \longrightarrow 00:29:50.160$ comments? I'd love to hear.

NOTE Confidence: 0.8615132

 $00:29:50.160 \longrightarrow 00:29:51.990$ Kind of your experience and yeah.

NOTE Confidence: 0.875953416666667

 $00{:}29{:}59.310 \dashrightarrow 00{:}30{:}02.506$ Well. She put the last slide back

NOTE Confidence: 0.875953416666667

 $00:30:02.506 \longrightarrow 00:30:06.810$ on for a second one, the. Sure,

NOTE Confidence: 0.7291935

 $00:30:06.810 \longrightarrow 00:30:08.520$ let me let me reshare.

NOTE Confidence: 0.44565442

 $00:30:14.610 \longrightarrow 00:30:17.180$ Oops. Sorry, one moment.

NOTE Confidence: 0.44565442

 $00:30:17.180 \longrightarrow 00:30:18.884$ Did you have a question about that

NOTE Confidence: 0.44565442

 $00:30:18.884 \dashrightarrow 00:30:20.820$ or just wanted to see the resources?

NOTE Confidence: 0.75215435

 $00:30:24.940 \longrightarrow 00:30:28.190$ Is it this this line? Yes, OK.

NOTE Confidence: 0.842566

00:30:30.760 --> 00:30:34.204 I guess I'll start with a question

 $00:30:34.204 \longrightarrow 00:30:37.627$ Caroline is do you find any

NOTE Confidence: 0.842566

00:30:37.627 --> 00:30:40.079 differences in how receptive

NOTE Confidence: 0.842566

00:30:40.079 --> 00:30:43.229 parents of children with ASD R2,

NOTE Confidence: 0.842566

00:30:43.230 --> 00:30:46.566 either behavioral or pharmacologic?

NOTE Confidence: 0.842566

 $00:30:46.566 \longrightarrow 00:30:50.736$ Interventions than patients without autism.

NOTE Confidence: 0.842566

00:30:50.740 --> 00:30:52.419 Oh, that's a great question.

NOTE Confidence: 0.842566

 $00:30:52.419 \longrightarrow 00:30:54.811$ Like is there? Do they tend to prefer

NOTE Confidence: 0.842566

 $00:30:54.811 \longrightarrow 00:30:56.930$ for pharmacological agents or not?

NOTE Confidence: 0.842566

 $00:30:56.930 \longrightarrow 00:30:57.962$ Or is there?

NOTE Confidence: 0.842566

00:30:57.962 --> 00:31:00.225 You know, I could imagine there could

NOTE Confidence: 0.842566

 $00{:}31{:}00.225 \dashrightarrow 00{:}31{:}02.191$ be more reluctance or hesitance to

NOTE Confidence: 0.842566

 $00:31:02.191 \longrightarrow 00:31:03.199$ attempt behavioral interventions

NOTE Confidence: 0.842566

 $00:31:03.199 \longrightarrow 00:31:05.669$ just because of the kind of constant

NOTE Confidence: 0.842566

 $00{:}31{:}05.669 \dashrightarrow 00{:}31{:}07.249$ daily challenges that beast,

NOTE Confidence: 0.842566

 $00:31:07.250 \longrightarrow 00:31:09.314$ but I would love to hear

NOTE Confidence: 0.842566

 $00{:}31{:}09.314 \dashrightarrow 00{:}31{:}10.690$ your perspectives on that.

 $00:31:11.440 \longrightarrow 00:31:13.098$ No, that's a great question. I.

NOTE Confidence: 0.8113184

 $00{:}31{:}13.098 \dashrightarrow 00{:}31{:}14.694$ I think in my experience and they

NOTE Confidence: 0.8113184

00:31:14.694 --> 00:31:16.818 tend to be more open to pharmacologic

NOTE Confidence: 0.8113184

 $00:31:16.818 \longrightarrow 00:31:19.069$ interventions for when they when their kids

NOTE Confidence: 0.8113184

 $00:31:19.069 \longrightarrow 00:31:21.127$ have autism compared to those who don't.

NOTE Confidence: 0.8113184

00:31:21.130 --> 00:31:22.560 And I think it's typically,

NOTE Confidence: 0.8113184

 $00:31:22.560 \longrightarrow 00:31:24.270$ as I say, I've referral bias,

NOTE Confidence: 0.8113184

 $00:31:24.270 \longrightarrow 00:31:26.358$ insured, slotted you do by the

NOTE Confidence: 0.8113184

 $00:31:26.358 \longrightarrow 00:31:28.020$ time you're coming to me.

NOTE Confidence: 0.8113184

 $00:31:28.020 \longrightarrow 00:31:29.808$ You tried a few other things

NOTE Confidence: 0.8113184

 $00:31:29.808 \longrightarrow 00:31:31.000$ and you really are.

NOTE Confidence: 0.8113184

 $00:31:31.000 \longrightarrow 00:31:32.485$ We allowed the parents come

NOTE Confidence: 0.8113184

00:31:32.485 --> 00:31:33.673 to me somewhat frustrated,

NOTE Confidence: 0.8113184

 $00:31:33.680 \longrightarrow 00:31:35.468$ so usually they feel it depends

NOTE Confidence: 0.8113184

 $00:31:35.468 \longrightarrow 00:31:36.660$ on the degree of.

 $00:31:36.660 \longrightarrow 00:31:38.985$ I think in touch will

NOTE Confidence: 0.8113184

00:31:38.985 --> 00:31:40.845 compromise the kids have.

NOTE Confidence: 0.8113184

 $00{:}31{:}40.850 \dashrightarrow 00{:}31{:}42.512$ I think it's a relatively still

NOTE Confidence: 0.8113184

 $00:31:42.512 \longrightarrow 00:31:43.620$ kind of high functioning.

NOTE Confidence: 0.8113184

 $00:31:43.620 \longrightarrow 00:31:45.018$ I think the parents are willing

NOTE Confidence: 0.8113184

 $00{:}31{:}45.018 \dashrightarrow 00{:}31{:}46.340$ to really try some behavioral

NOTE Confidence: 0.8113184

 $00:31:46.340 \longrightarrow 00:31:48.050$ things that they really struggle.

NOTE Confidence: 0.8113184

 $00:31:48.050 \longrightarrow 00:31:50.490$ Obviously there are more.

NOTE Confidence: 0.8113184

00:31:50.490 --> 00:31:52.360 Try to do more of just the medication,

NOTE Confidence: 0.8113184

 $00:31:52.360 \longrightarrow 00:31:53.752$ even to the point where sometimes

NOTE Confidence: 0.8113184

00:31:53.752 --> 00:31:55.406 when I I try say, well, sure,

NOTE Confidence: 0.8113184

 $00:31:55.406 \longrightarrow 00:31:56.804$ yes we can think about that.

NOTE Confidence: 0.8113184

00:31:56.810 --> 00:31:57.527 But you know,

NOTE Confidence: 0.8113184

 $00:31:57.527 \longrightarrow 00:31:58.483$ here's some things about

NOTE Confidence: 0.8113184

 $00:31:58.483 \longrightarrow 00:31:59.619$ getting a schedule you know.

NOTE Confidence: 0.8113184

 $00:31:59.620 \longrightarrow 00:32:00.862$ Can we try to turn the

 $00:32:00.862 \longrightarrow 00:32:02.190$ light on in the morning?

NOTE Confidence: 0.8113184

 $00:32:02.190 \longrightarrow 00:32:03.828$ Have a regular bedtime sleep time sometimes,

NOTE Confidence: 0.8113184

 $00:32:03.830 \longrightarrow 00:32:05.517$ or even resistant to that and just

NOTE Confidence: 0.8113184

 $00:32:05.517 \longrightarrow 00:32:07.174$ want the medicine so it's a little

NOTE Confidence: 0.8113184

 $00:32:07.174 \longrightarrow 00:32:08.506$ bit of a discussion and trying.

NOTE Confidence: 0.8129765

 $00:32:10.810 \longrightarrow 00:32:11.680$ Forming a partnership.

NOTE Confidence: 0.8129765

 $00:32:11.680 \longrightarrow 00:32:12.260$ Because honestly,

NOTE Confidence: 0.8129765

00:32:12.260 --> 00:32:13.710 I think these medications help,

NOTE Confidence: 0.8129765

00:32:13.710 --> 00:32:15.951 but I don't know and I love to hear

NOTE Confidence: 0.8129765

 $00:32:15.951 \longrightarrow 00:32:17.743$ peoples experience. I don't know.

NOTE Confidence: 0.8129765

00:32:17.743 --> 00:32:20.069 I've seen any kid who remains on one

NOTE Confidence: 0.8129765

 $00:32:20.069 \longrightarrow 00:32:22.405$ regiment for a long time and their set,

NOTE Confidence: 0.8129765

 $00:32:22.410 \dashrightarrow 00:32:24.440$ so I feel like they keep changing.

NOTE Confidence: 0.8129765

 $00:32:24.440 \longrightarrow 00:32:26.960$ So I think it it's a little bit of dance

NOTE Confidence: 0.8129765

 $00:32:27.031 \longrightarrow 00:32:29.369$ with the kid and ever changing needs.

 $00:32:31.400 \longrightarrow 00:32:37.008$ Great thanks. So I have a question so.

NOTE Confidence: 0.85575503

 $00{:}32{:}37.010 \dashrightarrow 00{:}32{:}40.150$ The parents of a child who's autistic

NOTE Confidence: 0.85575503

00:32:40.150 --> 00:32:44.360 who wanders around at night, can't sleep.

NOTE Confidence: 0.85575503

 $00:32:44.360 \longrightarrow 00:32:46.971$ What do you do for for the parents

NOTE Confidence: 0.85575503

 $00:32:46.971 \longrightarrow 00:32:49.470$ to give them some respite? Yeah,

NOTE Confidence: 0.8884189

00:32:49.470 --> 00:32:52.606 I. I think if there, if they're wondering,

NOTE Confidence: 0.8884189

 $00:32:52.606 \longrightarrow 00:32:55.548$ is the point of certainly. Endangering them,

NOTE Confidence: 0.8884189

 $00:32:55.548 \longrightarrow 00:32:58.460$ I think that's where we maybe go towards

NOTE Confidence: 0.8884189

 $00:32:58.530 \longrightarrow 00:33:00.510$ seeing some sedating medications faster

NOTE Confidence: 0.8884189

 $00:33:00.510 \longrightarrow 00:33:03.309$ than maybe we would for another kid.

NOTE Confidence: 0.8884189

 $00{:}33{:}03.310 \dashrightarrow 00{:}33{:}05.240$ Just thinking of weighing the

NOTE Confidence: 0.8884189

 $00:33:05.240 \longrightarrow 00:33:09.409$ safety or not, I think for.

NOTE Confidence: 0.8884189

 $00:33:09.410 \longrightarrow 00:33:11.080$ Alarms are not alarmed, but like sex.

NOTE Confidence: 0.8884189

00:33:11.080 --> 00:33:12.739 I had some patients who have such

NOTE Confidence: 0.8884189

 $00:33:12.739 \longrightarrow 00:33:13.694$ bad sleepwalking, they leave.

NOTE Confidence: 0.8884189

 $00:33:13.694 \longrightarrow 00:33:14.879$ They will leave the apartment.

 $00:33:14.880 \longrightarrow 00:33:15.864$ They leave the house.

NOTE Confidence: 0.8884189

 $00:33:15.864 \longrightarrow 00:33:18.089$ So I think trying to help them having the

NOTE Confidence: 0.8884189

 $00:33:18.089 \longrightarrow 00:33:20.600$ extra lock at the top of the door,

NOTE Confidence: 0.8884189

 $00:33:20.600 \longrightarrow 00:33:22.259$ having like a Bell on the door,

NOTE Confidence: 0.8884189

 $00:33:22.260 \longrightarrow 00:33:23.947$ something to alert them if they're going

NOTE Confidence: 0.8884189

00:33:23.947 --> 00:33:25.590 to actually go out into get unsafe.

NOTE Confidence: 0.8884189

00:33:25.590 --> 00:33:27.970 But I think those kids I think they may be.

NOTE Confidence: 0.8884189

 $00:33:27.970 \longrightarrow 00:33:29.636$ I tend to try to lean towards.

NOTE Confidence: 0.8884189

 $00:33:29.640 \longrightarrow 00:33:31.773$ Well, let's see what we can do for medicines.

NOTE Confidence: 0.8884189

 $00{:}33{:}31.780 \dashrightarrow 00{:}33{:}33.184$ Maybe a little bit sooner than

NOTE Confidence: 0.8884189

 $00:33:33.184 \longrightarrow 00:33:34.400$ they would for other kids.

NOTE Confidence: 0.8884189

 $00:33:34.400 \longrightarrow 00:33:37.160$ If they are a danger.

NOTE Confidence: 0.8884189

00:33:37.160 --> 00:33:37.580 You know,

NOTE Confidence: 0.8884189

00:33:37.580 --> 00:33:40.009 I I hear your point of just like how do we

NOTE Confidence: 0.8884189

 $00:33:40.009 \longrightarrow 00:33:42.030$ get parents to sleep when their kids aren't?

 $00:33:42.030 \longrightarrow 00:33:42.442$ It's tough.

NOTE Confidence: 0.8884189

00:33:42.442 --> 00:33:44.090 I mean it's a lot of I give

NOTE Confidence: 0.8884189

 $00:33:44.150 \longrightarrow 00:33:45.740$ these parents a lot of credit.

NOTE Confidence: 0.8884189

 $00:33:45.740 \longrightarrow 00:33:47.412$ I when I first meet them I feel

NOTE Confidence: 0.8884189

 $00:33:47.412 \longrightarrow 00:33:49.219$ like I do a lot of discussions.

NOTE Confidence: 0.8884189

 $00:33:49.220 \longrightarrow 00:33:51.950$ We need a lot through my.

NOTE Confidence: 0.8884189

 $00{:}33{:}51.950 \dashrightarrow 00{:}33{:}53.552$ My telephone and video visits really

NOTE Confidence: 0.8884189

00:33:53.552 --> 00:33:55.412 quickly in the first month until we

NOTE Confidence: 0.8884189

 $00{:}33{:}55.412 \dashrightarrow 00{:}33{:}57.148$ kind of come up with an individualized

NOTE Confidence: 0.8884189

 $00:33:57.199 \longrightarrow 00:33:58.975$ plan that seems to work best for them.

NOTE Confidence: 0.8884189

 $00:33:58.980 \longrightarrow 00:34:00.312$ It's like there's not one way

NOTE Confidence: 0.8884189

 $00:34:00.312 \longrightarrow 00:34:01.740 I$ do for the families,

NOTE Confidence: 0.8884189

 $00:34:01.740 \longrightarrow 00:34:03.204$ but a lot of negotiation of

NOTE Confidence: 0.8884189

 $00:34:03.204 \longrightarrow 00:34:04.500$ what works best for them.

NOTE Confidence: 0.8589258

 $00{:}34{:}08.680 --> 00{:}34{:}11.002$ This is Ian. We're like I do

NOTE Confidence: 0.8589258

 $00{:}34{:}11.002 \dashrightarrow 00{:}34{:}12.345$ mostly a dult Sleep Medicine.

00:34:12.345 --> 00:34:15.006 I have a handful of adult ASD patients

NOTE Confidence: 0.8589258

 $00:34:15.006 \longrightarrow 00:34:17.664$ and one of the things that we struggle

NOTE Confidence: 0.8589258

 $00:34:17.664 \longrightarrow 00:34:20.006$ with is sort of balancing the sort

NOTE Confidence: 0.8589258

 $00:34:20.006 \longrightarrow 00:34:22.326$ of once of the patient with the

NOTE Confidence: 0.8589258

 $00:34:22.330 \longrightarrow 00:34:24.329$ ones of the parents or caregivers.

NOTE Confidence: 0.8589258

 $00:34:24.329 \longrightarrow 00:34:26.329$ And sometimes they are in conflict.

NOTE Confidence: 0.8589258

 $00:34:26.330 \longrightarrow 00:34:28.989$ One another long is lined with the issue

NOTE Confidence: 0.8589258

 $00:34:28.990 \longrightarrow 00:34:30.660$ with the wandering at night.

NOTE Confidence: 0.8589258

00:34:30.660 --> 00:34:32.319 Maybe it's a safety issue,

NOTE Confidence: 0.8589258

 $00:34:32.319 \longrightarrow 00:34:34.990$ but sometimes it's not there just up and

NOTE Confidence: 0.8589258

 $00:34:34.990 \longrightarrow 00:34:36.318$ they're playing video games,

NOTE Confidence: 0.8589258

 $00:34:36.318 \longrightarrow 00:34:37.978$ or they're doing something and.

NOTE Confidence: 0.8487475

 $00:34:38.410 \longrightarrow 00:34:39.718$ And but their caregivers

NOTE Confidence: 0.8487475

 $00:34:39.718 \longrightarrow 00:34:41.355$ are very disturbed by that,

NOTE Confidence: 0.8487475

 $00:34:41.355 \longrightarrow 00:34:42.990$ and I always really reluctant

 $00:34:42.990 \longrightarrow 00:34:44.621$ to sort of medicate those

NOTE Confidence: 0.8487475

 $00:34:44.621 \longrightarrow 00:34:46.226$ patients if they don't really

NOTE Confidence: 0.8487475

 $00:34:46.226 \longrightarrow 00:34:48.216$ have any kind of major special.

NOTE Confidence: 0.8487475

 $00:34:48.216 \longrightarrow 00:34:50.182$ They're not having a lot of

NOTE Confidence: 0.8487475

00:34:50.182 --> 00:34:51.490 datetime dysfunction, so how

NOTE Confidence: 0.8487475

 $00:34:51.490 \longrightarrow 00:34:53.653$ do you sort of balance between the

NOTE Confidence: 0.8487475

 $00:34:53.653 \longrightarrow 00:34:56.070$ patient and the family or caregiver and

NOTE Confidence: 0.8487475

 $00:34:56.070 \longrightarrow 00:34:57.700$ and in terms of treatment?

NOTE Confidence: 0.786042

 $00{:}34{:}58.960 \dashrightarrow 00{:}35{:}02.580$ Yeah, no, that's it, yeah. It's tough.

NOTE Confidence: 0.786042

 $00:35:02.580 \longrightarrow 00:35:04.080$ I think it's that's where really

NOTE Confidence: 0.786042

 $00{:}35{:}04.080 \dashrightarrow 00{:}35{:}05.537$ the having a lot of discussion,

NOTE Confidence: 0.786042

 $00:35:05.540 \longrightarrow 00:35:07.353$ like for instance when another thing that

NOTE Confidence: 0.786042

 $00:35:07.353 \longrightarrow 00:35:09.703$ I see as I have a parent who just wanted

NOTE Confidence: 0.786042

 $00:35:09.703 \longrightarrow 00:35:11.709$ her kid to sleep 14 hours every day.

NOTE Confidence: 0.786042

00:35:11.710 --> 00:35:13.806 She's like I want him to fall asleep

NOTE Confidence: 0.786042

 $00:35:13.806 \longrightarrow 00:35:16.229$ at 6 and not get up until you know

 $00:35:16.229 \longrightarrow 00:35:18.550$ 8:00 AM the next day and it's like.

NOTE Confidence: 0.786042

 $00{:}35{:}18.550 \dashrightarrow 00{:}35{:}21.062$ I mean I should like some schema pill

NOTE Confidence: 0.786042

 $00:35:21.062 \longrightarrow 00:35:23.229$ that does that and it's like no.

NOTE Confidence: 0.786042

00:35:23.230 --> 00:35:25.102 So you know, so I think it's a lot

NOTE Confidence: 0.786042

 $00:35:25.102 \longrightarrow 00:35:27.290$ of discussion resetting expectations,

NOTE Confidence: 0.786042

 $00:35:27.290 \longrightarrow 00:35:28.378$ which is not easy,

NOTE Confidence: 0.786042

 $00:35:28.378 \longrightarrow 00:35:31.029$ and I think you have the unique problem.

NOTE Confidence: 0.786042

 $00{:}35{:}31.030 \dashrightarrow 00{:}35{:}32.902$ Two of having a dult patients least

NOTE Confidence: 0.786042

 $00:35:32.902 \longrightarrow 00:35:35.393$ most of mine are are, you know minors.

NOTE Confidence: 0.786042

 $00:35:35.393 \dashrightarrow 00:35:36.954$ So the parents. Usually there's.

NOTE Confidence: 0.786042

 $00{:}35{:}36.954 \dashrightarrow 00{:}35{:}39.138$ I guess it's a little bit easier.

NOTE Confidence: 0.786042

 $00:35:39.140 \longrightarrow 00:35:40.364$ I think to navigate.

NOTE Confidence: 0.786042

 $00{:}35{:}40.364 \dashrightarrow 00{:}35{:}42.570$ I think when there when their kids,

NOTE Confidence: 0.786042

 $00:35:42.570 \longrightarrow 00:35:44.448$ but I think that the teenager,

NOTE Confidence: 0.786042

 $00:35:44.450 \longrightarrow 00:35:46.424$ for instance of a few patients who

 $00:35:46.424 \longrightarrow 00:35:48.434$ have autism with teenagers. But I.

NOTE Confidence: 0.786042

00:35:48.434 --> 00:35:50.096 Talk to parents about daytime symptoms,

NOTE Confidence: 0.786042

 $00:35:50.100 \longrightarrow 00:35:51.794$ how much it's really affecting their life.

NOTE Confidence: 0.786042

 $00:35:51.800 \longrightarrow 00:35:53.743$ The same thing like you just said, right?

NOTE Confidence: 0.786042

00:35:53.743 --> 00:35:55.201 It's like if they're doing relatively

NOTE Confidence: 0.786042

 $00:35:55.201 \longrightarrow 00:35:55.930$ well and sure,

NOTE Confidence: 0.786042

 $00:35:55.930 \longrightarrow 00:35:57.388$ it's annoying that they get up

NOTE Confidence: 0.786042

 $00:35:57.388 \longrightarrow 00:35:58.592$ and play video games, but.

NOTE Confidence: 0.786042

00:35:58.592 --> 00:35:59.056 You know,

NOTE Confidence: 0.786042

 $00:35:59.056 \longrightarrow 00:36:01.616$ are they able to still go to school or are

NOTE Confidence: 0.786042

 $00:36:01.616 \longrightarrow 00:36:03.660$ they still able to function pretty well?

NOTE Confidence: 0.786042

00:36:03.660 --> 00:36:05.990 Can we negotiate a time or you can get up,

NOTE Confidence: 0.786042

 $00:36:05.990 \longrightarrow 00:36:08.550$ but you have to go to bed in half an hour.

NOTE Confidence: 0.786042

00:36:08.550 --> 00:36:09.948 You know afterwards, like you know,

NOTE Confidence: 0.786042

 $00:36:09.950 \longrightarrow 00:36:11.678$ it's a little bit of a long discussion

NOTE Confidence: 0.786042

 $00:36:11.678 \longrightarrow 00:36:13.442$ to be honest, but I do struggle,

 $00:36:13.442 \longrightarrow 00:36:14.374$ especially with the kids.

NOTE Confidence: 0.786042

 $00:36:14.380 \longrightarrow 00:36:16.004$ We have a little bit more ability

NOTE Confidence: 0.786042

 $00:36:16.004 \longrightarrow 00:36:17.870$ to just do what they want to do.

NOTE Confidence: 0.86161405

 $00:36:20.250 \longrightarrow 00:36:21.366$ I do have one Kitty tried.

NOTE Confidence: 0.86161405

 $00{:}36{:}21.370 \longrightarrow 00{:}36{:}22.606$ They always wanted to leave the

NOTE Confidence: 0.86161405

 $00:36:22.606 \longrightarrow 00:36:24.278$ house in mill and I and I think we

NOTE Confidence: 0.86161405

 $00:36:24.278 \longrightarrow 00:36:25.668$ were able to just get him to agree.

NOTE Confidence: 0.86161405

00:36:25.670 --> 00:36:27.227 That was not a good idea so he just

NOTE Confidence: 0.86161405

00:36:27.227 --> 00:36:28.407 wanted to play in the backyard

NOTE Confidence: 0.86161405

00:36:28.407 --> 00:36:29.789 at three in the morning and like.

NOTE Confidence: 0.7319852

 $00:36:31.900 \longrightarrow 00:36:35.348$ So there's some. There's some guardrails.

NOTE Confidence: 0.8328004

00:36:35.350 --> 00:36:37.541 I will, I'll just read a question

NOTE Confidence: 0.8328004

 $00{:}36{:}37.541 \dashrightarrow 00{:}36{:}39.729$ from the chat for someone who's

NOTE Confidence: 0.8328004

00:36:39.729 --> 00:36:41.689 Mike is not functioning well,

NOTE Confidence: 0.8328004

00:36:41.690 --> 00:36:44.516 so this is from Debbie did one of our

 $00:36:44.516 \longrightarrow 00:36:46.614$ former Sleep Fellows, whose Nestle

NOTE Confidence: 0.8328004

00:36:46.614 --> 00:36:48.726 faculty he says in my experience,

NOTE Confidence: 0.8328004

 $00{:}36{:}48.730 \dashrightarrow 00{:}36{:}51.180$ parent to like the effect of melatonin

NOTE Confidence: 0.8328004

 $00:36:51.180 \longrightarrow 00:36:53.600$ end up increasing and increasing the dose

NOTE Confidence: 0.8328004

00:36:53.600 --> 00:36:56.120 and buying 5 to 15 milligram gummies,

NOTE Confidence: 0.8328004

 $00:36:56.120 \longrightarrow 00:36:57.880$ which I am appalled, exist.

NOTE Confidence: 0.8328004

 $00:36:57.880 \longrightarrow 00:37:01.048$ Not sure why he says that this might work,

NOTE Confidence: 0.8328004

 $00:37:01.050 \dashrightarrow 00:37:03.156$ but I'm concerned about those dosages.

NOTE Confidence: 0.8328004

 $00:37:03.160 \longrightarrow 00:37:05.356$ How do you address that or?

NOTE Confidence: 0.8328004

 $00:37:05.360 \longrightarrow 00:37:07.608$ Do you feel it is OK to give

NOTE Confidence: 0.8328004

 $00{:}37{:}07.608 \dashrightarrow 00{:}37{:}09.378$ those parents that much leeway?

NOTE Confidence: 0.8328004

00:37:09.380 --> 00:37:11.536 Also, which brand melatonin do you recommend?

NOTE Confidence: 0.8328004

 $00:37:11.540 \longrightarrow 00:37:13.346$ There's so much variability in the

NOTE Confidence: 0.8328004

 $00:37:13.346 \longrightarrow 00:37:14.940$ trudeaus among the different brands.

NOTE Confidence: 0.8328004

 $00:37:14.940 \longrightarrow 00:37:16.480$ Yeah, I think I agree.

NOTE Confidence: 0.8328004 00:37:16.480 --> 00:37:16.790 I

00:37:16.790 --> 00:37:19.198 I was surprised at why people were giving

NOTE Confidence: 0.84355915

 $00{:}37{:}19.198 \dashrightarrow 00{:}37{:}21.041$ their kids all these 1520 milligram

NOTE Confidence: 0.84355915

00:37:21.041 --> 00:37:23.280 doses myself and I went to target.

NOTE Confidence: 0.84355915

 $00:37:23.280 \longrightarrow 00:37:25.080$ Is trying to see like what's

NOTE Confidence: 0.84355915

 $00:37:25.080 \longrightarrow 00:37:26.988$ out there and I'm like, Oh,

NOTE Confidence: 0.84355915

 $00:37:26.988 \longrightarrow 00:37:28.836$ it's because that's what's out there.

NOTE Confidence: 0.84355915

 $00:37:28.840 \longrightarrow 00:37:31.176$ So I agree. I think it's unfortunate that

NOTE Confidence: 0.84355915

 $00:37:31.176 \longrightarrow 00:37:33.479$ those are the doses that are available.

NOTE Confidence: 0.84355915

 $00{:}37{:}33.480 \dashrightarrow 00{:}37{:}35.358$ I tried to recommend actually the

NOTE Confidence: 0.84355915

 $00:37:35.358 \dashrightarrow 00:37:37.859$ droppers and I do recommend low dose and

NOTE Confidence: 0.84355915

 $00{:}37{:}37.859 \dashrightarrow 00{:}37{:}40.369$ I kind of warn them about the siding.

NOTE Confidence: 0.84355915

 $00{:}37{:}40.370 \dashrightarrow 00{:}37{:}42.421$ Fact of the drowsiness in the Karate

NOTE Confidence: 0.84355915

 $00{:}37{:}42.421 \dashrightarrow 00{:}37{:}44.656$ NIST next day, and usually that

NOTE Confidence: 0.84355915

 $00:37:44.656 \longrightarrow 00:37:47.368$ actually is sufficient to kind of.

NOTE Confidence: 0.84355915

00:37:47.370 --> 00:37:50.274 At parents, to keep the doses down, you know,

 $00:37:50.274 \longrightarrow 00:37:53.220$ and I I think I've been knock on wood.

NOTE Confidence: 0.84355915

 $00:37:53.220 \longrightarrow 00:37:55.817$ Pretty successful gain them not to just

NOTE Confidence: 0.84355915

 $00:37:55.817 \longrightarrow 00:37:58.518$ give them 2030 milligrams of melatonin at

NOTE Confidence: 0.84355915

 $00:37:58.518 \longrightarrow 00:38:01.480$ night in terms of the brands you know.

NOTE Confidence: 0.84355915

 $00:38:01.480 \dashrightarrow 00:38:04.009$ I had been told when I was a sleep fellow

NOTE Confidence: 0.84355915

 $00:38:04.009 \longrightarrow 00:38:06.208$ that there's a company, sundown Naturals.

NOTE Confidence: 0.84355915

 $00:38:06.208 \longrightarrow 00:38:08.756$ I think that was involved in one

NOTE Confidence: 0.84355915

 $00:38:08.756 \longrightarrow 00:38:11.050$ of the chronobiology research.

NOTE Confidence: 0.84355915

 $00{:}38{:}11.050 --> 00{:}38{:}13.620$ Um? A few years ago,

NOTE Confidence: 0.84355915

 $00{:}38{:}13.620 \dashrightarrow 00{:}38{:}15.195$ so I think that was a brand

NOTE Confidence: 0.84355915

 $00{:}38{:}15.195 \dashrightarrow 00{:}38{:}16.920$ that I have been recommended.

NOTE Confidence: 0.84355915

00:38:16.920 --> 00:38:19.950 I gotta be honest, I can try to do a verify.

NOTE Confidence: 0.84355915

 $00:38:19.950 \longrightarrow 00:38:21.050$ That information. I got.

NOTE Confidence: 0.84355915

 $00:38:21.050 \longrightarrow 00:38:22.150$ Someone else knows that.

NOTE Confidence: 0.84355915

 $00:38:22.150 \longrightarrow 00:38:24.350$ Please let me know, but that's one Brandon.

NOTE Confidence: 0.84355915

 $00:38:24.350 \longrightarrow 00:38:25.100$ I've been told,

00:38:25.100 --> 00:38:27.210 czar bees seem to be a very popular

NOTE Confidence: 0.84355915

 $00{:}38{:}27.210 \dashrightarrow 00{:}38{:}29.296$ brand and they come in low doses.

NOTE Confidence: 0.84355915

00:38:29.300 --> 00:38:30.670 1 milligram, half a milligram,

NOTE Confidence: 0.84355915

 $00:38:30.670 \longrightarrow 00:38:31.158$ 3 milligrams,

NOTE Confidence: 0.84355915

 $00:38:31.158 \longrightarrow 00:38:33.700$ so those are ones that I tend to recommend.

NOTE Confidence: 0.84355915

00:38:33.700 --> 00:38:36.346 But you know, do I know that?

NOTE Confidence: 0.84355915

 $00:38:36.350 \longrightarrow 00:38:38.640$ So their justice is reliable.

NOTE Confidence: 0.84355915

 $00:38:38.640 \longrightarrow 00:38:39.154$ You know,

NOTE Confidence: 0.84355915

 $00{:}38{:}39.154 \dashrightarrow 00{:}38{:}40.953$ I I'd warn parents that you know.

NOTE Confidence: 0.86981785

 $00:38:43.430 \longrightarrow 00:38:45.160$ I tell him about the study and

NOTE Confidence: 0.86981785

 $00:38:45.160 \longrightarrow 00:38:46.992$ how we know when they looked at

NOTE Confidence: 0.86981785

 $00:38:46.992 \longrightarrow 00:38:48.588$ was a 20 brands of melatonin.

NOTE Confidence: 0.86981785

 $00:38:48.590 \longrightarrow 00:38:49.606$ They were all variable,

NOTE Confidence: 0.86981785

 $00:38:49.606 \longrightarrow 00:38:51.440$ so I think those are the two

NOTE Confidence: 0.86981785

 $00:38:51.440 \longrightarrow 00:38:52.720$ that I tend to recommend.

 $00:38:52.720 \longrightarrow 00:38:54.130$ And then I think if they're

NOTE Confidence: 0.86981785

 $00{:}38{:}54.130 \dashrightarrow 00{:}38{:}55.697$ really not having any effect or

NOTE Confidence: 0.86981785

 $00:38:55.697 \longrightarrow 00:38:58.092$ something is really weird, I try to.

NOTE Confidence: 0.86981785

 $00:38:58.092 \longrightarrow 00:39:00.075$ Scribe it, and so if maybe their

NOTE Confidence: 0.86981785

 $00:39:00.075 \longrightarrow 00:39:01.230$ insurance covers that they can

NOTE Confidence: 0.86981785

 $00{:}39{:}01.281 \dashrightarrow 00{:}39{:}02.643$ get from the pharmacist and I'm

NOTE Confidence: 0.86981785

 $00:39:02.643 \longrightarrow 00:39:04.220$ hoping that dose is more reliable.

NOTE Confidence: 0.81685568

 $00:39:06.310 \longrightarrow 00:39:07.345$ Great, thank you.

NOTE Confidence: 0.81685568

 $00{:}39{:}07.345 \dashrightarrow 00{:}39{:}09.760$ And I guess David was appalled David

NOTE Confidence: 0.81685568

 $00:39:09.827 \longrightarrow 00:39:11.807$ was appalled about the gummies,

NOTE Confidence: 0.81685568

 $00{:}39{:}11.810 \dashrightarrow 00{:}39{:}13.370$ just 'cause kids like gummies.

NOTE Confidence: 0.81685568

 $00:39:13.370 \longrightarrow 00:39:15.540$ So of course they'll overdose on gummy's.

NOTE Confidence: 0.78810936

 $00:39:15.540 \longrightarrow 00:39:17.400$ Actually yesterday they saw another kid

NOTE Confidence: 0.78810936

 $00:39:17.400 \longrightarrow 00:39:19.590$ with autism who ate the whole bottle.

NOTE Confidence: 0.78810936

00:39:19.590 --> 00:39:22.389 Mom said a couple years ago of their gummies,

NOTE Confidence: 0.78810936

 $00:39:22.390 \longrightarrow 00:39:24.582$ she's nine and she just took the whole

 $00:39:24.582 \longrightarrow 00:39:26.739$ thing and they called poison control.

NOTE Confidence: 0.78810936

 $00{:}39{:}26.740 \dashrightarrow 00{:}39{:}28.917$ And they're like I think she's fine.

NOTE Confidence: 0.78810936

00:39:28.920 --> 00:39:31.334 She ended up being OK, but you're right.

NOTE Confidence: 0.78810936

 $00:39:31.334 \longrightarrow 00:39:33.890$ I mean this should be like the gummies,

NOTE Confidence: 0.78810936

 $00:39:33.890 \longrightarrow 00:39:35.450$ it's like her sleep candy,

NOTE Confidence: 0.78810936

 $00:39:35.450 \longrightarrow 00:39:37.310$ which is why I actually pen.

NOTE Confidence: 0.78810936

 $00:39:37.310 \longrightarrow 00:39:38.794$ I personally don't recommend.

NOTE Confidence: 0.78810936

 $00:39:38.794 \longrightarrow 00:39:41.300$ I'm not. I don't push the gummies,

NOTE Confidence: 0.78810936

 $00:39:41.300 \longrightarrow 00:39:43.750$ I don't like it to be associate

NOTE Confidence: 0.78810936

 $00{:}39{:}43.750 \dashrightarrow 00{:}39{:}45.917$ with candy 'cause this girl she

NOTE Confidence: 0.78810936

 $00:39:45.917 \longrightarrow 00:39:48.010$ at almost a whole bottle of.

NOTE Confidence: 0.78810936

00:39:48.010 --> 00:39:50.122 Well I have a question yes.

NOTE Confidence: 0.78810936

 $00:39:50.122 \longrightarrow 00:39:51.534$ What is the timing

NOTE Confidence: 0.79194236

 $00:39:51.540 \longrightarrow 00:39:54.114$ of the taking of the melatonin

NOTE Confidence: 0.79194236

 $00:39:54.114 \longrightarrow 00:39:55.830$ compared to the desired?

 $00:39:55.830 \longrightarrow 00:39:57.033$ Sleep onset time.

NOTE Confidence: 0.79194236

00:39:57.033 --> 00:39:58.637 Think it's an excellent

NOTE Confidence: 0.795925083333333

 $00:39:58.640 \longrightarrow 00:40:00.100$ question, I'm sorry, did.

NOTE Confidence: 0.795925083333333

 $00:40:00.100 \longrightarrow 00:40:01.925$ I didn't talk about that.

NOTE Confidence: 0.795925083333333

 $00:40:01.930 \longrightarrow 00:40:03.535$ That's actually a very great

NOTE Confidence: 0.795925083333333

00:40:03.535 --> 00:40:04.824 fundamental question. I recommend,

NOTE Confidence: 0.795925083333333

 $00:40:04.824 \longrightarrow 00:40:07.400$ so using it kind of as a hypnotic.

NOTE Confidence: 0.795925083333333

 $00:40:07.400 \longrightarrow 00:40:09.976$ I say 30 to 60 minutes before bed,

NOTE Confidence: 0.795925083333333

 $00:40:09.980 \longrightarrow 00:40:11.906$ adjusting a little bit as needed.

NOTE Confidence: 0.795925083333333

 $00:40:11.910 \longrightarrow 00:40:13.836$ That's usually what I recommend for.

NOTE Confidence: 0.795925083333333

 $00{:}40{:}13.840 \to 00{:}40{:}16.094$ You're just helping the first sleep onset.

NOTE Confidence: 0.8492173

 $00:40:21.960 \longrightarrow 00:40:25.104$ Great, so if there are no other questions,

NOTE Confidence: 0.8492173

 $00{:}40{:}25.110 \dashrightarrow 00{:}40{:}27.679$ I think we'll end there and thanks

NOTE Confidence: 0.8492173

 $00{:}40{:}27.679 \dashrightarrow 00{:}40{:}30.228$ everyone so much for your attention.

NOTE Confidence: 0.8492173

00:40:30.230 --> 00:40:31.810 Thank you doctor Cory.

NOTE Confidence: 0.8492173

00:40:31.810 --> 00:40:33.779 Thank you, I appreciate it.

00:40:33.780 --> 00:40:37.326 I think I put my email in the chat.

NOTE Confidence: 0.8492173

 $00:40:37.330 \longrightarrow 00:40:40.088$ If anyone has you know any questions

NOTE Confidence: 0.8492173

00:40:40.088 --> 00:40:43.239 or just wants to talk kids and autism,

NOTE Confidence: 0.8492173

 $00:40:43.240 \longrightarrow 00:40:46.384$ feel free to send me an email again,

NOTE Confidence: 0.8492173

 $00:40:46.390 \longrightarrow 00:40:48.360$ I'd love. I'm still learning.

NOTE Confidence: 0.8492173

 $00:40:48.360 \longrightarrow 00:40:50.515$ I picked this topic because

NOTE Confidence: 0.8492173

 $00:40:50.515 \longrightarrow 00:40:52.670$ I wanted to learn more.

NOTE Confidence: 0.8492173

 $00{:}40{:}52.670 \dashrightarrow 00{:}40{:}55.200$ So I'm open to other ideas. That's how

NOTE Confidence: 0.86942273

 $00:40:55.200 \longrightarrow 00:40:56.492$ we all become experts.

NOTE Confidence: 0.86942273

 $00{:}40{:}56.492 \dashrightarrow 00{:}40{:}58.670$ Pick up something and learn about it.

NOTE Confidence: 0.86942273

00:40:58.670 --> 00:41:00.766 Great thank you so much. Alright?

NOTE Confidence: 0.86942273

 $00:41:00.766 \longrightarrow 00:41:04.378$ Take care, everybody have a great week.