## WEBVTT

 $00:00:00.000 \longrightarrow 00:00:02.520$  Support for Yale Cancer Answers

NOTE Confidence: 0.7848418

 $00:00:02.520 \longrightarrow 00:00:05.040$  comes from Smilow Cancer Hospital

NOTE Confidence: 0.7848418

 $00:00:05.127 \longrightarrow 00:00:07.453$  and AstraZeneca.

NOTE Confidence: 0.7848418

00:00:07.453 --> 00:00:09.258 Welcome to Yale Cancer Answers with your host,

NOTE Confidence: 0.7848418

00:00:09.260 --> 00:00:11.288 Doctor Anees Chagpar.

NOTE Confidence: 0.7848418

 $00:00:11.288 \longrightarrow 00:00:13.156$  Yale Cancer Answers features the latest

NOTE Confidence: 0.7848418

 $00:00:13.156 \longrightarrow 00:00:15.391$  information on cancer care by

NOTE Confidence: 0.7848418

 $00{:}00{:}15.391 \dashrightarrow 00{:}00{:}17.179$  welcoming on cologists and specialists

NOTE Confidence: 0.7848418

 $00:00:17.246 \longrightarrow 00:00:19.234$  who are on the forefront of the

NOTE Confidence: 0.7848418

 $00:00:19.234 \longrightarrow 00:00:21.137$  battle to fight cancer. This week,

NOTE Confidence: 0.7848418

 $00:00:21.137 \longrightarrow 00:00:22.882$  it's a conversation about radiation

NOTE Confidence: 0.7848418

 $00:00:22.882 \dashrightarrow 00:00:24.780$  on cology with Doctor Krishan Jethwa.

NOTE Confidence: 0.7848418

 $00:00:24.780 \longrightarrow 00:00:26.934$  Doctor Jethwa is an assistant professor

NOTE Confidence: 0.7848418

 $00{:}00{:}26.934 \dashrightarrow 00{:}00{:}28.787$  of the rapeutic radiology at the

NOTE Confidence: 0.7848418

00:00:28.787 --> 00:00:30.557 Yale University School of Medicine,

 $00:00:30.560 \longrightarrow 00:00:32.726$  where Doctor Chagpar is a

NOTE Confidence: 0.7848418

 $00:00:32.726 \longrightarrow 00:00:34.170$  professor of surgical oncology.

NOTE Confidence: 0.88365483

 $00:00:35.220 \longrightarrow 00:00:38.217$  So maybe you can start off by telling us

NOTE Confidence: 0.88365483

 $00:00:38.217 \longrightarrow 00:00:41.150$  what exactly is a radiation oncologist?

NOTE Confidence: 0.88365483

 $00:00:41.150 \longrightarrow 00:00:43.782$  Often I find people confuse a

NOTE Confidence: 0.88365483

 $00:00:43.782 \longrightarrow 00:00:45.889$  radiation oncologist with a radiologist.

NOTE Confidence: 0.88365483

 $00:00:45.890 \longrightarrow 00:00:48.648$  So can you tell us the difference?

NOTE Confidence: 0.88365483

 $00:00:48.650 \longrightarrow 00:00:49.440$  Radiation oncologists

NOTE Confidence: 0.88365483

 $00{:}00{:}49.440 \dashrightarrow 00{:}00{:}51.415$  are cancer specialists who care

NOTE Confidence: 0.88365483

 $00:00:51.415 \longrightarrow 00:00:53.390$  for adult and pediatric patients.

NOTE Confidence: 0.88365483

 $00{:}00{:}53.390 \dashrightarrow 00{:}00{:}55.742$  We use radiation the rapy with the

NOTE Confidence: 0.88365483

 $00:00:55.742 \longrightarrow 00:00:58.471$  goal of curing cancer or to help

NOTE Confidence: 0.88365483

00:00:58.471 --> 00:01:00.649 improve the quality of life for

NOTE Confidence: 0.88365483

00:01:00.649 --> 00:01:02.868 symptoms for patients with cancer,

NOTE Confidence: 0.88365483

 $00:01:02.870 \longrightarrow 00:01:05.126$  and often that's part of the

NOTE Confidence: 0.88365483

 $00{:}01{:}05.126 \dashrightarrow 00{:}01{:}06.254$  multidisciplinary care which

 $00{:}01{:}06.254 \dashrightarrow 00{:}01{:}08.010$  includes many other specialists.

NOTE Confidence: 0.88581145

 $00{:}01{:}08.110 \dashrightarrow 00{:}01{:}10.456$  The other question that I often

NOTE Confidence: 0.88581145

 $00:01:10.456 \longrightarrow 00:01:12.749$  get is the difference between

NOTE Confidence: 0.88581145

 $00:01:12.749 \longrightarrow 00:01:14.690$  radiation and chemotherapy.

NOTE Confidence: 0.88581145

 $00{:}01{:}14.690 \dashrightarrow 00{:}01{:}17.534$  So when people are talking about

NOTE Confidence: 0.88581145

00:01:17.534 --> 00:01:19.967 using various modalities to help

NOTE Confidence: 0.88581145

00:01:19.967 --> 00:01:22.207 manage cancer or cure cancer,

NOTE Confidence: 0.88581145

 $00:01:22.210 \longrightarrow 00:01:24.856$  people often get these mixed up

NOTE Confidence: 0.88581145

 $00{:}01{:}24.856 \dashrightarrow 00{:}01{:}28.318$  and also mix up the side effects.

NOTE Confidence: 0.88581145

 $00{:}01{:}28.320 \dashrightarrow 00{:}01{:}31.352$  So can you tell us a little bit

NOTE Confidence: 0.88581145

 $00:01:31.352 \longrightarrow 00:01:33.959$  about the differences between the two?

NOTE Confidence: 0.88581145

00:01:33.960 --> 00:01:36.335 Medical oncologists are

NOTE Confidence: 0.88581145

 $00{:}01{:}36.335 \dashrightarrow 00{:}01{:}38.710$  cancer specialists who use medications

NOTE Confidence: 0.88581145

 $00:01:38.710 \longrightarrow 00:01:42.259$  or drugs to treat the entire body,

NOTE Confidence: 0.88581145

00:01:42.260 --> 00:01:44.954 some of which do include chemotherapy

 $00:01:44.954 \longrightarrow 00:01:46.750$  and those specific medications

NOTE Confidence: 0.88581145

00:01:46.817 --> 00:01:48.833 they use can target the cancer

NOTE Confidence: 0.88581145

 $00:01:48.833 \longrightarrow 00:01:50.780$  and help with cancer control.

NOTE Confidence: 0.88581145

 $00:01:50.780 \longrightarrow 00:01:52.635$  Radiation therapy is different in

NOTE Confidence: 0.88581145

00:01:52.635 --> 00:01:55.010 that we use typically high energy

NOTE Confidence: 0.88581145

 $00{:}01{:}55.010 \dashrightarrow 00{:}01{:}57.280$  radiation beams targeting the cancer

NOTE Confidence: 0.88581145

 $00:01:57.280 \longrightarrow 00:01:59.710$  for a more local treatment effect,

NOTE Confidence: 0.88581145

 $00:01:59.710 \longrightarrow 00:02:02.146$  as opposed to a whole body

NOTE Confidence: 0.88581145

 $00:02:02.146 \longrightarrow 00:02:03.364$  wide treatment effect.

NOTE Confidence: 0.88581145

 $00:02:03.370 \longrightarrow 00:02:05.350$  Often we work together to

NOTE Confidence: 0.88581145

 $00{:}02{:}05.350 \dashrightarrow 00{:}02{:}07.830$  help with the goals of care,

NOTE Confidence: 0.88581145

 $00:02:07.830 \longrightarrow 00:02:09.860$  whether it be curative or

NOTE Confidence: 0.88581145

 $00:02:09.860 \longrightarrow 00:02:11.484$  supportive or symptom directed.

NOTE Confidence: 0.8887197

 $00:02:12.760 \longrightarrow 00:02:15.000$  And so tell us a little bit

NOTE Confidence: 0.8887197

 $00:02:15.000 \longrightarrow 00:02:17.258$  about the side effects of each.

NOTE Confidence: 0.8887197

 $00:02:17.260 \longrightarrow 00:02:19.787$  Very often people are worried

 $00:02:19.787 \longrightarrow 00:02:22.448$  about will my hair fall out?

NOTE Confidence: 0.8887197

 $00:02:22.450 \longrightarrow 00:02:25.570$  Will I get really sick?

NOTE Confidence: 0.8887197

 $00:02:25.570 \longrightarrow 00:02:28.010$  And so can you talk a little bit

NOTE Confidence: 0.8887197

 $00:02:28.010 \longrightarrow 00:02:30.207$  about the differences between the

NOTE Confidence: 0.8887197

 $00:02:30.207 \longrightarrow 00:02:32.717$  side effects of radiation therapy

NOTE Confidence: 0.8887197

00:02:32.717 --> 00:02:35.180 versus more whole body systemic therapies?

NOTE Confidence: 0.8726783

 $00:02:35.180 \longrightarrow 00:02:37.952$  The side effects are really

NOTE Confidence: 0.8726783

00:02:37.952 --> 00:02:40.338 dependent upon which medication is

NOTE Confidence: 0.8726783

 $00:02:40.338 \longrightarrow 00:02:42.190$  choosen for systemic therapies.

NOTE Confidence: 0.8726783

 $00:02:42.190 \longrightarrow 00:02:44.326$  And for radiation therapy

NOTE Confidence: 0.8726783

00:02:44.330 --> 00:02:45.940 it's very much dependent upon

NOTE Confidence: 0.8726783

 $00:02:45.940 \longrightarrow 00:02:48.409$  which area of the body is treated

NOTE Confidence: 0.8726783

 $00{:}02{:}48.409 \dashrightarrow 00{:}02{:}50.399$  with radiation the rapy in general.

NOTE Confidence: 0.8726783

 $00:02:50.400 \longrightarrow 00:02:52.542$  Some common side effects of radiation

NOTE Confidence: 0.8726783

 $00:02:52.542 \longrightarrow 00:02:53.970$  therapy would include fatigue,

 $00:02:53.970 \longrightarrow 00:02:55.514$  people may feel tired.

NOTE Confidence: 0.8726783

 $00{:}02{:}55.514 \dashrightarrow 00{:}02{:}58.218$  And there can be some reaction of

NOTE Confidence: 0.8726783

 $00:02:58.218 \longrightarrow 00:03:00.666$  the skin similar to that of a very

NOTE Confidence: 0.8726783

 $00:03:00.666 \longrightarrow 00:03:02.948$  mild sunburn in most instances.

NOTE Confidence: 0.8726783

 $00:03:02.950 \longrightarrow 00:03:04.966$  That is not always the case,

NOTE Confidence: 0.8726783

 $00:03:04.970 \longrightarrow 00:03:07.376$  but it can be depending upon

NOTE Confidence: 0.8726783

 $00:03:07.376 \longrightarrow 00:03:08.579$  what's treated.

NOTE Confidence: 0.8726783

 $00:03:08.580 \longrightarrow 00:03:10.722$  Apart from those more general side

NOTE Confidence: 0.8726783

00:03:10.722 --> 00:03:12.903 effects it is very much dependent upon

NOTE Confidence: 0.8726783

 $00:03:12.903 \longrightarrow 00:03:15.311$  which area of the body is focused

NOTE Confidence: 0.8726783

 $00{:}03{:}15.311 \dashrightarrow 00{:}03{:}16.992$  with radiation therapy and part

NOTE Confidence: 0.8726783

 $00:03:16.992 \longrightarrow 00:03:19.622$  of the art and care of a radiation

NOTE Confidence: 0.8726783

 $00:03:19.622 \longrightarrow 00:03:21.427$  oncologist is guiding and supporting

NOTE Confidence: 0.8726783

 $00:03:21.427 \longrightarrow 00:03:23.185$  a specific patient through those

NOTE Confidence: 0.8726783

 $00:03:23.185 \longrightarrow 00:03:25.027$  side effects and supporting them

NOTE Confidence: 0.8726783

 $00{:}03{:}25.027 \dashrightarrow 00{:}03{:}27.158$  as they recover from the treatment.

00:03:27.160 --> 00:03:27.504 Similarly,

NOTE Confidence: 0.8726783

 $00:03:27.504 \longrightarrow 00:03:29.224$  with chemotherapy it's very much

NOTE Confidence: 0.8726783

00:03:29.224 --> 00:03:30.600 dependent upon the medication,

NOTE Confidence: 0.8726783

 $00:03:30.600 \longrightarrow 00:03:33.029$  but there can be the more global

NOTE Confidence: 0.8726783

 $00:03:33.029 \longrightarrow 00:03:34.799$  general side effects of fatigue

NOTE Confidence: 0.8726783

 $00:03:34.799 \longrightarrow 00:03:36.439$  that come along with it,

NOTE Confidence: 0.8726783

 $00:03:36.440 \longrightarrow 00:03:38.932$  but many of the other side effects

NOTE Confidence: 0.8726783

 $00:03:38.932 \longrightarrow 00:03:39.644$  are dependent

NOTE Confidence: 0.8726783

 $00:03:39.650 \longrightarrow 00:03:40.730$  on the medication.

NOTE Confidence: 0.8899477

 $00:03:40.730 \longrightarrow 00:03:42.928$  I think that when

NOTE Confidence: 0.8899477

00:03:42.928 --> 00:03:44.714 people think about radiation, they

NOTE Confidence: 0.8899477

00:03:44.714 --> 00:03:46.659 have seen movies where people

NOTE Confidence: 0.8899477

 $00:03:46.659 \longrightarrow 00:03:48.650$  were going through cancer care,

NOTE Confidence: 0.8899477

 $00{:}03{:}48.650 \dashrightarrow 00{:}03{:}51.242$  lose their hair and so on and so forth

NOTE Confidence: 0.8899477

 $00:03:51.242 \longrightarrow 00:03:53.766$  that frequently is a side effect of

 $00:03:53.766 \longrightarrow 00:03:55.726$  chemotherapy and not so frequently

NOTE Confidence: 0.8899477

 $00:03:55.726 \longrightarrow 00:03:58.366$  a side effect of radiation therapy.

NOTE Confidence: 0.8899477

 $00:03:58.370 \longrightarrow 00:03:59.450$  Is that right?

NOTE Confidence: 0.8681657

 $00:04:00.410 \longrightarrow 00:04:02.170$  That's true when we're treating

NOTE Confidence: 0.8681657

 $00:04:02.170 \longrightarrow 00:04:04.440$  around the brain or head region

NOTE Confidence: 0.8681657

 $00:04:04.440 \longrightarrow 00:04:06.265$  there can be hair loss

NOTE Confidence: 0.8681657

 $00:04:06.265 \longrightarrow 00:04:07.360$  from radiation therapy,

NOTE Confidence: 0.8681657

 $00:04:07.360 \longrightarrow 00:04:09.550$  but apart from that circumstance and

NOTE Confidence: 0.8681657

 $00{:}04{:}09.550 \dashrightarrow 00{:}04{:}12.118$  hair loss would not be expected from

NOTE Confidence: 0.8681657

 $00:04:12.120 \longrightarrow 00:04:12.964$  radiation therapy.

NOTE Confidence: 0.8681657

 $00{:}04{:}12.964 \dashrightarrow 00{:}04{:}16.340$  The other question that I get a

NOTE Confidence: 0.8681657

 $00:04:16.421 \longrightarrow 00:04:19.076$  lot is if I take one or the other,

NOTE Confidence: 0.8681657

 $00:04:19.080 \longrightarrow 00:04:20.910$  can I avoid the other?

NOTE Confidence: 0.8681657

 $00:04:20.910 \longrightarrow 00:04:22.370$  So in other words,

NOTE Confidence: 0.8681657

 $00:04:22.370 \longrightarrow 00:04:23.830$  if I take radiation,

NOTE Confidence: 0.8681657

 $00:04:23.830 \longrightarrow 00:04:25.294$  can I avoid chemotherapy?

00:04:25.294 --> 00:04:27.124 Or if I take chemotherapy,

NOTE Confidence: 0.8681657

00:04:27.130 --> 00:04:28.228 can I avoid radiation?

NOTE Confidence: 0.8681657

 $00:04:28.230 \longrightarrow 00:04:30.060$  More often than not

NOTE Confidence: 0.8681657

 $00:04:30.060 \longrightarrow 00:04:31.731$  we combine both

NOTE Confidence: 0.8681657

 $00:04:31.731 \longrightarrow 00:04:33.959$  systemic treatments like chemotherapy

NOTE Confidence: 0.8681657

 $00:04:33.959 \longrightarrow 00:04:36.203$  and radiation therapy together

NOTE Confidence: 0.8681657

 $00:04:36.203 \longrightarrow 00:04:38.167$  because both have different

NOTE Confidence: 0.8681657

 $00:04:38.167 \longrightarrow 00:04:40.622$  effects on the cancer control.

NOTE Confidence: 0.8681657

 $00:04:40.630 \longrightarrow 00:04:42.442$  Radiation therapy specifically helps

NOTE Confidence: 0.8681657

 $00{:}04{:}42.442 \dashrightarrow 00{:}04{:}45.160$  to decrease the risk or control

NOTE Confidence: 0.8681657

 $00:04:45.230 \longrightarrow 00:04:47.890$  the cancer at the site that it

NOTE Confidence: 0.8681657

 $00:04:47.890 \longrightarrow 00:04:49.430$  originally grew from.

NOTE Confidence: 0.8681657

 $00{:}04{:}49.430 \dashrightarrow 00{:}04{:}50.934$  Whereas systemic treatments target

NOTE Confidence: 0.8681657

 $00:04:50.934 \longrightarrow 00:04:53.717$  the rest of the body to help

NOTE Confidence: 0.8681657

 $00{:}04{:}53.717 \dashrightarrow 00{:}04{:}55.533$  control any microscopic cancer

 $00:04:55.533 \longrightarrow 00:04:57.803$  that may be progressing elsewhere.

NOTE Confidence: 0.8681657

 $00:04:57.810 \longrightarrow 00:05:00.736$  So typically it's not an either or,

NOTE Confidence: 0.8681657

 $00{:}05{:}00.740 \dashrightarrow 00{:}05{:}03.074$  but usually and often a combination

NOTE Confidence: 0.8681657

 $00:05:03.074 \longrightarrow 00:05:05.350$  of both to improve outcomes.

NOTE Confidence: 0.8681657

 $00:05:05.350 \longrightarrow 00:05:06.190$  Which brings

NOTE Confidence: 0.87606657

 $00:05:06.190 \longrightarrow 00:05:09.534$  me to the question of surgery and radiation,

NOTE Confidence: 0.87606657

 $00:05:09.540 \longrightarrow 00:05:11.640$  so surgery, similar to radiation,

NOTE Confidence: 0.87606657

 $00:05:11.640 \longrightarrow 00:05:13.296$  is a local treatment.

NOTE Confidence: 0.87606657

 $00{:}05{:}13.296 \to 00{:}05{:}15.780$  Are there instances where you choose

NOTE Confidence: 0.87606657

 $00{:}05{:}15.860 \dashrightarrow 00{:}05{:}18.220$  between surgery versus radiation,

NOTE Confidence: 0.87606657

 $00{:}05{:}18.220 \dashrightarrow 00{:}05{:}20.340$  or are there circumstances in

NOTE Confidence: 0.87606657

 $00:05:20.340 \longrightarrow 00:05:22.460$  which the two are combined?

NOTE Confidence: 0.87606657

 $00:05:22.460 \longrightarrow 00:05:25.428$  And if so, can you explain why?

NOTE Confidence: 0.8841839

 $00:05:25.430 \longrightarrow 00:05:27.550$  Again, a very great question.

NOTE Confidence: 0.8841839

 $00:05:27.550 \longrightarrow 00:05:30.022$  Often we're working with our surgical

NOTE Confidence: 0.8841839

 $00:05:30.022 \longrightarrow 00:05:32.598$  colleagues to help improve the outcomes

 $00:05:32.598 \longrightarrow 00:05:34.758$  with radiation therapy or surgery.

NOTE Confidence: 0.8841839

 $00:05:34.760 \longrightarrow 00:05:35.951$  In some instances,

NOTE Confidence: 0.8841839

00:05:35.951 --> 00:05:38.333 radiation therapy can be a very

NOTE Confidence: 0.8841839

 $00:05:38.333 \longrightarrow 00:05:40.269$  appropriate alternative to surgery.

NOTE Confidence: 0.8841839

 $00:05:40.270 \longrightarrow 00:05:42.450$  For instance, for treatment of

NOTE Confidence: 0.8841839

 $00:05:42.450 \longrightarrow 00:05:44.630$  many head and neck cancers.

NOTE Confidence: 0.8841839

 $00:05:44.630 \longrightarrow 00:05:46.250$  Radiation therapy or surgery

NOTE Confidence: 0.8841839

 $00:05:46.250 \longrightarrow 00:05:48.275$  are very suitable options and

NOTE Confidence: 0.8841839

 $00:05:48.275 \longrightarrow 00:05:50.058$  similarly with prostate cancers,

NOTE Confidence: 0.8841839

 $00:05:50.060 \longrightarrow 00:05:52.052$  radiation therapy or surgery,

NOTE Confidence: 0.8841839

 $00:05:52.052 \longrightarrow 00:05:54.044$  often very suitable options

NOTE Confidence: 0.8841839

 $00:05:54.044 \longrightarrow 00:05:56.099$  with the goal of cure.

NOTE Confidence: 0.8841839

 $00{:}05{:}56.100 \dashrightarrow 00{:}05{:}58.095$  Although there are many other

NOTE Confidence: 0.8841839

 $00:05:58.095 \longrightarrow 00:05:59.691$  circumstances where a radiation

NOTE Confidence: 0.8841839

 $00:05:59.691 \longrightarrow 00:06:01.892$  therapy is either given before a

00:06:01.892 --> 00:06:03.280 surgical operation or afterwards

NOTE Confidence: 0.8841839

 $00{:}06{:}03.280 \dashrightarrow 00{:}06{:}05.197$  to help improve the outcomes,

NOTE Confidence: 0.8841839

 $00{:}06{:}05.200 \dashrightarrow 00{:}06{:}08.128$  and a great example of that is breast

NOTE Confidence: 0.8841839

00:06:08.128 --> 00:06:10.877 cancer where often we do surgery first,

NOTE Confidence: 0.8841839

 $00:06:10.880 \longrightarrow 00:06:12.900$  follow it with the radiation

NOTE Confidence: 0.8841839

 $00{:}06{:}12.900 \dashrightarrow 00{:}06{:}15.674$  therapy to decrease the risk of the

NOTE Confidence: 0.8841839

00:06:15.674 --> 00:06:17.696 cancer coming back.

NOTE Confidence: 0.894132

 $00:06:17.700 \longrightarrow 00:06:18.738$  And in terms of radiation therapy,

NOTE Confidence: 0.894132

 $00{:}06{:}18.738 \dashrightarrow 00{:}06{:}21.160$  can you talk a little bit about

NOTE Confidence: 0.894132

 $00:06:21.232 \longrightarrow 00:06:23.387$  the different kinds of radiation?

NOTE Confidence: 0.894132

 $00:06:23.390 \longrightarrow 00:06:24.958$  I know people have

NOTE Confidence: 0.894132

 $00:06:24.958 \longrightarrow 00:06:26.526$  heard about things like

NOTE Confidence: 0.894132

 $00:06:26.530 \longrightarrow 00:06:28.603$  photons and electrons,

NOTE Confidence: 0.894132

 $00:06:28.603 \longrightarrow 00:06:30.676$  and now protons.

NOTE Confidence: 0.894132

 $00:06:30.680 \longrightarrow 00:06:32.870$  How does one know what kind

NOTE Confidence: 0.894132

 $00:06:32.870 \longrightarrow 00:06:33.965$  of radiation therapy

 $00:06:33.965 \longrightarrow 00:06:35.668$  one should be getting?

NOTE Confidence: 0.894132

 $00:06:35.670 \longrightarrow 00:06:36.819$  What are the

NOTE Confidence: 0.8746281

 $00:06:36.820 \longrightarrow 00:06:38.850$  differences?

NOTE Confidence: 0.8746281

 $00:06:38.850 \longrightarrow 00:06:40.880$  There are a tremendous amount of differences

between each

NOTE Confidence: 0.8746281

 $00:06:40.939 \longrightarrow 00:06:42.967$  of those techniques and in general,

NOTE Confidence: 0.8746281

 $00:06:42.970 \longrightarrow 00:06:45.268$  radiation therapy comes in many forms.

NOTE Confidence: 0.8746281

 $00:06:45.270 \longrightarrow 00:06:47.741$  A way of differentiating the major forms

NOTE Confidence: 0.8746281

 $00:06:47.741 \longrightarrow 00:06:50.258$  would be external beam radiation therapy,

NOTE Confidence: 0.8746281

 $00:06:50.260 \longrightarrow 00:06:53.340$  which is somewhat similar to standard X rays,

NOTE Confidence: 0.8746281

 $00:06:53.340 \longrightarrow 00:06:55.716$  where the radiation beams are coming

NOTE Confidence: 0.8746281

 $00{:}06{:}55.716 \dashrightarrow 00{:}06{:}58.095$  from the outside from a large

NOTE Confidence: 0.8746281

 $00{:}06{:}58.095 \dashrightarrow 00{:}07{:}00.249$  machine and directed to the tumor.

NOTE Confidence: 0.8746281

 $00:07:00.250 \longrightarrow 00:07:02.405$  An alternative form to that

NOTE Confidence: 0.8746281

 $00{:}07{:}02.405 \dashrightarrow 00{:}07{:}04.129$  would be internal radiation.

NOTE Confidence: 0.8746281

 $00:07:04.130 \longrightarrow 00:07:06.085$  And that could include procedures

 $00:07:06.085 \longrightarrow 00:07:09.279$  such as what we call brachytherapy,

NOTE Confidence: 0.8746281

 $00:07:09.280 \longrightarrow 00:07:11.280$  which involves inserting the

NOTE Confidence: 0.8746281

 $00:07:11.280 \longrightarrow 00:07:13.280$  radiation therapy device actually

NOTE Confidence: 0.8746281

 $00:07:13.280 \longrightarrow 00:07:16.276$  into or directly next to the tumor.

NOTE Confidence: 0.8746281

 $00:07:16.280 \longrightarrow 00:07:18.785$  Or there are some circumstances

NOTE Confidence: 0.8746281

 $00:07:18.785 \longrightarrow 00:07:21.290$  where we use radiotherapy releasing

NOTE Confidence: 0.8746281

 $00:07:21.365 \longrightarrow 00:07:23.495$  isotopes into the bloodstream that

NOTE Confidence: 0.8746281

 $00:07:23.495 \longrightarrow 00:07:26.150$  can be targeted to the tumor.

NOTE Confidence: 0.8746281

 $00:07:26.150 \longrightarrow 00:07:29.129$  Part of the art and skill of a radiation oncologist

NOTE Confidence: 0.8746281

 $00:07:29.129 \longrightarrow 00:07:32.324$  is determining the most ideal

NOTE Confidence: 0.8746281

 $00{:}07{:}32.324 \dashrightarrow 00{:}07{:}34.610$  radiation therapy technique and plan

NOTE Confidence: 0.8746281

00:07:34.610 --> 00:07:36.920 to help design and target the

NOTE Confidence: 0.8746281

 $00{:}07{:}36.920 \dashrightarrow 00{:}07{:}38.460$  cancer while minimizing radiation

NOTE Confidence: 0.8746281

 $00{:}07{:}38.521 \dashrightarrow 00{:}07{:}40.109$  exposure to normal organs,

NOTE Confidence: 0.8746281

 $00:07:40.110 \longrightarrow 00:07:42.384$  and so it's challenging to say

 $00:07:42.384 \longrightarrow 00:07:44.806$  you know what questions might a

NOTE Confidence: 0.8746281

 $00{:}07{:}44.806 \dashrightarrow 00{:}07{:}47.290$  patient ask to help direct which

NOTE Confidence: 0.8746281

 $00:07:47.290 \longrightarrow 00:07:48.759$  specific technique is used,

NOTE Confidence: 0.8746281

 $00:07:48.760 \longrightarrow 00:07:51.703$  but I do think it's a fair question to

NOTE Confidence: 0.8746281

 $00:07:51.703 \longrightarrow 00:07:54.363$  simply ask your radiation oncologist, what

NOTE Confidence: 0.8746281

 $00:07:54.363 \longrightarrow 00:07:57.010$  type of cancer treatment or radiation

NOTE Confidence: 0.8546323

00:07:57.010 --> 00:07:58.582 treatment am I receiving.

NOTE Confidence: 0.8546323

00:07:58.582 --> 00:08:00.154 And so you know,

NOTE Confidence: 0.8546323

 $00:08:00.160 \longrightarrow 00:08:03.178$  there are now

NOTE Confidence: 0.8546323

 $00:08:03.180 \longrightarrow 00:08:05.735$  newer therapies or newer therapeutic

NOTE Confidence: 0.8546323

 $00{:}08{:}05.735 \dashrightarrow 00{:}08{:}08.745$  modalities that are being considered

NOTE Confidence: 0.8546323

 $00:08:08.745 \longrightarrow 00:08:11.440$  in radiation for various tumors and so

NOTE Confidence: 0.8546323

 $00:08:11.440 \longrightarrow 00:08:14.310$  when patients want to get more information

NOTE Confidence: 0.8546323

 $00:08:14.310 \longrightarrow 00:08:17.348$  for example, breast

NOTE Confidence: 0.8546323

 $00:08:17.348 \longrightarrow 00:08:19.964$  cancer patients who are often treated

NOTE Confidence: 0.8546323

 $00:08:19.964 \longrightarrow 00:08:22.834$  with photons but who are now being

 $00:08:22.920 \longrightarrow 00:08:25.764$  offered proton therapy and are wondering

NOTE Confidence: 0.8546323

 $00:08:25.764 \longrightarrow 00:08:28.548$  should I be getting proton therapy?

NOTE Confidence: 0.8546323

 $00:08:28.548 \longrightarrow 00:08:31.656$  Is that the right thing for me?

NOTE Confidence: 0.8546323

 $00:08:31.660 \longrightarrow 00:08:33.940$  Where do you suggest that

NOTE Confidence: 0.8546323

 $00:08:33.940 \longrightarrow 00:08:35.764$  they get more information?

NOTE Confidence: 0.8546323

 $00:08:35.770 \longrightarrow 00:08:38.578$  Or can you shed a bit of light on

NOTE Confidence: 0.8546323

00:08:38.578 --> 00:08:41.533 in what circumstances different

NOTE Confidence: 0.8546323

00:08:41.533 --> 00:08:44.089 modalities might be better?

 $00:08:44.420 \longrightarrow 00:08:46.045$  I love this question because it's

NOTE Confidence: 0.8650519

 $00:08:46.045 \longrightarrow 00:08:48.429$  one of my real areas of passion.

NOTE Confidence: 0.8650519

 $00{:}08{:}48.430 \dashrightarrow 00{:}08{:}50.722$  How can we use advanced radiation

NOTE Confidence: 0.8650519

 $00:08:50.722 \longrightarrow 00:08:52.632$  therapy technologies to improve the

NOTE Confidence: 0.8650519

 $00{:}08{:}52.632 \dashrightarrow 00{:}08{:}54.570$  outcomes and reduce the side effects

NOTE Confidence: 0.8650519

 $00:08:54.570 \longrightarrow 00:08:57.008$  of patients as they go through the rapy?

NOTE Confidence: 0.8650519

00:08:57.010 --> 00:08:58.651 Standard radiation therapy

NOTE Confidence: 0.8650519

00:08:58.651 --> 00:09:01.933 uses high energy radiation beams and

 $00:09:01.933 \longrightarrow 00:09:04.813$  those often are called photons or X

NOTE Confidence: 0.8650519

 $00:09:04.813 \longrightarrow 00:09:07.490$  rays to be focused on the cancer.

NOTE Confidence: 0.8650519

 $00:09:07.490 \longrightarrow 00:09:10.034$  A downside of X rays is that they

NOTE Confidence: 0.8650519

 $00:09:10.034 \longrightarrow 00:09:13.034$  enter the body and they actually pass

NOTE Confidence: 0.8650519

 $00:09:13.034 \longrightarrow 00:09:15.324$  through the entire body deposit,

NOTE Confidence: 0.8650519

 $00:09:15.330 \longrightarrow 00:09:16.894$  depositing radiation therapy through

NOTE Confidence: 0.8650519

00:09:16.894 --> 00:09:19.520 their path, and this can include

NOTE Confidence: 0.8650519

 $00:09:19.520 \longrightarrow 00:09:21.820$  normal organs in many circumstances.

NOTE Confidence: 0.8650519

 $00:09:21.820 \longrightarrow 00:09:23.610$  Now, unfortunately we have developed

NOTE Confidence: 0.8650519

 $00:09:23.610 \longrightarrow 00:09:26.179$  many methods to reduce the exposure of

NOTE Confidence: 0.8650519

 $00:09:26.179 \dashrightarrow 00:09:28.699$  normal organs and therefore the side effects.

NOTE Confidence: 0.8650519

 $00:09:28.700 \longrightarrow 00:09:30.740$  And honestly the technological advances

NOTE Confidence: 0.8650519

 $00:09:30.740 \longrightarrow 00:09:33.172$  in radiation therapy over the decades

NOTE Confidence: 0.8650519

 $00:09:33.172 \longrightarrow 00:09:35.447$  have been so immense and very exciting

NOTE Confidence: 0.8650519

 $00:09:35.447 \longrightarrow 00:09:37.880$  and this has resulted in dramatically

 $00:09:37.880 \longrightarrow 00:09:39.596$  better outcomes for patients.

NOTE Confidence: 0.8650519

 $00:09:39.600 \longrightarrow 00:09:41.232$  Proton therapy, for example,

NOTE Confidence: 0.8650519

 $00:09:41.232 \longrightarrow 00:09:43.272$  is a real major advancement,

NOTE Confidence: 0.8650519

 $00:09:43.280 \longrightarrow 00:09:45.330$  and similarly to X rays,

NOTE Confidence: 0.8650519

 $00:09:45.330 \longrightarrow 00:09:47.864$  proton beams do enter the body and

NOTE Confidence: 0.8650519

 $00:09:47.864 \longrightarrow 00:09:50.229$  deliver some radiation exposure initially,

NOTE Confidence: 0.8650519

 $00:09:50.230 \longrightarrow 00:09:50.772$  however,

NOTE Confidence: 0.8650519

00:09:50.772 --> 00:09:54.566 that's where the key advantages is that

NOTE Confidence: 0.8650519

 $00:09:54.570 \longrightarrow 00:09:57.013$  they can be designed to actually stop

NOTE Confidence: 0.8650519

00:09:57.013 --> 00:09:59.140 shortly after the targeting tumor.

NOTE Confidence: 0.8650519

 $00:09:59.140 \longrightarrow 00:10:00.199$  So in brief,

NOTE Confidence: 0.8650519

 $00:10:00.199 \longrightarrow 00:10:02.670$  there is little to no radiation that

NOTE Confidence: 0.8650519

 $00:10:02.742 \longrightarrow 00:10:05.465$  continues to pass beyond the tumor or

NOTE Confidence: 0.8650519

00:10:05.465 --> 00:10:08.289 through the rest of the patient's body,

NOTE Confidence: 0.8650519

 $00:10:08.290 \longrightarrow 00:10:10.310$  and this theoretically may

NOTE Confidence: 0.8650519

00:10:10.310 --> 00:10:11.320 substantially improve

 $00:10:11.320 \longrightarrow 00:10:12.952$  and benefit some patients.

NOTE Confidence: 0.8650519

00:10:12.952 --> 00:10:14.176 Not all patients,

NOTE Confidence: 0.8650519

 $00:10:14.180 \longrightarrow 00:10:15.845$  but some patients.

00:10:16.400 --> 00:10:17.836 That sounds really exciting and

NOTE Confidence: 0.9000687

 $00:10:17.836 \longrightarrow 00:10:19.990$  certainly we know that there are

NOTE Confidence: 0.9000687

 $00{:}10{:}20.052 \dashrightarrow 00{:}10{:}21.817$  various proton facilities that have

NOTE Confidence: 0.9000687

 $00:10:21.817 \longrightarrow 00:10:24.130$  popped up all over the country.

NOTE Confidence: 0.9000687

00:10:24.130 --> 00:10:27.426 If patients are not near a proton facility,

NOTE Confidence: 0.9000687

 $00{:}10{:}27.430 \dashrightarrow 00{:}10{:}30.302$  should they be looking to go to a

NOTE Confidence: 0.9000687

 $00:10:30.302 \longrightarrow 00:10:32.779$  facility that offers proton therapy?

NOTE Confidence: 0.9000687

 $00{:}10{:}32.780 \dashrightarrow 00{:}10{:}35.594$  Or is that something that is pretty

NOTE Confidence: 0.9000687

 $00:10:35.594 \longrightarrow 00:10:38.140$  specialized and still on clinical trial?

NOTE Confidence: 0.9000687

00:10:38.140 --> 00:10:41.848 Or does it really depend on the tumor type?

NOTE Confidence: 0.9000687

 $00{:}10{:}41.850 \dashrightarrow 00{:}10{:}43.080$  It's highly dependent

NOTE Confidence: 0.8675426

 $00:10:43.080 \longrightarrow 00:10:45.140$  upon the tumor type and

NOTE Confidence: 0.8675426

 $00:10:45.140 \longrightarrow 00:10:46.376$  the individual patient.

 $00:10:46.380 \longrightarrow 00:10:48.915$  I would encourage patients to

NOTE Confidence: 0.8675426

 $00{:}10{:}48.915 \dashrightarrow 00{:}10{:}50.943$  ask their radiation on cologists

NOTE Confidence: 0.8675426

00:10:50.943 --> 00:10:54.019 just the question of what do you

NOTE Confidence: 0.8675426

00:10:54.019 --> 00:10:56.111 think about proton therapy and

NOTE Confidence: 0.8675426

 $00:10:56.111 \longrightarrow 00:10:58.596$  do you think it would benefit me?

NOTE Confidence: 0.8675426

00:10:58.600 --> 00:11:01.099 And even if they don't live close

NOTE Confidence: 0.8675426

 $00:11:01.099 \longrightarrow 00:11:03.449$  to a proton therapy center,

NOTE Confidence: 0.8675426

 $00:11:03.450 \longrightarrow 00:11:06.271$  I do think that an individual radiation

NOTE Confidence: 0.8675426

00:11:06.271 --> 00:11:07.943 oncologist would provide their

NOTE Confidence: 0.8675426

 $00:11:07.943 \longrightarrow 00:11:10.319$  opinion or thoughts on that technique.

NOTE Confidence: 0.8675426

00:11:10.320 --> 00:11:12.707 I get asked that question actually

NOTE Confidence: 0.8675426

 $00:11:12.707 \longrightarrow 00:11:15.117$  quite regularly and in many circumstances

NOTE Confidence: 0.8675426

 $00{:}11{:}15.117 \dashrightarrow 00{:}11{:}16.877$  standard radiation therapy would

NOTE Confidence: 0.8675426

00:11:16.877 --> 00:11:19.199 be equivalent to proton therapy,

NOTE Confidence: 0.8675426

 $00:11:19.200 \longrightarrow 00:11:21.545$  and I do think that we can

00:11:21.545 --> 00:11:23.181 deliver exceptional care with

NOTE Confidence: 0.8675426

00:11:23.181 --> 00:11:24.858 standard radiation treatment.

NOTE Confidence: 0.8675426

00:11:24.860 --> 00:11:26.264 As I mentioned,

NOTE Confidence: 0.8675426

 $00:11:26.264 \longrightarrow 00:11:28.604$  tremendous advancements have been made

NOTE Confidence: 0.8675426

 $00:11:28.604 \longrightarrow 00:11:31.590$  even with standard X rays or photons.

NOTE Confidence: 0.8675426

 $00:11:31.590 \longrightarrow 00:11:35.238$  But in some circumstances I must say that

NOTE Confidence: 0.8675426

 $00:11:35.240 \longrightarrow 00:11:37.205$  I have recommended patients

NOTE Confidence: 0.8675426

00:11:37.205 --> 00:11:39.170 to receive a second opinion

NOTE Confidence: 0.8675426

 $00:11:39.237 \longrightarrow 00:11:40.937$  at a proton the rapy center

NOTE Confidence: 0.8671422

 $00:11:40.940 \longrightarrow 00:11:43.188$  Can you talk a little bit

NOTE Confidence: 0.8671422

 $00{:}11{:}43.188 \dashrightarrow 00{:}11{:}45.471$  about some of the other techniques

NOTE Confidence: 0.8671422

00:11:45.471 --> 00:11:47.531 that have been developed using

NOTE Confidence: 0.8671422

 $00:11:47.531 \longrightarrow 00:11:49.744$  standard radiation therapy that might

NOTE Confidence: 0.8671422

 $00{:}11{:}49.744 \dashrightarrow 00{:}11{:}52.336$  minimize the dosage to normal organs.

NOTE Confidence: 0.8671422

00:11:52.340 --> 00:11:54.620 Many patients are always worried about,

NOTE Confidence: 0.8671422

00:11:54.620 --> 00:11:56.475 for example, if they're getting

00:11:56.475 --> 00:11:58.800 radiation therapy after a breast cancer,

NOTE Confidence: 0.8671422

 $00:11:58.800 \longrightarrow 00:12:00.700$  let's say to their chest.

NOTE Confidence: 0.8671422

 $00:12:00.700 \longrightarrow 00:12:02.830$  They're worried about the radiation

NOTE Confidence: 0.8671422

 $00:12:02.830 \longrightarrow 00:12:05.420$  affecting their heart or their lungs.

NOTE Confidence: 0.8671422

 $00:12:05.420 \longrightarrow 00:12:07.230$  What advancements have been made

NOTE Confidence: 0.8671422

 $00:12:07.230 \longrightarrow 00:12:09.525$  to protect those organs and should

NOTE Confidence: 0.8671422

 $00:12:09.525 \longrightarrow 00:12:11.610$  patients be worried about the

NOTE Confidence: 0.8671422

 $00:12:11.610 \longrightarrow 00:12:13.278$  extra radiation hitting those

NOTE Confidence: 0.8671422

00:12:13.280 --> 00:12:15.632 normal tissues?

NOTE Confidence: 0.8671422

 $00:12:15.632 \longrightarrow 00:12:16.820$  As a radiation oncologist, these

NOTE Confidence: 0.8422647

 $00:12:16.820 \longrightarrow 00:12:19.070$  are the things that are on

NOTE Confidence: 0.8422647

 $00:12:19.070 \longrightarrow 00:12:21.530$  my mind each and every day.

NOTE Confidence: 0.8422647

 $00:12:21.530 \longrightarrow 00:12:23.784$  How do I design a radiation treatment

NOTE Confidence: 0.8422647

 $00{:}12{:}23.784 \dashrightarrow 00{:}12{:}25.668$  plan that can minimize effectively

NOTE Confidence: 0.8422647

 $00:12:25.668 \longrightarrow 00:12:28.212$  the dose of radiation therapy to

00:12:28.212 --> 00:12:30.404 normal organs and with standard

NOTE Confidence: 0.8422647

 $00{:}12{:}30.404 \dashrightarrow 00{:}12{:}32.539$  radiation the rapy for breast cancer

NOTE Confidence: 0.8422647

 $00:12:32.540 \longrightarrow 00:12:35.764$  we've come up with very nice ways to

NOTE Confidence: 0.8422647

 $00:12:35.770 \longrightarrow 00:12:37.960$  displace or move the heart or

NOTE Confidence: 0.8422647

 $00:12:37.960 \longrightarrow 00:12:40.460$  lungs away from the targeted breast

NOTE Confidence: 0.8422647

 $00:12:40.460 \longrightarrow 00:12:42.855$  tissue and for other cancers

NOTE Confidence: 0.8422647

 $00:12:42.860 \longrightarrow 00:12:44.396$  we've developed highly sophisticated

NOTE Confidence: 0.8422647

00:12:44.396 --> 00:12:46.700 X ray techniques such as intensity

NOTE Confidence: 0.8422647

00:12:46.762 --> 00:12:48.280 modulated radiation therapy,

NOTE Confidence: 0.8422647

 $00:12:48.280 \longrightarrow 00:12:50.420$  which, in simplified terms,

NOTE Confidence: 0.8422647

 $00{:}12{:}50.420 {\:{\circ}{\circ}{\circ}}>00{:}12{:}52.560$  involves advanced computer technology

NOTE Confidence: 0.8422647

 $00:12:52.560 \longrightarrow 00:12:54.405$  and sophisticated radiation beam

NOTE Confidence: 0.8422647

 $00:12:54.405 \longrightarrow 00:12:56.883$  design to better focus the high doses

NOTE Confidence: 0.8422647

 $00{:}12{:}56.883 \dashrightarrow 00{:}12{:}59.396$  of radiation the rapy to the tumor

NOTE Confidence: 0.8422647

 $00:12:59.396 \longrightarrow 00:13:02.354$  and spare the normal tissues so we do

NOTE Confidence: 0.8422647

 $00{:}13{:}02.354 \dashrightarrow 00{:}13{:}04.309$  have very effective alternatives to

00:13:04.309 --> 00:13:06.698 proton therapy that can effectively

NOTE Confidence: 0.8422647

 $00:13:06.700 \longrightarrow 00:13:09.120$  and very well treat patients.

 $00:13:09.500 \longrightarrow 00:13:10.868$  That's really great to hear,

NOTE Confidence: 0.8489297

 $00:13:10.868 \longrightarrow 00:13:13.395$  so we're going to pick up this

NOTE Confidence: 0.8489297

 $00{:}13{:}13.395 \dashrightarrow 00{:}13{:}15.795$  conversation right after we take a

NOTE Confidence: 0.8489297

 $00:13:15.795 \longrightarrow 00:13:18.308$  short break for a medical minute.

NOTE Confidence: 0.8489297

 $00{:}13{:}18.310 \dashrightarrow 00{:}13{:}20.608$  Please stay tuned to learn more

NOTE Confidence: 0.8489297

00:13:20.608 --> 00:13:22.140 about radiation oncology with

NOTE Confidence: 0.8489297

 $00{:}13{:}22.140 \dashrightarrow 00{:}13{:}24.180$ my guest Doctor Krishnan Jethwa.

NOTE Confidence: 0.8489297

00:13:24.180 --> 00:13:26.220 Support for Yale Cancer Answers

NOTE Confidence: 0.8489297

 $00{:}13{:}26.286 \dashrightarrow 00{:}13{:}28.458$  comes from AstraZeneca, working to

NOTE Confidence: 0.8489297

 $00:13:28.458 \longrightarrow 00:13:30.950$  eliminate cancer as a cause of death.

NOTE Confidence: 0.8489297

 $00{:}13{:}30.950 \dashrightarrow 00{:}13{:}34.230$  Learn more at a strazeneca-us.com.

NOTE Confidence: 0.8489297

 $00:13:34.230 \longrightarrow 00:13:37.646$  This is a medical minute about survivorship.

NOTE Confidence: 0.8489297

00:13:37.650 --> 00:13:39.322 Completing treatment for cancer

NOTE Confidence: 0.8489297

 $00:13:39.322 \longrightarrow 00:13:41.412$  is a very exciting milestone,

 $00:13:41.420 \longrightarrow 00:13:44.624$  but cancer and its treatment can be a life

NOTE Confidence: 0.8489297

 $00{:}13{:}44.624 \dashrightarrow 00{:}13{:}47.290$  changing experience for cancer survivors.

NOTE Confidence: 0.8489297

00:13:47.290 --> 00:13:49.804 The return to normal activities and

NOTE Confidence: 0.8489297

 $00:13:49.804 \longrightarrow 00:13:51.937$  relationships can be difficult and

NOTE Confidence: 0.8489297

 $00{:}13{:}51.937 \dashrightarrow 00{:}13{:}54.259$  some survivors face long term side

NOTE Confidence: 0.8489297

 $00:13:54.259 \longrightarrow 00:13:56.509$  effects resulting from their treatment,

NOTE Confidence: 0.8489297

00:13:56.510 --> 00:13:57.764 including heart problems,

NOTE Confidence: 0.8489297

 $00:13:57.764 \longrightarrow 00:13:59.018$  osteoporosis, fertility issues,

NOTE Confidence: 0.8489297

 $00:13:59.020 \longrightarrow 00:14:01.946$  and an increased risk of second cancers.

NOTE Confidence: 0.8489297

 $00:14:01.950 \longrightarrow 00:14:04.245$  Resources are available to help

NOTE Confidence: 0.8489297

00:14:04.245 --> 00:14:06.081 keep cancer survivors well and

NOTE Confidence: 0.8489297

00:14:06.081 --> 00:14:07.828 focused on healthy living.

NOTE Confidence: 0.8489297

 $00:14:07.830 \longrightarrow 00:14:09.862$  More information is available

NOTE Confidence: 0.8489297

 $00:14:09.862 \longrightarrow 00:14:10.878$  at yalecancercenter.org.

NOTE Confidence: 0.8489297

 $00:14:10.880 \longrightarrow 00:14:15.038$  You're listening to Connecticut public radio.

 $00:14:15.040 \longrightarrow 00:14:15.460$  Welcome

NOTE Confidence: 0.8349248

 $00:14:15.460 \longrightarrow 00:14:17.580$  back to Yale Cancer Answers.

NOTE Confidence: 0.8349248

00:14:17.580 --> 00:14:19.854 This is doctor Anees Chagpar

NOTE Confidence: 0.8349248

 $00:14:19.854 \longrightarrow 00:14:22.400$  and I'm joined tonight by

NOTE Confidence: 0.8349248

 $00:14:22.400 \longrightarrow 00:14:24.770$  my guest Doctor Krishan Jethwa.

NOTE Confidence: 0.8349248

00:14:24.770 --> 00:14:27.030 We're discussing radiation therapy in

NOTE Confidence: 0.8349248

 $00:14:27.030 \longrightarrow 00:14:29.763$  the treatment of cancers and right

NOTE Confidence: 0.8349248

 $00:14:29.763 \longrightarrow 00:14:32.542$  before the break we were talking about

NOTE Confidence: 0.8349248

 $00{:}14{:}32.542 \dashrightarrow 00{:}14{:}34.625$  some advanced techniques that have

NOTE Confidence: 0.8349248

00:14:34.625 --> 00:14:37.453 been developed that can really help in

NOTE Confidence: 0.8349248

 $00{:}14{:}37.460 \dashrightarrow 00{:}14{:}39.998$  minimizing the side effects of radiation.

 $00{:}14{:}40.844 \dashrightarrow 00{:}14{:}43.798$  Before I dive into some specific cancers,

NOTE Confidence: 0.8349248

 $00:14:43.800 \longrightarrow 00:14:46.845$  one question that we're always asked about

NOTE Confidence: 0.8349248

 $00{:}14{:}46.850 \dashrightarrow 00{:}14{:}48.233$  is secondary malignancies.

NOTE Confidence: 0.8349248

 $00:14:48.233 \longrightarrow 00:14:50.540$  In other words,

NOTE Confidence: 0.8349248

 $00:14:50.540 \longrightarrow 00:14:53.369$  people often say, well, radiation therapy,

 $00:14:53.369 \longrightarrow 00:14:55.784$  it's kind of like radiation

NOTE Confidence: 0.8349248

00:14:55.784 --> 00:14:57.450 similar to the sun,

NOTE Confidence: 0.8349248

00:14:57.450 --> 00:15:00.216 but we know that with radiation,

NOTE Confidence: 0.8349248

 $00:15:00.220 \longrightarrow 00:15:02.525$  whether it's from sunlight or

NOTE Confidence: 0.8349248

 $00:15:02.525 \longrightarrow 00:15:04.830$  whether it's from nuclear explosions,

NOTE Confidence: 0.8349248

 $00:15:04.830 \longrightarrow 00:15:06.240$  can cause cancers.

NOTE Confidence: 0.8349248

 $00:15:06.240 \longrightarrow 00:15:09.530$  So is there a risk of developing

NOTE Confidence: 0.8349248

 $00:15:09.628 \longrightarrow 00:15:12.253$  a cancer from your radiation

NOTE Confidence: 0.8349248

 $00{:}15{:}12.253 \mathrel{--}{>} 00{:}15{:}14.878$  therapy which is designed to

NOTE Confidence: 0.8349248

00:15:14.980 --> 00:15:17.836 help you get rid of the cancer?

 $00:15:18.200 \longrightarrow 00:15:20.390$  That's a really, really good question,

NOTE Confidence: 0.9037382

 $00:15:20.390 \longrightarrow 00:15:24.390$  one which I get asked from most patients.

NOTE Confidence: 0.9037382

00:15:24.390 --> 00:15:25.822 And you're exactly right.

NOTE Confidence: 0.9037382

00:15:25.822 --> 00:15:26.896 With radiation therapy,

NOTE Confidence: 0.9037382

 $00:15:26.900 \longrightarrow 00:15:30.122$  while we focus it directly on to the tumor,

NOTE Confidence: 0.9037382

 $00:15:30.130 \longrightarrow 00:15:33.720$  and we do a very nice job at doing so,

 $00:15:33.720 \longrightarrow 00:15:36.024$  there is theoretically a risk that

NOTE Confidence: 0.9037382

 $00:15:36.024 \longrightarrow 00:15:38.257$  radiation therapy can increase the risk

NOTE Confidence: 0.9037382

 $00:15:38.257 \longrightarrow 00:15:40.490$  of developing a new cancer within or

NOTE Confidence: 0.9037382

 $00:15:40.490 \longrightarrow 00:15:42.699$  adjacent to the radiation therapy field.

NOTE Confidence: 0.9037382

 $00:15:42.700 \longrightarrow 00:15:45.206$  Thankfully, that risk is not very high.

NOTE Confidence: 0.9037382

 $00:15:45.210 \longrightarrow 00:15:47.730$  In fact, it's far less than 1%,

NOTE Confidence: 0.9037382

 $00:15:47.730 \longrightarrow 00:15:49.878$  and if it is to happen,

NOTE Confidence: 0.9037382

 $00:15:49.880 \longrightarrow 00:15:51.312$  it often takes many,

NOTE Confidence: 0.9037382

 $00{:}15{:}51.312 \dashrightarrow 00{:}15{:}54.295$  many years to develop and I mean

NOTE Confidence: 0.9037382

 $00:15:54.295 \longrightarrow 00:15:56.665$  5-10, 30-40 years to develop.

NOTE Confidence: 0.9037382

 $00{:}15{:}56.670 \dashrightarrow 00{:}15{:}59.838$  So there is a relatively low risk of it

NOTE Confidence: 0.9037382

 $00{:}15{:}59.838 \dashrightarrow 00{:}16{:}02.130$  occurring and it's a more significant

NOTE Confidence: 0.9037382

00:16:02.130 --> 00:16:04.650 risk in patients who are younger,

NOTE Confidence: 0.9037382

00:16:04.650 --> 00:16:06.330 particularly our pediatric patients,

NOTE Confidence: 0.9037382

 $00:16:06.330 \longrightarrow 00:16:09.551$  but as a radiation oncologist it is

NOTE Confidence: 0.9037382

 $00{:}16{:}09.551 \dashrightarrow 00{:}16{:}11.447$  always something on my mind when

00:16:11.447 --> 00:16:13.769 I'm caring for those young patients.

NOTE Confidence: 0.9037382

 $00{:}16{:}13.770 \dashrightarrow 00{:}16{:}16.346$  And that is one of the benefits of

NOTE Confidence: 0.9037382

 $00{:}16{:}16.346 \dashrightarrow 00{:}16{:}18.329$  advanced radiation therapy technologies.

NOTE Confidence: 0.9037382

00:16:18.330 --> 00:16:19.974 For instance, proton therapy,

NOTE Confidence: 0.9037382

 $00:16:19.974 \longrightarrow 00:16:22.839$  that can theoretically decrease the risk

NOTE Confidence: 0.9037382

 $00:16:22.839 \longrightarrow 00:16:25.163$  of what we call a secondary malignancy.

NOTE Confidence: 0.8558176

 $00:16:26.150 \longrightarrow 00:16:28.184$  And so during the break

NOTE Confidence: 0.8558176

 $00:16:28.184 \longrightarrow 00:16:30.314$  you were telling me that your

NOTE Confidence: 0.8558176

 $00{:}16{:}30.314 \to 00{:}16{:}32.426$  particular focus is on GI cancers.

NOTE Confidence: 0.8558176

00:16:32.430 --> 00:16:34.509 Can you tell us a little bit

NOTE Confidence: 0.8558176

 $00:16:34.509 \longrightarrow 00:16:36.711$  more about the use of radiation

NOTE Confidence: 0.8558176

 $00:16:36.711 \longrightarrow 00:16:38.710$  therapy in those cancers?

NOTE Confidence: 0.8558176

 $00:16:38.710 \longrightarrow 00:16:41.153$  Radiation therapies are used in the vast majority

NOTE Confidence: 0.8558176

 $00:16:41.153 \longrightarrow 00:16:43.948$  of GI cancer spanning head to toe.

NOTE Confidence: 0.8558176

 $00:16:43.950 \longrightarrow 00:16:46.974$  It has a role in either the curative

00:16:46.974 --> 00:16:49.695 intent treatment or in many it would

NOTE Confidence: 0.8558176

 $00:16:49.695 \longrightarrow 00:16:51.585$  be the symptom directed treatment.

NOTE Confidence: 0.8558176

 $00:16:51.590 \longrightarrow 00:16:54.299$  So that could be for esophagus cancers,

NOTE Confidence: 0.8558176

00:16:54.300 --> 00:16:55.844 stomach cancers, liver, pancreas,

NOTE Confidence: 0.8558176

 $00:16:55.844 \longrightarrow 00:16:58.170$  colon, rectal or even anal cancers.

NOTE Confidence: 0.8558176

00:16:58.170 --> 00:17:02.040 And we have a very nice role in doing so,

NOTE Confidence: 0.8558176

 $00:17:02.040 \longrightarrow 00:17:03.950$  often in combination with our

NOTE Confidence: 0.8558176

 $00:17:03.950 \longrightarrow 00:17:05.478$  colleagues from medical oncology

NOTE Confidence: 0.8558176

 $00{:}17{:}05.478 \dashrightarrow 00{:}17{:}07.458$  and surgical oncology to help

NOTE Confidence: 0.8558176

00:17:07.458 --> 00:17:09.383 improve the outcomes for patients.

NOTE Confidence: 0.877728

 $00{:}17{:}10.680 \dashrightarrow 00{:}17{:}13.479$  So let's go through each of those in a

NOTE Confidence: 0.877728

 $00:17:13.479 \longrightarrow 00:17:16.476$  bit more detail so that you can give us

NOTE Confidence: 0.877728

 $00{:}17{:}16.476 \dashrightarrow 00{:}17{:}19.423$  a little bit of color of what radiation

NOTE Confidence: 0.877728

00:17:19.423 --> 00:17:21.933 therapy is like for each of those.

NOTE Confidence: 0.877728

00:17:21.933 --> 00:17:24.318 I'd imagine that it's different, for example,

NOTE Confidence: 0.877728

 $00{:}17{:}24.318 \dashrightarrow 00{:}17{:}26.691$  in the esophagus versus in liver versus

00:17:26.691 --> 00:17:29.440 in the pancreas versus in the anal canal.

NOTE Confidence: 0.877728

 $00{:}17{:}29.440 \dashrightarrow 00{:}17{:}32.160$  How does radiation vary based on the site?

NOTE Confidence: 0.87571305

 $00:17:32.810 \longrightarrow 00:17:35.246$  So of course it is a different

NOTE Confidence: 0.87571305

 $00:17:35.246 \longrightarrow 00:17:36.999$  anatomical site of the body,

NOTE Confidence: 0.87571305

 $00:17:37.000 \longrightarrow 00:17:38.800$  and in many of those different

NOTE Confidence: 0.87571305

 $00:17:38.800 \longrightarrow 00:17:40.000$  circumstances we use different

NOTE Confidence: 0.87571305

00:17:40.056 --> 00:17:41.886 radiation technologies, which we

NOTE Confidence: 0.87571305

 $00:17:41.886 \longrightarrow 00:17:44.322$  think are best for the specific site.

NOTE Confidence: 0.87571305

 $00:17:44.330 \longrightarrow 00:17:45.626$  So for instance,

NOTE Confidence: 0.87571305

 $00{:}17{:}45.626 \dashrightarrow 00{:}17{:}48.218$  when we treat an esophagus cancer,

NOTE Confidence: 0.87571305

 $00:17:48.220 \longrightarrow 00:17:49.948$  what's always on our mind is

NOTE Confidence: 0.87571305

 $00:17:49.948 \longrightarrow 00:17:52.635$  how do we treat the tumor while

NOTE Confidence: 0.87571305

 $00{:}17{:}52.635 \dashrightarrow 00{:}17{:}54.105$  minimizing radiation therapy

NOTE Confidence: 0.87571305

 $00:17:54.110 \longrightarrow 00:17:56.318$  dose to organs like the heart,

NOTE Confidence: 0.87571305

00:17:56.320 --> 00:17:58.840 lungs, liver or even kidneys?

00:17:58.840 --> 00:18:01.556 Whereas when we're down in the pelvis

NOTE Confidence: 0.87571305

 $00{:}18{:}01.556 \dashrightarrow 00{:}18{:}04.560$  treating a rectal cancer or an anal cancer,

NOTE Confidence: 0.87571305

 $00:18:04.560 \longrightarrow 00:18:06.750$  we worry about the radiation effects

NOTE Confidence: 0.87571305

 $00:18:06.750 \longrightarrow 00:18:08.673$  on the bowel, bladder, genitalia

NOTE Confidence: 0.87571305

 $00:18:08.673 \longrightarrow 00:18:10.648$  and bones like the femur

NOTE Confidence: 0.87571305

00:18:10.650 --> 00:18:13.698 which can be at risk of weakening or

NOTE Confidence: 0.87571305

 $00:18:13.698 \longrightarrow 00:18:15.508$  developing fractures as patients get

NOTE Confidence: 0.87571305

00:18:15.508 --> 00:18:18.290 older and there's a lot of nuance and

NOTE Confidence: 0.87571305

 $00{:}18{:}18.290 \dashrightarrow 00{:}18{:}20.395$  art in how a radiation oncologist

NOTE Confidence: 0.87571305

 $00:18:20.395 \longrightarrow 00:18:23.043$  designs those fields and is in part

NOTE Confidence: 0.87571305

 $00:18:23.043 \longrightarrow 00:18:25.290$  why it's nice to have a specialty

NOTE Confidence: 0.87571305

 $00:18:25.365 \longrightarrow 00:18:28.209$  team involved in the care because

NOTE Confidence: 0.87571305

 $00{:}18{:}28.209 \dashrightarrow 00{:}18{:}30.105$  there's such tremendous nuance

NOTE Confidence: 0.87571305

 $00{:}18{:}30.110 \dashrightarrow 00{:}18{:}32.624$  in radiation therapy design and the

NOTE Confidence: 0.87571305

 $00:18:32.624 \longrightarrow 00:18:35.050$  technical specifics of the treatment,

NOTE Confidence: 0.87571305

 $00:18:35.050 \longrightarrow 00:18:37.250$  somewhat analogous to the expertise

 $00{:}18{:}37.250 \dashrightarrow 00{:}18{:}39.985$  you may have from a surgical

NOTE Confidence: 0.87571305

 $00:18:39.985 \longrightarrow 00:18:41.777$  team as they design

NOTE Confidence: 0.8719969

 $00:18:41.780 \longrightarrow 00:18:44.050$  a complex surgical operation.

NOTE Confidence: 0.8719969

00:18:44.050 --> 00:18:47.170 And timing is the other issue too, right?

NOTE Confidence: 0.8719969

 $00:18:47.170 \longrightarrow 00:18:48.520$  So sometimes radiation

NOTE Confidence: 0.8719969

 $00:18:48.520 \longrightarrow 00:18:50.320$  is given before surgery,

NOTE Confidence: 0.8719969

 $00:18:50.320 \longrightarrow 00:18:53.008$  and sometimes it's given after surgery.

NOTE Confidence: 0.8719969

00:18:53.010 --> 00:18:55.698 How do you decide which way that works?

NOTE Confidence: 0.8719969

 $00:18:55.700 \longrightarrow 00:18:58.646$  For most of the

NOTE Confidence: 0.8719969

 $00{:}18{:}58.646 \dashrightarrow 00{:}19{:}00.119$  gastrointestinal cancers we've

NOTE Confidence: 0.8719969

 $00{:}19{:}00.120 \dashrightarrow 00{:}19{:}02.320$  through much research learned

NOTE Confidence: 0.8719969

 $00:19:02.320 \longrightarrow 00:19:04.520$  that delivering radiation therapy

NOTE Confidence: 0.8719969

 $00{:}19{:}04.520 \dashrightarrow 00{:}19{:}07.529$  prior to a surgery is beneficial.

NOTE Confidence: 0.8719969

 $00:19:07.530 \longrightarrow 00:19:09.610$  And often that also includes

NOTE Confidence: 0.8719969

00:19:09.610 --> 00:19:11.690 delivery of the systemic treatment,

00:19:11.690 --> 00:19:13.770 the chemotherapy before the operation,

NOTE Confidence: 0.8719969

 $00:19:13.770 \longrightarrow 00:19:15.845$  and we've learned that we

NOTE Confidence: 0.8719969

00:19:15.845 --> 00:19:17.505 improve the cancer control.

NOTE Confidence: 0.8719969

00:19:17.510 --> 00:19:19.058 And in many instances,

NOTE Confidence: 0.8719969

 $00:19:19.058 \longrightarrow 00:19:20.993$  the survival of patients by

NOTE Confidence: 0.8719969

 $00{:}19{:}20.993 \dashrightarrow 00{:}19{:}23.221$  delivering both of those treatment

NOTE Confidence: 0.8719969

 $00:19:23.221 \longrightarrow 00:19:24.997$  techniques before the operation.

NOTE Confidence: 0.8719969

 $00:19:25.000 \longrightarrow 00:19:27.080$  And that includes esophagus cancer,

NOTE Confidence: 0.8719969

 $00:19:27.080 \longrightarrow 00:19:28.325$  stomach cancers,

NOTE Confidence: 0.8719969

00:19:28.325 --> 00:19:29.985 pancreas, and rectal cancers,

NOTE Confidence: 0.8719969

 $00:19:29.990 \longrightarrow 00:19:32.060$  each of which we treat with

NOTE Confidence: 0.8719969

 $00{:}19{:}32.060 \mathrel{--}{>} 00{:}19{:}34.092$  the rapy prior to the operation

NOTE Confidence: 0.8719969

 $00:19:34.092 \longrightarrow 00:19:36.230$  in many circumstances, and

NOTE Confidence: 0.87105453

 $00:19:36.230 \longrightarrow 00:19:38.828$  one can imagine that doing so

NOTE Confidence: 0.87105453

 $00:19:38.830 \longrightarrow 00:19:41.810$  might reduce the tumor burden.

NOTE Confidence: 0.87105453

 $00:19:41.810 \longrightarrow 00:19:44.162$  But how does that affect scaring

 $00:19:44.162 \longrightarrow 00:19:46.120$  for the surgeons?

NOTE Confidence: 0.8516787

 $00:19:46.120 \longrightarrow 00:19:48.346$  There's many beneficial effects of delivering the

NOTE Confidence: 0.8516787

00:19:48.346 --> 00:19:50.430 radiation therapy or chemotherapy beforehand,

NOTE Confidence: 0.8516787

 $00:19:50.430 \longrightarrow 00:19:53.406$  one of which is that we can actually

NOTE Confidence: 0.8516787

 $00:19:53.406 \longrightarrow 00:19:56.222$  see the tumor, rather than treating an

NOTE Confidence: 0.8516787

 $00:19:56.222 \longrightarrow 00:19:59.060$  area where the tumor has been removed.

NOTE Confidence: 0.8516787

 $00:19:59.060 \longrightarrow 00:20:02.586$  When we can see the tumor, we can focus

NOTE Confidence: 0.8516787

00:20:02.586 --> 00:20:04.546 the radiation beams more specifically,

NOTE Confidence: 0.8516787

 $00:20:04.550 \longrightarrow 00:20:07.070$  and often the area that we have to

NOTE Confidence: 0.8516787

 $00:20:07.070 \longrightarrow 00:20:09.347$  treat is considerably smaller when

NOTE Confidence: 0.8516787

 $00:20:09.347 \longrightarrow 00:20:12.479$  delivered in the pre surgical setting.

NOTE Confidence: 0.8516787

 $00{:}20{:}12.480 \dashrightarrow 00{:}20{:}14.650$  That allows us to reduce the side

NOTE Confidence: 0.8516787

 $00:20:14.650 \longrightarrow 00:20:17.130$  effects that a patient may experience.

NOTE Confidence: 0.8516787

00:20:17.130 --> 00:20:19.836 Additionally, by shrinking down the tumor,

NOTE Confidence: 0.8516787

 $00:20:19.840 \longrightarrow 00:20:23.432$  it is often easier or more effective for

 $00:20:23.432 \longrightarrow 00:20:27.225$  the surgeon to remove all of the tumor

NOTE Confidence: 0.8516787

 $00{:}20{:}27.225 \dashrightarrow 00{:}20{:}30.389$  with negative margins after the operation.

NOTE Confidence: 0.8516787

 $00:20:30.390 \longrightarrow 00:20:33.670$  And after doing this for decades and having

NOTE Confidence: 0.8516787

00:20:33.670 --> 00:20:36.297 clinical trials look at this for decades,

NOTE Confidence: 0.8516787

 $00:20:36.300 \longrightarrow 00:20:39.191$  there doesn't seem to be a dramatic

NOTE Confidence: 0.8516787

 $00{:}20{:}39.191 \dashrightarrow 00{:}20{:}41.237$  difference in complications from the

NOTE Confidence: 0.8516787

 $00:20:41.237 \longrightarrow 00:20:43.072$  operation when it's done effectively

NOTE Confidence: 0.8516787

 $00:20:43.072 \longrightarrow 00:20:44.173$  as part of

NOTE Confidence: 0.8926751

00:20:44.180 --> 00:20:45.756 a multi disciplinary team.

NOTE Confidence: 0.8926751

 $00:20:45.756 \longrightarrow 00:20:47.726$  And yet in some cancers,

NOTE Confidence: 0.8926751

 $00:20:47.730 \longrightarrow 00:20:48.906$  radiation is frequently

NOTE Confidence: 0.8926751

 $00:20:48.906 \longrightarrow 00:20:50.474$  given after the surgery.

NOTE Confidence: 0.8926751

00:20:50.480 --> 00:20:52.850 So you had mentioned, for example,

NOTE Confidence: 0.8926751

 $00:20:52.850 \longrightarrow 00:20:54.735$  in breast cancer we generally

NOTE Confidence: 0.8926751

00:20:54.735 --> 00:20:56.243 give radiation therapy after

NOTE Confidence: 0.8926751

 $00:20:56.243 \longrightarrow 00:20:57.968$  the surgery is completed.

 $00:20:57.970 \longrightarrow 00:21:00.460$  So why is that?

NOTE Confidence: 0.8730454

 $00:21:00.460 \longrightarrow 00:21:02.230$  There's a number of reasons for that,

NOTE Confidence: 0.8730454

 $00:21:02.230 \longrightarrow 00:21:04.582$  and I think in the breast cancer

NOTE Confidence: 0.8730454

00:21:04.582 --> 00:21:05.982 community, now acknowledging I'm

NOTE Confidence: 0.8730454

 $00:21:05.982 \longrightarrow 00:21:07.617$  not a breast cancer specialist,

NOTE Confidence: 0.8730454

 $00:21:07.620 \longrightarrow 00:21:09.480$  but the typical paradigm has

NOTE Confidence: 0.8730454

00:21:09.480 --> 00:21:11.340 been to do surgery first,

NOTE Confidence: 0.8730454

 $00:21:11.340 \longrightarrow 00:21:14.343$  in part for concern of wound complications

NOTE Confidence: 0.8730454

 $00:21:14.343 \longrightarrow 00:21:16.800$  that may develop along the skin.

NOTE Confidence: 0.8730454

 $00:21:16.800 \longrightarrow 00:21:19.856$  And in part because it's nice to have

NOTE Confidence: 0.8730454

 $00{:}21{:}19.856 \dashrightarrow 00{:}21{:}22.532$  an opportunity to look at the cancer

NOTE Confidence: 0.8730454

 $00{:}21{:}22.532 \dashrightarrow 00{:}21{:}24.807$  under the microscope and see the

NOTE Confidence: 0.8730454

 $00{:}21{:}24.807 \dashrightarrow 00{:}21{:}27.687$  extent of spread so that we can better

NOTE Confidence: 0.8730454

 $00:21:27.687 \longrightarrow 00:21:29.550$  design our radiation therapy fields.

NOTE Confidence: 0.8334995

 $00:21:30.300 \longrightarrow 00:21:32.670$  So it sounds like there's good

 $00:21:32.670 \longrightarrow 00:21:35.917$  reasons in GI cancer to do it before

NOTE Confidence: 0.8334995

00:21:35.917 --> 00:21:37.897 good reasons in breast cancer

NOTE Confidence: 0.8334995

 $00:21:37.900 \longrightarrow 00:21:39.408$  to do it afterwards.

NOTE Confidence: 0.8334995

 $00:21:39.408 \longrightarrow 00:21:43.099$  So it seems to be really dependent on the

NOTE Confidence: 0.8334995

 $00:21:43.100 \longrightarrow 00:21:45.100$  tumor itself.

NOTE Confidence: 0.8334995

00:21:45.100 --> 00:21:47.500 And individual patients and again

NOTE Confidence: 0.8334995

 $00:21:47.500 \longrightarrow 00:21:48.776$  this emphasizes why being

NOTE Confidence: 0.8334995

 $00{:}21{:}48.776 \dashrightarrow 00{:}21{:}50.690$  seen and cared for amongst a

NOTE Confidence: 0.8334995

 $00{:}21{:}50.750 \dashrightarrow 00{:}21{:}52.700$  multidisciplinary specialty team,

NOTE Confidence: 0.8334995

 $00:21:52.700 \longrightarrow 00:21:56.237$  such as that we have at Yale is

NOTE Confidence: 0.8334995

 $00{:}21{:}56.237 {\:{\circ}{\circ}{\circ}}>00{:}21{:}59.099$  really so critical in the care of

NOTE Confidence: 0.8334995

 $00:21:59.100 \longrightarrow 00:22:01.100$  our patients.

NOTE Confidence: 0.8334995

 $00:22:01.100 \longrightarrow 00:22:02.597$  And you mentioned clinical trials

NOTE Confidence: 0.8334995

 $00:22:02.597 \longrightarrow 00:22:05.092$  adding to the evidence

NOTE Confidence: 0.8334995

 $00:22:05.092 \longrightarrow 00:22:08.476$  that we have in terms of what we

NOTE Confidence: 0.8334995

 $00{:}22{:}08.476 \dashrightarrow 00{:}22{:}10.539$  know works versus doesn't work

 $00:22:10.539 \longrightarrow 00:22:12.779$  in terms of radiation therapy.

NOTE Confidence: 0.8334995

 $00{:}22{:}12.780 \dashrightarrow 00{:}22{:}14.995$  Are there ongoing clinical trials

NOTE Confidence: 0.8334995

00:22:14.995 --> 00:22:17.210 that you're particularly excited about?

NOTE Confidence: 0.8622672

 $00:22:17.210 \longrightarrow 00:22:19.420$  There's so many.

NOTE Confidence: 0.8622672

 $00:22:19.420 \longrightarrow 00:22:21.922$  My interests are in using multiple

NOTE Confidence: 0.8622672

 $00{:}22{:}21.922 \dashrightarrow 00{:}22{:}24.593$  methods of patient and cancer response

NOTE Confidence: 0.8622672

00:22:24.593 --> 00:22:27.834 assessment to guide the care of patients,

NOTE Confidence: 0.8622672

 $00:22:27.840 \longrightarrow 00:22:31.218$  and that can include advanced imaging.

NOTE Confidence: 0.8622672

 $00:22:31.220 \longrightarrow 00:22:35.336$  It can involve tumor genetics or genomics.

NOTE Confidence: 0.8622672

 $00:22:35.340 \longrightarrow 00:22:39.020$  It can include specific targets on a cancer

NOTE Confidence: 0.8622672

 $00:22:39.020 \longrightarrow 00:22:42.730$  cell that may be targeted by medications.

NOTE Confidence: 0.8622672

00:22:42.730 --> 00:22:44.809 Or it can be specific blood tests

NOTE Confidence: 0.8622672

 $00{:}22{:}44.809 \dashrightarrow 00{:}22{:}47.004$  that guide the prognosis for patients.

NOTE Confidence: 0.8622672

 $00:22:47.004 \longrightarrow 00:22:49.074$  Potential therapies for patients

NOTE Confidence: 0.8622672

 $00:22:49.074 \longrightarrow 00:22:51.329$  can also involve immunotherapy,

 $00:22:51.330 \longrightarrow 00:22:53.285$  and specifically in GI cancers

NOTE Confidence: 0.8622672

 $00{:}22{:}53.285 {\: -->\:} 00{:}22{:}54.458$ we've been utilizing

NOTE Confidence: 0.8622672

 $00:22:54.460 \longrightarrow 00:22:56.140$  each of those techniques to

NOTE Confidence: 0.8622672

 $00:22:56.140 \longrightarrow 00:22:57.820$  help risk stratify and guide

NOTE Confidence: 0.8622672

 $00:22:57.886 \longrightarrow 00:22:59.930$  patients for subsequent therapies.

NOTE Confidence: 0.8622672

 $00:22:59.930 \longrightarrow 00:23:02.384$  And it's so exciting because many

NOTE Confidence: 0.8622672

 $00:23:02.384 \longrightarrow 00:23:04.458$  of these developments are relatively

NOTE Confidence: 0.8622672

 $00:23:04.458 \longrightarrow 00:23:07.354$  recent in the past five to 10 years,

NOTE Confidence: 0.8622672

 $00{:}23{:}07.360 \dashrightarrow 00{:}23{:}10.104$  and we're really seeing some of the

NOTE Confidence: 0.8622672

 $00:23:10.104 \longrightarrow 00:23:12.900$  fruits of these clinical trials now.

NOTE Confidence: 0.8622672

00:23:12.900 --> 00:23:15.735 Our major cancer conference is ASCO

 $00{:}23{:}18.190 \dashrightarrow 00{:}23{:}20.623$  and it's exciting seeing some of the new

NOTE Confidence: 0.8622672

 $00{:}23{:}20.623 \dashrightarrow 00{:}23{:}22.363$  clinical trial developments that

NOTE Confidence: 0.8622672

00:23:22.363 --> 00:23:24.650 really improve the survival,

NOTE Confidence: 0.8622672

 $00:23:24.650 \longrightarrow 00:23:27.478$  but also the quality of life for

NOTE Confidence: 0.86764556

 $00:23:27.480 \longrightarrow 00:23:30.315$  our patients as they go through therapy.

00:23:30.320 --> 00:23:33.148 Do you think that these novel markers,

NOTE Confidence: 0.86764556

00:23:33.150 --> 00:23:34.236 the genomic markers,

NOTE Confidence: 0.86764556

 $00:23:34.236 \longrightarrow 00:23:36.770$  the biomarkers that we're using to tailor

NOTE Confidence: 0.86764556

00:23:36.833 --> 00:23:38.817 chemotherapy and systemic therapy,

NOTE Confidence: 0.86764556

 $00:23:38.820 \longrightarrow 00:23:40.680$  for example, might actually play

NOTE Confidence: 0.86764556

 $00:23:40.680 \longrightarrow 00:23:43.280$  a role in terms of deciding,

NOTE Confidence: 0.86764556

 $00:23:43.280 \longrightarrow 00:23:46.110$  for example, whether radiation therapy

NOTE Confidence: 0.86764556

 $00:23:46.110 \longrightarrow 00:23:48.602$  should be used or not or what

NOTE Confidence: 0.86764556

00:23:48.602 --> 00:23:50.280 kind of radiation therapy

NOTE Confidence: 0.87248236

 $00:23:50.280 \longrightarrow 00:23:52.170$  I completely do.

NOTE Confidence: 0.87248236

00:23:52.170 --> 00:23:54.746 I think we're learning so much more

NOTE Confidence: 0.87248236

 $00:23:54.746 \longrightarrow 00:23:56.690$  about the prognosis of patients

NOTE Confidence: 0.87248236

00:23:56.690 --> 00:23:59.000 and the pathways of cancer spread,

NOTE Confidence: 0.87248236

 $00:23:59.000 \longrightarrow 00:24:01.112$  which does seem to be influenced

NOTE Confidence: 0.87248236

 $00:24:01.112 \longrightarrow 00:24:03.170$  by each of these factors,

NOTE Confidence: 0.87248236

 $00{:}24{:}03.170 \dashrightarrow 00{:}24{:}05.222$  and we're learning how to select

 $00:24:05.222 \longrightarrow 00:24:07.090$  patients who may derive more

NOTE Confidence: 0.87248236

 $00:24:07.090 \longrightarrow 00:24:08.846$  benefit from radiation therapy.

NOTE Confidence: 0.87248236

00:24:08.850 --> 00:24:11.052 And on the contrary, we're learning

NOTE Confidence: 0.87248236

00:24:11.052 --> 00:24:13.400 patients who may derive less benefit,

NOTE Confidence: 0.87248236

 $00:24:13.400 \longrightarrow 00:24:16.214$  and that in itself is rewarding because

NOTE Confidence: 0.87248236

 $00:24:16.220 \longrightarrow 00:24:18.452$  that provides an opportunity for a

NOTE Confidence: 0.87248236

00:24:18.452 --> 00:24:20.889 radiation oncologist to help treat patients,

NOTE Confidence: 0.87248236

00:24:20.890 --> 00:24:24.780 but know that if they do have a side effect,

NOTE Confidence: 0.87248236

 $00:24:24.780 \longrightarrow 00:24:27.342$  it was a side effect that developed in a

NOTE Confidence: 0.87248236

 $00:24:27.342 \longrightarrow 00:24:29.838$  patient that really needed the treatment.

NOTE Confidence: 0.87248236

 $00:24:29.840 \longrightarrow 00:24:31.755$  Those who derive less benefit

NOTE Confidence: 0.87248236

 $00:24:31.755 \longrightarrow 00:24:34.500$  can be spared many of those side

NOTE Confidence: 0.86517096

 $00:24:34.500 \longrightarrow 00:24:35.532$  effects of the rapy.

NOTE Confidence: 0.86517096

 $00:24:35.532 \longrightarrow 00:24:37.596$  And what about figuring out which

NOTE Confidence: 0.86517096

00:24:37.596 --> 00:24:39.319 tumors are more radiosensitive

 $00:24:39.319 \longrightarrow 00:24:41.509$  versus those that are radioresistant?

NOTE Confidence: 0.86517096

 $00:24:41.510 \longrightarrow 00:24:43.410$  Are there techniques that we

NOTE Confidence: 0.86517096

 $00:24:43.410 \longrightarrow 00:24:46.280$  can use that will help us to

NOTE Confidence: 0.86517096

 $00:24:46.280 \longrightarrow 00:24:48.068$  deliver radiation therapy to

NOTE Confidence: 0.86517096

 $00:24:48.070 \longrightarrow 00:24:50.886$  tumors that might not be as sensitive to it?

NOTE Confidence: 0.8655079

 $00:24:50.890 \longrightarrow 00:24:53.236$  Yeah, this is another very

NOTE Confidence: 0.8655079

 $00{:}24{:}53.236 \dashrightarrow 00{:}24{:}54.800$  interesting area of research

NOTE Confidence: 0.8655079

00:24:54.869 --> 00:24:56.699 which I think we've really just

NOTE Confidence: 0.8655079

00:24:56.699 --> 00:24:58.978 hit the tip of the iceberg on.

NOTE Confidence: 0.8655079

00:24:58.980 --> 00:25:00.740 We're learning that genomics or

NOTE Confidence: 0.8655079

 $00{:}25{:}00.740 \dashrightarrow 00{:}25{:}02.500$  tumor genetics has an impact.

NOTE Confidence: 0.8655079

 $00{:}25{:}02.500 \longrightarrow 00{:}25{:}04.195$  We're learning that the tissue

NOTE Confidence: 0.8655079

00:25:04.195 --> 00:25:06.370 surrounding a tumor has an impact,

NOTE Confidence: 0.8655079

 $00:25:06.370 \longrightarrow 00:25:08.365$  and I do think that with more

NOTE Confidence: 0.8655079

 $00:25:08.365 \longrightarrow 00:25:10.481$  time we'll learn how to combine

NOTE Confidence: 0.8655079

 $00{:}25{:}10.481 \dashrightarrow 00{:}25{:}12.069$  new medications with radiation

00:25:12.069 --> 00:25:14.047 therapy to improve cancer control

NOTE Confidence: 0.8655079

 $00{:}25{:}14.047 \dashrightarrow 00{:}25{:}16.567$  and will learn that there may be

NOTE Confidence: 0.8655079

 $00:25:16.567 \longrightarrow 00:25:18.162$  differences in radiation therapy dose.

NOTE Confidence: 0.8655079

 $00:25:18.162 \longrightarrow 00:25:20.426$  Or areas that we need to treat

NOTE Confidence: 0.8655079

 $00:25:20.426 \longrightarrow 00:25:21.826$  to derive more benefit.

NOTE Confidence: 0.8655079

 $00:25:21.830 \longrightarrow 00:25:22.998$  But like I said,

NOTE Confidence: 0.8655079

 $00:25:22.998 \longrightarrow 00:25:24.750$  it's really the tip of the

NOTE Confidence: 0.8655079

 $00:25:24.825 \longrightarrow 00:25:27.135$  iceberg in regards to that area of

NOTE Confidence: 0.87531376

 $00:25:27.140 \longrightarrow 00:25:28.700$  research, which is really exciting.

NOTE Confidence: 0.87531376

00:25:28.700 --> 00:25:31.188 And so as we think about radiation therapy,

NOTE Confidence: 0.87531376

00:25:31.190 --> 00:25:33.470 I mean thus far we've really been talking

NOTE Confidence: 0.87531376

 $00:25:33.470 \longrightarrow 00:25:35.760$  about using radiation as part of a

NOTE Confidence: 0.87531376

 $00{:}25{:}35.760 \dashrightarrow 00{:}25{:}37.425$  treatment paradigm for curative intent.

NOTE Confidence: 0.87531376

00:25:37.430 --> 00:25:39.726 But you had mentioned early on at the

NOTE Confidence: 0.87531376

 $00:25:39.726 \longrightarrow 00:25:41.624$  beginning of the show that radiation

 $00:25:41.624 \longrightarrow 00:25:43.980$  can also be used for palliative intent.

NOTE Confidence: 0.87531376

00:25:43.980 --> 00:25:45.751 Can you tell us a little bit

NOTE Confidence: 0.87531376

00:25:45.751 --> 00:25:47.350 more about how radiation therapy

NOTE Confidence: 0.87531376

 $00:25:47.350 \longrightarrow 00:25:49.285$  is used for symptom control?

NOTE Confidence: 0.8710075

00:25:50.040 --> 00:25:51.688 Radiation therapy is very

NOTE Confidence: 0.8710075

00:25:51.688 --> 00:25:53.336 effective at symptom control,

NOTE Confidence: 0.8710075

 $00:25:53.340 \longrightarrow 00:25:56.292$  and I tend to quote that about 2/3 or

NOTE Confidence: 0.8710075

00:25:56.292 --> 00:25:59.086 more of patients will derive a benefit.

NOTE Confidence: 0.8710075

 $00{:}25{:}59.086 \dashrightarrow 00{:}26{:}02.400$  In regards to the specific indications,

NOTE Confidence: 0.8710075

 $00:26:02.400 \longrightarrow 00:26:05.480$  often it's for pain control when cancer

NOTE Confidence: 0.8710075

 $00{:}26{:}05.480 \dashrightarrow 00{:}26{:}07.758$  has spread elsewhere in the body,

NOTE Confidence: 0.8710075

 $00:26:07.760 \longrightarrow 00:26:10.035$  or if it's causing pain in its

NOTE Confidence: 0.8710075

 $00:26:10.035 \longrightarrow 00:26:11.894$  original site of development or

NOTE Confidence: 0.8710075

 $00{:}26{:}11.894 \dashrightarrow 00{:}26{:}14.330$  radiation therapy can be used to

NOTE Confidence: 0.8710075

00:26:14.330 --> 00:26:16.788 help prevent organ dysfunction or

NOTE Confidence: 0.8710075

 $00{:}26{:}16.788 \dashrightarrow 00{:}26{:}18.880$  complications from cancer growth.

 $00:26:18.880 \longrightarrow 00:26:19.700$  What do

NOTE Confidence: 0.8710075

 $00:26:19.700 \longrightarrow 00:26:21.760$  you mean by organ dysfunction?

NOTE Confidence: 0.8772873

 $00:26:21.930 \longrightarrow 00:26:24.602$  So a common situation that we end up

NOTE Confidence: 0.8772873

 $00:26:24.602 \longrightarrow 00:26:27.688$  seeing is if cancer has spread to a bone

NOTE Confidence: 0.8772873

 $00:26:27.688 \longrightarrow 00:26:30.587$  like the spinal column or vertebral body,

NOTE Confidence: 0.8772873

 $00:26:30.590 \longrightarrow 00:26:33.425$  that cancer can actually grow into the

NOTE Confidence: 0.8772873

 $00:26:33.425 \longrightarrow 00:26:35.871$  spinal canal and start applying pressure

NOTE Confidence: 0.8772873

 $00:26:35.871 \longrightarrow 00:26:39.150$  to the spinal cord or to the nerves.

NOTE Confidence: 0.8772873

 $00:26:39.150 \longrightarrow 00:26:39.926$  And unfortunately,

NOTE Confidence: 0.8772873

 $00:26:39.926 \longrightarrow 00:26:43.030$  one of the consequences of that is that

NOTE Confidence: 0.8772873

 $00:26:43.102 \longrightarrow 00:26:45.268$  patients can develop weakness in their

NOTE Confidence: 0.8772873

 $00{:}26{:}45.268 \operatorname{--}{>} 00{:}26{:}47.604$  legs or in some circumstances even

NOTE Confidence: 0.8772873

 $00{:}26{:}47.604 \dashrightarrow 00{:}26{:}50.467$  the inability to walk because of it.

NOTE Confidence: 0.8772873

 $00:26:50.470 \longrightarrow 00:26:52.510$  Radiation therapy can slow down and

NOTE Confidence: 0.8772873

 $00:26:52.510 \longrightarrow 00:26:54.936$  shrink the cancer in those bones and

 $00:26:54.936 \longrightarrow 00:26:56.940$  really help relieve the pressure on

NOTE Confidence: 0.8772873

 $00{:}26{:}56.940 \dashrightarrow 00{:}26{:}59.098$  the spinal canal or those nerves.

NOTE Confidence: 0.8772873

 $00:26:59.100 \longrightarrow 00:27:01.260$  And sometimes that's done in combination

NOTE Confidence: 0.8772873

 $00:27:01.260 \longrightarrow 00:27:03.240$  with surgery and sometimes it's not.

NOTE Confidence: 0.8772873

 $00:27:03.240 \longrightarrow 00:27:04.960$  We use radiation therapy alone

NOTE Confidence: 0.8772873

 $00:27:04.960 \longrightarrow 00:27:06.336$  and it's quite effective.

NOTE Confidence: 0.8772873

 $00:27:06.340 \longrightarrow 00:27:08.070$  One of the

NOTE Confidence: 0.8688339

00:27:08.070 --> 00:27:10.128 things that's so interesting you had

NOTE Confidence: 0.8688339

 $00{:}27{:}10.128 \dashrightarrow 00{:}27{:}11.892$  mentioned earlier that when you're

NOTE Confidence: 0.8688339

 $00:27:11.892 \longrightarrow 00:27:13.587$  giving radiation in the pelvis,

NOTE Confidence: 0.8688339

 $00{:}27{:}13.590 \dashrightarrow 00{:}27{:}15.893$  one of the things you worry about

NOTE Confidence: 0.8688339

 $00:27:15.893 \longrightarrow 00:27:18.420$  is the side effects on the bone.

NOTE Confidence: 0.8688339

 $00{:}27{:}18.420 \dashrightarrow 00{:}27{:}20.958$  That radiation could weaken the bone.

NOTE Confidence: 0.8688339

 $00:27:20.960 \longrightarrow 00:27:23.528$  And yet, at the same time,

NOTE Confidence: 0.8688339

 $00:27:23.530 \longrightarrow 00:27:26.110$  when we see patients who have,

NOTE Confidence: 0.8688339

00:27:26.110 --> 00:27:28.070 for example, bone metastases,

 $00:27:28.070 \longrightarrow 00:27:30.520$  we frequently will use radiation

NOTE Confidence: 0.8688339

 $00{:}27{:}30.520 \dashrightarrow 00{:}27{:}32.970$  the rapy not only to help with pain,

NOTE Confidence: 0.8688339

 $00:27:32.970 \longrightarrow 00:27:36.043$  but sometimes even to help with patients

NOTE Confidence: 0.8688339

 $00:27:36.043 \longrightarrow 00:27:39.198$  who might have an impending fracture.

NOTE Confidence: 0.8688339

 $00:27:39.200 \longrightarrow 00:27:41.360$  Tell me about how that works.

NOTE Confidence: 0.8688339

 $00:27:41.360 \longrightarrow 00:27:43.160$  That seems to be a dichotomy.

NOTE Confidence: 0.85057867

 $00:27:43.160 \longrightarrow 00:27:45.320$  Yeah, that's a good question.

NOTE Confidence: 0.85057867

00:27:45.320 --> 00:27:47.840 When I see patients with bone metastases,

NOTE Confidence: 0.85057867

 $00{:}27{:}47.840 \dashrightarrow 00{:}27{:}50.360$  the common questions I ask myself are,

NOTE Confidence: 0.85057867

 $00{:}27{:}50.360 \dashrightarrow 00{:}27{:}52.593$  is this metastasis in a bone that

NOTE Confidence: 0.85057867

 $00:27:52.593 \longrightarrow 00:27:54.436$  is involved in weight bearing

NOTE Confidence: 0.85057867

 $00:27:54.436 \longrightarrow 00:27:56.476$  like the femurs for example?

NOTE Confidence: 0.85057867

 $00{:}27{:}56.480 \dashrightarrow 00{:}27{:}59.168$  Or how much of the bone seems to

NOTE Confidence: 0.85057867

00:27:59.168 --> 00:28:01.517 be destroyed because of the cancer?

NOTE Confidence: 0.85057867

 $00:28:01.520 \longrightarrow 00:28:04.032$  If I do think of patients at very

00:28:04.032 --> 00:28:06.558 high risk of developing a fracture,

NOTE Confidence: 0.85057867

 $00:28:06.560 \longrightarrow 00:28:09.688$  I do ask my colleagues in orthopedic surgery

NOTE Confidence: 0.85057867

 $00:28:09.690 \longrightarrow 00:28:12.346$  or neurosurgery to see the patients as well.

NOTE Confidence: 0.85057867

 $00:28:12.350 \longrightarrow 00:28:14.786$  Because I do think that surgery

NOTE Confidence: 0.85057867

 $00:28:14.786 \longrightarrow 00:28:16.410$  can sometimes be warranted.

NOTE Confidence: 0.85057867

 $00:28:16.410 \longrightarrow 00:28:18.986$  In others where it's not a weight

NOTE Confidence: 0.85057867

 $00:28:18.986 \longrightarrow 00:28:21.269$  bearing joint or an area that's

NOTE Confidence: 0.85057867

00:28:21.270 --> 00:28:23.568 involved in a lot of mechanical

NOTE Confidence: 0.85057867

 $00{:}28{:}23.568 \dashrightarrow 00{:}28{:}25.550$  strain then radiation the rapy is

NOTE Confidence: 0.85057867

 $00:28:25.550 \longrightarrow 00:28:27.465$  very effective at shrinking the

NOTE Confidence: 0.85057867

 $00{:}28{:}27.465 \dashrightarrow 00{:}28{:}29.190$  cancer and getting control of pain.

NOTE Confidence: 0.86678976

 $00:28:29.190 \longrightarrow 00:28:31.578$  Doctor Krishan Jethwa is an

NOTE Confidence: 0.86678976

 $00{:}28{:}31.578 \dashrightarrow 00{:}28{:}33.170$  assistant professor of the rapeutic

NOTE Confidence: 0.86678976

 $00:28:33.232 \longrightarrow 00:28:35.598$  radiology at the Yale School of Medicine.

NOTE Confidence: 0.86678976

00:28:35.600 --> 00:28:37.112 If you have questions,

NOTE Confidence: 0.86678976

 $00{:}28{:}37.112 \dashrightarrow 00{:}28{:}38.624$  the address is canceranswers@yale.edu

 $00:28:38.624 \longrightarrow 00:28:40.713$  and past editions of the program

NOTE Confidence: 0.86678976

 $00{:}28{:}40.713 \dashrightarrow 00{:}28{:}42.621$  are available in audio and written

NOTE Confidence: 0.86678976

 $00{:}28{:}42.679 \dashrightarrow 00{:}28{:}44.269$  form at yale cancercenter.org.

NOTE Confidence: 0.86678976

 $00{:}28{:}44.270 \dashrightarrow 00{:}28{:}46.766$  We hope you'll join us next week to

NOTE Confidence: 0.86678976

 $00{:}28{:}46.766 \dashrightarrow 00{:}28{:}49.199$  learn more about the fight against

NOTE Confidence: 0.86678976

 $00:28:49.199 \longrightarrow 00:28:51.803$  cancer here on Connecticut Public Radio.

NOTE Confidence: 0.78609216

 $00{:}28{:}54.870 \dashrightarrow 00{:}28{:}57.754$  Support for Yale Cancer Answers comes from

NOTE Confidence: 0.78609216

 $00{:}28{:}57.754 \dashrightarrow 00{:}29{:}00.071$ Smilow Cancer Hospital and Astra Zeneca.