WEBVTT

 $00:00:00.000 \longrightarrow 00:00:01.960$ Funding for Yale Cancer Answers

NOTE Confidence: 0.95807236

 $00:00:01.960 \longrightarrow 00:00:03.920$ is provided by Smilow Cancer

NOTE Confidence: 0.95807236

 $00:00:03.990 \longrightarrow 00:00:05.690$ Hospital and AstraZeneca.

NOTE Confidence: 0.9644924

 $00{:}00{:}07.850 --> 00{:}00{:}09.298$ Welcome to Yale Cancer

NOTE Confidence: 0.9644924

 $00:00:09.298 \longrightarrow 00:00:10.746$ Answers with your host

NOTE Confidence: 0.9644924

 $00:00:10.750 \longrightarrow 00:00:12.868$ Doctor Anees Chappar.

NOTE Confidence: 0.9644924

 $00:00:12.868 \longrightarrow 00:00:14.280$ Yale Cancer Answers features the latest

NOTE Confidence: 0.9644924

 $00:00:14.340 \longrightarrow 00:00:16.460$ information on cancer care by

NOTE Confidence: 0.9644924

 $00:00:16.460 \longrightarrow 00:00:18.156$ welcoming oncologists and specialists

NOTE Confidence: 0.9644924

 $00:00:18.156 \longrightarrow 00:00:20.442$ who are on the forefront of the

NOTE Confidence: 0.9644924

00:00:20.442 --> 00:00:22.368 battle to fight cancer. This week

NOTE Confidence: 0.9644924

 $00:00:22.368 \longrightarrow 00:00:24.188$ it's a conversation about transfusion

NOTE Confidence: 0.9644924

 $00{:}00{:}24.190 \dashrightarrow 00{:}00{:}26.000$ on cology with Doctor Edward Snyder.

NOTE Confidence: 0.9644924

 $00{:}00{:}26.000 \dashrightarrow 00{:}00{:}28.124$ Doctor Snyder is a professor of

NOTE Confidence: 0.9644924

 $00:00:28.124 \longrightarrow 00:00:30.333$ laboratory medicine at the Yale School

 $00:00:30.333 \longrightarrow 00:00:32.529$ of Medicine where Doctor Chappar is

NOTE Confidence: 0.9644924

 $00:00:32.530 \longrightarrow 00:00:36.070$ a professor of surgical oncology.

NOTE Confidence: 0.95895237

 $00:00:36.070 \longrightarrow 00:00:38.266$ Maybe we can start off by

NOTE Confidence: 0.95895237

 $00:00:38.266 \longrightarrow 00:00:40.690$ you telling us a little bit

NOTE Confidence: 0.95895237

00:00:40.690 --> 00:00:44.146 about yourself and what it is you do.

NOTE Confidence: 0.95895237

 $00:00:44.150 \longrightarrow 00:00:46.460$ I'm a professor of laboratory medicine.

NOTE Confidence: 0.95895237

 $00:00:46.460 \longrightarrow 00:00:48.385$ I've been in the field

NOTE Confidence: 0.95895237

 $00:00:48.385 \longrightarrow 00:00:49.925$ for almost four decades,

NOTE Confidence: 0.95895237

 $00{:}00{:}49.930 \dashrightarrow 00{:}00{:}52.740$ and transfusion medicine is basically

NOTE Confidence: 0.95895237

 $00:00:52.740 \longrightarrow 00:00:55.337$ what I do, all aspects of it,

NOTE Confidence: 0.95895237

00:00:55.340 --> 00:00:56.688 supplying the blood,

NOTE Confidence: 0.95895237

 $00{:}00{:}56.688 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 0:\!00{:}58.710$ seeing people who have any reactions

NOTE Confidence: 0.95895237

 $00:00:58.771 \longrightarrow 00:01:00.251$ and providing consultation to

NOTE Confidence: 0.95895237

00:01:00.251 --> 00:01:01.361 oncologists whose patients

NOTE Confidence: 0.95895237

00:01:01.361 --> 00:01:03.530 may need a blood transfusion.

NOTE Confidence: 0.95895237

 $00:01:03.530 \longrightarrow 00:01:05.390$ And they have some difficulties.

00:01:07.250 --> 00:01:09.476 Talk a bit more about that whole specialty.

NOTE Confidence: 0.9724028

 $00:01:09.480 \longrightarrow 00:01:11.468$ Because for many of us

NOTE Confidence: 0.9724028

00:01:11.468 --> 00:01:13.404 we don't really think about

NOTE Confidence: 0.9724028

 $00:01:13.404 \longrightarrow 00:01:15.428$ transfusion medicine or transfusion

NOTE Confidence: 0.9724028

 $00:01:15.430 \longrightarrow 00:01:18.406$ oncology as a specialty in and of itself.

00:01:21.158 --> 00:01:23.650 Tell us a bit more about

NOTE Confidence: 0.9724028

 $00:01:23.650 \longrightarrow 00:01:25.885$ what's the purview of

NOTE Confidence: 0.9724028

 $00:01:25.885 \longrightarrow 00:01:27.226$ people who specialize in that area?

NOTE Confidence: 0.9834391

 $00:01:27.230 \longrightarrow 00:01:31.437$ Transfusion medicine is an area

NOTE Confidence: 0.9834391

 $00{:}01{:}31.440 \dashrightarrow 00{:}01{:}34.624$ that originally started off in

NOTE Confidence: 0.9834391

 $00:01:34.624 \longrightarrow 00:01:37.697$ pathology and what happened was as

NOTE Confidence: 0.9834391

00:01:37.700 --> 00:01:40.046 the field grew pretty much stimulated

NOTE Confidence: 0.9834391

 $00:01:40.046 \longrightarrow 00:01:41.610$ by infectious disease concerns,

NOTE Confidence: 0.9834391

 $00{:}01{:}41.610 \dashrightarrow 00{:}01{:}44.522$ it became much more of a consultive

NOTE Confidence: 0.9834391

00:01:44.522 --> 00:01:46.690 service involving medicine and surgery,

NOTE Confidence: 0.9834391

 $00:01:46.690 \longrightarrow 00:01:48.640$ so the term blood banking,

 $00:01:48.640 \longrightarrow 00:01:51.482$ which was really more of the storing

NOTE Confidence: 0.9834391

 $00:01:51.482 \longrightarrow 00:01:54.252$ of blood and so forth which we

NOTE Confidence: 0.9834391

 $00:01:54.252 \longrightarrow 00:01:56.860$ can talk about in a little bit,

NOTE Confidence: 0.9834391

 $00:01:56.860 \longrightarrow 00:01:59.506$ but the consultative aspect of the service

NOTE Confidence: 0.9834391

 $00:01:59.506 \longrightarrow 00:02:02.019$ where we talked to other physicians,

NOTE Confidence: 0.9834391

00:02:02.020 --> 00:02:04.200 you had trouble providing blood

NOTE Confidence: 0.9834391

 $00:02:04.200 \longrightarrow 00:02:06.790$ products for patients because of

NOTE Confidence: 0.9834391

 $00:02:06.790 \longrightarrow 00:02:09.170$ a variety of concerns and people from

NOTE Confidence: 0.9834391

 $00{:}02{:}09.170 \dashrightarrow 00{:}02{:}11.630$ a variety of specialties, pathology,

NOTE Confidence: 0.9834391

 $00:02:11.630 \longrightarrow 00:02:13.720$ my backgrounds in internal medicine

NOTE Confidence: 0.9834391

 $00:02:13.720 \longrightarrow 00:02:14.556$ and hematology,

NOTE Confidence: 0.9834391

 $00:02:14.560 \longrightarrow 00:02:17.068$ others are in anesthesiology or surgery.

 $00:02:20.126 \longrightarrow 00:02:22.918$ And it is more than just storing blood in a refrig-

erator.

NOTE Confidence: 0.9834391

 $00:02:22.920 \longrightarrow 00:02:26.560$ It really has to do with supplying the

NOTE Confidence: 0.9834391

 $00:02:26.560 \longrightarrow 00:02:29.183$ appropriate blood component for a patient

NOTE Confidence: 0.9834391

 $00:02:29.183 \longrightarrow 00:02:32.930$ in the right amount and at the right time.

00:02:32.930 --> 00:02:34.034 And most physicians, the terminology

 $00:02:36.680 \longrightarrow 00:02:38.180$ I use or phrase I use,

NOTE Confidence: 0.9834391

00:02:38.180 --> 00:02:40.148 if you don't know your jewels,

 $00:02:40.774 \longrightarrow 00:02:42.958$ know your jeweler, and most physicians don't

NOTE Confidence: 0.9834391

00:02:42.958 --> 00:02:45.068 really know much about blood transfusion,

NOTE Confidence: 0.9834391

 $00:02:45.070 \longrightarrow 00:02:47.359$ so they rely very heavily on the blood bank.

NOTE Confidence: 0.9836273

 $00:02:47.360 \longrightarrow 00:02:49.313$ Tell us a little

NOTE Confidence: 0.9836273

 $00:02:49.313 \longrightarrow 00:02:51.378$ bit more about the role of

NOTE Confidence: 0.9836273

 $00{:}02{:}51.378 --> 00{:}02{:}52.934$ transfusion medicine in oncology.

NOTE Confidence: 0.9836273

 $00{:}02{:}52.940 \dashrightarrow 00{:}02{:}55.252$ I mean, many of us think about using

NOTE Confidence: 0.9836273

 $00:02:55.252 \longrightarrow 00:02:56.978$ blood in trauma situations where

NOTE Confidence: 0.9836273

 $00:02:56.978 \longrightarrow 00:02:59.498$ people have lost a lot of blood.

NOTE Confidence: 0.9836273

 $00:02:59.500 \longrightarrow 00:03:00.868$ But for cancer patients,

NOTE Confidence: 0.9836273

 $00{:}03{:}00.868 \dashrightarrow 00{:}03{:}03.630$ things might be a little bit different.

NOTE Confidence: 0.9836273

 $00{:}03{:}03.630 \longrightarrow 00{:}03{:}05.863$ What are the needs of cancer patients

NOTE Confidence: 0.9836273

 $00:03:05.863 \longrightarrow 00:03:07.890$ when it comes to transfusions?

 $00:03:09.200 \longrightarrow 00:03:11.678$ Many of the chemotherapeutic

NOTE Confidence: 0.92826647

 $00{:}03{:}11.678 \dashrightarrow 00{:}03{:}14.205$ regimens that are used to treat

NOTE Confidence: 0.92826647

 $00{:}03{:}14.205 \dashrightarrow 00{:}03{:}16.641$ cancer cause what's called a

NOTE Confidence: 0.92826647

 $00:03:16.641 \longrightarrow 00:03:18.727$ hyperproliferative state in the bone marrow.

NOTE Confidence: 0.92826647

 $00:03:18.730 \longrightarrow 00:03:21.810$ That is, the bone marrow is affected

NOTE Confidence: 0.92826647

 $00:03:21.810 \longrightarrow 00:03:24.632$ by the chemotherapy in ways that are

NOTE Confidence: 0.92826647

 $00:03:24.632 \longrightarrow 00:03:27.860$ similar to the effect it has on the tumor.

NOTE Confidence: 0.92826647

 $00:03:27.860 \longrightarrow 00:03:30.275$ And the goal of chemotherapy

NOTE Confidence: 0.92826647

 $00{:}03{:}30.275 \dashrightarrow 00{:}03{:}32.599$ would be to specifically have a

NOTE Confidence: 0.92826647

00:03:32.599 --> 00:03:35.023 negative impact on the tumor and

NOTE Confidence: 0.92826647

 $00{:}03{:}35.023 \dashrightarrow 00{:}03{:}37.777$ to leave all healthy tissue alone.

NOTE Confidence: 0.92826647

 $00:03:39.870 \longrightarrow 00:03:42.120$ The chemotherapy also lowers the bone

NOTE Confidence: 0.92826647

 $00:03:42.120 \longrightarrow 00:03:44.648$ marrow's ability to make new blood cells,

NOTE Confidence: 0.92826647

 $00:03:44.650 \longrightarrow 00:03:46.122$ red cells or platelets,

NOTE Confidence: 0.92826647

 $00:03:46.122 \longrightarrow 00:03:47.594$ and when that happens,

NOTE Confidence: 0.92826647

 $00:03:47.600 \longrightarrow 00:03:49.676$ the patient becomes anemic and then

 $00:03:49.676 \longrightarrow 00:03:52.280$ they need a blood transfusion or if

NOTE Confidence: 0.92826647

 $00{:}03{:}52.280 \dashrightarrow 00{:}03{:}54.584$ their platelet count gets very low,

NOTE Confidence: 0.92826647

 $00:03:54.590 \longrightarrow 00:03:56.430$ they'll need a platelet transfusion.

NOTE Confidence: 0.92826647

 $00:03:56.430 \longrightarrow 00:03:59.358$ The concern is that when you start giving

NOTE Confidence: 0.92826647

 $00{:}03{:}59.358 \dashrightarrow 00{:}04{:}01.799$ blood products to people that they can

NOTE Confidence: 0.92826647

00:04:01.799 --> 00:04:04.160 develop an antibody to the component,

NOTE Confidence: 0.92826647

00:04:04.160 --> 00:04:07.096 the same way when you get a vaccination,

NOTE Confidence: 0.92826647

 $00{:}04{:}07.100 \longrightarrow 00{:}04{:}09.998$ you develop an antibody to the material

NOTE Confidence: 0.92826647

 $00{:}04{:}10.000 \dashrightarrow 00{:}04$ that's injected and some people develop

NOTE Confidence: 0.92826647

 $00{:}04{:}11.885 \dashrightarrow 00{:}04{:}13.770$ antibodies to red blood cells.

NOTE Confidence: 0.92826647

 $00{:}04{:}13.770 \dashrightarrow 00{:}04{:}16.409$ Inside they have hemoglobin,

NOTE Confidence: 0.92826647

 $00:04:16.410 \longrightarrow 00:04:17.538$ which carries oxygen,

NOTE Confidence: 0.92826647

 $00{:}04{:}17.538 \dashrightarrow 00{:}04{:}18.666$ which is important.

NOTE Confidence: 0.92826647

 $00:04:18.670 \longrightarrow 00:04:21.622$ But the surface of the cell is also studded

NOTE Confidence: 0.92826647

 $00:04:21.622 \longrightarrow 00:04:24.698$ with a variety of chemicals called antigens,

 $00:04:24.700 \longrightarrow 00:04:26.968$ which are foreign to some patients.

NOTE Confidence: 0.92826647

 $00{:}04{:}26.970 \dashrightarrow 00{:}04{:}29.595$ Not everyone has the same blood type.

NOTE Confidence: 0.92826647

00:04:29.600 --> 00:04:31.490 Everyone knows about ABO types,

NOTE Confidence: 0.92826647

 $00:04:31.490 \longrightarrow 00:04:33.842$ but there are hundreds of other

NOTE Confidence: 0.92826647

 $00:04:33.842 \longrightarrow 00:04:36.388$ blood types that are on the cell,

NOTE Confidence: 0.92826647

00:04:36.390 --> 00:04:39.029 most of which are not clinically significant,

NOTE Confidence: 0.92826647

 $00:04:39.030 \longrightarrow 00:04:40.215$ but some are.

NOTE Confidence: 0.92826647

 $00:04:40.215 \longrightarrow 00:04:42.585$ And when some of those blood

NOTE Confidence: 0.92826647

 $00{:}04{:}42.585 \rightarrow 00{:}04{:}45.047$ types of the transfused blood,

NOTE Confidence: 0.92826647

00:04:45.050 --> 00:04:47.618 even though they're compatible for the

NOTE Confidence: 0.92826647

00:04:47.618 --> 00:04:50.798 ABO system and also the RH system which

NOTE Confidence: 0.92826647

00:04:50.798 --> 00:04:53.800 many people know of many of the other

NOTE Confidence: 0.92826647

 $00:04:53.800 \longrightarrow 00:04:56.326$ blood antigens with names that most

NOTE Confidence: 0.92826647

00:04:56.326 --> 00:04:58.790 people probably haven't heard of,

 $00:05:01.620 \longrightarrow 00:05:04.038$ they can develop antibodies to that,

NOTE Confidence: 0.92826647

 $00:05:04.040 \longrightarrow 00:05:05.636$ and when that happens,

 $00:05:05.636 \longrightarrow 00:05:07.631$ it becomes difficult to find

NOTE Confidence: 0.92826647

00:05:07.631 --> 00:05:09.288 blood for that patient,

NOTE Confidence: 0.92826647

 $00:05:09.290 \longrightarrow 00:05:10.942$ especially if they've had

NOTE Confidence: 0.92826647

 $00:05:10.942 \longrightarrow 00:05:11.768$ multiple transfusions.

NOTE Confidence: 0.92826647

 $00:05:11.770 \longrightarrow 00:05:13.550$ And they've developed multiple antibodies,

NOTE Confidence: 0.92826647

 $00:05:13.550 \longrightarrow 00:05:15.685$ so the blood bank director and that

NOTE Confidence: 0.92826647

 $00:05:15.685 \longrightarrow 00:05:17.871$ point the consults with the oncologist

NOTE Confidence: 0.92826647

 $00:05:17.871 \longrightarrow 00:05:20.283$ because the patient has gotten chemotherapy,

NOTE Confidence: 0.92826647

 $00{:}05{:}20.290 \dashrightarrow 00{:}05{:}22.342$ their blood count is dropped and

NOTE Confidence: 0.92826647

 $00:05:22.342 \longrightarrow 00:05:24.808$ they need to get a transfusion most

NOTE Confidence: 0.92826647

 $00{:}05{:}24.808 \dashrightarrow 00{:}05{:}27.202$ of the time it's not a problem

NOTE Confidence: 0.92826647

 $00:05:27.274 \longrightarrow 00:05:28.810$ if things go smoothly,

NOTE Confidence: 0.92826647

 $00{:}05{:}28.810 \dashrightarrow 00{:}05{:}30.988$ but on occasion when there are

NOTE Confidence: 0.92826647

 $00:05:30.988 \longrightarrow 00:05:33.205$ problems they contact the blood bank

NOTE Confidence: 0.92826647

 $00:05:33.205 \longrightarrow 00:05:35.655$ and we work with the physician to

NOTE Confidence: 0.92826647

 $00:05:35.655 \longrightarrow 00:05:37.690$ determine how much blood is needed.

00:05:37.690 --> 00:05:38.046 Also,

NOTE Confidence: 0.92826647

 $00{:}05{:}38.046 {\:\dashrightarrow\:} 00{:}05{:}40.182$ many surgical patients who have cancer

NOTE Confidence: 0.92826647

 $00:05:40.182 \longrightarrow 00:05:42.459$ require blood during operative procedures.

NOTE Confidence: 0.92826647

 $00:05:42.460 \longrightarrow 00:05:45.120$ And we work with the surgeons as

NOTE Confidence: 0.92826647

00:05:45.120 --> 00:05:48.811 well to see how much blood is needed

NOTE Confidence: 0.92826647

 $00:05:48.811 \longrightarrow 00:05:51.271$ and whether they need platelets.

NOTE Confidence: 0.92826647

 $00:05:51.280 \longrightarrow 00:05:52.450$ For example,

NOTE Confidence: 0.92826647

00:05:52.450 --> 00:05:54.790 platelets are little fragments

NOTE Confidence: 0.92826647

 $00:05:54.790 \longrightarrow 00:05:56.545$ of blood cells.

NOTE Confidence: 0.92826647

 $00:05:56.550 \longrightarrow 00:05:58.122$ Unrelated to red cells,

NOTE Confidence: 0.92826647

 $00:05:58.122 \longrightarrow 00:05:59.694$ although they all derived

NOTE Confidence: 0.92826647

 $00:05:59.694 \longrightarrow 00:06:01.130$ from common lineages,

NOTE Confidence: 0.92826647

 $00{:}06{:}01.130 \dashrightarrow 00{:}06{:}05.938$ going way way back to embryonic cell growth.

NOTE Confidence: 0.92826647

 $00{:}06{:}05.940 \dashrightarrow 00{:}06{:}07.968$ And platelets are also needed and

NOTE Confidence: 0.92826647

00:06:07.968 --> 00:06:10.122 for patients and the number of

00:06:10.122 --> 00:06:12.330 platelets may be lower because again,

NOTE Confidence: 0.92826647

 $00:06:12.330 \longrightarrow 00:06:14.050$ the chemotherapy or other illnesses

NOTE Confidence: 0.92826647

 $00:06:14.050 \longrightarrow 00:06:16.554$ that are part of the illness itself

NOTE Confidence: 0.92826647

 $00:06:16.554 \longrightarrow 00:06:18.720$ may cause the platelets to drop.

NOTE Confidence: 0.92826647

00:06:18.720 --> 00:06:21.560 So if you were to transfuse a platelet,

NOTE Confidence: 0.92826647

 $00:06:21.560 \longrightarrow 00:06:23.474$ the platelet count may not go

NOTE Confidence: 0.92826647

 $00:06:23.474 \longrightarrow 00:06:24.750$ up to the level

NOTE Confidence: 0.96768165

00:06:24.826 --> 00:06:27.315 that's wanted, and you wind up having

NOTE Confidence: 0.96768165

 $00{:}06{:}27.315 \dashrightarrow 00{:}06{:}29.268$ a patient who can't really receive

NOTE Confidence: 0.96768165

00:06:29.268 --> 00:06:31.223 platelet transfusions and get

NOTE Confidence: 0.96768165

 $00:06:31.223 \longrightarrow 00:06:33.280$ the response that's needed.

NOTE Confidence: 0.96768165

 $00:06:33.280 \longrightarrow 00:06:36.544$ The platelet count is not

NOTE Confidence: 0.96768165

 $00:06:36.550 \longrightarrow 00:06:38.986$ elevated as expected and that definitely

NOTE Confidence: 0.96768165

 $00:06:38.986 \longrightarrow 00:06:41.008$ requires a consultation from the

NOTE Confidence: 0.96768165

 $00:06:41.008 \longrightarrow 00:06:43.018$ blood bank with the clinician to

NOTE Confidence: 0.96768165

 $00:06:43.018 \longrightarrow 00:06:45.149$ determine what other options there are,

 $00:06:45.150 \longrightarrow 00:06:47.020$ and there are multiple options

NOTE Confidence: 0.96768165

 $00{:}06{:}47.020 \dashrightarrow 00{:}06{:}48.516$ for finding compatible platelets.

NOTE Confidence: 0.96768165

 $00:06:48.520 \longrightarrow 00:06:51.288$ Then there are other patients who

NOTE Confidence: 0.96768165

 $00:06:51.288 \longrightarrow 00:06:53.713$ have other illnesses where the plasma

NOTE Confidence: 0.96768165

 $00:06:53.713 \longrightarrow 00:06:56.750$ levels of some plasma products may be low,

NOTE Confidence: 0.96768165

 $00:06:56.750 \longrightarrow 00:06:59.734$ and they would need a plasma transfusion,

NOTE Confidence: 0.96768165

 $00:06:59.740 \longrightarrow 00:07:03.496$ so blood banks get involved in a

NOTE Confidence: 0.96768165

 $00:07:03.500 \longrightarrow 00:07:05.996$ variety of issues related to oncology,

NOTE Confidence: 0.96768165

 $00:07:06.000 \longrightarrow 00:07:08.684$ whether it's surgical or

NOTE Confidence: 0.96768165

 $00:07:08.684 \longrightarrow 00:07:10.697$ whether it's chemotherapy, or

NOTE Confidence: 0.96768165

 $00:07:10.700 \longrightarrow 00:07:12.640$ whether it's illness based.

NOTE Confidence: 0.96768165

 $00:07:12.640 \longrightarrow 00:07:13.804$ In some cancers,

NOTE Confidence: 0.96768165

 $00:07:13.810 \dashrightarrow 00:07:16.690$ the bone marrow is affected by the growth

NOTE Confidence: 0.96768165

 $00:07:16.690 \longrightarrow 00:07:19.514$ of the tumor and the tumor actually

NOTE Confidence: 0.96768165

 $00:07:19.514 \longrightarrow 00:07:22.369$ replaces some of the bone marrow

00:07:22.370 --> 00:07:26.479 causing platelet counts to become too low

NOTE Confidence: 0.96768165

 $00:07:26.480 \longrightarrow 00:07:28.958$ and for patients who actually have a good

NOTE Confidence: 0.96768165

 $00{:}07{:}28.958 \dashrightarrow 00{:}07{:}31.175$ lifestyle and we consult for those

NOTE Confidence: 0.96768165

 $00:07:31.175 \longrightarrow 00:07:33.700$ issues as well, so

NOTE Confidence: 0.96768165

 $00:07:33.700 \longrightarrow 00:07:34.420$ in addition,

NOTE Confidence: 0.96768165

 $00:07:34.420 \longrightarrow 00:07:36.658$ if someone gets a transfusion and

NOTE Confidence: 0.96768165

 $00:07:36.658 \longrightarrow 00:07:39.118$ they have a reaction of some type,

NOTE Confidence: 0.96768165

 $00:07:39.120 \longrightarrow 00:07:42.000$ whether it's a nallergic reaction or a fever,

NOTE Confidence: 0.96768165

 $00:07:42.000 \longrightarrow 00:07:44.166$ we consult with that as well.

NOTE Confidence: 0.96768165

 $00:07:44.170 \longrightarrow 00:07:45.614$ So we're pretty busy.

NOTE Confidence: 0.96768165

00:07:45.614 --> 00:07:47.780 It's a very clinically oriented specialty.

NOTE Confidence: 0.97068

00:07:47.780 --> 00:07:51.029 You make a few really good points,

NOTE Confidence: 0.97068

 $00{:}07{:}51.030 \dashrightarrow 00{:}07{:}53.263$ and one of which is that some

NOTE Confidence: 0.97068

 $00{:}07{:}53.263 \mathrel{--}{>} 00{:}07{:}55.123$ cancer patients will need repetitive

NOTE Confidence: 0.97068

 $00{:}07{:}55.123 \dashrightarrow 00{:}07{:}57.218$ transfusions and can build up

NOTE Confidence: 0.97068

 $00:07:57.220 \longrightarrow 00:07:58.876$ these antibody responses.

00:07:58.876 --> 00:08:01.636 So just out of curiosity,

NOTE Confidence: 0.97068

 $00:08:01.640 \longrightarrow 00:08:03.908$ how do you get around that? $00:08:05.374 \longrightarrow 00:08:08.047$ I think this is a question that

NOTE Confidence: 0.97068

 $00:08:08.047 \longrightarrow 00:08:10.057$ many patients and their families

NOTE Confidence: 0.97068

00:08:10.057 --> 00:08:12.792 may have is should we be donating

NOTE Confidence: 0.97068

00:08:12.792 --> 00:08:14.898 our own blood and banking it,

NOTE Confidence: 0.97068

 $00:08:14.900 \longrightarrow 00:08:16.412$ knowing that we may,

NOTE Confidence: 0.97068

00:08:16.412 --> 00:08:18.160 with chemotherapy, for example,

NOTE Confidence: 0.97068

 $00{:}08{:}18.160 \dashrightarrow 00{:}08{:}21.130$ need a transfusion in the future?

NOTE Confidence: 0.97068

 $00:08:21.130 \longrightarrow 00:08:23.670$ Are there particular banks that

NOTE Confidence: 0.97068

 $00{:}08{:}23.670 \dashrightarrow 00{:}08{:}26.824$ have rare blood types where

NOTE Confidence: 0.97068

 $00:08:26.824 \longrightarrow 00:08:29.449$ people who have developed

NOTE Confidence: 0.97068

 $00:08:29.449 \longrightarrow 00:08:31.549$ many antibodies to various

NOTE Confidence: 0.97068

 $00{:}08{:}31.641 \dashrightarrow 00{:}08{:}34.569$ antigens can still find blood?

NOTE Confidence: 0.97068

 $00:08:34.570 \longrightarrow 00:08:38.189$ How do you work around those issues?

NOTE Confidence: 0.9032252

 $00:08:39.140 \longrightarrow 00:08:41.078$ Well, one needs to be creative,

 $00:08:41.080 \longrightarrow 00:08:42.700$ so let's get some definitions,

NOTE Confidence: 0.9032252

 $00:08:42.700 \longrightarrow 00:08:44.465$ orthologous blood auto logus who

NOTE Confidence: 0.9032252

00:08:44.465 --> 00:08:46.230 pronounced autologous is your own

NOTE Confidence: 0.9032252

00:08:46.285 --> 00:08:47.887 blood being given back to you,

NOTE Confidence: 0.9032252

 $00:08:47.890 \longrightarrow 00:08:50.474$ and so some of our listeners may say,

NOTE Confidence: 0.9032252

00:08:50.480 --> 00:08:53.064 well, why can't I store my own blood?

NOTE Confidence: 0.9032252

00:08:53.070 --> 00:08:55.654 Well, if your blood count is high enough,

NOTE Confidence: 0.9032252

 $00{:}08{:}55.660 {\:{\mbox{--}}\!>} 00{:}08{:}57.903$ you can store your own blood

NOTE Confidence: 0.9032252

 $00{:}08{:}57.903 \dashrightarrow 00{:}08{:}59.954$ some place and it used to be very popular

NOTE Confidence: 0.9032252

 $00:08:59.954 \longrightarrow 00:09:02.508$ to do that during the AIDS

NOTE Confidence: 0.9032252

 $00{:}09{:}02.508 \dashrightarrow 00{:}09{:}04.739$ epidemic when people were very concerned

NOTE Confidence: 0.9032252

 $00:09:04.740 \longrightarrow 00:09:06.360$ but that when the AIDS,

NOTE Confidence: 0.9032252

 $00{:}09{:}06.360 \dashrightarrow 00{:}09{:}08.982$ a virus and how to treat, it became.

NOTE Confidence: 0.9032252

 $00:09:08.982 \longrightarrow 00:09:10.687$ Part of standard of care

NOTE Confidence: 0.9032252

 $00:09:10.687 \longrightarrow 00:09:12.430$ for for AIDS patients,

 $00:09:12.430 \longrightarrow 00:09:14.425$ the need to provide it their own

NOTE Confidence: 0.9032252

 $00:09:14.425 \longrightarrow 00:09:16.329$ blood really wasn't important anymore.

NOTE Confidence: 0.9032252

 $00:09:16.330 \longrightarrow 00:09:18.598$ And many blood centers stopped that practice.

NOTE Confidence: 0.9032252

00:09:18.600 --> 00:09:20.586 One of the problems with donating

NOTE Confidence: 0.9032252

 $00:09:20.586 \longrightarrow 00:09:22.913$ your own blood is you have to

NOTE Confidence: 0.9032252

00:09:22.913 --> 00:09:24.773 have a blood count high enough,

NOTE Confidence: 0.9032252

 $00:09:24.780 \longrightarrow 00:09:27.055$ otherwise you become anemic and you just

NOTE Confidence: 0.9032252

00:09:27.055 --> 00:09:29.681 have to give you the blood right back

NOTE Confidence: 0.9032252

 $00:09:29.681 \longrightarrow 00:09:31.977$ or they were actually blood banks that

NOTE Confidence: 0.9032252

00:09:31.977 --> 00:09:34.521 were set up where you could freeze blood,

NOTE Confidence: 0.9032252

 $00{:}09{:}34.530 \dashrightarrow 00{:}09{:}37.130$ which was fine as I used to say,

NOTE Confidence: 0.9032252

 $00{:}09{:}37.130 \to 00{:}09{:}39.755$ unless you're on a vacation in Hawaii.

NOTE Confidence: 0.9032252

 $00:09:39.760 \longrightarrow 00:09:41.422$ And something happens and you need

NOTE Confidence: 0.9032252

 $00:09:41.422 \longrightarrow 00:09:43.508$ blood and the blood is frozen in the

NOTE Confidence: 0.9032252

 $00:09:43.508 \longrightarrow 00:09:45.460$ New York or in Washington or New Haven.

NOTE Confidence: 0.9032252

 $00:09:45.460 \longrightarrow 00:09:48.628$ And you can't get to it.

 $00:09:48.630 \longrightarrow 00:09:50.650$ It became clear that donating

NOTE Confidence: 0.9032252

00:09:50.650 --> 00:09:52.670 blood for yourself really wasn't

NOTE Confidence: 0.9032252

 $00:09:52.736 \longrightarrow 00:09:54.296$ going to be very useful,

NOTE Confidence: 0.9032252

 $00:09:54.300 \longrightarrow 00:09:56.190$ and practice is not really

NOTE Confidence: 0.9032252

 $00:09:56.190 \longrightarrow 00:09:58.080$ done much anymore at all.

NOTE Confidence: 0.9032252

 $00{:}09{:}58.080 \dashrightarrow 00{:}10{:}00.880$ Very some places don't even accept some blood

NOTE Confidence: 0.9032252

 $00:10:00.880 \longrightarrow 00:10:03.370$ centers don't even accept autologous blood.

NOTE Confidence: 0.9032252

 $00:10:03.370 \longrightarrow 00:10:06.401$ The second would be a directed donation

NOTE Confidence: 0.9032252

00:10:06.401 --> 00:10:09.196 where a family member would donate

NOTE Confidence: 0.9032252

 $00{:}10{:}09.196 \dashrightarrow 00{:}10{:}12.028$ a unit of blood specifically for.

NOTE Confidence: 0.9032252

00:10:12.030 --> 00:10:13.206 The patient that requires,

NOTE Confidence: 0.9032252

00:10:13.206 --> 00:10:15.630 of course that the blood be compatible,

NOTE Confidence: 0.9032252

 $00{:}10{:}15.630 \dashrightarrow 00{:}10{:}17.260$ which is often is not.

NOTE Confidence: 0.9032252

 $00:10:17.260 \longrightarrow 00:10:18.241$ In addition, come,

NOTE Confidence: 0.9032252

 $00:10:18.241 \longrightarrow 00:10:19.876$ it's not just a relative,

00:10:19.880 --> 00:10:21.515 but some people wanted close

NOTE Confidence: 0.9032252

 $00:10:21.515 \longrightarrow 00:10:22.169$ personal friends,

NOTE Confidence: 0.9032252 00:10:22.170 --> 00:10:22.496 or, NOTE Confidence: 0.9032252

 $00:10:22.496 \longrightarrow 00:10:24.126$ as I used to comment,

NOTE Confidence: 0.9032252

 $00:10:24.130 \longrightarrow 00:10:25.765$ the captain of their bowling

NOTE Confidence: 0.9032252

 $00:10:25.765 \longrightarrow 00:10:27.400$ team was a close friend,

NOTE Confidence: 0.9032252

 $00:10:27.400 \longrightarrow 00:10:29.395$ so they wanted the captain of the

NOTE Confidence: 0.9032252

 $00{:}10{:}29.395 \dashrightarrow 00{:}10{:}31.362$ bowling team to do nate blood for

NOTE Confidence: 0.9032252

00:10:31.362 --> 00:10:33.107 them because they believe that

NOTE Confidence: 0.9032252

00:10:33.107 --> 00:10:34.918 because they were their friend,

NOTE Confidence: 0.9032252

 $00{:}10{:}34.920 \mathrel{--}{>} 00{:}10{:}36.430$ they were biologically safer as

NOTE Confidence: 0.9032252

 $00:10:36.430 \longrightarrow 00:10:38.717$ a donor and they didn't have to

NOTE Confidence: 0.9032252

 $00:10:38.717 \longrightarrow 00:10:40.145$ worry about different diseases.

NOTE Confidence: 0.9032252

00:10:40.150 --> 00:10:42.579 Well, quite frankly, you don't know what.

NOTE Confidence: 0.9032252

00:10:42.580 --> 00:10:45.485 The captain of your bowling team is,

NOTE Confidence: 0.9032252

 $00:10:45.490 \longrightarrow 00:10:48.818$ it does after they leave the bowling alley.

 $00:10:48.820 \longrightarrow 00:10:50.998$ So directed donations as a means

NOTE Confidence: 0.9032252

00:10:50.998 --> 00:10:52.968 of getting blood from someone

NOTE Confidence: 0.9032252

 $00:10:52.968 \longrightarrow 00:10:55.218$ you're comfortable with doesn't is

NOTE Confidence: 0.9032252

00:10:55.218 --> 00:10:57.560 in practice much anymore either.

NOTE Confidence: 0.9032252

00:10:57.560 --> 00:11:00.880 So that leaves us with the third category,

NOTE Confidence: 0.9032252

00:11:00.880 --> 00:11:03.799 which is what is called allogenic LLOGENEC,

NOTE Confidence: 0.9032252

 $00:11:03.800 \longrightarrow 00:11:06.290$ which is blood from other people.

NOTE Confidence: 0.9032252

 $00:11:06.290 \longrightarrow 00:11:09.202$ And that's what almost all the blood

NOTE Confidence: 0.9032252

 $00{:}11{:}09.202 \dashrightarrow 00{:}11{:}12.386$ that we provide is blood from people

NOTE Confidence: 0.9032252

 $00:11:12.386 \longrightarrow 00:11:15.170$ who are concerned about their fellow.

NOTE Confidence: 0.9032252

00:11:15.170 --> 00:11:18.075 Human and they donate blood or they

NOTE Confidence: 0.9032252

 $00:11:18.075 \longrightarrow 00:11:20.638$ donate platelets or they donate red

NOTE Confidence: 0.9032252

 $00{:}11{:}20.638 \dashrightarrow 00{:}11{:}23.104$ cells or plasma to blood centers.

NOTE Confidence: 0.9032252

 $00:11:23.110 \longrightarrow 00:11:24.886$ And that's the blood that's given.

NOTE Confidence: 0.9032252

 $00:11:24.890 \longrightarrow 00:11:26.822$ We have ways of matching the blood

 $00:11:26.822 \longrightarrow 00:11:28.660$ so that the antigens I talked

NOTE Confidence: 0.9032252

 $00{:}11{:}28.660 --> 00{:}11{:}30.235$ about are not a problem.

NOTE Confidence: 0.9032252

00:11:30.240 --> 00:11:32.608 We pick out for someone who was typo.

NOTE Confidence: 0.9032252

 $00:11:32.610 \longrightarrow 00:11:33.798$ We give old blood.

NOTE Confidence: 0.9032252

 $00:11:33.798 \longrightarrow 00:11:35.283$ If someone is type A,

NOTE Confidence: 0.93231624

 $00:11:35.290 \longrightarrow 00:11:37.159$ we can give type A blood or

NOTE Confidence: 0.93231624

00:11:37.159 --> 00:11:39.306 type O blood and so forth and

NOTE Confidence: 0.93231624

 $00:11:39.306 \longrightarrow 00:11:41.226$ so on for the various antigens.

NOTE Confidence: 0.93231624

 $00:11:41.230 \longrightarrow 00:11:43.204$ And we have a whole system

NOTE Confidence: 0.93231624

 $00:11:43.204 \longrightarrow 00:11:45.470$ set up in blood banking of.

NOTE Confidence: 0.93231624

 $00{:}11{:}45.470 \dashrightarrow 00{:}11{:}48.102$ Of cells that allow us to determine

NOTE Confidence: 0.93231624

 $00{:}11{:}48.102 \dashrightarrow 00{:}11{:}50.291$ blood that's compatible and we do

NOTE Confidence: 0.93231624

00:11:50.291 --> 00:11:52.277 that so that kind of compatibility

NOTE Confidence: 0.93231624

 $00{:}11{:}52.277 \dashrightarrow 00{:}11{:}54.401$ testing is sort of the bread and

NOTE Confidence: 0.93231624

00:11:54.401 --> 00:11:56.387 butter of what blood banks do and

NOTE Confidence: 0.93231624

 $00:11:56.387 \longrightarrow 00:11:58.718$ and that's that is taken care of if

00:11:58.718 --> 00:12:00.578 it comes to problems where someone

NOTE Confidence: 0.93231624

 $00:12:00.578 \longrightarrow 00:12:02.878$ with a local blood bank can't

NOTE Confidence: 0.93231624

00:12:02.878 --> 00:12:04.614 find anything that's compatible.

NOTE Confidence: 0.93231624

 $00:12:04.620 \longrightarrow 00:12:06.776$ You have systems like the Red Cross

NOTE Confidence: 0.93231624

 $00:12:06.776 \longrightarrow 00:12:09.098$ that have 35 or 40 blood centers

NOTE Confidence: 0.93231624

00:12:09.098 --> 00:12:11.096 around the country and they have

NOTE Confidence: 0.93231624

 $00:12:11.169 \longrightarrow 00:12:13.287$ what they call rare donor files

NOTE Confidence: 0.93231624

 $00:12:13.287 \longrightarrow 00:12:15.492$ where they have peoples blood types

NOTE Confidence: 0.93231624

 $00:12:15.492 \longrightarrow 00:12:18.264$ on record and they can ask for

NOTE Confidence: 0.93231624

 $00:12:18.264 \longrightarrow 00:12:21.173$ blood to be sent if they have them

NOTE Confidence: 0.93231624

00:12:21.173 --> 00:12:23.723 frozen or they may have liquid

NOTE Confidence: 0.93231624

 $00:12:23.723 \longrightarrow 00:12:25.615$ units that aren't frozen.

NOTE Confidence: 0.93231624

 $00{:}12{:}25.620 \dashrightarrow 00{:}12{:}27.834$ And there are ways of working

NOTE Confidence: 0.93231624

 $00:12:27.834 \longrightarrow 00:12:29.818$ with the larger blood providers

NOTE Confidence: 0.93231624

 $00:12:29.818 \longrightarrow 00:12:31.988$ to work around that issue.

 $00:12:31.990 \longrightarrow 00:12:33.975$ There are other blood systems

NOTE Confidence: 0.93231624

00:12:33.975 --> 00:12:35.563 besides the ABO system.

NOTE Confidence: 0.93231624

00:12:35.570 --> 00:12:38.266 One is the HLA system and

NOTE Confidence: 0.93231624

 $00:12:38.266 \longrightarrow 00:12:41.051$ people may have antibodies to HLA or

NOTE Confidence: 0.93231624

 $00:12:41.051 \longrightarrow 00:12:43.930$ they may have antibodies to platelets.

NOTE Confidence: 0.93231624

 $00{:}12{:}43.930 \dashrightarrow 00{:}12{:}46.120$ There are platelet antigens like there

NOTE Confidence: 0.93231624

 $00:12:46.120 \longrightarrow 00:12:49.114$ are red cells and again the Red

NOTE Confidence: 0.93231624

 $00:12:49.114 \longrightarrow 00:12:51.280$ Cross has donor records and we

NOTE Confidence: 0.93231624

 $00:12:51.280 \longrightarrow 00:12:54.160$ can test and find people who are

NOTE Confidence: 0.93231624

 $00:12:54.160 \longrightarrow 00:12:56.235$ compatible for the patient.

NOTE Confidence: 0.93231624

 $00:12:56.240 \longrightarrow 00:12:57.990$ There's a whole series of

NOTE Confidence: 0.93231624

 $00{:}12{:}57.990 \dashrightarrow 00{:}13{:}00.040$ things that we have to do.

NOTE Confidence: 0.93231624

 $00:13:00.040 \longrightarrow 00:13:02.476$ You can't just have a small blood

NOTE Confidence: 0.93231624

 $00{:}13{:}02.476 --> 00{:}13{:}04.867$ bank working on its own.

NOTE Confidence: 0.93231624

00:13:04.870 --> 00:13:08.320 You really need to be part of a large system,

NOTE Confidence: 0.93231624

 $00:13:08.320 \longrightarrow 00:13:10.040$ certainly a hospital like Yale,

 $00:13:10.040 \longrightarrow 00:13:12.455$ with 1600 beds and many,

NOTE Confidence: 0.93231624

 $00{:}13{:}12.460 \dashrightarrow 00{:}13{:}14.025$ many patients who are fortunately

NOTE Confidence: 0.93231624

00:13:14.025 --> 00:13:16.039 living longer and longer with malignant

NOTE Confidence: 0.93231624

 $00:13:16.039 \longrightarrow 00:13:17.627$ conditions that are treatable.

NOTE Confidence: 0.93231624

 $00:13:17.630 \longrightarrow 00:13:20.129$ But when they're transfused a lot during

NOTE Confidence: 0.93231624

00:13:20.129 --> 00:13:22.459 their therapy when they come back,

NOTE Confidence: 0.93231624

 $00:13:22.460 \longrightarrow 00:13:25.004$ if they have a relapse then the

NOTE Confidence: 0.93231624

 $00:13:25.004 \longrightarrow 00:13:27.399$ possibility of having incompatible blood

NOTE Confidence: 0.93231624

 $00:13:27.400 \longrightarrow 00:13:29.848$ either for red cells or incompatibility

NOTE Confidence: 0.93231624

 $00{:}13{:}29.848 \to 00{:}13{:}32.213$ with platelets becomes a real issue

NOTE Confidence: 0.93231624

 $00:13:32.213 \longrightarrow 00:13:34.537$ and you need a large support structure

NOTE Confidence: 0.93231624

 $00:13:34.537 \longrightarrow 00:13:36.653$ in blood centers to provide blood

NOTE Confidence: 0.93231624

 $00:13:36.653 \longrightarrow 00:13:39.112$ so that the patient can be treated

NOTE Confidence: 0.93231624

00:13:39.112 --> 00:13:41.308 and go into remission again.

NOTE Confidence: 0.93231624

 $00:13:41.310 \longrightarrow 00:13:44.238$ So there's a lot we have to do.

 $00:13:44.240 \longrightarrow 00:13:46.662$ We consult on a lot of different

NOTE Confidence: 0.93231624

 $00{:}13{:}46.662 \dashrightarrow 00{:}13{:}49.359$ issues and it keeps us pretty busy.

NOTE Confidence: 0.97330827

00:13:50.360 --> 00:13:53.062 Great, well, we're going to take a

NOTE Confidence: 0.97330827

00:13:53.062 --> 00:13:55.609 short break for a medical minute.

NOTE Confidence: 0.97330827

 $00:13:55.610 \longrightarrow 00:13:58.034$ Please stay tuned to learn more

NOTE Confidence: 0.97330827

00:13:58.034 --> 00:13:59.246 about transfusion oncology

NOTE Confidence: 0.97330827

 $00:13:59.250 \longrightarrow 00:14:01.668$ with my guest doctor Edward Snyder.

NOTE Confidence: 0.97330827

 $00:14:01.670 \longrightarrow 00:14:03.690$ Funding for Yale Cancer Answers

NOTE Confidence: 0.97330827

 $00{:}14{:}03.690 \dashrightarrow 00{:}14{:}05.710$ comes from Smilow Cancer Hospital where

NOTE Confidence: 0.97330827

 $00:14:05.710 \longrightarrow 00:14:08.104$ 15 care centers offer access to

NOTE Confidence: 0.97330827

 $00{:}14{:}08.104 \dashrightarrow 00{:}14{:}09.700$ on cologists committed to providing

NOTE Confidence: 0.97330827

 $00{:}14{:}09.761 \dashrightarrow 00{:}14{:}12.179$ patients with cancer and blood diseases

NOTE Confidence: 0.97330827

 $00:14:12.180 \longrightarrow 00:14:13.392$ individualized, innovative care.

NOTE Confidence: 0.97330827

00:14:13.392 --> 00:14:15.808 Find a Smilow Care Center near

NOTE Confidence: 0.97330827

00:14:15.808 --> 00:14:17.014 you at yalecancercenter.org.

NOTE Confidence: 0.9852343

 $00:14:19.070 \longrightarrow 00:14:21.608$ The American Cancer Society estimates that

00:14:21.608 --> 00:14:24.521 over 200,000 cases of Melanoma will be

NOTE Confidence: 0.9852343

 $00{:}14{:}24.521 \dashrightarrow 00{:}14{:}27.202$ diagnosed in the United States this year,

NOTE Confidence: 0.9852343

 $00:14:27.210 \longrightarrow 00:14:30.059$ with over 1000 patients in Connecticut alone.

NOTE Confidence: 0.9852343

00:14:30.060 --> 00:14:32.095 While Melanoma accounts for only

NOTE Confidence: 0.9852343

 $00:14:32.095 \longrightarrow 00:14:34.462$ about 1% of skin cancer cases,

NOTE Confidence: 0.9852343

00:14:34.462 --> 00:14:37.390 it causes the most skin cancer deaths,

NOTE Confidence: 0.9852343

 $00:14:37.390 \longrightarrow 00:14:38.930$ but when detected early,

NOTE Confidence: 0.9852343

 $00:14:38.930 \longrightarrow 00:14:41.860$ it is easily treated and highly curable.

NOTE Confidence: 0.9852343

00:14:41.860 --> 00:14:44.320 Clinical trials are currently underway

NOTE Confidence: 0.9852343

 $00:14:44.320 \longrightarrow 00:14:46.288$ at federally designated Comprehensive

NOTE Confidence: 0.9852343

 $00:14:46.288 \longrightarrow 00:14:48.474$ cancer centers such as Yale Cancer

NOTE Confidence: 0.9852343

 $00{:}14{:}48.474 \dashrightarrow 00{:}14{:}50.700$ Center and at Smilow Cancer Hospital

NOTE Confidence: 0.9852343

 $00:14:50.700 \longrightarrow 00:14:52.740$ to test innovative new treatments

NOTE Confidence: 0.9852343

 $00:14:52.740 \longrightarrow 00:14:53.556$ for Melanoma.

NOTE Confidence: 0.9852343

 $00:14:53.560 \longrightarrow 00:14:56.104$ The goal of the specialized programs

 $00:14:56.104 \longrightarrow 00:14:58.253$ of research excellence and Skin

NOTE Confidence: 0.9852343

00:14:58.253 --> 00:15:00.515 Cancer Grant is to better understand

NOTE Confidence: 0.9852343

00:15:00.515 --> 00:15:02.529 the biology of skin cancer

NOTE Confidence: 0.9852343

 $00:15:02.530 \longrightarrow 00:15:04.265$ with a focus on discovering

NOTE Confidence: 0.9852343

 $00:15:04.265 \longrightarrow 00:15:06.615$ targets that will lead to improved

NOTE Confidence: 0.9852343

 $00:15:06.615 \longrightarrow 00:15:08.238$ diagnosis and treatment.

NOTE Confidence: 0.9852343

00:15:08.240 --> 00:15:10.340 More information is available at

NOTE Confidence: 0.9852343

00:15:10.340 --> 00:15:11.600 yalecancercenter.org. You're listening

NOTE Confidence: 0.9852343

00:15:11.600 --> 00:15:13.139 to Connecticut Public Radio.

NOTE Confidence: 0.9751068

 $00:15:15.690 \longrightarrow 00:15:17.880$ Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.9751068

 $00{:}15{:}17.880 \dashrightarrow 00{:}15{:}20.848$ This is doctor Anees Chappar and I'm

NOTE Confidence: 0.9751068

 $00:15:20.848 \longrightarrow 00:15:23.744$ joined to night by my guest Doctor Ed Snyder.

NOTE Confidence: 0.9751068

 $00:15:23.744 \longrightarrow 00:15:25.252$ We're talking about transfusion

NOTE Confidence: 0.9751068

 $00:15:25.252 \longrightarrow 00:15:27.370$ oncology and right before the break

NOTE Confidence: 0.9751068

 $00:15:27.370 \longrightarrow 00:15:29.708$ Ed you were talking about the fact

NOTE Confidence: 0.9751068

 $00{:}15{:}29.708 \dashrightarrow 00{:}15{:}31.696$ that some cancer patients require

 $00:15:31.696 \longrightarrow 00:15:33.528$ multiple transfusions and there's

NOTE Confidence: 0.9751068

 $00{:}15{:}33.528 \dashrightarrow 00{:}15{:}36.587$ really a benefit to being part of a

NOTE Confidence: 0.9751068

00:15:36.587 --> 00:15:38.675 large system such as the Red Cross,

NOTE Confidence: 0.9751068

 $00:15:38.675 \longrightarrow 00:15:41.160$ where if you have developed

NOTE Confidence: 0.9751068

 $00:15:41.160 \longrightarrow 00:15:43.797$ antibodies to a particular antigen in blood,

NOTE Confidence: 0.9751068

 $00:15:43.800 \longrightarrow 00:15:47.016$ that there still are rare donors who

NOTE Confidence: 0.9751068

00:15:47.020 --> 00:15:49.190 could provide blood for you,

NOTE Confidence: 0.9751068

 $00:15:49.190 \longrightarrow 00:15:51.728$ but I wonder about other modalities

NOTE Confidence: 0.9751068

 $00{:}15{:}51.728 \dashrightarrow 00{:}15{:}53.931$ that might actually reduce our

NOTE Confidence: 0.9751068

 $00{:}15{:}53.931 \dashrightarrow 00{:}15{:}55.679$ need for blood transfusions.

NOTE Confidence: 0.9751068

00:15:55.680 --> 00:15:57.845 So what are your thoughts

NOTE Confidence: 0.9751068

 $00:15:57.845 \longrightarrow 00:15:59.577$ on things like that?

NOTE Confidence: 0.9751068

 $00:15:59.580 \longrightarrow 00:16:02.541$ I know that for many of our

NOTE Confidence: 0.9751068

 $00:16:02.541 \longrightarrow 00:16:04.769$ cancer patients there are drugs,

NOTE Confidence: 0.9751068

 $00:16:04.770 \longrightarrow 00:16:05.868$ for example,

 $00:16:05.868 \longrightarrow 00:16:09.162$ that oncologists use either to increase

NOTE Confidence: 0.9751068

 $00{:}16{:}09.162 \dashrightarrow 00{:}16{:}12.746$ red blood cells or white blood cells.

NOTE Confidence: 0.9751068

 $00{:}16{:}12.750 \dashrightarrow 00{:}16{:}14.787$ How effective are they and do

NOTE Confidence: 0.9751068

 $00:16:14.787 \longrightarrow 00:16:17.030$ you find that that reduces the

NOTE Confidence: 0.9751068

 $00:16:17.030 \longrightarrow 00:16:18.766$ transfusion needs for patients?

NOTE Confidence: 0.9468253

 $00:16:19.860 \longrightarrow 00:16:22.793$ Well, yes, the saying that we have

NOTE Confidence: 0.9468253

00:16:22.793 --> 00:16:25.201 in transfusion is the safest unit

NOTE Confidence: 0.9468253

 $00:16:25.201 \longrightarrow 00:16:28.090$ of blood is the one you don't get.

NOTE Confidence: 0.9468253

00:16:28.090 --> 00:16:30.328 And even though we do everything

NOTE Confidence: 0.9468253

 $00:16:30.328 \longrightarrow 00:16:33.189$ we can to ensure the blood safety,

NOTE Confidence: 0.9468253

 $00:16:33.190 \longrightarrow 00:16:35.542$ there are still the possibility of concerns

NOTE Confidence: 0.9468253

 $00:16:35.542 \longrightarrow 00:16:37.889$ regarding fever or transmission of illnesses.

NOTE Confidence: 0.9468253

00:16:37.890 --> 00:16:40.887 As anytime you do any kind of a

NOTE Confidence: 0.9468253

 $00:16:40.887 \longrightarrow 00:16:43.302$ transplant which really a transplant

NOTE Confidence: 0.9468253

 $00:16:43.302 \longrightarrow 00:16:46.520$ is really what a blood transfusion is.

NOTE Confidence: 0.9468253

 $00:16:46.520 \longrightarrow 00:16:49.744$ Only it's a transplant of red blood cells.

 $00:16:49.750 \longrightarrow 00:16:50.193$ Platelets.

NOTE Confidence: 0.9468253

 $00:16:50.193 \longrightarrow 00:16:52.851$ There are a variety of reagents which

NOTE Confidence: 0.9468253

 $00:16:52.851 \longrightarrow 00:16:55.523$ are designed to stimulate red cell

NOTE Confidence: 0.9468253

00:16:55.523 --> 00:16:58.055 production from some of those have

NOTE Confidence: 0.9468253

 $00{:}16{:}58.055 \dashrightarrow 00{:}17{:}00.194$ shown to cause problems and are

NOTE Confidence: 0.9468253

 $00:17:00.194 \longrightarrow 00:17:02.590$ not used as often as they were.

NOTE Confidence: 0.9468253

 $00:17:07.080 \longrightarrow 00:17:09.999$ There are agents that can be used

NOTE Confidence: 0.9468253

 $00:17:09.999 \longrightarrow 00:17:11.920$ to stimulate platelets as well.

 $00:17:18.020 \longrightarrow 00:17:20.498$ But those are predicated on the fact

NOTE Confidence: 0.9468253

 $00:17:20.498 \longrightarrow 00:17:23.078$ that your bone marrow can actually make

NOTE Confidence: 0.9468253

 $00{:}17{:}23.078 \dashrightarrow 00{:}17{:}25.685$ more if your bone marrow is damaged

NOTE Confidence: 0.9468253

 $00{:}17{:}25.685 \dashrightarrow 00{:}17{:}28.261$ and you don't have the cells that

NOTE Confidence: 0.9468253

 $00:17:28.261 \longrightarrow 00:17:30.480$ can respond to those chemicals and

NOTE Confidence: 0.9468253

00:17:30.480 --> 00:17:33.126 actually make more of those kinds of

NOTE Confidence: 0.9468253

 $00:17:33.126 \longrightarrow 00:17:35.950$ cells that they're not going to be effective.

NOTE Confidence: 0.9468253

 $00:17:35.950 \longrightarrow 00:17:37.780$ Although there are those chemical

 $00:17:37.780 \longrightarrow 00:17:39.980$ reagents that can be used,

NOTE Confidence: 0.9468253

 $00{:}17{:}39.980 \dashrightarrow 00{:}17{:}42.170$ they may in some patients have

NOTE Confidence: 0.9468253

 $00:17:42.170 \longrightarrow 00:17:44.016$ limited usefulness, so a transfusion

NOTE Confidence: 0.9468253

00:17:44.016 --> 00:17:45.876 I think although people try

NOTE Confidence: 0.9468253

 $00:17:45.876 \longrightarrow 00:17:47.609$ to minimize the times,

NOTE Confidence: 0.9468253

 $00:17:47.610 \longrightarrow 00:17:49.590$ blood transfusions are needed,

NOTE Confidence: 0.9468253

 $00:17:49.590 \longrightarrow 00:17:52.560$ they still need to be there.

NOTE Confidence: 0.9468253

 $00:17:52.560 \longrightarrow 00:17:54.174$ One of the things that's important

NOTE Confidence: 0.9468253

 $00:17:54.174 \longrightarrow 00:17:56.417$ about that is a concern about the reactions.

NOTE Confidence: 0.9468253

00:17:58.270 --> 00:18:00.798 And there's a variety of types of reactions,

NOTE Confidence: 0.9468253

00:18:00.800 --> 00:18:03.970 one of which is a febrile which is a fever,

NOTE Confidence: 0.9468253

 $00{:}18{:}03.970 \dashrightarrow 00{:}18{:}05.555$ and that's because when you're

NOTE Confidence: 0.9468253

 $00{:}18{:}05.555 \dashrightarrow 00{:}18{:}06.823$ giving a foreign protein,

NOTE Confidence: 0.9468253

00:18:06.830 --> 00:18:09.358 which blood cells have proteins on them,

NOTE Confidence: 0.9468253

 $00:18:09.360 \longrightarrow 00:18:10.950$ you can get a fever.

 $00:18:10.950 \longrightarrow 00:18:12.530$ There's that in and of

NOTE Confidence: 0.9468253

00:18:12.530 --> 00:18:13.794 itself is not dangerous.

NOTE Confidence: 0.9468253

00:18:13.800 --> 00:18:14.434 It's uncomfortable,

NOTE Confidence: 0.9468253

 $00:18:14.434 \longrightarrow 00:18:16.970$ and we like to minimize that from happening.

NOTE Confidence: 0.9468253

 $00:18:16.970 \longrightarrow 00:18:19.506$ But patients do can get a fever.

NOTE Confidence: 0.9468253

00:18:19.510 --> 00:18:21.090 They can also get hives,

NOTE Confidence: 0.9468253

 $00:18:21.090 \longrightarrow 00:18:22.760$ or they can get allergic

NOTE Confidence: 0.9468253

 $00:18:22.760 \longrightarrow 00:18:25.178$ reactions they can also have some

NOTE Confidence: 0.9468253

 $00{:}18{:}25.178 \dashrightarrow 00{:}18{:}26.790$ other kinds of complications,

NOTE Confidence: 0.9468253

 $00:18:26.790 \longrightarrow 00:18:28.835$ all of which the transfusion

NOTE Confidence: 0.9468253

 $00{:}18{:}28.835 \mathrel{--}{>} 00{:}18{:}31.735$ service is aware of and we try

NOTE Confidence: 0.9468253

 $00:18:31.735 \longrightarrow 00:18:34.039$ to minimize as much as possible.

NOTE Confidence: 0.9468253

 $00:18:34.040 \longrightarrow 00:18:36.055$ One of the areas that's

NOTE Confidence: 0.9468253

 $00:18:36.055 \longrightarrow 00:18:38.070$ a really big concern is,

NOTE Confidence: 0.9468253

 $00:18:38.070 \longrightarrow 00:18:39.730$ as I mentioned earlier,

NOTE Confidence: 0.9468253

 $00:18:39.730 \longrightarrow 00:18:41.805$ infectious problems and that

 $00:18:41.805 \longrightarrow 00:18:44.474$ has led to the production of a whole

NOTE Confidence: 0.9468253

00:18:44.474 --> 00:18:46.939 new field of transfusion medicine,

NOTE Confidence: 0.9468253

 $00:18:46.940 \longrightarrow 00:18:48.552$ which is pathogen reduction.

 $00:18:51.031 \longrightarrow 00:18:52.414$ 10-15 years ago

NOTE Confidence: 0.9468253

 $00:18:52.414 \longrightarrow 00:18:56.160$ if there was a virus that came out

NOTE Confidence: 0.9468253

00:18:56.160 --> 00:18:58.355 like Zika or West Nile,

NOTE Confidence: 0.9468253

 $00:18:58.360 \longrightarrow 00:19:01.256$ we knew there was a virus

NOTE Confidence: 0.9468253

00:19:01.256 --> 00:19:04.169 that had entered the blood supply,

NOTE Confidence: 0.9468253

00:19:04.170 --> 00:19:06.654 molecular biology was used to

NOTE Confidence: 0.9468253

 $00:19:06.654 \longrightarrow 00:19:07.896$ identify the virus,

NOTE Confidence: 0.9468253

 $00:19:07.900 \longrightarrow 00:19:10.390$ determine where it could be neutralized, and

NOTE Confidence: 0.9468253

00:19:10.390 --> 00:19:12.880 tests were made to identify it,

NOTE Confidence: 0.9468253

00:19:12.880 --> 00:19:14.125 treatments were developed.

NOTE Confidence: 0.9468253

00:19:14.125 --> 00:19:17.030 But then all of that cost money,

NOTE Confidence: 0.9468253

 $00:19:17.030 \longrightarrow 00:19:20.124$ and then the hospitals and the blood

NOTE Confidence: 0.9468253

 $00:19:20.124 \longrightarrow 00:19:23.359$ centers had to spend a lot of money.

 $00:19:23.360 \longrightarrow 00:19:23.876$ For that,

NOTE Confidence: 0.9468253

 $00{:}19{:}23.876 \longrightarrow 00{:}19{:}25.940$ the FDA took a long time to approve

NOTE Confidence: 0.9468253

 $00:19:26.003 \longrightarrow 00:19:28.037$ the testing and evaluation of

NOTE Confidence: 0.9468253

 $00:19:28.037 \longrightarrow 00:19:29.910$ donors for that particular illness.

NOTE Confidence: 0.9468253

00:19:29.910 --> 00:19:32.094 And while all this was going on,

NOTE Confidence: 0.9675721

 $00:19:32.100 \longrightarrow 00:19:33.655$ Medicare may or may not

NOTE Confidence: 0.9675721

 $00:19:33.655 \longrightarrow 00:19:34.899$ have reimbursed for it.

NOTE Confidence: 0.9675721

 $00:19:34.900 \longrightarrow 00:19:37.260$ So there was a financial what I call

NOTE Confidence: 0.9675721

00:19:37.260 --> 00:19:39.268 the banking part of blood banking,

NOTE Confidence: 0.9675721

 $00:19:39.270 \longrightarrow 00:19:41.454$ and then every time you got through

NOTE Confidence: 0.9675721

00:19:41.454 --> 00:19:43.686 with one virus, another one came along.

NOTE Confidence: 0.9675721

 $00:19:43.686 \longrightarrow 00:19:46.648$ So the field decided to move to a new type

NOTE Confidence: 0.9675721

 $00:19:46.648 \longrightarrow 00:19:49.260$ of tech that is called a reactive approach.

NOTE Confidence: 0.9675721

 $00:19:49.260 \longrightarrow 00:19:51.132$ That is, you identify a pathogen

NOTE Confidence: 0.9675721

 $00:19:51.132 \longrightarrow 00:19:53.419$ of some sort or something that

 $00:19:53.420 \longrightarrow 00:19:55.390$ shouldn't be in blood,

NOTE Confidence: 0.9675721

00:19:55.390 --> 00:19:58.134 whether it's a virus or bacteria,

NOTE Confidence: 0.9675721

 $00:19:58.140 \longrightarrow 00:20:00.576$ and then you try to mitigate

NOTE Confidence: 0.9675721

 $00:20:00.576 \longrightarrow 00:20:04.029$ it or get rid of it.

NOTE Confidence: 0.9675721

 $00:20:04.030 \longrightarrow 00:20:05.598$ This pathogen reduction technology

NOTE Confidence: 0.9675721

00:20:05.598 --> 00:20:07.536 is not reactive, it's proactive.

NOTE Confidence: 0.9675721

 $00{:}20{:}07.536 \dashrightarrow 00{:}20{:}10.182$ There are reagents that are put into

NOTE Confidence: 0.9675721

 $00:20:10.182 \longrightarrow 00:20:13.224$ the blood bag that are designed to

NOTE Confidence: 0.9675721

00:20:13.224 --> 00:20:14.952 inactivate pathogens by attacking

NOTE Confidence: 0.9675721

00:20:15.025 --> 00:20:17.384 the DNA and RNA of those pathogens,

NOTE Confidence: 0.9675721

 $00{:}20{:}17.390 --> 00{:}20{:}18.228 \text{ blood cells},$

NOTE Confidence: 0.9675721

 $00:20:18.228 \longrightarrow 00:20:20.742$ the human red cells and platelets

NOTE Confidence: 0.9675721

 $00{:}20{:}20{:}742 \dashrightarrow 00{:}20{:}23.568$ do not have DNA or RNA because

NOTE Confidence: 0.9675721

00:20:23.570 --> 00:20:25.238 it's not part of what that

NOTE Confidence: 0.9675721

 $00:20:25.238 \longrightarrow 00:20:26.072$ particular cell has,

NOTE Confidence: 0.9675721

00:20:26.080 --> 00:20:28.304 they had them when they were growing,

 $00:20:28.310 \longrightarrow 00:20:29.990$ but when they become mature cells,

NOTE Confidence: 0.9675721

 $00:20:29.990 \longrightarrow 00:20:31.658$ the DNA and RNA isn't there.

NOTE Confidence: 0.9675721

 $00:20:31.660 \longrightarrow 00:20:33.796$ So the only thing that has DNA or

NOTE Confidence: 0.9675721

 $00:20:33.796 \longrightarrow 00:20:36.399$ RNA in a unit of blood is a pathogen.

NOTE Confidence: 0.9675721

 $00:20:36.400 \longrightarrow 00:20:38.409$ So if you can put chemicals in

NOTE Confidence: 0.9675721

 $00:20:38.409 \longrightarrow 00:20:40.029$ that affect the DNA or RNA,

NOTE Confidence: 0.9675721

00:20:40.030 --> 00:20:41.545 you're really sparing the good

NOTE Confidence: 0.9675721

00:20:41.545 --> 00:20:43.344 cells and you're just trying to

NOTE Confidence: 0.9675721

 $00:20:43.344 \longrightarrow 00:20:44.499$ get rid of any pathogen.

NOTE Confidence: 0.9675721

00:20:44.500 --> 00:20:46.652 Well, you can say with all the testing

NOTE Confidence: 0.9675721

 $00:20:46.652 \longrightarrow 00:20:48.680$ why should there be a pathogen there?

NOTE Confidence: 0.9675721

 $00:20:48.680 \longrightarrow 00:20:49.481$ There shouldn't be,

NOTE Confidence: 0.9675721

 $00{:}20{:}49.481 \dashrightarrow 00{:}20{:}50.816$ but sometimes pathogens are in

NOTE Confidence: 0.9675721

00:20:50.816 --> 00:20:52.308 very low levels like bacteria,

NOTE Confidence: 0.9675721

 $00:20:52.310 \longrightarrow 00:20:54.180$ but then they can grow.

 $00:20:54.180 \longrightarrow 00:20:54.948$ Other times,

NOTE Confidence: 0.9675721

 $00{:}20{:}54.948 \dashrightarrow 00{:}20{:}58.020$ new viruses come in like the COVID-19

NOTE Confidence: 0.9675721

 $00:20:58.092 \longrightarrow 00:21:01.074$ virus is not transmitted by blood,

NOTE Confidence: 0.9675721

 $00:21:01.080 \longrightarrow 00:21:01.486$ fortunately,

NOTE Confidence: 0.9675721

 $00:21:01.486 \longrightarrow 00:21:03.516$ as bad as it is,

NOTE Confidence: 0.9675721

00:21:03.520 --> 00:21:05.550 and it's a horrific virus,

NOTE Confidence: 0.9675721

 $00{:}21{:}05.550 \dashrightarrow 00{:}21{:}08.385$ but it is not transmissible by blood.

NOTE Confidence: 0.9675721

00:21:08.390 --> 00:21:11.046 The HIV virus or AIDS with

NOTE Confidence: 0.9675721

 $00{:}21{:}11.046 \dashrightarrow 00{:}21{:}12.595$ the pathogen reduction technology

NOTE Confidence: 0.9675721

00:21:12.595 --> 00:21:15.416 it puts reagents in the blood

NOTE Confidence: 0.9675721

 $00{:}21{:}15.416 \dashrightarrow 00{:}21{:}17.764$ bag that will inactivate pathogens

NOTE Confidence: 0.9675721

 $00:21:17.764 \longrightarrow 00:21:20.099$ and many pathogens share common

NOTE Confidence: 0.9675721

00:21:20.099 --> 00:21:23.066 DNA or RNA types so that the

NOTE Confidence: 0.9675721

00:21:23.066 --> 00:21:25.100 reagents that are put in

NOTE Confidence: 0.9675721

 $00:21:25.100 \longrightarrow 00:21:27.170$ will be effective against them.

NOTE Confidence: 0.9675721

 $00:21:27.170 \longrightarrow 00:21:29.325$ And indeed the pathogen reduction

00:21:29.325 --> 00:21:31.480 technology that has been studied

NOTE Confidence: 0.9675721

 $00{:}21{:}31.550 \dashrightarrow 00{:}21{:}33.380$ and proven to be successful

NOTE Confidence: 0.9675721

 $00:21:33.380 \longrightarrow 00:21:35.864$ it doesn't

NOTE Confidence: 0.9675721

 $00:21:35.864 \longrightarrow 00:21:37.520$ activate the COVID-19 virus,

NOTE Confidence: 0.9675721

00:21:37.520 --> 00:21:39.998 although it's not a bloodborne problem,

NOTE Confidence: 0.9675721

 $00:21:40.000 \longrightarrow 00:21:42.490$ but the next one might be,

NOTE Confidence: 0.9675721

00:21:42.490 --> 00:21:45.100 so pathogen reduction has been approved

NOTE Confidence: 0.9675721

00:21:45.100 --> 00:21:48.250 for platelets and for plasma they are

NOTE Confidence: 0.9675721

 $00{:}21{:}48.250 \dashrightarrow 00{:}21{:}50.465$ currently doing clinical trials for

NOTE Confidence: 0.9675721

 $00{:}21{:}50.465 \dashrightarrow 00{:}21{:}53.164$ red cells and we are doing several

NOTE Confidence: 0.9675721

 $00:21:53.164 \longrightarrow 00:21:55.305$ of those trials at Yale and at

NOTE Confidence: 0.9675721

 $00:21:55.305 \longrightarrow 00:21:57.675$ 15 other sites around the country

NOTE Confidence: 0.9675721

 $00{:}21{:}57.675 \dashrightarrow 00{:}22{:}00.435$ and once we have pathogen

NOTE Confidence: 0.9675721

 $00:22:00.435 \longrightarrow 00:22:02.691$ reduction approved then we will have

NOTE Confidence: 0.9675721

00:22:02.757 --> 00:22:04.701 a much safer blood supply because

 $00:22:04.701 \longrightarrow 00:22:07.452$ not only will we be testing for known

NOTE Confidence: 0.9675721

 $00:22:07.452 \longrightarrow 00:22:09.267$ viruses and pathogens and bacteria,

NOTE Confidence: 0.9675721

 $00:22:09.270 \longrightarrow 00:22:11.090$ but also for unknown ones,

NOTE Confidence: 0.9675721

 $00:22:11.090 \longrightarrow 00:22:13.274$ which is critical for the safety

NOTE Confidence: 0.9675721

 $00:22:13.274 \longrightarrow 00:22:14.730$ of the blood supply.

NOTE Confidence: 0.9675721

00:22:14.730 --> 00:22:16.178 These kinds of technologies,

NOTE Confidence: 0.9675721

 $00{:}22{:}16.178 \dashrightarrow 00{:}22{:}17.988$ molecular diagnostics and so forth

NOTE Confidence: 0.9675721

 $00:22:17.988 \longrightarrow 00:22:20.186$ are really the future of transfusion.

NOTE Confidence: 0.9675721

 $00:22:20.190 \longrightarrow 00:22:20.926$ In addition,

NOTE Confidence: 0.9675721

 $00:22:20.926 \longrightarrow 00:22:23.134$ there are other types of approaches,

NOTE Confidence: 0.9675721

 $00{:}22{:}23.134 \dashrightarrow 00{:}22{:}24.660$ immunotherapy to treat patients

NOTE Confidence: 0.9675721

 $00:22:24.660 \longrightarrow 00:22:25.749$ instead of using

NOTE Confidence: 0.9675721

00:22:25.750 --> 00:22:27.460 chemotherapy that I mentioned earlier,

NOTE Confidence: 0.9675721

00:22:27.460 --> 00:22:28.900 which can have cytotoxic,

NOTE Confidence: 0.9675721

 $00:22:28.900 \longrightarrow 00:22:31.060$ which means it's toxic to cells

NOTE Confidence: 0.9675721

00:22:31.125 --> 00:22:33.057 which can lower the amount

 $00:22:33.057 \longrightarrow 00:22:34.345$ of bone marrow that

NOTE Confidence: 0.98495424

00:22:34.411 --> 00:22:36.550 you have. Other types of therapy CAR

NOTE Confidence: 0.98495424

00:22:36.550 --> 00:22:38.890 T cell therapy you may have heard

NOTE Confidence: 0.98495424

 $00:22:38.890 \longrightarrow 00:22:41.002$ of or other types of immunotherapy

NOTE Confidence: 0.98495424

 $00:22:41.002 \longrightarrow 00:22:43.507$ where you do not depress the bone

NOTE Confidence: 0.98495424

00:22:43.507 --> 00:22:45.590 marrow when those patients may not

NOTE Confidence: 0.98495424

00:22:45.590 --> 00:22:47.340 need transfusions because their blood

NOTE Confidence: 0.98495424

 $00:22:47.340 \longrightarrow 00:22:49.688$ counts don't get that become that low.

NOTE Confidence: 0.98495424

 $00:22:49.690 \longrightarrow 00:22:52.072$ There are other aspects of transfusion

NOTE Confidence: 0.98495424

00:22:52.072 --> 00:22:54.066 medicine that those patients

NOTE Confidence: 0.98495424

 $00:22:54.066 \longrightarrow 00:22:56.754$ require and we don't have time in this

NOTE Confidence: 0.98495424

 $00:22:56.760 \longrightarrow 00:22:59.350$ discussion to go into all of that,

NOTE Confidence: 0.98495424

 $00{:}22{:}59.350 \dashrightarrow 00{:}23{:}02.070$ but you can be sure that the blood

NOTE Confidence: 0.98495424

 $00:23:02.070 \longrightarrow 00:23:03.637$ transfusion service at the Hospital

NOTE Confidence: 0.98495424

 $00:23:03.637 \longrightarrow 00:23:06.091$ is working closely with the oncologists

00:23:06.091 --> 00:23:08.711 and the surgeons to ensure that the

NOTE Confidence: 0.98495424

 $00{:}23{:}08.711 \dashrightarrow 00{:}23{:}11.110$ best and the safest possible blood for

NOTE Confidence: 0.98495424

 $00:23:11.110 \longrightarrow 00:23:13.090$ their patients and our field grows

NOTE Confidence: 0.98495424

 $00{:}23{:}13.090 \dashrightarrow 00{:}23{:}15.629$ as the field of the rapeutics grows.

NOTE Confidence: 0.98495424

 $00:23:15.630 \longrightarrow 00:23:17.850$ So we have the patient's best

NOTE Confidence: 0.98495424

 $00:23:17.850 \longrightarrow 00:23:18.960$ interest at heart.

NOTE Confidence: 0.98495424

 $00:23:18.960 \longrightarrow 00:23:22.155$ There are many sort of tricks in our bag

NOTE Confidence: 0.98495424

00:23:22.155 --> 00:23:25.320 if you will, of how we can provide

NOTE Confidence: 0.98495424

 $00{:}23{:}25.320 \to 00{:}23{:}26.856$ safe blood pathogen reduction.

NOTE Confidence: 0.98495424

00:23:26.860 --> 00:23:29.572 Again, is a critical advance in the field

NOTE Confidence: 0.98495424

 $00{:}23{:}29.572 \dashrightarrow 00{:}23{:}32.380$ and we just have one more cell type.

NOTE Confidence: 0.98495424

 $00:23:32.380 \longrightarrow 00:23:34.837$ The red cells that the research

NOTE Confidence: 0.98495424

 $00:23:34.837 \longrightarrow 00:23:36.180$ is being done on

NOTE Confidence: 0.98495424

 $00:23:36.180 \longrightarrow 00:23:39.120$ now to have that available in

NOTE Confidence: 0.98495424

 $00:23:39.120 \longrightarrow 00:23:41.080$ a couple of years.

NOTE Confidence: 0.98495424

 $00:23:41.080 \longrightarrow 00:23:42.160$ And the goal,

00:23:42.160 --> 00:23:42.880 of course,

NOTE Confidence: 0.98495424

 $00:23:42.880 \longrightarrow 00:23:45.281$ is to be able to treat patients

NOTE Confidence: 0.98495424

 $00:23:45.281 \longrightarrow 00:23:47.125$ and eventually just do away

NOTE Confidence: 0.98495424

 $00:23:47.125 \longrightarrow 00:23:48.995$ with this field of transfusion,

NOTE Confidence: 0.98495424

 $00:23:49.000 \longrightarrow 00:23:51.880$ because you won't need to give blood.

NOTE Confidence: 0.98495424

00:23:51.880 --> 00:23:54.400 But that's not in the foreseeable future,

NOTE Confidence: 0.98495424

 $00:23:54.400 \longrightarrow 00:23:56.912$ so the best we can do is provide

NOTE Confidence: 0.98495424

 $00:23:56.912 \longrightarrow 00:23:58.720$ the safest possible blood,

NOTE Confidence: 0.98495424

 $00:23:58.720 \longrightarrow 00:24:00.160$ the least amount needed,

NOTE Confidence: 0.98495424

 $00:24:00.160 \longrightarrow 00:24:01.960$ and the best quality for

NOTE Confidence: 0.9844867

 $00:24:01.960 \longrightarrow 00:24:02.902$ our patients.

NOTE Confidence: 0.9844867

 $00:24:02.902 \longrightarrow 00:24:04.786$ And you mentioned

NOTE Confidence: 0.9844867

 $00:24:04.786 \longrightarrow 00:24:06.638$ the term pathogen reduction

NOTE Confidence: 0.9844867

00:24:06.640 --> 00:24:08.708 it's not pathogen elimination,

NOTE Confidence: 0.9844867

 $00:24:08.708 \longrightarrow 00:24:11.202$ but it still is

00:24:11.202 --> 00:24:13.734 really low odds that people get

NOTE Confidence: 0.9844867

 $00:24:13.734 \longrightarrow 00:24:15.829$ infections with blood these days.

NOTE Confidence: 0.9844867

 $00:24:15.830 \longrightarrow 00:24:18.777$ Can you remind us about those numbers?

NOTE Confidence: 0.9844867

 $00:24:18.780 \longrightarrow 00:24:21.396$ What is the risk of

NOTE Confidence: 0.9844867

00:24:21.396 --> 00:24:24.005 getting HIV or hepatitis from a

NOTE Confidence: 0.9844867

 $00:24:24.005 \longrightarrow 00:24:26.360$ bag of blood these days?

NOTE Confidence: 0.92934996

 $00:24:26.360 \longrightarrow 00:24:29.728$ The risk of HIV is in the millions,

NOTE Confidence: 0.92934996

 $00:24:29.730 \longrightarrow 00:24:33.090$ one in a million, one in many millions.

NOTE Confidence: 0.92934996

 $00:24:33.090 \longrightarrow 00:24:34.263$ That's for HIV.

NOTE Confidence: 0.92934996

 $00:24:34.263 \longrightarrow 00:24:37.720$ It's also true for other types of viruses.

NOTE Confidence: 0.92934996

 $00{:}24{:}37.720 \dashrightarrow 00{:}24{:}40.540$ He patitis is somewhere in the range

NOTE Confidence: 0.92934996

 $00:24:40.540 \longrightarrow 00:24:43.899$ of about one in 250,000 to 100.

NOTE Confidence: 0.92934996

 $00:24:43.900 \longrightarrow 00:24:46.322$ I'm sorry 1 to 250,000

NOTE Confidence: 0.92934996

 $00:24:46.322 \longrightarrow 00:24:49.369$ to 1 to 500,000 for bacteria.

NOTE Confidence: 0.92934996

 $00:24:49.370 \longrightarrow 00:24:52.142$ The numbers are higher because bacteria

NOTE Confidence: 0.92934996

 $00:24:52.142 \longrightarrow 00:24:54.696$ are much different organisms than viruses

 $00:24:54.696 \longrightarrow 00:24:57.248$ so the risk of getting a septic

NOTE Confidence: 0.92934996

 $00{:}24{:}57.318 \to 00{:}24{:}59.898$ transfusion reaction is extremely low,

NOTE Confidence: 0.92934996

00:24:59.900 --> 00:25:02.959 but the risk of getting some bacteria

NOTE Confidence: 0.92934996

00:25:02.959 --> 00:25:05.421 growing in blood is somewhere in

NOTE Confidence: 0.92934996

 $00:25:05.421 \longrightarrow 00:25:08.449$ the range of 1 to the 30,000 in

NOTE Confidence: 0.92934996

 $00:25:08.449 \longrightarrow 00:25:11.167$ that range which are several orders

NOTE Confidence: 0.92934996

 $00:25:11.167 \longrightarrow 00:25:13.589$ of magnitude less than the HIV.

NOTE Confidence: 0.92934996

 $00{:}25{:}13.589 \dashrightarrow 00{:}25{:}16.060$ Part of that problem is you can't

NOTE Confidence: 0.92934996

 $00:25:16.143 \longrightarrow 00:25:18.627$ test for all the different kinds

NOTE Confidence: 0.92934996

 $00:25:18.627 \longrightarrow 00:25:20.660$ of bacteria that there are.

NOTE Confidence: 0.92934996

00:25:20.660 --> 00:25:22.360 Some of them grow slowly.

NOTE Confidence: 0.92934996

 $00:25:22.360 \longrightarrow 00:25:25.064$ It depends on where the bacteria came from.

NOTE Confidence: 0.92934996

 $00{:}25{:}25.070 \dashrightarrow 00{:}25{:}27.436$ There shouldn't be any bacteria in blood,

NOTE Confidence: 0.92934996

 $00:25:27.440 \longrightarrow 00:25:29.820$ and most of the time they're not.

NOTE Confidence: 0.92934996

 $00:25:29.820 \longrightarrow 00:25:31.510$ But that's where the pathogen

 $00:25:31.510 \longrightarrow 00:25:32.524$ reduction comes in,

NOTE Confidence: 0.92934996

 $00:25:32.530 \longrightarrow 00:25:34.046$ because pathogen reduction would

NOTE Confidence: 0.92934996

 $00:25:34.046 \longrightarrow 00:25:36.320$ inactivate any viruses or any bacteria

NOTE Confidence: 0.92934996

 $00:25:36.383 \longrightarrow 00:25:38.623$ that get through the testing that we have.

NOTE Confidence: 0.92934996

 $00:25:38.630 \longrightarrow 00:25:41.115$ So it's not something

NOTE Confidence: 0.92934996

 $00:25:41.115 \longrightarrow 00:25:43.103$ to be concerned about.

NOTE Confidence: 0.92934996

 $00:25:43.110 \longrightarrow 00:25:45.427$ Because the donor

NOTE Confidence: 0.92934996

00:25:45.427 --> 00:25:47.170 history is extremely inquisitive.

NOTE Confidence: 0.92934996

 $00{:}25{:}47.170 \dashrightarrow 00{:}25{:}50.482$ We're asking a lot of questions,

NOTE Confidence: 0.92934996

 $00:25:50.490 \longrightarrow 00:25:53.434$ many of which took years

NOTE Confidence: 0.92934996

 $00:25:53.440 \longrightarrow 00:25:55.276$ to get accepted because

NOTE Confidence: 0.92934996

 $00:25:55.276 \longrightarrow 00:25:57.894$ a lot of the questions relate to

NOTE Confidence: 0.92934996

 $00:25:57.894 \longrightarrow 00:26:00.534$ sexual practices and many people were

NOTE Confidence: 0.92934996

 $00:26:00.534 \longrightarrow 00:26:02.772$ offended by those questions when we

NOTE Confidence: 0.92934996

 $00:26:02.772 \longrightarrow 00:26:04.880$ started asking it when we realized

NOTE Confidence: 0.92934996

 $00{:}26{:}04.880 \dashrightarrow 00{:}26{:}06.730$ that HIV was sexually transmitted.

 $00:26:06.730 \longrightarrow 00:26:09.226$ But it was required to do it

NOTE Confidence: 0.92934996

 $00{:}26{:}09.226 {\:\dashrightarrow\:} 00{:}26{:}11.750$ for the safety of the patients

NOTE Confidence: 0.92934996

 $00{:}26{:}11.750 \dashrightarrow 00{:}26{:}14.020$ who are receiving the blood.

NOTE Confidence: 0.92934996

 $00:26:14.020 \longrightarrow 00:26:16.393$ But now that we know more about

NOTE Confidence: 0.92934996

 $00:26:16.393 \longrightarrow 00:26:18.649$ how to treat these diseases,

NOTE Confidence: 0.92934996

 $00:26:18.650 \longrightarrow 00:26:21.150$ many of those individuals come

NOTE Confidence: 0.92934996

 $00:26:21.150 \longrightarrow 00:26:23.382$ who are negative for these various

NOTE Confidence: 0.92934996

 $00:26:23.382 \longrightarrow 00:26:25.718$ tests are able to donate blood

NOTE Confidence: 0.92934996

 $00:26:25.718 \longrightarrow 00:26:28.028$ and it's a different field.

NOTE Confidence: 0.92934996

 $00:26:28.030 \longrightarrow 00:26:31.459$ We have to grow with the field as the

NOTE Confidence: 0.92934996

 $00:26:31.460 \longrightarrow 00:26:33.370$ knowledge grows and

NOTE Confidence: 0.92934996

 $00:26:33.370 \longrightarrow 00:26:34.898$ that's what transfusion is,

NOTE Confidence: 0.92934996

 $00:26:34.900 \longrightarrow 00:26:36.428$ there's a practical side

NOTE Confidence: 0.92934996

00:26:36.428 --> 00:26:37.956 for the patient care.

NOTE Confidence: 0.92934996

 $00:26:37.960 \longrightarrow 00:26:40.050$ There's the collection side and

 $00:26:40.050 \longrightarrow 00:26:42.140$ there's also the research side

NOTE Confidence: 0.92934996

 $00{:}26{:}42.215 \dashrightarrow 00{:}26{:}44.117$ which is allowing us to advance

NOTE Confidence: 0.92934996

 $00:26:44.117 \longrightarrow 00:26:46.738$ the field in so many different ways.

NOTE Confidence: 0.985111

 $00:26:46.740 \longrightarrow 00:26:49.414$ One last question is,

NOTE Confidence: 0.985111

 $00:26:49.420 \longrightarrow 00:26:50.779$ perhaps,

NOTE Confidence: 0.985111

 $00:26:50.779 \longrightarrow 00:26:53.497$ we had mentioned the fact that

NOTE Confidence: 0.985111

 $00{:}26{:}53.500 \dashrightarrow 00{:}26{:}55.196$ as the rapeutics advance

NOTE Confidence: 0.985111

 $00:26:55.196 \longrightarrow 00:26:58.928$ we may have less and less need for

NOTE Confidence: 0.985111

 $00{:}26{:}58.928 \dashrightarrow 00{:}27{:}01.470$ transfusion, but at the moment it

NOTE Confidence: 0.985111

 $00:27:01.470 \longrightarrow 00:27:04.999$ still is a part of clinical care.

NOTE Confidence: 0.985111

 $00{:}27{:}05.000 \dashrightarrow 00{:}27{:}08.663$ How do you get around the needs of patients

NOTE Confidence: 0.985111

 $00:27:08.663 \longrightarrow 00:27:12.360$ who cannot take due to religious reasons

NOTE Confidence: 0.985111

 $00:27:12.360 \longrightarrow 00:27:13.740$ for example, blood?

NOTE Confidence: 0.985111

 $00:27:13.740 \longrightarrow 00:27:16.040$ Are there other options for

NOTE Confidence: 0.985111

 $00:27:16.040 \longrightarrow 00:27:18.339$ them outside of a transfusion?

NOTE Confidence: 0.985111

 $00:27:18.340 \longrightarrow 00:27:19.720$ That's an excellent

 $00:27:19.720 \longrightarrow 00:27:21.800$ question. There are individuals who

NOTE Confidence: 0.95942134

 $00{:}27{:}21.800 \dashrightarrow 00{:}27{:}24.870$ do not want a blood transfusion.

NOTE Confidence: 0.95942134

 $00:27:24.870 \longrightarrow 00:27:27.481$ For a variety of religious reasons or

NOTE Confidence: 0.95942134

00:27:27.481 --> 00:27:29.349 other reasons, for those individuals,

NOTE Confidence: 0.95942134

 $00:27:29.349 \longrightarrow 00:27:31.214$ consultation with the patients physician

NOTE Confidence: 0.95942134

 $00:27:31.214 \longrightarrow 00:27:33.820$ is required, as well as the family.

NOTE Confidence: 0.95942134

 $00:27:33.820 \longrightarrow 00:27:36.700$ We have a family meeting to discuss options

NOTE Confidence: 0.95942134

 $00{:}27{:}36.700 \dashrightarrow 00{:}27{:}40.154$ and if blood transfusion is not one of them

NOTE Confidence: 0.95942134

 $00{:}27{:}40.160 \dashrightarrow 00{:}27{:}42.813$ you mentioned the various reagents that

NOTE Confidence: 0.95942134

 $00:27:42.813 \longrightarrow 00:27:45.066$ are developed to stimulate the production

NOTE Confidence: 0.95942134

 $00{:}27{:}45.066 \dashrightarrow 00{:}27{:}48.000$ of platelets or red cells in the person.

NOTE Confidence: 0.95942134

 $00{:}27{:}48.000 \dashrightarrow 00{:}27{:}50.178$ Those chemicals can be given that

NOTE Confidence: 0.95942134

 $00{:}27{:}50.178 \dashrightarrow 00{:}27{:}52.909$ may be possible to take some blood

NOTE Confidence: 0.95942134

 $00:27:52.909 \longrightarrow 00:27:55.327$ from the patient prior to treatment

NOTE Confidence: 0.95942134

 $00:27:55.330 \longrightarrow 00:27:57.598$ and store it so that if the

00:27:57.598 --> 00:27:59.349 patient's count does drop,

NOTE Confidence: 0.95942134

 $00:27:59.350 \longrightarrow 00:28:01.360$ they will have stored their own

NOTE Confidence: 0.95942134

 $00:28:01.360 \longrightarrow 00:28:03.372$ blood in advance, which in someone

NOTE Confidence: 0.95942134

00:28:03.372 --> 00:28:05.376 who doesn't want to get transfusion,

NOTE Confidence: 0.95942134

 $00:28:05.380 \longrightarrow 00:28:07.060$ of someone else's blood,

NOTE Confidence: 0.95942134

00:28:07.060 --> 00:28:09.740 may be willing to accept their own blood.

NOTE Confidence: 0.95942134

 $00:28:09.740 \longrightarrow 00:28:11.410$ Some individuals don't want to

NOTE Confidence: 0.95942134

00:28:11.410 --> 00:28:12.746 accept blood from themselves,

NOTE Confidence: 0.95942134

 $00{:}28{:}12.750 \longrightarrow 00{:}28{:}15.095$ that's been taken out of their body,

NOTE Confidence: 0.95942134

00:28:15.100 --> 00:28:17.110 separated, stored, and then given back.

NOTE Confidence: 0.95942134

 $00:28:17.110 \longrightarrow 00:28:20.035$ So it depends on the degree to which the

NOTE Confidence: 0.95942134

00:28:20.035 --> 00:28:22.468 individual will be willing to accept blood,

NOTE Confidence: 0.95942134

 $00:28:22.470 \longrightarrow 00:28:24.516$ but those can cause some very

NOTE Confidence: 0.95942134

 $00:28:24.516 \longrightarrow 00:28:25.880$ difficult treatment situations.

NOTE Confidence: 0.95942134

 $00:28:25.880 \longrightarrow 00:28:28.736$ That has to be discussed with the patient,

NOTE Confidence: 0.95942134

 $00:28:28.740 \longrightarrow 00:28:29.808$ the patient's family,

 $00:28:29.808 \longrightarrow 00:28:31.944$ the physician and the blood bank.

NOTE Confidence: 0.9295102

 $00:28:31.950 \longrightarrow 00:28:34.266$ Doctor Edward Snyder is a

NOTE Confidence: 0.9295102

00:28:34.266 --> 00:28:35.810 professor of laboratory medicine

NOTE Confidence: 0.9295102

 $00:28:35.872 \longrightarrow 00:28:37.660$ at the Yale School of Medicine.

NOTE Confidence: 0.9295102

00:28:37.660 --> 00:28:39.260 If you have questions,

NOTE Confidence: 0.9295102

 $00:28:39.260 \longrightarrow 00:28:40.860$ the address is canceranswers@yale.edu

NOTE Confidence: 0.9295102

 $00:28:40.860 \longrightarrow 00:28:43.064$ and past editions of the program

NOTE Confidence: 0.9295102

00:28:43.064 --> 00:28:45.080 are available in audio and written

NOTE Confidence: 0.9295102

 $00{:}28{:}45.142 \dashrightarrow 00{:}28{:}46.936$ form at yale cancercenter.org.

NOTE Confidence: 0.9295102

 $00:28:46.940 \longrightarrow 00:28:49.244$ We hope you'll join us next week to

NOTE Confidence: 0.9295102

 $00:28:49.244 \longrightarrow 00:28:51.471$ learn more about the fight against

NOTE Confidence: 0.9295102

 $00{:}28{:}51.471 \dashrightarrow 00{:}28{:}53.446$ cancer here on Connecticut Public

NOTE Confidence: 0.9295102

 $00:28:53.446 \longrightarrow 00:28:55.920$ radio funding for Yale Cancer answers.

NOTE Confidence: 0.9295102

 $00{:}28{:}55{.}920 \dashrightarrow 00{:}28{:}58{.}225$ Was provided by Smilow Cancer

NOTE Confidence: 0.9295102

 $00:28:58.225 \longrightarrow 00:29:00.069$ Hospital and AstraZeneca.