WEBVTT

NOTE duration:"00:13:33" NOTE recognizability:0.853

NOTE language:en-us

NOTE Confidence: 0.925742913333333

00:00:00.000 --> 00:00:01.470 Introducing Peacock, the

NOTE Confidence: 0.92827263

 $00:00:01.480 \longrightarrow 00:00:03.205$ new free streaming service from

NOTE Confidence: 0.92827263

00:00:03.205 --> 00:00:04.716 NBC Universal, its hit movies,

NOTE Confidence: 0.92827263

00:00:04.716 --> 00:00:06.590 current shows, live sports, trending

NOTE Confidence: 0.931500724285714

 $00:00:06.600 \longrightarrow 00:00:07.912$ bits and timeless hits.

NOTE Confidence: 0.931500724285714

00:00:07.912 --> 00:00:10.276 And that's why you can't not watch

NOTE Confidence: 0.931500724285714

 $00{:}00{:}10.276 \dashrightarrow 00{:}00{:}11.540$ Peacock watch for free upgrade.

NOTE Confidence: 0.931500724285714

 $00:00:11.540 \longrightarrow 00:00:12.669$ For more. Stream now at

NOTE Confidence: 0.737001671428571

00:00:13.460 --> 00:00:15.098 peacocktv.com Law and order SVU streaming now

NOTE Confidence: 0.851396535

 $00:00:15.130 \dashrightarrow 00:00:16.936$ my name is Doctor Daniel Kellner.

NOTE Confidence: 0.851396535

00:00:16.940 --> 00:00:18.860 I'm a urologist at Yale Medicine,

NOTE Confidence: 0.851396535

 $00:00:18.860 \longrightarrow 00:00:20.848$ which is a multi specialty group in

NOTE Confidence: 0.851396535

 $00:00:20.848 \longrightarrow 00:00:23.377$ the old School of Medicine and I'm a

 $00:00:23.377 \longrightarrow 00:00:25.330$ general urologist, but I have a special

NOTE Confidence: 0.851396535

 $00{:}00{:}25.330 \dashrightarrow 00{:}00{:}27.100$ interest in BPH in men's health.

NOTE Confidence: 0.851396535

00:00:27.100 --> 00:00:28.880 I practice in New Haven,

NOTE Confidence: 0.851396535

 $00:00:28.880 \longrightarrow 00:00:30.836$ CT, but I also have offices.

NOTE Confidence: 0.851396535

00:00:30.840 --> 00:00:33.390 In Madison, CT and Hamden, CT

NOTE Confidence: 0.853103306363637

00:00:33.420 --> 00:00:35.232 we're talking this morning with Doctor

NOTE Confidence: 0.853103306363637

00:00:35.232 --> 00:00:36.940 Daniel Kellner of Yale Medicine,

NOTE Confidence: 0.853103306363637

 $00{:}00{:}36.940 \dashrightarrow 00{:}00{:}39.194$ and you are a urologist and you

NOTE Confidence: 0.853103306363637

 $00{:}00{:}39.194 \dashrightarrow 00{:}00{:}41.298$ have an emphasis on men's health.

NOTE Confidence: 0.853103306363637

 $00:00:41.300 \longrightarrow 00:00:42.380$ Is it a struggle?

NOTE Confidence: 0.853103306363637

 $00:00:42.380 \longrightarrow 00:00:44.665$ First of all, to get guys to see

NOTE Confidence: 0.853103306363637

00:00:44.665 --> 00:00:46.630 a urologist in the first place,

NOTE Confidence: 0.872783355333333

 $00:00:46.930 \longrightarrow 00:00:48.806$ I think typically men are are less

NOTE Confidence: 0.872783355333333

 $00:00:48.806 \longrightarrow 00:00:50.756$ likely to want to go to the doctor,

NOTE Confidence: 0.872783355333333

 $00:00:50.760 \longrightarrow 00:00:51.912$ but unfortunately you

NOTE Confidence: 0.872783355333333

 $00{:}00{:}51.912 \dashrightarrow 00{:}00{:}53.448$ can't avoid your bladder.

00:00:53.450 --> 00:00:55.184 And many times people are certainly

NOTE Confidence: 0.872783355333333

 $00:00:55.184 \longrightarrow 00:00:56.875$ at their very aggravated by their

NOTE Confidence: 0.872783355333333

 $00:00:56.875 \longrightarrow 00:00:58.803$ situation and so they'll end up making an

NOTE Confidence: 0.872783355333333

00:00:58.854 --> 00:01:00.876 appointment because if you ignore problem,

NOTE Confidence: 0.872783355333333

 $00:01:00.880 \longrightarrow 00:01:02.270$ it doesn't really go away.

NOTE Confidence: 0.872783355333333

 $00:01:02.270 \longrightarrow 00:01:03.775$ Or sometimes I have a friend who

NOTE Confidence: 0.872783355333333

00:01:03.775 --> 00:01:05.138 had a similar situation and kind

NOTE Confidence: 0.872783355333333

00:01:05.138 --> 00:01:06.990 of clue them in that there is help.

NOTE Confidence: 0.872783355333333

 $00:01:06.990 \longrightarrow 00:01:07.984$ So many men who come to me.

NOTE Confidence: 0.872783355333333

 $00{:}01{:}07.990 \dashrightarrow 00{:}01{:}09.574$ They've come to me because they are friends,

NOTE Confidence: 0.872783355333333

 $00:01:09.580 \longrightarrow 00:01:11.524$ but it's similar experience or coworker

NOTE Confidence: 0.872783355333333

 $00:01:11.524 \longrightarrow 00:01:13.551$ would have similar experience and then

NOTE Confidence: 0.872783355333333

 $00{:}01{:}13.551 \rightarrow 00{:}01{:}15.241$ obviously they're prompted sometimes by

NOTE Confidence: 0.872783355333333

 $00:01:15.241 \longrightarrow 00:01:16.967$ their significant other to to come in.

NOTE Confidence: 0.872783355333333

00:01:16.970 --> 00:01:17.843 No girlfriend, wife,

 $00:01:17.843 \longrightarrow 00:01:19.298$ partner because some one else is

NOTE Confidence: 0.872783355333333

 $00{:}01{:}19.298 \dashrightarrow 00{:}01{:}20.529$ recognizing that they're having

NOTE Confidence: 0.872783355333333

 $00:01:20.529 \longrightarrow 00:01:22.034$ difficulty with what their bladder.

NOTE Confidence: 0.940794076428571

 $00:01:22.370 \longrightarrow 00:01:25.026$ Let's go over the symptoms and how severe

NOTE Confidence: 0.940794076428571

 $00:01:25.026 \longrightarrow 00:01:27.927$ do the symptoms have to get before you

NOTE Confidence: 0.940794076428571

 $00:01:27.927 \longrightarrow 00:01:30.256$ consider some of the procedures that

NOTE Confidence: 0.940794076428571

 $00:01:30.256 \longrightarrow 00:01:32.920$ were going to talk about today? When

NOTE Confidence: 0.770102283333333

 $00:01:32.930 \longrightarrow 00:01:35.222$ men have BPH, the prostate is

NOTE Confidence: 0.770102283333333

 $00{:}01{:}35.222 \dashrightarrow 00{:}01{:}37.510$ typically the size of a walnut,

NOTE Confidence: 0.770102283333333

 $00:01:37.510 \longrightarrow 00:01:39.526$ and it can continue to grow,

NOTE Confidence: 0.7701022833333333

 $00:01:39.530 \longrightarrow 00:01:40.856$ and it could obstruct the urethra.

NOTE Confidence: 0.770102283333333

 $00:01:40.860 \longrightarrow 00:01:42.780$ And that's the tube empties the

NOTE Confidence: 0.770102283333333

 $00:01:42.780 \longrightarrow 00:01:44.361$ bladder and prostate doesn't have

NOTE Confidence: 0.770102283333333

 $00:01:44.361 \longrightarrow 00:01:46.083$ to be big to constrict that too,

NOTE Confidence: 0.770102283333333

 $00:01:46.090 \longrightarrow 00:01:48.100$ and symptoms could be increased

NOTE Confidence: 0.770102283333333

 $00:01:48.100 \longrightarrow 00:01:49.306$ frequency to urinate,

00:01:49.310 --> 00:01:50.482 increased urgency to urinate,

NOTE Confidence: 0.770102283333333

 $00{:}01{:}50.482 \dashrightarrow 00{:}01{:}52.240$ a slower stream or the stream

NOTE Confidence: 0.770102283333333

 $00{:}01{:}52.297 \dashrightarrow 00{:}01{:}53.987$ could be hesitant or intermittent,

NOTE Confidence: 0.770102283333333

 $00:01:53.990 \longrightarrow 00:01:55.148$ or there may be more getting

NOTE Confidence: 0.770102283333333

 $00:01:55.148 \longrightarrow 00:01:56.330$ up at night to urinate.

NOTE Confidence: 0.770102283333333

 $00:01:56.330 \longrightarrow 00:01:57.980$ These things could affect the quality

NOTE Confidence: 0.770102283333333

 $00:01:57.980 \longrightarrow 00:01:59.900$ of life, so in in other words,

NOTE Confidence: 0.770102283333333

 $00{:}01{:}59.900 \dashrightarrow 00{:}02{:}01.748$ sometimes men will be distracted at work.

NOTE Confidence: 0.770102283333333

 $00:02:01.750 \longrightarrow 00:02:02.594$ They'll be thinking about.

NOTE Confidence: 0.770102283333333

 $00{:}02{:}02{:}02{:}594 \dashrightarrow 00{:}02{:}04{:}109$ You know where bathroom is or if

NOTE Confidence: 0.770102283333333

 $00:02:04.109 \longrightarrow 00:02:05.369$ they go shopping or they're driving.

NOTE Confidence: 0.770102283333333

 $00{:}02{:}05.370 \dashrightarrow 00{:}02{:}06.550$ They're always kind of aware

NOTE Confidence: 0.770102283333333

 $00:02:06.550 \longrightarrow 00:02:07.494$ where a bathroom is,

NOTE Confidence: 0.770102283333333

 $00:02:07.500 \longrightarrow 00:02:08.646$ or to make sure that they

NOTE Confidence: 0.770102283333333

00:02:08.646 --> 00:02:09.810 urinate before they go anywhere,

 $00:02:09.810 \longrightarrow 00:02:11.938$ and so the symptoms could be quite subtle,

NOTE Confidence: 0.770102283333333

 $00:02:11.940 \longrightarrow 00:02:13.842$ but there could be a more

NOTE Confidence: 0.770102283333333

00:02:13.842 --> 00:02:14.793 serious underlying problem,

NOTE Confidence: 0.770102283333333

 $00:02:14.800 \longrightarrow 00:02:16.535$ because men could actually be

NOTE Confidence: 0.770102283333333

00:02:16.535 --> 00:02:17.576 developing urinary retention,

NOTE Confidence: 0.770102283333333

00:02:17.580 --> 00:02:19.724 and they're aware of the symptoms are having,

NOTE Confidence: 0.770102283333333

 $00:02:19.730 \longrightarrow 00:02:21.180$ but they're not aware that

NOTE Confidence: 0.770102283333333

00:02:21.180 --> 00:02:22.050 they're retaining urine,

NOTE Confidence: 0.7701022833333333

 $00:02:22.050 \longrightarrow 00:02:23.275$ and when that urine is

NOTE Confidence: 0.770102283333333

 $00:02:23.275 \longrightarrow 00:02:24.255$ retained in the bladder,

NOTE Confidence: 0.7701022833333333

 $00{:}02{:}24.260 \dashrightarrow 00{:}02{:}25.790$ they could actually start to cause

NOTE Confidence: 0.770102283333333

 $00:02:25.790 \longrightarrow 00:02:27.345$ problems with the buyer with the

NOTE Confidence: 0.770102283333333

00:02:27.345 --> 00:02:28.797 bladder will start to retain urine,

NOTE Confidence: 0.770102283333333

00:02:28.800 --> 00:02:30.564 and the buyer could get quite large,

NOTE Confidence: 0.770102283333333

 $00:02:30.570 \longrightarrow 00:02:31.530$ and that pressure to even

NOTE Confidence: 0.770102283333333

 $00:02:31.530 \longrightarrow 00:02:32.690$ back up to the kidneys and.

00:02:32.690 --> 00:02:34.274 Does kidney damage and it's a

NOTE Confidence: 0.770102283333333

 $00:02:34.274 \longrightarrow 00:02:35.870$ bar is not emptying properly.

NOTE Confidence: 0.770102283333333

 $00:02:35.870 \longrightarrow 00:02:37.406$ It can lead to other problems

NOTE Confidence: 0.770102283333333

 $00:02:37.406 \longrightarrow 00:02:39.040$ such as urinary tract infections,

NOTE Confidence: 0.770102283333333

 $00:02:39.040 \longrightarrow 00:02:39.732$ bladder stones,

NOTE Confidence: 0.770102283333333

 $00:02:39.732 \longrightarrow 00:02:41.808$ other things could be a problem,

NOTE Confidence: 0.770102283333333

00:02:41.810 --> 00:02:43.898 so men may be aware of subtle symptoms,

NOTE Confidence: 0.770102283333333

 $00:02:43.900 \longrightarrow 00:02:45.226$ but they're not going to necessarily

NOTE Confidence: 0.770102283333333

 $00:02:45.226 \longrightarrow 00:02:46.769$ be aware that there is a more

NOTE Confidence: 0.770102283333333

 $00:02:46.769 \longrightarrow 00:02:47.794$ ominous problem that may be

NOTE Confidence: 0.770102283333333

 $00{:}02{:}47.794 \dashrightarrow 00{:}02{:}49.078$ happening that they're not aware of.

NOTE Confidence: 0.948819125384615

 $00:02:49.350 \longrightarrow 00:02:51.184$ So where do you come in and

NOTE Confidence: 0.948819125384615

 $00{:}02{:}51.184 \dashrightarrow 00{:}02{:}53.278$ how do you fix these problems

NOTE Confidence: 0.887845737333333

 $00:02:53.610 \longrightarrow 00:02:55.887$ when it comes to me and they have urinary

NOTE Confidence: 0.887845737333333

 $00:02:55.887 \longrightarrow 00:02:57.571$ problems and the first thing I do is

 $00:02:57.571 \longrightarrow 00:02:59.532$ simply do a history and physical and try

NOTE Confidence: 0.887845737333333

 $00:02:59.532 \longrightarrow 00:03:01.376$ to assess the degree of their problems.

NOTE Confidence: 0.887845737333333

00:03:01.376 --> 00:03:02.954 We have a questionnaire we often.

NOTE Confidence: 0.887845737333333

 $00:03:02.960 \longrightarrow 00:03:04.130$ Use quality anyway.

NOTE Confidence: 0.887845737333333

 $00:03:04.130 \longrightarrow 00:03:05.690$ Symptoms for the American

NOTE Confidence: 0.887845737333333

 $00:03:05.690 \longrightarrow 00:03:06.860$ neurologic symptoms score,

NOTE Confidence: 0.887845737333333

 $00:03:06.860 \longrightarrow 00:03:08.883$ which is a series of questions and

NOTE Confidence: 0.887845737333333

 $00:03:08.883 \longrightarrow 00:03:10.938$ it often kind of gauge how severe

NOTE Confidence: 0.887845737333333

 $00{:}03{:}10.938 \dashrightarrow 00{:}03{:}12.940$ a patient or a man symptoms are.

NOTE Confidence: 0.887845737333333

 $00:03:12.940 \longrightarrow 00:03:14.606$ And often we could categorize them as

NOTE Confidence: 0.887845737333333

 $00{:}03{:}14.606 \dashrightarrow 00{:}03{:}16.476$ kind of mild, moderate or severe symptoms.

NOTE Confidence: 0.887845737333333

00:03:16.476 --> 00:03:18.210 We also have ways of measuring

NOTE Confidence: 0.887845737333333

 $00{:}03{:}18.262 \dashrightarrow 00{:}03{:}19.879$ the bladder to see if it empties.

NOTE Confidence: 0.887845737333333

 $00:03:19.880 \longrightarrow 00:03:21.798$ We call that a post void residual,

NOTE Confidence: 0.887845737333333

 $00:03:21.800 \longrightarrow 00:03:23.879$ and then we also assess things that

NOTE Confidence: 0.887845737333333

 $00{:}03{:}23.879 \dashrightarrow 00{:}03{:}25.479$ may be contributing to the area.

00:03:25.480 --> 00:03:28.138 Symptoms such as excessive caffeine intake,

NOTE Confidence: 0.887845737333333

00:03:28.140 --> 00:03:28.790 alcohol intake,

NOTE Confidence: 0.887845737333333

 $00:03:28.790 \longrightarrow 00:03:30.090$ certain medications that are

NOTE Confidence: 0.887845737333333

 $00:03:30.090 \longrightarrow 00:03:31.726$ prescribed such as diuretics which

NOTE Confidence: 0.887845737333333

00:03:31.726 --> 00:03:33.136 could cause urinary symptoms so.

NOTE Confidence: 0.887845737333333

 $00:03:33.140 \longrightarrow 00:03:35.065$ That's how we initially evaluate a man

NOTE Confidence: 0.862360362142857

 $00:03:35.290 \longrightarrow 00:03:37.970$ what has to happen for you to decide

NOTE Confidence: 0.862360362142857

 $00:03:37.970 \longrightarrow 00:03:40.690$ to go to the euro lift? Let's say

NOTE Confidence: 0.909190597142857

 $00:03:40.720 \longrightarrow 00:03:42.659$ when a man has difficulty with urinating

NOTE Confidence: 0.909190597142857

 $00:03:42.659 \longrightarrow 00:03:44.480$ and first thing we do is lifestyle.

NOTE Confidence: 0.909190597142857

 $00:03:44.480 \longrightarrow 00:03:46.185$ Modifications typically will try men

NOTE Confidence: 0.909190597142857

 $00:03:46.185 \longrightarrow 00:03:48.354$ on medications and there are different

NOTE Confidence: 0.909190597142857

 $00{:}03{:}48.354 \dashrightarrow 00{:}03{:}50.369$ medications that relax the prostate,

NOTE Confidence: 0.909190597142857

 $00{:}03{:}50.370 \dashrightarrow 00{:}03{:}52.505$ make it easier to pass the urine.

NOTE Confidence: 0.909190597142857

 $00:03:52.510 \longrightarrow 00:03:54.281$ If a man is not having a

 $00:03:54.281 \longrightarrow 00:03:55.850$ good response to medications,

NOTE Confidence: 0.909190597142857

 $00:03:55.850 \longrightarrow 00:03:57.006$ side effects from medications,

NOTE Confidence: 0.909190597142857

00:03:57.006 --> 00:03:59.500 or simply does not want to take medicine,

NOTE Confidence: 0.909190597142857

 $00:03:59.500 \longrightarrow 00:04:00.970$ we could think of alternative

NOTE Confidence: 0.909190597142857

 $00:04:00.970 \longrightarrow 00:04:02.770$ options such as the euro lift.

NOTE Confidence: 0.909190597142857

 $00:04:02.770 \longrightarrow 00:04:03.834$ Now the euro lift.

NOTE Confidence: 0.909190597142857

 $00:04:03.834 \longrightarrow 00:04:05.430$ Is a procedure that is done

NOTE Confidence: 0.909190597142857

 $00:04:05.493 \longrightarrow 00:04:07.481$ where you put an implant into the

NOTE Confidence: 0.909190597142857

 $00:04:07.481 \longrightarrow 00:04:09.453$ prostate and it holds the prostate

NOTE Confidence: 0.909190597142857

 $00:04:09.453 \longrightarrow 00:04:11.223$ tissue in an unobstructed way.

NOTE Confidence: 0.909190597142857

 $00{:}04{:}11.230 \dashrightarrow 00{:}04{:}12.362$ Basically opening the channel

NOTE Confidence: 0.909190597142857

 $00:04:12.362 \longrightarrow 00:04:14.060$ and making it easier to urinate.

NOTE Confidence: 0.909190597142857

 $00:04:14.060 \longrightarrow 00:04:15.756$ Now one of the appeals of the euro

NOTE Confidence: 0.909190597142857

 $00:04:15.756 \longrightarrow 00:04:17.858$ lift is it also could be done right in

NOTE Confidence: 0.909190597142857

 $00:04:17.858 \longrightarrow 00:04:19.570$ the office with a local anesthetic,

NOTE Confidence: 0.909190597142857

 $00{:}04{:}19.570 \dashrightarrow 00{:}04{:}22.252$ and there is a relatively quick

 $00:04:22.252 \longrightarrow 00:04:24.040$ recovery and significant improvement

NOTE Confidence: 0.909190597142857

00:04:24.105 --> 00:04:25.419 in urinary symptoms,

NOTE Confidence: 0.904263677142857

 $00:04:25.590 \longrightarrow 00:04:28.845$ but it doesn't fix the enlarged prostate.

NOTE Confidence: 0.904263677142857

 $00:04:28.850 \longrightarrow 00:04:31.100$ Is the prostate still enlarged

NOTE Confidence: 0.834337734

 $00:04:31.430 \longrightarrow 00:04:32.665$ so when you do that, you roll it?

NOTE Confidence: 0.834337734

00:04:32.665 --> 00:04:33.840 You're not removing any tissue.

NOTE Confidence: 0.834337734

00:04:33.840 --> 00:04:35.000 You're not burning any tissue.

NOTE Confidence: 0.834337734

 $00:04:35.000 \longrightarrow 00:04:36.216$ Nothing is being removed.

NOTE Confidence: 0.834337734

 $00{:}04{:}36.216 \dashrightarrow 00{:}04{:}37.736$ You're simply taking that issue

NOTE Confidence: 0.834337734

 $00{:}04{:}37.736 \dashrightarrow 00{:}04{:}39.197$ that's obstructing and by putting

NOTE Confidence: 0.834337734

 $00:04:39.197 \longrightarrow 00:04:40.853$ these implants and you move the

NOTE Confidence: 0.834337734

 $00:04:40.900 \longrightarrow 00:04:42.280$ tissue into unobstructed way.

NOTE Confidence: 0.834337734

 $00:04:42.280 \longrightarrow 00:04:43.774$ I mean, you could think of something like a,

NOTE Confidence: 0.834337734

 $00:04:43.780 \longrightarrow 00:04:44.770$ you know, like a hose.

NOTE Confidence: 0.834337734

00:04:44.770 --> 00:04:46.276 If you if you basically have

 $00:04:46.276 \longrightarrow 00:04:47.580$ your thumb partly over host,

NOTE Confidence: 0.834337734

 $00:04:47.580 \longrightarrow 00:04:50.284$ it really changes the flow of the liquid,

NOTE Confidence: 0.834337734

00:04:50.290 --> 00:04:51.198 right? I'm removing moving

NOTE Confidence: 0.834337734

 $00:04:51.198 \longrightarrow 00:04:52.560$ your thumb out of the way.

NOTE Confidence: 0.834337734

 $00:04:52.560 \longrightarrow 00:04:53.880$ The flow is going to change a lot,

NOTE Confidence: 0.834337734

 $00:04:53.880 \longrightarrow 00:04:55.385$ and so with the Europe is similar.

NOTE Confidence: 0.834337734

00:04:55.390 --> 00:04:56.596 If you basically move that tissue

NOTE Confidence: 0.834337734

 $00:04:56.596 \longrightarrow 00:04:58.129$ out of the way and you don't

NOTE Confidence: 0.834337734

00:04:58.129 --> 00:04:59.259 necessarily move is very far.

NOTE Confidence: 0.834337734

 $00:04:59.260 \longrightarrow 00:05:01.132$ The air flow is going to be much better,

NOTE Confidence: 0.834337734

 $00:05:01.140 \longrightarrow 00:05:02.472$ and when that happens,

NOTE Confidence: 0.834337734

 $00:05:02.472 \longrightarrow 00:05:04.137$ then typically the other symptoms.

NOTE Confidence: 0.834337734

 $00:05:04.140 \longrightarrow 00:05:05.160$ Starts to get better too,

NOTE Confidence: 0.834337734

 $00:05:05.160 \longrightarrow 00:05:07.008$ such as the frequency of urinating

NOTE Confidence: 0.834337734

00:05:07.008 --> 00:05:09.271 urgency to urinate so that one of the

NOTE Confidence: 0.834337734

00:05:09.271 --> 00:05:11.333 appeals of the euro lift for many men

 $00:05:11.333 \longrightarrow 00:05:13.258$ as well is there are no documented

NOTE Confidence: 0.834337734

 $00:05:13.258 \longrightarrow 00:05:14.975$ sexual side effects because many of

NOTE Confidence: 0.834337734

 $00{:}05{:}14.975 \longrightarrow 00{:}05{:}16.998$ the other surgeries that we do or

NOTE Confidence: 0.834337734

 $00:05:16.998 \longrightarrow 00:05:18.860$ some of the medications that we give

NOTE Confidence: 0.834337734

 $00:05:18.860 \longrightarrow 00:05:20.478$ sometimes interfere with the ability

NOTE Confidence: 0.834337734

 $00:05:20.478 \longrightarrow 00:05:22.093$ to ejaculate or could sometimes

NOTE Confidence: 0.834337734

 $00:05:22.093 \longrightarrow 00:05:23.564$ even cause problems with erections.

NOTE Confidence: 0.834337734

 $00:05:23.564 \longrightarrow 00:05:25.687$ So the euro it has really no

NOTE Confidence: 0.834337734

 $00:05:25.687 \longrightarrow 00:05:27.079$ documented sexual side effects,

NOTE Confidence: 0.834337734

 $00{:}05{:}27.080 \dashrightarrow 00{:}05{:}28.568$ so that is very appealing to many men.

NOTE Confidence: 0.89257844

00:05:28.760 --> 00:05:31.315 Does it return a guide to normal?

NOTE Confidence: 0.89257844

 $00:05:31.320 \longrightarrow 00:05:34.307$ Not maybe to his 20s? But does it?

NOTE Confidence: 0.89257844

 $00:05:34.307 \longrightarrow 00:05:37.060$ Return him to a normal urinary flow, then

NOTE Confidence: 0.813213937692308

 $00{:}05{:}37.280 \dashrightarrow 00{:}05{:}39.968$ at times there is a very very remarkable

NOTE Confidence: 0.813213937692308

 $00:05:39.968 \longrightarrow 00:05:41.529$ improvement with the euro lift.

00:05:41.530 --> 00:05:43.066 I mean, I think it is very important

NOTE Confidence: 0.813213937692308

 $00{:}05{:}43.066 \dashrightarrow 00{:}05{:}44.465$ that a managed properly selected

NOTE Confidence: 0.813213937692308

 $00{:}05{:}44.465 \dashrightarrow 00{:}05{:}46.228$ there are certain anatomy's that are

NOTE Confidence: 0.813213937692308

00:05:46.228 --> 00:05:47.824 very good for your lip procedure.

NOTE Confidence: 0.813213937692308

 $00:05:47.830 \longrightarrow 00:05:48.910$ I think there are other anatomy

NOTE Confidence: 0.813213937692308

 $00:05:48.910 \longrightarrow 00:05:50.040$ is where a person really is,

NOTE Confidence: 0.813213937692308

 $00:05:50.040 \longrightarrow 00:05:51.664$ not a good candidate for the airlift.

NOTE Confidence: 0.813213937692308

 $00:05:51.670 \longrightarrow 00:05:52.630$ And if they're not a good

NOTE Confidence: 0.813213937692308

 $00:05:52.630 \longrightarrow 00:05:53.270$ candidate for their lists,

NOTE Confidence: 0.813213937692308

 $00:05:53.270 \longrightarrow 00:05:54.782$ the fortunate thing is we actually have

NOTE Confidence: 0.813213937692308

 $00{:}05{:}54.782 \to 00{:}05{:}56.161$ many other procedures that could be done

NOTE Confidence: 0.813213937692308

00:05:56.161 --> 00:05:57.616 which could help them out by anatomy.

NOTE Confidence: 0.813213937692308

 $00:05:57.616 \longrightarrow 00:05:58.788$ What do you mean?

NOTE Confidence: 0.813213937692308

 $00:05:58.790 \longrightarrow 00:06:00.490$ I mean, the prostate anatomy,

NOTE Confidence: 0.813213937692308

 $00:06:00.490 \longrightarrow 00:06:02.080$ the size of the prostate,

NOTE Confidence: 0.813213937692308

 $00:06:02.080 \longrightarrow 00:06:04.222$ and the shape of the prostate has to be.

 $00:06:04.230 \longrightarrow 00:06:05.378$ Determined there are certain

NOTE Confidence: 0.813213937692308

 $00:06:05.378 \longrightarrow 00:06:06.526$ shapes of the prostate,

NOTE Confidence: 0.813213937692308

 $00{:}06{:}06{:}06{:}08{:}06{:}08{:}054$ just basically the where the tissue

NOTE Confidence: 0.813213937692308

00:06:08.054 --> 00:06:09.979 is located in how it's constricting,

NOTE Confidence: 0.813213937692308

 $00:06:09.980 \longrightarrow 00:06:11.240$ which could determine if the

NOTE Confidence: 0.813213937692308

 $00:06:11.240 \longrightarrow 00:06:12.870$ airlift is a good procedure or not.

NOTE Confidence: 0.813213937692308

00:06:12.870 --> 00:06:14.638 So I think it's really up to the

NOTE Confidence: 0.813213937692308

 $00{:}06{:}14.638 \dashrightarrow 00{:}06{:}15.860$ experience of the urologist to

NOTE Confidence: 0.813213937692308

 $00:06:15.860 \longrightarrow 00:06:17.547$ kind of distinguish who is a good

NOTE Confidence: 0.813213937692308

 $00:06:17.597 \longrightarrow 00:06:19.424$ candidate for euro lift and who isn't.

NOTE Confidence: 0.813213937692308

 $00{:}06{:}19.430 \dashrightarrow 00{:}06{:}20.828$ It's not a good procedure across

NOTE Confidence: 0.813213937692308

 $00:06:20.828 \longrightarrow 00:06:21.990$ the board for every man,

NOTE Confidence: 0.813213937692308

 $00{:}06{:}21.990 \dashrightarrow 00{:}06{:}23.462$ so I think every man has to be

NOTE Confidence: 0.813213937692308

00:06:23.462 --> 00:06:24.702 evaluated often times that we have

NOTE Confidence: 0.813213937692308

 $00:06:24.702 \longrightarrow 00:06:25.950$ to do what's called a cystoscopy,

 $00:06:25.950 \longrightarrow 00:06:27.470$ where we look directly inside

NOTE Confidence: 0.813213937692308

00:06:27.470 --> 00:06:28.990 the prostate at that issue.

NOTE Confidence: 0.813213937692308

00:06:28.990 --> 00:06:30.700 And then we could figure out if the person

NOTE Confidence: 0.813213937692308

 $00:06:30.700 \longrightarrow 00:06:32.415$ is a good candidate for the euro lift.

NOTE Confidence: 0.856959143333333

 $00:06:32.450 \longrightarrow 00:06:34.916$ Do you usually need to do a euro lift?

NOTE Confidence: 0.856959143333333

 $00:06:34.920 \longrightarrow 00:06:36.244$ Again, down the road,

NOTE Confidence: 0.856959143333333

 $00:06:36.244 \longrightarrow 00:06:38.890$ or is it once and done? Usually

NOTE Confidence: 0.76621115125

 $00:06:39.170 \longrightarrow 00:06:42.106$ the euro lift has very very good durability.

NOTE Confidence: 0.76621115125

 $00:06:42.110 \longrightarrow 00:06:43.580$ When it was approved by the FDA,

NOTE Confidence: 0.76621115125

 $00:06:43.580 \longrightarrow 00:06:44.400$ there was a trial club,

NOTE Confidence: 0.76621115125

 $00:06:44.400 \longrightarrow 00:06:46.544$ a lift trial which looked at five year

NOTE Confidence: 0.76621115125

 $00:06:46.544 \longrightarrow 00:06:48.479$ follow up in the retreatment rate.

NOTE Confidence: 0.76621115125

 $00{:}06{:}48.480 \dashrightarrow 00{:}06{:}50.096$ The surgical retreatment rate

NOTE Confidence: 0.76621115125

 $00:06:50.096 \longrightarrow 00:06:52.999$ for euro lift is about 13 to 14%.

NOTE Confidence: 0.76621115125

00:06:52.999 --> 00:06:55.684 So most men at five years are going to be

NOTE Confidence: 0.76621115125

 $00:06:55.684 \longrightarrow 00:06:58.036$ OK with that or after having the airlift.

 $00:06:58.040 \longrightarrow 00:06:59.517$ But there will be a certain percentage

NOTE Confidence: 0.76621115125

 $00{:}06{:}59.517 \dashrightarrow 00{:}07{:}01.353$ of men who may need to go on to

NOTE Confidence: 0.76621115125

 $00:07:01.353 \longrightarrow 00:07:02.870$ have either another euro lift or a

NOTE Confidence: 0.76621115125

 $00:07:02.870 \longrightarrow 00:07:04.025$ different procedure to help them.

NOTE Confidence: 0.83901769

 $00:07:04.330 \longrightarrow 00:07:06.696$ What is? Recovery like for euro lift.

NOTE Confidence: 0.805626091428571

 $00:07:06.820 \longrightarrow 00:07:09.022$ Most men after euro lift of

NOTE Confidence: 0.805626091428571

00:07:09.022 --> 00:07:10.490 experienced some irritative urinary

NOTE Confidence: 0.805626091428571

 $00{:}07{:}10.554 \dashrightarrow 00{:}07{:}12.444$ symptoms so they may have some

NOTE Confidence: 0.805626091428571

 $00{:}07{:}12.444 \dashrightarrow 00{:}07{:}14.230$ urgency or frequency to urinate.

NOTE Confidence: 0.805626091428571

00:07:14.230 --> 00:07:15.498 Some burning with urination,

NOTE Confidence: 0.805626091428571

00:07:15.498 --> 00:07:17.960 some blood in the urine and this usually

NOTE Confidence: 0.805626091428571

00:07:17.960 --> 00:07:20.402 goes on for a few days and then he thinks

NOTE Confidence: 0.805626091428571

 $00:07:20.402 \dashrightarrow 00:07:22.488$ they kind of get better over a few weeks.

NOTE Confidence: 0.805626091428571

 $00:07:22.490 \longrightarrow 00:07:24.296$ Or maybe maybe mild symptoms and

NOTE Confidence: 0.805626091428571

 $00:07:24.296 \longrightarrow 00:07:26.389$ over the course of several weeks.

 $00:07:26.390 \longrightarrow 00:07:27.620$ Then you start to see the

NOTE Confidence: 0.805626091428571

 $00{:}07{:}27.620 \dashrightarrow 00{:}07{:}28.440$ improvement in the urination.

NOTE Confidence: 0.894370578333333

 $00:07:28.600 \longrightarrow 00:07:30.605$ There are other procedures though

NOTE Confidence: 0.894370578333333

 $00:07:30.605 \longrightarrow 00:07:33.638$ that address BPH and you want to talk

NOTE Confidence: 0.894370578333333

00:07:33.638 --> 00:07:35.990 about one of them today. That you do

NOTE Confidence: 0.849246970769231

00:07:36.280 --> 00:07:38.093 right? So I'd like to talk about

NOTE Confidence: 0.849246970769231

 $00:07:38.093 \longrightarrow 00:07:39.638$ a procedure called the whole LIP,

NOTE Confidence: 0.849246970769231

 $00:07:39.640 \longrightarrow 00:07:41.950$ which is holmium laser enucleation

NOTE Confidence: 0.849246970769231

 $00:07:41.950 \longrightarrow 00:07:44.420$ or prostate, and this is a very

NOTE Confidence: 0.849246970769231

 $00:07:44.420 \longrightarrow 00:07:45.960$ unique procedure at Yale Medicine.

NOTE Confidence: 0.849246970769231

 $00:07:45.960 \longrightarrow 00:07:48.158$ We are the only group in Connecticut

NOTE Confidence: 0.849246970769231

 $00{:}07{:}48.158 \to 00{:}07{:}49.960$ that actually performs this procedure.

NOTE Confidence: 0.849246970769231

 $00:07:49.960 \longrightarrow 00:07:51.530$ Surgical technique which is minimally

NOTE Confidence: 0.849246970769231

00:07:51.530 --> 00:07:53.412 invasive where you go inside the

NOTE Confidence: 0.849246970769231

00:07:53.412 --> 00:07:54.954 prostate with a scope and you're

NOTE Confidence: 0.849246970769231

 $00:07:54.954 \longrightarrow 00:07:56.563$ able to basically peel out the

00:07:56.563 --> 00:07:58.135 inside of the prostate like you're

NOTE Confidence: 0.849246970769231

 $00:07:58.135 \longrightarrow 00:08:00.320$ peeling out the inside of an orange.

NOTE Confidence: 0.849246970769231

 $00:08:00.320 \longrightarrow 00:08:02.108$ And the nice thing about this

NOTE Confidence: 0.849246970769231

 $00:08:02.108 \longrightarrow 00:08:03.860$ procedure is it's really complete.

NOTE Confidence: 0.849246970769231

 $00:08:03.860 \longrightarrow 00:08:05.715$ Removal of the inside of the prostate.

NOTE Confidence: 0.849246970769231

00:08:05.720 --> 00:08:07.260 And there's very little bleeding,

NOTE Confidence: 0.849246970769231

 $00:08:07.260 \longrightarrow 00:08:08.604$ similar to if you're in the right.

NOTE Confidence: 0.849246970769231

00:08:08.610 --> 00:08:09.365 If you're peeling an orange

NOTE Confidence: 0.849246970769231

 $00:08:09.365 \longrightarrow 00:08:10.340$ in here in the right plane,

NOTE Confidence: 0.849246970769231

 $00:08:10.340 \longrightarrow 00:08:11.524$ there's very little juice.

NOTE Confidence: 0.849246970769231

00:08:11.524 --> 00:08:13.437 Well, just think of that juice as blood,

NOTE Confidence: 0.849246970769231

 $00:08:13.440 \longrightarrow 00:08:14.848$ so when you get into the right plane,

NOTE Confidence: 0.849246970769231

 $00{:}08{:}14.850 \dashrightarrow 00{:}08{:}16.621$ you could basically peel out the inside

NOTE Confidence: 0.849246970769231

 $00{:}08{:}16.621 \to 00{:}08{:}18.530$ of the prostate so it's really complete.

NOTE Confidence: 0.849246970769231

 $00:08:18.530 \longrightarrow 00:08:20.399$ Removal of the inside of the prostate,

 $00:08:20.400 \longrightarrow 00:08:21.600$ and then we use an instrument

NOTE Confidence: 0.849246970769231

00:08:21.600 --> 00:08:22.400 called the morsel later,

NOTE Confidence: 0.849246970769231

 $00:08:22.400 \longrightarrow 00:08:23.324$ which removes the tissue.

NOTE Confidence: 0.849246970769231

 $00:08:23.324 \longrightarrow 00:08:24.479$ So there's no in stations,

NOTE Confidence: 0.849246970769231

 $00:08:24.480 \longrightarrow 00:08:26.330$ and with this procedure you

NOTE Confidence: 0.849246970769231

00:08:26.330 --> 00:08:28.180 can treat any size prostate,

NOTE Confidence: 0.849246970769231

 $00:08:28.180 \longrightarrow 00:08:30.532$ so for very very large prostates

NOTE Confidence: 0.849246970769231

00:08:30.532 --> 00:08:32.359 manner have very few options.

NOTE Confidence: 0.849246970769231

 $00:08:32.360 \longrightarrow 00:08:33.660$ Be able to treat them,

NOTE Confidence: 0.849246970769231

 $00:08:33.660 \longrightarrow 00:08:35.220$ and they often have to consider

NOTE Confidence: 0.849246970769231

 $00:08:35.220 \longrightarrow 00:08:36.000$ an open surgical.

NOTE Confidence: 0.849246970769231 00:08:36.000 --> 00:08:36.352 Approach, NOTE Confidence: 0.849246970769231

00:08:36.352 --> 00:08:38.816 which is very morbid and it requires

NOTE Confidence: 0.849246970769231

 $00:08:38.816 \longrightarrow 00:08:40.538$ several days in the hospital.

NOTE Confidence: 0.849246970769231

 $00:08:40.540 \longrightarrow 00:08:42.196$ Potentially a lot of bleeding with

NOTE Confidence: 0.849246970769231

 $00:08:42.196 \longrightarrow 00:08:43.819$ the procedure called the whole app.

 $00:08:43.820 \longrightarrow 00:08:45.536$ We can do these surgeries without

NOTE Confidence: 0.849246970769231

 $00:08:45.536 \longrightarrow 00:08:46.108$ any incisions,

NOTE Confidence: 0.849246970769231

00:08:46.110 --> 00:08:47.818 and most of our patients go home

NOTE Confidence: 0.849246970769231

 $00:08:47.818 \longrightarrow 00:08:49.480$ the same day and actually is.

NOTE Confidence: 0.849246970769231

 $00{:}08{:}49.480 \dashrightarrow 00{:}08{:}51.146$ And also we have very little pain.

NOTE Confidence: 0.849246970769231

 $00:08:51.150 \longrightarrow 00:08:52.764$ Actually I don't even prescribe pain

NOTE Confidence: 0.849246970769231

 $00:08:52.764 \longrightarrow 00:08:53.840$ medication with this procedure,

NOTE Confidence: 0.849246970769231

 $00:08:53.840 \longrightarrow 00:08:54.875$ 'cause men really don't complain

NOTE Confidence: 0.849246970769231

00:08:54.875 --> 00:08:55.910 of pain with the procedure.

NOTE Confidence: 0.92984903

 $00:08:56.000 \longrightarrow 00:08:57.440$ Now the way you describe it,

NOTE Confidence: 0.92984903

 $00{:}08{:}57.440 \dashrightarrow 00{:}08{:}59.358$ I would think that it would rely

NOTE Confidence: 0.92984903

 $00:08:59.358 \longrightarrow 00:09:01.510$ really on the skill of the surgeon

NOTE Confidence: 0.92984903

 $00:09:01.510 \longrightarrow 00:09:03.406$ and the artistry of the surgeon.

NOTE Confidence: 0.90494097

 $00:09:03.530 \longrightarrow 00:09:04.822$ It's a difficult surgery

NOTE Confidence: 0.90494097

 $00:09:04.822 \longrightarrow 00:09:06.437$ to learn if there is.

00:09:06.440 --> 00:09:07.476 Certainly a learning curve,

NOTE Confidence: 0.90494097

 $00{:}09{:}07.476 \dashrightarrow 00{:}09{:}09{:}09.602$ and I think you need to be a

NOTE Confidence: 0.90494097

00:09:09.602 --> 00:09:10.638 dedicated surgeon who really

NOTE Confidence: 0.90494097

00:09:10.638 --> 00:09:12.489 wants to focus on this procedure.

NOTE Confidence: 0.90494097

 $00:09:12.490 \longrightarrow 00:09:14.638$ This is not a procedure that's

NOTE Confidence: 0.90494097

00:09:14.638 --> 00:09:16.850 done casually by any urologist,

NOTE Confidence: 0.90494097

 $00:09:16.850 \longrightarrow 00:09:18.299$ so for someone who's doing a whole,

NOTE Confidence: 0.90494097

 $00:09:18.300 \longrightarrow 00:09:20.076$ if you really kind of have to be

NOTE Confidence: 0.90494097

 $00{:}09{:}20.076 \dashrightarrow 00{:}09{:}21.442$ dedicated to the art of doing

NOTE Confidence: 0.90494097

 $00:09:21.442 \longrightarrow 00:09:22.744$ this procedure so we have a

NOTE Confidence: 0.90494097

 $00{:}09{:}22.798 \dashrightarrow 00{:}09{:}24.378$ very successful program at Yale,

NOTE Confidence: 0.90494097

 $00:09:24.380 \longrightarrow 00:09:26.358$ we've been doing them since 2019 and

NOTE Confidence: 0.90494097

 $00:09:26.358 \longrightarrow 00:09:27.972$ actually we have patients were coming

NOTE Confidence: 0.90494097

 $00:09:27.972 \longrightarrow 00:09:29.940$ from all over Connecticut and even

NOTE Confidence: 0.90494097

00:09:29.940 --> 00:09:31.655 outside states such as Massachusetts,

NOTE Confidence: 0.90494097

00:09:31.660 --> 00:09:32.792 Rhode Island, New York,

 $00{:}09{:}32.792 \dashrightarrow 00{:}09{:}34.490$ because they hear about this procedure

NOTE Confidence: 0.90494097

 $00{:}09{:}34.536 \dashrightarrow 00{:}09{:}36.176$ and and once they find out about it,

NOTE Confidence: 0.90494097

 $00:09:36.180 \longrightarrow 00:09:37.086$ they have a lot of interest.

NOTE Confidence: 0.788975605

 $00:09:37.400 \longrightarrow 00:09:39.746$ What is the benefit of the

NOTE Confidence: 0.788975605

 $00:09:39.746 \longrightarrow 00:09:42.200$ whole up over the euro lift

NOTE Confidence: 0.799351276

 $00:09:42.330 \longrightarrow 00:09:44.426$ so the euro lift is really good for

NOTE Confidence: 0.799351276

00:09:44.426 --> 00:09:45.842 patients who have prostates are

NOTE Confidence: 0.799351276

 $00:09:45.842 \longrightarrow 00:09:48.178$ kind of on the smaller side that the

NOTE Confidence: 0.799351276

 $00{:}09{:}48.178 \dashrightarrow 00{:}09{:}50.146$ original approval of the airlift was

NOTE Confidence: 0.799351276

 $00:09:50.146 \longrightarrow 00:09:52.274$ for properties from 30 to 80 grams.

NOTE Confidence: 0.799351276

00:09:52.274 --> 00:09:54.657 And now it's just been extended from 30

NOTE Confidence: 0.799351276

 $00:09:54.657 \longrightarrow 00:09:57.049$ to 100 grams with the whole of procedure.

NOTE Confidence: 0.799351276

 $00{:}09{:}57.050 \dashrightarrow 00{:}09{:}58.737$ You can do any size prostate you

NOTE Confidence: 0.799351276

00:09:58.737 --> 00:09:59.870 can do prostate better,

NOTE Confidence: 0.799351276

 $00:09:59.870 \longrightarrow 00:10:01.628$ even several 100 grams and the

00:10:01.628 --> 00:10:03.762 whole app is really good for any

NOTE Confidence: 0.799351276

 $00{:}10{:}03.762 \dashrightarrow 00{:}10{:}05.556$ prostate versus the euro lift is

NOTE Confidence: 0.799351276

 $00:10:05.556 \longrightarrow 00:10:07.676$ going to be good on select prostate.

NOTE Confidence: 0.799351276

 $00:10:07.680 \longrightarrow 00:10:08.828$ Based on the anatomy

NOTE Confidence: 0.859880485

 $00:10:09.020 \longrightarrow 00:10:11.564$ and what is the recovery like for Jolla

NOTE Confidence: 0.861633701538461

 $00:10:11.860 \longrightarrow 00:10:13.540$ so most patients will go home

NOTE Confidence: 0.861633701538461

 $00:10:13.540 \longrightarrow 00:10:15.538$ the same day after the whole app.

NOTE Confidence: 0.861633701538461

 $00:10:15.540 \longrightarrow 00:10:16.740$ They live far away.

NOTE Confidence: 0.861633701538461

 $00:10:16.740 \longrightarrow 00:10:18.540$ Sometimes will keep them overnight and

NOTE Confidence: 0.861633701538461

00:10:18.597 --> 00:10:20.550 usually we keep a catheter in for a day

NOTE Confidence: 0.861633701538461

 $00{:}10{:}20.550 \dashrightarrow 00{:}10{:}22.820$ or two after the catheter comes out,

NOTE Confidence: 0.861633701538461

00:10:22.820 --> 00:10:24.732 so they should not do any heavy lifting

NOTE Confidence: 0.861633701538461

 $00:10:24.732 \longrightarrow 00:10:26.181$ or straining this activity for about

NOTE Confidence: 0.861633701538461

00:10:26.181 --> 00:10:28.069 two or three weeks so they can drive.

NOTE Confidence: 0.861633701538461

00:10:28.070 --> 00:10:29.738 They can walk, they can shower,

NOTE Confidence: 0.861633701538461

 $00:10:29.740 \longrightarrow 00:10:31.652$ and after two or three weeks they could

 $00:10:31.652 \longrightarrow 00:10:33.427$ start to do normal activity again.

NOTE Confidence: 0.885265337

 $00{:}10{:}33.580 \dashrightarrow 00{:}10{:}36.400$ I noticed that there are ads

NOTE Confidence: 0.885265337

 $00:10:36.400 \longrightarrow 00:10:38.280$ online and on television.

NOTE Confidence: 0.885265337

 $00:10:38.280 \longrightarrow 00:10:40.552$ And on radio for some of these procedures

NOTE Confidence: 0.885265337

 $00:10:40.552 \longrightarrow 00:10:42.606$ that you never used to see before,

NOTE Confidence: 0.885265337

 $00:10:42.610 \longrightarrow 00:10:44.050$ I guess it was taboo.

NOTE Confidence: 0.885265337

00:10:44.050 --> 00:10:47.900 Is the taboo around this topic lifting?

NOTE Confidence: 0.885265337

00:10:47.900 --> 00:10:48.689 Do you think?

NOTE Confidence: 0.885265337

00:10:48.689 --> 00:10:50.874 Or why are we talking about it more

NOTE Confidence: 0.885265337

 $00:10:50.874 \longrightarrow 00:10:53.106$ and seeing more of this in your view?

NOTE Confidence: 0.892631107619048

 $00:10:53.260 \longrightarrow 00:10:55.066$ Well, I think that the reason we're

NOTE Confidence: 0.892631107619048

 $00{:}10{:}55.066 \dashrightarrow 00{:}10{:}57.282$ seeing a lot more of this on TV and

NOTE Confidence: 0.892631107619048

 $00{:}10{:}57.282 \dashrightarrow 00{:}10{:}58.800$ other places this is marketing.

NOTE Confidence: 0.892631107619048

 $00{:}10{:}58.800 \dashrightarrow 00{:}11{:}00.704$ There is a business aspect terms of

NOTE Confidence: 0.892631107619048

 $00:11:00.704 \longrightarrow 00:11:02.597$ you know products that are being used.

 $00:11:02.600 \longrightarrow 00:11:05.274$ But it also comes with good intention.

NOTE Confidence: 0.892631107619048

 $00{:}11{:}05.280 \dashrightarrow 00{:}11{:}08.390$ I mean there is a huge huge need for men.

NOTE Confidence: 0.892631107619048

00:11:08.390 --> 00:11:09.530 We're having difficulty

NOTE Confidence: 0.892631107619048

00:11:09.530 --> 00:11:11.050 urinating who need care,

NOTE Confidence: 0.892631107619048

 $00:11:11.050 \longrightarrow 00:11:13.140$ and so I think it is good that men are

NOTE Confidence: 0.892631107619048

 $00:11:13.198 \longrightarrow 00:11:15.286$ being made aware of different options.

NOTE Confidence: 0.892631107619048

 $00:11:15.290 \longrightarrow 00:11:17.546$ Making this conversation come to life.

NOTE Confidence: 0.892631107619048

 $00:11:17.550 \longrightarrow 00:11:18.526$ Universe is something that

NOTE Confidence: 0.892631107619048

 $00:11:18.526 \longrightarrow 00:11:19.746$ you just don't talk about.

NOTE Confidence: 0.892631107619048

00:11:19.750 --> 00:11:21.472 I mean, I think some men they

NOTE Confidence: 0.892631107619048

 $00{:}11{:}21.472 \dashrightarrow 00{:}11{:}23.235$ just accept that part of aging

NOTE Confidence: 0.892631107619048

00:11:23.235 --> 00:11:24.519 is having difficulty urinating

NOTE Confidence: 0.892631107619048

00:11:24.519 --> 00:11:26.349 getting up many times at night.

NOTE Confidence: 0.892631107619048

00:11:26.350 --> 00:11:26.730 You know,

NOTE Confidence: 0.892631107619048

 $00:11:26.730 \longrightarrow 00:11:28.250$ not being able to sit through a movie

NOTE Confidence: 0.892631107619048

 $00:11:28.292 \longrightarrow 00:11:29.849$ without having to get up a few times and

00:11:29.849 --> 00:11:31.728 it really doesn't have to be that way there.

NOTE Confidence: 0.892631107619048

 $00:11:31.730 \longrightarrow 00:11:32.930$ There are treatments that are available

NOTE Confidence: 0.892631107619048

00:11:32.930 --> 00:11:34.618 and it's just a matter of kind of

NOTE Confidence: 0.892631107619048

00:11:34.618 --> 00:11:35.673 looking for those treatments and

NOTE Confidence: 0.892631107619048

 $00{:}11{:}35.673 \dashrightarrow 00{:}11{:}36.838$ finding out what's right for you.

NOTE Confidence: 0.921313275

 $00:11:37.020 \longrightarrow 00:11:38.706$ Must be a lot of satisfaction.

NOTE Confidence: 0.921313275

00:11:38.710 --> 00:11:39.558 Doing what you do,

NOTE Confidence: 0.861330732

00:11:39.720 --> 00:11:40.635 it's very satisfying,

NOTE Confidence: 0.861330732

 $00:11:40.635 \longrightarrow 00:11:42.770$ so my focus is really meant self.

NOTE Confidence: 0.861330732

 $00{:}11{:}42.770 \dashrightarrow 00{:}11{:}45.530$ But really my my passion is treating BPH.

NOTE Confidence: 0.861330732

00:11:45.530 --> 00:11:46.868 It's very very black and white.

NOTE Confidence: 0.861330732

 $00{:}11{:}46.870 \dashrightarrow 00{:}11{:}48.368$ I mean when you have someone who

NOTE Confidence: 0.861330732

 $00{:}11{:}48.368 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}11{:}49.633$ can't urinate and they may have

NOTE Confidence: 0.861330732

 $00:11:49.633 \longrightarrow 00:11:50.977$ a catheter end and then you can

NOTE Confidence: 0.861330732

 $00:11:51.029 \longrightarrow 00:11:52.499$ do a procedure and then then the

00:11:52.499 --> 00:11:53.841 next day they're able to urinate

NOTE Confidence: 0.861330732

 $00{:}11{:}53.841 \dashrightarrow 00{:}11{:}55.263$ like they're ten years old again.

NOTE Confidence: 0.861330732

00:11:55.270 --> 00:11:56.802 I mean, it's a very, very satisfying,

NOTE Confidence: 0.861330732

 $00:11:56.802 \longrightarrow 00:11:59.574$ so there's no school of delay gratification.

NOTE Confidence: 0.861330732

 $00:11:59.580 \longrightarrow 00:12:01.458$ I mean, you get some gratification

NOTE Confidence: 0.861330732

00:12:01.458 --> 00:12:03.330 very quickly when you treat BPH,

NOTE Confidence: 0.861330732

 $00:12:03.330 \longrightarrow 00:12:05.070$ able to help someone urinate.

NOTE Confidence: 0.861330732

00:12:05.070 --> 00:12:06.660 And I think I think I make a lot of

NOTE Confidence: 0.861330732

 $00{:}12{:}06.706 {\:\dashrightarrow\:} 00{:}12{:}08.566$ lifelong friends by doing this procedure,

NOTE Confidence: 0.861330732

 $00:12:08.570 \longrightarrow 00:12:09.119$ so it it's.

NOTE Confidence: 0.861330732

 $00{:}12{:}09.119 \dashrightarrow 00{:}12{:}10.700$ One of the things that I really enjoy,

NOTE Confidence: 0.8234992484

 $00:12:10.860 \longrightarrow 00:12:12.924$ well, I can tell your passion

NOTE Confidence: 0.8234992484

 $00:12:12.924 \longrightarrow 00:12:14.623$ really comes through anything else

NOTE Confidence: 0.8234992484

 $00:12:14.623 \longrightarrow 00:12:16.422$ that you want to add on either

NOTE Confidence: 0.8234992484

 $00:12:16.422 \longrightarrow 00:12:18.480$ the euro lift or the whole lip. I

NOTE Confidence: 0.95572736125

 $00:12:18.490 \longrightarrow 00:12:19.862$ think there are many

00:12:19.862 --> 00:12:21.234 different options for men.

NOTE Confidence: 0.95572736125

 $00:12:21.240 \longrightarrow 00:12:22.580$ I think it's important that

NOTE Confidence: 0.95572736125

 $00:12:22.580 \longrightarrow 00:12:23.920$ basically they make an appointment.

NOTE Confidence: 0.95572736125

 $00:12:23.920 \longrightarrow 00:12:25.285$ You have to see the urologist to

NOTE Confidence: 0.95572736125

 $00:12:25.285 \longrightarrow 00:12:27.033$ be able to go over the different

NOTE Confidence: 0.95572736125

 $00:12:27.033 \longrightarrow 00:12:28.145$ options that are available.

NOTE Confidence: 0.95572736125

00:12:28.150 --> 00:12:30.766 I think men are pretty savvy these days.

NOTE Confidence: 0.95572736125

 $00:12:30.770 \longrightarrow 00:12:31.890$ What they could learn on the Internet?

NOTE Confidence: 0.95572736125

 $00:12:31.890 \longrightarrow 00:12:33.815$ Many of them come in with some

NOTE Confidence: 0.95572736125

 $00:12:33.815 \longrightarrow 00:12:35.241$ knowledge of what's available and

NOTE Confidence: 0.95572736125

 $00:12:35.241 \longrightarrow 00:12:37.401$ then when they come in I could kind

NOTE Confidence: 0.95572736125

 $00:12:37.456 \longrightarrow 00:12:39.220$ of tailor the right approach to.

NOTE Confidence: 0.95572736125

 $00{:}12{:}39.220 \dashrightarrow 00{:}12{:}40.914$ The person based on what really what

NOTE Confidence: 0.95572736125

 $00:12:40.914 \longrightarrow 00:12:42.453$ their desire is, is their number.

NOTE Confidence: 0.95572736125

00:12:42.453 --> 00:12:44.079 One desire to preserve sexual function,

 $00:12:44.080 \longrightarrow 00:12:45.448$ but they want to urinate better

NOTE Confidence: 0.95572736125

 $00:12:45.448 \longrightarrow 00:12:47.136$ or is their desire to have one

NOTE Confidence: 0.95572736125

00:12:47.136 --> 00:12:48.346 procedure where they're going to

NOTE Confidence: 0.95572736125

 $00:12:48.346 \longrightarrow 00:12:49.788$ have the best urinating or will

NOTE Confidence: 0.95572736125

 $00:12:49.788 \longrightarrow 00:12:51.476$ ever be able to achieve and never

NOTE Confidence: 0.95572736125

 $00{:}12{:}51.476 \dashrightarrow 00{:}12{:}52.740$ need another surgery again.

NOTE Confidence: 0.95572736125

 $00:12:52.740 \longrightarrow 00:12:54.356$ So we can kind of tell her what

NOTE Confidence: 0.95572736125

 $00:12:54.356 \longrightarrow 00:12:55.917$ the the treatment is to the

NOTE Confidence: 0.95572736125

 $00{:}12{:}55.917 \dashrightarrow 00{:}12{:}57.567$ patient and what their desire is.

NOTE Confidence: 0.933485490555556

00:12:58.080 --> 00:12:59.598 Well you've given us a lot

NOTE Confidence: 0.933485490555556

 $00{:}12{:}59.598 \dashrightarrow 00{:}13{:}01.174$ of information and I want to

NOTE Confidence: 0.933485490555556

 $00:13:01.174 \longrightarrow 00:13:02.704$ thank you for taking the time.

NOTE Confidence: 0.732007656666667

 $00:13:02.920 \longrightarrow 00:13:03.589$ No thank you.

NOTE Confidence: 0.800202415

 $00:13:05.520 \longrightarrow 00:13:07.605$ You strive to innovate to

NOTE Confidence: 0.800202415

00:13:07.605 --> 00:13:08.856 propel payments forward,

NOTE Confidence: 0.800202415

 $00:13:08.860 \longrightarrow 00:13:11.396$ but what if you could do even more

00:13:11.396 --> 00:13:13.694 access more people and add more

NOTE Confidence: 0.800202415

 $00{:}13{:}13.694 \dashrightarrow 00{:}13{:}15.689$ value with Discover global network

NOTE Confidence: 0.800202415

00:13:15.689 --> 00:13:18.414 you can accepted in more than 200

NOTE Confidence: 0.800202415

00:13:18.414 --> 00:13:20.352 countries with over 270 million

NOTE Confidence: 0.800202415

 $00{:}13{:}20.352 \dashrightarrow 00{:}13{:}21.976$ card holders around the globe,

NOTE Confidence: 0.800202415

 $00:13:21.980 \longrightarrow 00:13:24.460$ we help you grow further faster as the

NOTE Confidence: 0.800202415

 $00:13:24.460 \longrightarrow 00:13:26.580$ world's fastest growing payments network.

NOTE Confidence: 0.800202415

 $00{:}13{:}26.580 {\:{\mbox{--}}\!>}\ 00{:}13{:}28.190$ See just how much progress

NOTE Confidence: 0.800202415

 $00:13:28.190 \longrightarrow 00:13:29.478$ we can make together.

NOTE Confidence: 0.800202415

00:13:29.480 --> 00:13:33.000 Discover Global network accelerate progress.