WEBVTT

NOTE duration:"00:54:02" NOTE recognizability:0.898

NOTE language:en-us

NOTE Confidence: 0.752008569166667

 $00:00:12.880 \longrightarrow 00:00:13.930$ Alright, good afternoon.

NOTE Confidence: 0.752008569166667

 $00{:}00{:}13.930 \dashrightarrow 00{:}00{:}16.550$ I'm Melissa Conner, welcome.

NOTE Confidence: 0.752008569166667

 $00:00:16.550 \longrightarrow 00:00:18.495$ To state Sumita Sleep Seminar

NOTE Confidence: 0.752008569166667

 $00:00:18.495 \longrightarrow 00:00:20.857$ took myself back a year there

NOTE Confidence: 0.752008569166667

 $00:00:20.857 \longrightarrow 00:00:22.532$ a couple of years anyway,

NOTE Confidence: 0.752008569166667

 $00{:}00{:}22.532 \dashrightarrow 00{:}00{:}24.464$ it's really my pleasure today to

NOTE Confidence: 0.752008569166667

 $00:00:24.464 \longrightarrow 00:00:26.871$ be here to introduce Doctor Teresa

NOTE Confidence: 0.752008569166667

 $00{:}00{:}26.871 \longrightarrow 00{:}00{:}29.220$ Foley before you jump into that.

NOTE Confidence: 0.752008569166667

 $00:00:29.220 \longrightarrow 00:00:31.628$ Just to let you know that the CME

NOTE Confidence: 0.752008569166667

 $00{:}00{:}31.628 \dashrightarrow 00{:}00{:}33.675$ information is here on the slide and

NOTE Confidence: 0.752008569166667

 $00{:}00{:}33.675 \dashrightarrow 00{:}00{:}35.873$ will also be posted in the chat if

NOTE Confidence: 0.752008569166667

 $00:00:35.873 \longrightarrow 00:00:39.910$ you need it in a few minutes and.

NOTE Confidence: 0.752008569166667

 $00:00:39.910 \longrightarrow 00:00:41.614$ That the this meeting is being

 $00:00:41.614 \longrightarrow 00:00:43.175$ recorded and will be posted

NOTE Confidence: 0.752008569166667

 $00{:}00{:}43.175 \dashrightarrow 00{:}00{:}44.985$ internally on the Yale websites.

NOTE Confidence: 0.752008569166667

 $00:00:44.990 \longrightarrow 00:00:46.971$ For those who have access to that

NOTE Confidence: 0.752008569166667

 $00:00:46.971 \longrightarrow 00:00:48.718$ and then as you're listening

NOTE Confidence: 0.752008569166667

00:00:48.718 --> 00:00:50.788 to the presentation to Kylie,

NOTE Confidence: 0.752008569166667

 $00:00:50.790 \longrightarrow 00:00:53.415$ meet yourself to prevent any sound feedback.

NOTE Confidence: 0.752008569166667

00:00:53.420 --> 00:00:55.365 And then we'll unmute ETC

NOTE Confidence: 0.752008569166667

 $00:00:55.365 \longrightarrow 00:00:57.310$ for questions at the end.

NOTE Confidence: 0.752008569166667

00:00:57.310 --> 00:00:58.566 If you have questions as we're going on,

NOTE Confidence: 0.752008569166667

 $00:00:58.570 \longrightarrow 00:01:00.383$ I'll be keeping track of those and

NOTE Confidence: 0.752008569166667

 $00{:}01{:}00.383 \dashrightarrow 00{:}01{:}02.124$ looking at the chat and also at

NOTE Confidence: 0.752008569166667

 $00:01:02.124 \longrightarrow 00:01:03.817$ the end you can either put them

NOTE Confidence: 0.752008569166667

00:01:03.817 --> 00:01:05.449 in the chat or unmute yourself.

NOTE Confidence: 0.752008569166667

 $00:01:05.450 \longrightarrow 00:01:07.922$ So without further ado I will

NOTE Confidence: 0.752008569166667

00:01:07.922 --> 00:01:09.570 introduce Doctor Teresa Foley.

NOTE Confidence: 0.752008569166667

 $00:01:09.570 \longrightarrow 00:01:11.380$ She is one of our.

 $00:01:11.380 \longrightarrow 00:01:13.048$ Marvelous Sleep Fellows tier at Yale.

NOTE Confidence: 0.752008569166667

 $00:01:13.050 \longrightarrow 00:01:15.297$ This year she went to college at

NOTE Confidence: 0.752008569166667

00:01:15.297 --> 00:01:17.479 Boston College of Arts and Sciences,

NOTE Confidence: 0.752008569166667

 $00:01:17.480 \longrightarrow 00:01:18.390$ as well as Bryn Mar,

NOTE Confidence: 0.752008569166667

00:01:18.390 --> 00:01:21.280 where she graduated Magna *** laude.

NOTE Confidence: 0.752008569166667

 $00:01:21.280 \longrightarrow 00:01:24.122$ She went to medical school at Johns

NOTE Confidence: 0.752008569166667

 $00:01:24.122 \longrightarrow 00:01:26.460$ Hopkins University and then did a

NOTE Confidence: 0.752008569166667

 $00{:}01{:}26.460 \to 00{:}01{:}29.515$ residency also at Johns Hopkins in

NOTE Confidence: 0.752008569166667

 $00{:}01{:}29.515 \dashrightarrow 00{:}01{:}31.800$ psychiatry and I am delighted today

NOTE Confidence: 0.752008569166667

 $00:01:31.800 \longrightarrow 00:01:34.636$ that she's bringing to us her her

NOTE Confidence: 0.752008569166667

00:01:34.636 --> 00:01:36.672 expertise in psychiatric disease

NOTE Confidence: 0.752008569166667

 $00:01:36.672 \longrightarrow 00:01:38.708$ and specifically mood disorders.

NOTE Confidence: 0.752008569166667

00:01:38.710 --> 00:01:40.498 A huge element of our practice

NOTE Confidence: 0.752008569166667

 $00:01:40.498 \longrightarrow 00:01:41.392$ in Sleep Medicine.

NOTE Confidence: 0.752008569166667

 $00:01:41.400 \longrightarrow 00:01:43.416$ In a blind sign for a blind side

 $00:01:43.416 \longrightarrow 00:01:46.183$ for a lot of us who are trained

NOTE Confidence: 0.752008569166667

 $00{:}01{:}46.183 \dashrightarrow 00{:}01{:}47.643$ from a pulmonary perspective.

NOTE Confidence: 0.752008569166667

 $00:01:47.650 \longrightarrow 00:01:49.722$ So thank you very much and I'm

NOTE Confidence: 0.752008569166667

 $00:01:49.722 \longrightarrow 00:01:51.279$ looking forward to this talk.

NOTE Confidence: 0.75200856916666700:01:51.280 --> 00:01:51.790 Great,

NOTE Confidence: 0.912767854545455

 $00:01:51.900 \longrightarrow 00:01:54.340$ great and can you hear me OK and

NOTE Confidence: 0.912767854545455

 $00:01:54.340 \longrightarrow 00:01:57.240$ see this slide alright perfect

NOTE Confidence: 0.912767854545455

 $00:01:57.240 \longrightarrow 00:01:59.575$ alright so thank you Doctor Cowart

NOTE Confidence: 0.912767854545455

 $00:01:59.575 \longrightarrow 00:02:02:02.240$ and I have nothing to disclose.

NOTE Confidence: 0.912767854545455

00:02:02.240 --> 00:02:04.445 Alright so I'll be talking about mood

NOTE Confidence: 0.912767854545455

 $00:02:04.445 \longrightarrow 00:02:06.667$ disorders and sleep which is a huge topic.

NOTE Confidence: 0.912767854545455

00:02:06.670 --> 00:02:08.410 It's like you know breathing disorders

NOTE Confidence: 0.912767854545455

 $00:02:08.410 \longrightarrow 00:02:10.660$ and sleep you know we're not going to be

NOTE Confidence: 0.912767854545455

 $00:02:10.660 \longrightarrow 00:02:13.224$ able to hit all the highlights here and so

NOTE Confidence: 0.912767854545455

 $00:02:13.224 \longrightarrow 00:02:16.040$ I had to be selective in choosing topics.

NOTE Confidence: 0.912767854545455

 $00:02:16.040 \longrightarrow 00:02:19.976$ And my main goal work goals were to,

00:02:19.980 --> 00:02:21.378 you know, get you more interested

NOTE Confidence: 0.912767854545455

 $00:02:21.378 \longrightarrow 00:02:22.780$ in this field if possible.

NOTE Confidence: 0.912767854545455

 $00:02:22.780 \longrightarrow 00:02:25.108$ And also I'm really trying to focus on

NOTE Confidence: 0.912767854545455

00:02:25.108 --> 00:02:27.359 what might be useful for patient care,

NOTE Confidence: 0.912767854545455

 $00:02:27.360 \longrightarrow 00:02:29.154$ so I'll first start with the

NOTE Confidence: 0.912767854545455

00:02:29.154 --> 00:02:31.000 basic overview of mood disorders,

NOTE Confidence: 0.912767854545455

 $00:02:31.000 \longrightarrow 00:02:32.561$ and then I'll be spending the bulk

NOTE Confidence: 0.912767854545455

 $00{:}02{:}32.561 \dashrightarrow 00{:}02{:}34.148$ of the time talking about sleep

NOTE Confidence: 0.912767854545455

 $00:02:34.148 \longrightarrow 00:02:35.870$ and mood disorders and then finally

NOTE Confidence: 0.912767854545455

 $00{:}02{:}35.870 \longrightarrow 00{:}02{:}37.872$ end with what I hope will be some

NOTE Confidence: 0.912767854545455

 $00:02:37.872 \longrightarrow 00:02:41.100$ practical tools for patient care.

NOTE Confidence: 0.912767854545455

 $00:02:41.100 \longrightarrow 00:02:43.907$ So the objectives here are to review

NOTE Confidence: 0.912767854545455

 $00{:}02{:}43.907 \dashrightarrow 00{:}02{:}46.062$ diagnosis and treatment of major

NOTE Confidence: 0.912767854545455

 $00:02:46.062 \longrightarrow 00:02:48.267$ depression and bipolar disorder to

NOTE Confidence: 0.912767854545455

 $00:02:48.267 \longrightarrow 00:02:50.885$ understand patterns of sleep and PSG

 $00:02:50.885 \longrightarrow 00:02:53.333$ findings in patients with mood disorders.

NOTE Confidence: 0.912767854545455

 $00{:}02{:}53.340 \to 00{:}02{:}55.440$ Describe the effects of antidepressants

NOTE Confidence: 0.912767854545455

 $00:02:55.440 \longrightarrow 00:02:58.375$ on sleep, and then again hopefully learn

NOTE Confidence: 0.912767854545455

 $00:02:58.375 \longrightarrow 00:03:00.870$ some practical tools for patient care.

NOTE Confidence: 0.912767854545455

 $00:03:00.870 \longrightarrow 00:03:02.555$ So mood disorders are really

NOTE Confidence: 0.912767854545455

 $00:03:02.555 \longrightarrow 00:03:03.903$ a class of disorders.

NOTE Confidence: 0.912767854545455

00:03:03.910 --> 00:03:05.968 It's more than just major depression,

NOTE Confidence: 0.912767854545455

 $00:03:05.970 \longrightarrow 00:03:07.650$ although that's sort of

NOTE Confidence: 0.912767854545455

 $00:03:07.650 \longrightarrow 00:03:09.330$ the most important one.

NOTE Confidence: 0.912767854545455

 $00:03:09.330 \longrightarrow 00:03:11.088$ There are two chapters in the

NOTE Confidence: 0.912767854545455

 $00:03:11.088 \longrightarrow 00:03:12.550$ current edition of the DSM,

NOTE Confidence: 0.912767854545455

 $00:03:12.550 \longrightarrow 00:03:15.208$ the DSM 5 on depressive disorders

NOTE Confidence: 0.912767854545455

00:03:15.208 --> 00:03:17.840 and bipolar and related disorders,

NOTE Confidence: 0.91276785454545455

 $00:03:17.840 \longrightarrow 00:03:20.366$ and so they include major depression,

NOTE Confidence: 0.912767854545455

 $00:03:20.370 \longrightarrow 00:03:22.170$ major depressive disorder,

NOTE Confidence: 0.912767854545455

00:03:22.170 --> 00:03:24.473 disruptive mood dysregulation, disorder,

 $00:03:24.473 \longrightarrow 00:03:25.982$ persistent depressive disorder,

NOTE Confidence: 0.912767854545455

 $00:03:25.982 \longrightarrow 00:03:27.994$ formerly known as dysthymia

NOTE Confidence: 0.912767854545455

00:03:27.994 --> 00:03:29.770 or double depression,

NOTE Confidence: 0.912767854545455

00:03:29.770 --> 00:03:31.153 premenstrual dysphoric disorder.

NOTE Confidence: 0.912767854545455

 $00{:}03{:}31.153 \dashrightarrow 00{:}03{:}33.919$ Bipolar disorder types one and two,

NOTE Confidence: 0.912767854545455

 $00:03:33.920 \longrightarrow 00:03:36.080$ sometimes known as bipolar

NOTE Confidence: 0.912767854545455

00:03:36.080 --> 00:03:37.865 affective disorder, cyclothymia,

NOTE Confidence: 0.912767854545455

 $00:03:37.865 \longrightarrow 00:03:39.980$ and then others,

NOTE Confidence: 0.912767854545455

 $00:03:39.980 \longrightarrow 00:03:42.095$ or non specified.

NOTE Confidence: 0.912767854545455

 $00:03:42.100 \longrightarrow 00:03:44.452$ So mood disorders are very common both in

NOTE Confidence: 0.912767854545455

 $00:03:44.452 \longrightarrow 00:03:46.928$ the general population and then even more so.

NOTE Confidence: 0.912767854545455

00:03:46.930 --> 00:03:48.343 In Sleep Clinic,

NOTE Confidence: 0.912767854545455

 $00{:}03{:}48.343 \dashrightarrow 00{:}03{:}50.698$ there's a lifetime prevalence of

NOTE Confidence: 0.912767854545455

 $00:03:50.698 \longrightarrow 00:03:53.471$ between one and 5% for bipolar disorder,

NOTE Confidence: 0.912767854545455

 $00:03:53.471 \longrightarrow 00:03:55.606$ depending on whether you're talking

 $00:03:55.606 \longrightarrow 00:03:58.249$ about just bipolar disorder type one or

NOTE Confidence: 0.912767854545455

00:03:58.249 --> 00:04:00.670 the whole class of bipolar disorders,

NOTE Confidence: 0.912767854545455

 $00:04:00.670 \longrightarrow 00:04:02.962$ major depression is even more common

NOTE Confidence: 0.912767854545455

 $00:04:02.962 \longrightarrow 00:04:05.036$ with a lifetime prevalence of about

NOTE Confidence: 0.912767854545455

 $00:04:05.036 \longrightarrow 00:04:06.940$ 20% of the general population.

NOTE Confidence: 0.912767854545455

00:04:06.940 --> 00:04:09.015 Patients with insomnia are about

NOTE Confidence: 0.912767854545455

 $00:04:09.015 \longrightarrow 00:04:11.516$ 10 times as likely as those as

NOTE Confidence: 0.912767854545455

 $00:04:11.516 \longrightarrow 00:04:12.856$ good sleepers to have.

NOTE Confidence: 0.912767854545455

 $00:04:12.860 \longrightarrow 00:04:14.930$ Major depression and patients with

NOTE Confidence: 0.912767854545455

 $00:04:14.930 \longrightarrow 00:04:17.903$ sleep apnea are about two to five times

NOTE Confidence: 0.912767854545455

 $00{:}04{:}17.903 \dashrightarrow 00{:}04{:}21.806$ as likely as those excuse me two to

NOTE Confidence: 0.912767854545455

 $00:04:21.806 \longrightarrow 00:04:24.495$ five times as likely as those without

NOTE Confidence: 0.912767854545455

 $00:04:24.495 \longrightarrow 00:04:27.330$ sleep apnea yet to have major depression.

NOTE Confidence: 0.91276785454545455

 $00:04:27.330 \longrightarrow 00:04:29.094$ Depression is one of the main

NOTE Confidence: 0.912767854545455

 $00:04:29.094 \longrightarrow 00:04:29.976$ contributors to suicide.

NOTE Confidence: 0.912767854545455

 $00{:}04{:}29.980 \dashrightarrow 00{:}04{:}32.145$ It's implicated in about 50

 $00:04:32.145 \longrightarrow 00:04:34.656$ to 70% of suicides.

NOTE Confidence: 0.912767854545455 00:04:34.656 --> 00:04:36.040 Suicide is, NOTE Confidence: 0.912767854545455

00:04:36.040 --> 00:04:38.025 unfortunately currently the 10th leading

NOTE Confidence: 0.912767854545455

 $00:04:38.025 \longrightarrow 00:04:40.917$ cause of death in the United States

NOTE Confidence: 0.912767854545455

 $00{:}04{:}40.917 \dashrightarrow 00{:}04{:}43.419$ and it's the second among adolescents.

NOTE Confidence: 0.912767854545455

 $00:04:43.420 \longrightarrow 00:04:44.380$ And young adults.

NOTE Confidence: 0.912767854545455

 $00:04:44.380 \longrightarrow 00:04:46.300$ So this is a global statistic.

NOTE Confidence: 0.912767854545455

 $00:04:46.300 \longrightarrow 00:04:47.785$ Here in 2019,

NOTE Confidence: 0.912767854545455

 $00:04:47.785 \longrightarrow 00:04:51.250$ one in 100 deaths was by suicide.

NOTE Confidence: 0.953831162222222

 $00{:}04{:}53.510 \dashrightarrow 00{:}04{:}56.195$ Depression is considered the leading

NOTE Confidence: 0.953831162222222

00:04:56.195 --> 00:04:58.343 cause of disability worldwide,

NOTE Confidence: 0.953831162222222

 $00{:}04{:}58.350 \dashrightarrow 00{:}05{:}00.198$ and it's also a major contributor

NOTE Confidence: 0.953831162222222

 $00{:}05{:}00.198 \dashrightarrow 00{:}05{:}02.120$ to the global burden of disease.

NOTE Confidence: 0.953831162222222

 $00:05:02.120 \longrightarrow 00:05:03.565$ It's associated with an increased

NOTE Confidence: 0.953831162222222

 $00:05:03.565 \longrightarrow 00:05:06.029$ risk of a host of medical problems.

 $00:05:06.030 \longrightarrow 00:05:08.910$ It associated with increased mortality,

NOTE Confidence: 0.953831162222222

 $00:05:08.910 \longrightarrow 00:05:11.420$ it's disruptive to family relationships,

NOTE Confidence: 0.953831162222222

 $00:05:11.420 \longrightarrow 00:05:14.690$ impacts careers, educational success, etc.

NOTE Confidence: 0.953831162222222

00:05:14.690 --> 00:05:17.258 It's estimated to cost the United

NOTE Confidence: 0.953831162222222

00:05:17.258 --> 00:05:19.510 States over \$200 billion per year.

NOTE Confidence: 0.953831162222222

 $00{:}05{:}19.510 \dashrightarrow 00{:}05{:}21.400$ About half of those costs are due

NOTE Confidence: 0.953831162222222

 $00:05:21.400 \longrightarrow 00:05:23.500$ to increase costs in health care.

NOTE Confidence: 0.953831162222222

 $00:05:23.500 \longrightarrow 00:05:27.581$ And about half are due to workplace

NOTE Confidence: 0.9538311622222222

 $00{:}05{:}27.581 \dashrightarrow 00{:}05{:}29.330$ costs including absenteeism

NOTE Confidence: 0.953831162222222

 $00:05:29.425 \longrightarrow 00:05:31.738$ and reduced productivity.

NOTE Confidence: 0.953831162222222

 $00{:}05{:}31.740 \dashrightarrow 00{:}05{:}33.516$ And apparently it's associated

NOTE Confidence: 0.953831162222222

00:05:33.516 --> 00:05:35.736 with even greater health care

NOTE Confidence: 0.953831162222222

00:05:35.736 --> 00:05:37.998 costs than elevated blood sugar,

NOTE Confidence: 0.953831162222222

 $00{:}05{:}38.000 \dashrightarrow 00{:}05{:}40.004$ high blood pressure, obesity,

NOTE Confidence: 0.953831162222222

00:05:40.004 --> 00:05:44.148 tobacco use, or physical inactivity.

NOTE Confidence: 0.953831162222222

00:05:44.150 --> 00:05:45.898 So we can look up, you know,

 $00:05:45.898 \longrightarrow 00:05:47.368$ lists of diagnostic criteria for

NOTE Confidence: 0.953831162222222

 $00:05:47.368 \longrightarrow 00:05:49.019$ all these different mood disorders.

NOTE Confidence: 0.953831162222222

00:05:49.020 --> 00:05:50.896 But for for our purposes I thought

NOTE Confidence: 0.953831162222222

 $00:05:50.896 \longrightarrow 00:05:53.253$ it would be more useful if I could

NOTE Confidence: 0.953831162222222

 $00:05:53.253 \longrightarrow 00:05:54.658$ provide a fairly simple framework

NOTE Confidence: 0.953831162222222

00:05:54.658 --> 00:05:56.483 for just thinking about what mood

NOTE Confidence: 0.953831162222222

 $00:05:56.483 \longrightarrow 00:05:58.295$ disorders are and what it's like

NOTE Confidence: 0.953831162222222

 $00{:}05{:}58.353 \dashrightarrow 00{:}06{:}00.207$ for the patient to experience them,

NOTE Confidence: 0.953831162222222

 $00{:}06{:}00.210 \dashrightarrow 00{:}06{:}02.325$ and also to kind of help you get a

NOTE Confidence: 0.953831162222222

 $00:06:02.325 \longrightarrow 00:06:04.201$ sense of whether a patient might

NOTE Confidence: 0.9538311622222222

 $00:06:04.201 \longrightarrow 00:06:06.692$ be going through a mood disorder

NOTE Confidence: 0.953831162222222

 $00:06:06.692 \longrightarrow 00:06:09.288$ experiencing that so that we can

NOTE Confidence: 0.953831162222222

 $00{:}06{:}09.288 \dashrightarrow 00{:}06{:}11.248$ group symptoms into three groups.

NOTE Confidence: 0.9538311622222222

 $00:06:11.250 \longrightarrow 00:06:13.980$ So that would be mood, self attitude.

NOTE Confidence: 0.953831162222222

 $00:06:13.980 \longrightarrow 00:06:15.780$ And vital sense.

00:06:15.780 --> 00:06:17.537 Mood is what we're most familiar with,

NOTE Confidence: 0.953831162222222

00:06:17.540 --> 00:06:18.518 so that might be, you know,

NOTE Confidence: 0.953831162222222

00:06:18.520 --> 00:06:21.988 elevated in mania, for example down,

NOTE Confidence: 0.953831162222222

00:06:21.990 --> 00:06:24.178 irritable, sad, depressed mood,

NOTE Confidence: 0.953831162222222

00:06:24.178 --> 00:06:28.396 empty mood or no mood in a period

NOTE Confidence: 0.953831162222222

 $00{:}06{:}28.396 \dashrightarrow 00{:}06{:}29.380$ of depression.

NOTE Confidence: 0.953831162222222

 $00:06:29.380 \longrightarrow 00:06:31.895$ Self attitude is 1's assessment

NOTE Confidence: 0.953831162222222

00:06:31.895 --> 00:06:35.110 of self worth and vital sense is,

NOTE Confidence: 0.9538311622222222

 $00:06:35.110 \longrightarrow 00:06:37.640$ you know, sort of those physical

NOTE Confidence: 0.953831162222222

 $00:06:37.640 \longrightarrow 00:06:38.900$ and cognitive symptoms.

NOTE Confidence: 0.953831162222222

00:06:38.900 --> 00:06:40.360 You know, speed of thinking,

NOTE Confidence: 0.953831162222222

 $00:06:40.360 \longrightarrow 00:06:42.076$ speed of movement,

NOTE Confidence: 0.953831162222222

 $00:06:42.076 \longrightarrow 00:06:43.590$ sleep, energy, appetite,

NOTE Confidence: 0.953831162222222

00:06:43.590 --> 00:06:45.440 ability to focus and concentrate,

NOTE Confidence: 0.953831162222222

 $00:06:45.440 \longrightarrow 00:06:45.910$ etc.

NOTE Confidence: 0.772806134166667

 $00:06:47.920 \longrightarrow 00:06:51.350$ So I have a an exam patient

 $00:06:51.350 \longrightarrow 00:06:54.580$ example of low self attitude.

NOTE Confidence: 0.772806134166667

 $00:06:54.580 \longrightarrow 00:06:56.330$ I have received the cake.

NOTE Confidence: 0.772806134166667

 $00{:}06{:}56.330 \dashrightarrow 00{:}06{:}58.416$ Many thanks but I am not worthy.

NOTE Confidence: 0.772806134166667

00:06:58.420 --> 00:07:00.618 I am not worthy of my birthday.

NOTE Confidence: 0.772806134166667

 $00:07:00.620 \longrightarrow 00:07:02.576$ I must weep myself to death.

NOTE Confidence: 0.772806134166667

 $00:07:02.580 \longrightarrow 00:07:04.974$ I cannot live and I cannot die

NOTE Confidence: 0.772806134166667

00:07:04.974 --> 00:07:07.475 because I have failed so much and

NOTE Confidence: 0.772806134166667

 $00:07:07.475 \longrightarrow 00:07:10.250$ that is from a patient letter in 1905.

NOTE Confidence: 0.888361823636364

 $00{:}07{:}13.650 \dashrightarrow 00{:}07{:}15.370$ These three groups of symptoms

NOTE Confidence: 0.888361823636364

 $00:07:15.370 \longrightarrow 00:07:17.460$ tend to track together so mood,

NOTE Confidence: 0.888361823636364

 $00:07:17.460 \longrightarrow 00:07:19.840$ self attitude and vital sense are all

NOTE Confidence: 0.888361823636364

 $00:07:19.840 \longrightarrow 00:07:22.498$ down in an episode of depression.

NOTE Confidence: 0.888361823636364

 $00:07:22.500 \dashrightarrow 00:07:26.116$ They're all elevated in an episode of Mania.

NOTE Confidence: 0.888361823636364

 $00:07:26.120 \longrightarrow 00:07:26.966$ They're all elevated,

NOTE Confidence: 0.888361823636364

 $00:07:26.966 \longrightarrow 00:07:28.376$ but to a lesser extent.

00:07:28.380 --> 00:07:30.882 In an episode of Hypomania and then

NOTE Confidence: 0.888361823636364

 $00{:}07{:}30.882 \to 00{:}07{:}32.779$ there is this thing called a mixed

NOTE Confidence: 0.888361823636364

00:07:32.779 --> 00:07:34.568 episode and I just want to briefly

NOTE Confidence: 0.888361823636364

00:07:34.568 --> 00:07:36.397 mention that so you know that it

NOTE Confidence: 0.888361823636364

 $00:07:36.397 \longrightarrow 00:07:37.987$ exists and that's when these can

NOTE Confidence: 0.888361823636364

00:07:37.987 --> 00:07:39.850 kind of go in different directions.

NOTE Confidence: 0.888361823636364

 $00:07:39.850 \longrightarrow 00:07:42.178$ So you can imagine that if a patient

NOTE Confidence: 0.888361823636364

00:07:42.178 --> 00:07:44.348 has low mood, low self attitude,

NOTE Confidence: 0.888361823636364

 $00{:}07{:}44.348 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}07{:}46.904$ or feeling hopeless, worthless, depressed,

NOTE Confidence: 0.888361823636364

 $00:07:46.904 \longrightarrow 00:07:50.996$ and yet they have increased energy,

NOTE Confidence: 0.888361823636364

 $00:07:51.000 \longrightarrow 00:07:53.240$ that can be very dangerous in terms

NOTE Confidence: 0.888361823636364

 $00:07:53.240 \longrightarrow 00:07:56.490$ of risk of suicide, for example.

NOTE Confidence: 0.888361823636364

 $00:07:56.490 \longrightarrow 00:07:58.230$ But generally the symptoms tracked

NOTE Confidence: 0.888361823636364

 $00{:}07{:}58.230 \dashrightarrow 00{:}07{:}59.970$ together either up or down,

NOTE Confidence: 0.888361823636364

 $00:07:59.970 \longrightarrow 00:08:01.938$ so looking overtime if we see

NOTE Confidence: 0.888361823636364

 $00:08:01.938 \longrightarrow 00:08:03.250$ the white line here,

 $00:08:03.250 \longrightarrow 00:08:05.110$ that would be considered normal,

NOTE Confidence: 0.888361823636364

00:08:05.110 --> 00:08:05.908 or you know,

NOTE Confidence: 0.888361823636364

00:08:05.908 --> 00:08:07.504 a patient without a mood disorder,

NOTE Confidence: 0.888361823636364

 $00:08:07.510 \longrightarrow 00:08:08.686$ and there are the general you know,

NOTE Confidence: 0.888361823636364

 $00:08:08.690 \longrightarrow 00:08:10.559$ sort of ups and downs of life

NOTE Confidence: 0.888361823636364

 $00:08:10.559 \longrightarrow 00:08:11.360$ that everyone experiences,

NOTE Confidence: 0.888361823636364

 $00:08:11.360 \longrightarrow 00:08:13.290$ but they're not very extreme.

NOTE Confidence: 0.888361823636364

00:08:13.290 --> 00:08:15.026 If you look at the blue line though,

NOTE Confidence: 0.888361823636364

 $00:08:15.030 \longrightarrow 00:08:16.140$ that would be in a person.

NOTE Confidence: 0.888361823636364

00:08:16.140 --> 00:08:17.990 A person with major depression.

NOTE Confidence: 0.888361823636364

 $00:08:17.990 \longrightarrow 00:08:21.512$ They have guite low and sustained

NOTE Confidence: 0.888361823636364

 $00:08:21.512 \longrightarrow 00:08:23.286$ period of depression.

NOTE Confidence: 0.888361823636364

 $00{:}08{:}23.286 \dashrightarrow 00{:}08{:}25.372$ And then there are periods in between

NOTE Confidence: 0.888361823636364

 $00:08:25.372 \longrightarrow 00:08:27.376$ which would be considered normal mood.

NOTE Confidence: 0.888361823636364 00:08:27.380 --> 00:08:29.740 Or euthymia.

 $00:08:29.740 \longrightarrow 00:08:31.679$ And then in bipolar disorder there are

NOTE Confidence: 0.888361823636364

 $00{:}08{:}31.679 \dashrightarrow 00{:}08{:}33.559$ periods of low mood or depression,

NOTE Confidence: 0.888361823636364

 $00:08:33.560 \longrightarrow 00:08:35.030$ and then there are also periods

NOTE Confidence: 0.888361823636364

 $00:08:35.030 \longrightarrow 00:08:36.373$ of elevated mood and increased

NOTE Confidence: 0.888361823636364

 $00:08:36.373 \longrightarrow 00:08:37.617$ energy and vital sense,

NOTE Confidence: 0.888361823636364

 $00:08:37.620 \longrightarrow 00:08:39.940$ and that would be in mania or hypomania.

NOTE Confidence: 0.888361823636364

 $00:08:39.940 \longrightarrow 00:08:41.228$ So that would be the yellow line.

NOTE Confidence: 0.910066824615385

00:08:43.450 --> 00:08:46.266 So going for mood episodes to mood disorders

NOTE Confidence: 0.910066824615385

00:08:46.266 --> 00:08:48.864 in terms of actually diagnosing someone,

NOTE Confidence: 0.910066824615385

00:08:48.864 --> 00:08:51.776 if a person has a history of depressive

NOTE Confidence: 0.910066824615385

 $00:08:51.776 \longrightarrow 00:08:54.402$ episodes only as well as periods of euthymia

NOTE Confidence: 0.910066824615385

 $00:08:54.402 \longrightarrow 00:08:57.278$ that would be classified as major depression

NOTE Confidence: 0.910066824615385

 $00:08:57.278 \longrightarrow 00:09:00.080$ or sometimes known as unipolar depression.

NOTE Confidence: 0.910066824615385

 $00:09:00.080 \longrightarrow 00:09:01.130$ In other words,

NOTE Confidence: 0.910066824615385

 $00:09:01.130 \longrightarrow 00:09:03.580$ they only go down from normal mood.

NOTE Confidence: 0.910066824615385

 $00{:}09{:}03.580 \dashrightarrow 00{:}09{:}06.004$ If a person has a history of depression

00:09:06.004 --> 00:09:08.039 and any history of hypomania,

NOTE Confidence: 0.910066824615385

 $00:09:08.040 \longrightarrow 00:09:09.764$ even just one episode,

NOTE Confidence: 0.910066824615385

 $00:09:09.764 \longrightarrow 00:09:11.488$ that would be considered

NOTE Confidence: 0.910066824615385

 $00:09:11.488 \longrightarrow 00:09:12.890$ bipolar disorder type 2.

NOTE Confidence: 0.910066824615385

 $00:09:12.890 \longrightarrow 00:09:15.144$ Shares of a person has a history

NOTE Confidence: 0.910066824615385

00:09:15.144 --> 00:09:17.606 of even just one episode of Mania,

NOTE Confidence: 0.910066824615385

 $00:09:17.610 \longrightarrow 00:09:19.770$ whether or not they have any

NOTE Confidence: 0.910066824615385

 $00:09:19.770 \longrightarrow 00:09:22.100$ history of depression that would be

NOTE Confidence: 0.910066824615385

 $00{:}09{:}22.100 \dashrightarrow 00{:}09{:}24.155$ considered bipolar disorder type 1.

NOTE Confidence: 0.910066824615385

 $00:09:24.160 \longrightarrow 00:09:26.020$ So just moving on to treatment,

NOTE Confidence: 0.910066824615385

 $00:09:26.020 \longrightarrow 00:09:28.012$ I've grouped the treatments

NOTE Confidence: 0.910066824615385

00:09:28.012 --> 00:09:29.506 into four buckets,

NOTE Confidence: 0.910066824615385

 $00:09:29.510 \dashrightarrow 00:09:32.062$ so from the top everyone you know whether

NOTE Confidence: 0.910066824615385

 $00{:}09{:}32.062 \longrightarrow 00{:}09{:}34.827$ you have a mood disorder or not can

NOTE Confidence: 0.910066824615385

 $00:09:34.827 \longrightarrow 00:09:36.910$ really benefit from healthy lifestyle.

 $00:09:36.910 \longrightarrow 00:09:39.110$ All patients with mood disorders,

NOTE Confidence: 0.910066824615385

 $00:09:39.110 \longrightarrow 00:09:41.486$ or at least the vast majority

NOTE Confidence: 0.910066824615385

00:09:41.486 --> 00:09:43.070 can benefit from psychotherapy.

NOTE Confidence: 0.910066824615385

00:09:43.070 --> 00:09:45.130 Many patients will benefit from

NOTE Confidence: 0.910066824615385

 $00:09:45.130 \longrightarrow 00:09:47.190$ medications and then some patients

NOTE Confidence: 0.910066824615385

 $00:09:47.261 \longrightarrow 00:09:48.949$ will need other treatments.

NOTE Confidence: 0.910066824615385

 $00:09:48.950 \longrightarrow 00:09:52.464$ So going through in reverse order here.

NOTE Confidence: 0.910066824615385 00:09:52.470 --> 00:09:53.020 Excuse me NOTE Confidence: 0.680428803333333

 $00:09:55.110 \longrightarrow 00:09:58.095$ these other or experiment experimental

NOTE Confidence: 0.680428803333333

00:09:58.095 --> 00:10:00.483 treatments include ECT electric,

NOTE Confidence: 0.6804288033333333

 $00:10:00.490 \longrightarrow 00:10:01.654$ convulsive therapy,

NOTE Confidence: 0.680428803333333

00:10:01.654 --> 00:10:03.400 transcranial magnetic stimulation,

NOTE Confidence: 0.680428803333333

00:10:03.400 --> 00:10:06.490 which is TMS, vagus nerve stimulation,

NOTE Confidence: 0.680428803333333

 $00:10:06.490 \longrightarrow 00:10:08.383$ deep brain stimulation,

NOTE Confidence: 0.680428803333333

00:10:08.383 --> 00:10:10.907 ketamin and sleep deprivation,

NOTE Confidence: 0.680428803333333

 $00{:}10{:}10.910 \dashrightarrow 00{:}10{:}12.667$ and I'll talk a little bit more

00:10:12.667 --> 00:10:13.750 about sleep deprivation later.

NOTE Confidence: 0.889192542857143

 $00:10:15.890 \longrightarrow 00:10:19.607$ For medications in terms of major depression,

NOTE Confidence: 0.889192542857143

 $00:10:19.610 \longrightarrow 00:10:21.034$ antidepressants are really the

NOTE Confidence: 0.889192542857143

 $00:10:21.034 \longrightarrow 00:10:22.814$ primary drugs that we use.

NOTE Confidence: 0.889192542857143

00:10:22.820 --> 00:10:24.368 They're commonly used as you know,

NOTE Confidence: 0.889192542857143

00:10:24.370 --> 00:10:27.730 for anxiety, pain, and other disorders.

NOTE Confidence: 0.889192542857143

 $00:10:27.730 \longrightarrow 00:10:30.705$ There are many different antidepressants

NOTE Confidence: 0.889192542857143

 $00{:}10{:}30.705 \dashrightarrow 00{:}10{:}33.160$ and generally a psychiatrist or

NOTE Confidence: 0.889192542857143

 $00{:}10{:}33.160 \dashrightarrow 00{:}10{:}34.835$ primary care provider would choose

NOTE Confidence: 0.889192542857143

 $00:10:34.835 \longrightarrow 00:10:37.170$ one based on the side effect profile,

NOTE Confidence: 0.889192542857143

00:10:37.170 --> 00:10:39.530 the patients comorbidities and preferences,

NOTE Confidence: 0.889192542857143

 $00:10:39.530 \longrightarrow 00:10:40.840$ and just the you know.

NOTE Confidence: 0.889192542857143

 $00:10:40.840 \dashrightarrow 00:10:43.620$ Clinicians experience with these medications.

NOTE Confidence: 0.889192542857143

00:10:43.620 --> 00:10:45.476 The first one may not work very well.

NOTE Confidence: 0.889192542857143

00:10:45.480 --> 00:10:47.424 So a patient may need to try more

 $00:10:47.424 \longrightarrow 00:10:49.457$ than one and they need to may need

NOTE Confidence: 0.889192542857143

 $00:10:49.457 \longrightarrow 00:10:51.365$ to take more than one simultaneously

NOTE Confidence: 0.889192542857143

 $00:10:51.365 \longrightarrow 00:10:54.740$ to have the maximum effect.

NOTE Confidence: 0.889192542857143

 $00:10:54.740 \longrightarrow 00:10:56.945$ Additional medications that patients with

NOTE Confidence: 0.889192542857143

 $00:10:56.945 \longrightarrow 00:10:59.660$ depression may be on include lithium

NOTE Confidence: 0.889192542857143

 $00:10:59.660 \longrightarrow 00:11:02.782$ low dose lithium may be helpful at

NOTE Confidence: 0.889192542857143

 $00:11:02.782 \longrightarrow 00:11:05.167$ reducing suicidality in some patients

NOTE Confidence: 0.889192542857143

 $00:11:05.167 \longrightarrow 00:11:08.071$ and then medications for anxiety and

NOTE Confidence: 0.889192542857143

 $00:11:08.071 \longrightarrow 00:11:10.967$ insomnia are also very commonly used.

NOTE Confidence: 0.889192542857143

00:11:10.970 --> 00:11:12.095 For bipolar disorder,

NOTE Confidence: 0.889192542857143

 $00{:}11{:}12.095 \dashrightarrow 00{:}11{:}14.345$ the medications we call mood stabilizers

NOTE Confidence: 0.889192542857143

 $00:11:14.345 \longrightarrow 00:11:16.657$ are really the mainstay of treatment.

NOTE Confidence: 0.889192542857143

 $00:11:16.660 \longrightarrow 00:11:18.928$ It's really several classes of medication.

NOTE Confidence: 0.889192542857143

00:11:18.930 --> 00:11:20.316 Lithium is one of the oldest,

NOTE Confidence: 0.889192542857143

00:11:20.320 --> 00:11:22.858 and it's very effective mood stabilizer

NOTE Confidence: 0.889192542857143

 $00:11:22.860 \longrightarrow 00:11:26.760$ and then Depakote and Tegretol are

 $00:11:26.760 \longrightarrow 00:11:28.026$ anticonvulsant medications that

NOTE Confidence: 0.889192542857143

 $00:11:28.026 \longrightarrow 00:11:30.558$ were found to have mood stabilizing

NOTE Confidence: 0.889192542857143

 $00{:}11{:}30.558 \dashrightarrow 00{:}11{:}33.490$ properties and then more recently the

NOTE Confidence: 0.889192542857143

 $00:11:33.490 \longrightarrow 00:11:35.498$ newer generation of antipsychotics

NOTE Confidence: 0.889192542857143

 $00:11:35.498 \longrightarrow 00:11:37.880$ have been found to be effective

NOTE Confidence: 0.889192542857143

 $00:11:37.880 \longrightarrow 00:11:40.780$ as mood stabilizers as well.

NOTE Confidence: 0.889192542857143

00:11:40.780 --> 00:11:42.826 Additional medications would

NOTE Confidence: 0.889192542857143

00:11:42.826 --> 00:11:44.190 include antidepressants,

NOTE Confidence: 0.889192542857143

00:11:44.190 --> 00:11:46.970 so sort of classic mood

NOTE Confidence: 0.889192542857143

 $00:11:46.970 \longrightarrow 00:11:49.750$ stabilizers that I just mentioned.

NOTE Confidence: 0.889192542857143

00:11:49.750 --> 00:11:51.388 Would be more effective at treating

NOTE Confidence: 0.889192542857143

 $00:11:51.388 \longrightarrow 00:11:53.087$ mania or hypomania and not quite

NOTE Confidence: 0.889192542857143

 $00{:}11{:}53.087 \dashrightarrow 00{:}11{:}54.467$ as good at treating depression,

NOTE Confidence: 0.889192542857143

 $00:11:54.470 \longrightarrow 00:11:56.228$ but there is a possibility that

NOTE Confidence: 0.889192542857143

00:11:56.228 --> 00:11:58.264 if a person with bipolar disorder

 $00:11:58.264 \longrightarrow 00:12:00.269$ is only on an antidepressant,

NOTE Confidence: 0.889192542857143

 $00:12:00.270 \longrightarrow 00:12:02.307$ their moon may kind of flip up.

NOTE Confidence: 0.889192542857143

 $00:12:02.310 \longrightarrow 00:12:04.206$ They may have what we call a manic

NOTE Confidence: 0.889192542857143

 $00:12:04.206 \longrightarrow 00:12:05.660$ switch where their mood goes from

NOTE Confidence: 0.889192542857143

00:12:05.660 --> 00:12:07.581 being too low all the way up into

NOTE Confidence: 0.889192542857143

 $00:12:07.581 \longrightarrow 00:12:09.015$ a full blown episode of Mania.

NOTE Confidence: 0.889192542857143

 $00:12:09.020 \longrightarrow 00:12:11.568$ And so it's very important for a

NOTE Confidence: 0.889192542857143

 $00:12:11.568 \longrightarrow 00:12:13.406$ person with bipolar disorder to

NOTE Confidence: 0.889192542857143

00:12:13.406 --> 00:12:15.758 be on a mood stabilizer and not

NOTE Confidence: 0.889192542857143

00:12:15.758 --> 00:12:17.848 just an antidepressant alone.

NOTE Confidence: 0.889192542857143

00:12:17.850 --> 00:12:18.753 So psychotherapy again,

NOTE Confidence: 0.889192542857143 00:12:18.753 --> 00:12:19.656 I you know,

NOTE Confidence: 0.889192542857143

 $00:12:19.660 \longrightarrow 00:12:22.194$ I think basically all patients can benefit.

NOTE Confidence: 0.889192542857143

00:12:22.200 --> 00:12:23.940 There are many goals including illness,

NOTE Confidence: 0.889192542857143 00:12:23.940 --> 00:12:24.603 education, NOTE Confidence: 0.889192542857143

 $00{:}12{:}24.603 \dashrightarrow 00{:}12{:}27.255$ identifying underlying stressors or

 $00:12:27.255 \longrightarrow 00:12:27.918$ vulnerabilities,

NOTE Confidence: 0.889192542857143

 $00:12:27.920 \longrightarrow 00:12:30.056$ including personality vulnerabilities,

NOTE Confidence: 0.88919254285714300:12:30.056 --> 00:12:31.480 life stresses,

NOTE Confidence: 0.889192542857143

00:12:31.480 --> 00:12:34.200 developing positive habits or thoughts,

NOTE Confidence: 0.889192542857143

00:12:34.200 --> 00:12:36.350 motivation for treatment and relapse

NOTE Confidence: 0.889192542857143 00:12:36.350 --> 00:12:36.780 prevention.

NOTE Confidence: 0.86860679125

 $00:12:39.180 \longrightarrow 00:12:41.736$ Kay Jamison, who's a researcher in

NOTE Confidence: 0.86860679125

 $00{:}12{:}41.736 \dashrightarrow 00{:}12{:}44.641$ mood disorders and author of a personal

NOTE Confidence: 0.86860679125

 $00{:}12{:}44.641 \dashrightarrow 00{:}12{:}46.897$ memoir called An Unquiet Mind about

NOTE Confidence: 0.86860679125

00:12:46.897 --> 00:12:49.477 her journey with bipolar disorder,

NOTE Confidence: 0.86860679125

 $00:12:49.480 \longrightarrow 00:12:51.700$ said about lithium and psychotherapy.

NOTE Confidence: 0.86860679125

 $00{:}12{:}51.700 \dashrightarrow 00{:}12{:}55.300$ I need both lithium to keep me well and

NOTE Confidence: 0.86860679125

 $00{:}12{:}55.300 \to 00{:}12{:}57.739$ psychotherapy to keep me on the lithium.

NOTE Confidence: 0.86860679125

00:12:57.740 --> 00:12:59.508 There are many different

NOTE Confidence: 0.86860679125

 $00:12:59.508 \longrightarrow 00:13:00.834$ types of psychotherapy.

 $00{:}13{:}00.840 \dashrightarrow 00{:}13{:}02.920$ There are the psychodynamic or

NOTE Confidence: 0.86860679125

 $00:13:02.920 \longrightarrow 00:13:04.168$ psychoanalytic therapies cognitive

NOTE Confidence: 0.86860679125

 $00{:}13{:}04.168 \dashrightarrow 00{:}13{:}06.179$ or cognitive behavioral therapies.

NOTE Confidence: 0.86860679125

 $00:13:06.180 \longrightarrow 00:13:07.116$ Interpersonal DBT.

NOTE Confidence: 0.86860679125

 $00:13:07.116 \longrightarrow 00:13:08.988$ Accepted as a commitment,

NOTE Confidence: 0.86860679125

00:13:08.990 --> 00:13:09.634 therapy, etc.

NOTE Confidence: 0.86860679125

 $00:13:09.634 \longrightarrow 00:13:12.210$ But it really seems to be that the

NOTE Confidence: 0.86860679125

 $00:13:12.282 \longrightarrow 00:13:14.026$ individual therapist is generally

NOTE Confidence: 0.86860679125

 $00{:}13{:}14.026 \mathrel{--}{>} 00{:}13{:}16.206$ more important than the type

NOTE Confidence: 0.86860679125

00:13:16.206 --> 00:13:18.528 of therapy that they're doing,

NOTE Confidence: 0.86860679125

 $00:13:18.530 \longrightarrow 00:13:20.738$ and in practice many therapists will

NOTE Confidence: 0.86860679125

00:13:20.738 --> 00:13:22.734 blend different types of therapy

NOTE Confidence: 0.86860679125

 $00:13:22.734 \longrightarrow 00:13:24.570$ together in treating patients.

NOTE Confidence: 0.86860679125

 $00:13:24.570 \longrightarrow 00:13:26.800$ It's important to note that.

NOTE Confidence: 0.86860679125

 $00:13:26.800 \longrightarrow 00:13:28.732$ If a patient reports a failure

NOTE Confidence: 0.86860679125

 $00:13:28.732 \longrightarrow 00:13:29.376$ of psychotherapy,

00:13:29.380 --> 00:13:30.927 most likely it just wasn't a good

NOTE Confidence: 0.86860679125

00:13:30.927 --> 00:13:32.629 fit with that particular therapist,

NOTE Confidence: 0.86860679125

 $00:13:32.630 \longrightarrow 00:13:34.052$ and so it's worth trying again

NOTE Confidence: 0.86860679125

 $00:13:34.052 \longrightarrow 00:13:34.763$ with another person.

NOTE Confidence: 0.928184334375

 $00:13:37.000 \longrightarrow 00:13:38.980$ So these are some healthy habits

NOTE Confidence: 0.928184334375

 $00:13:38.980 \longrightarrow 00:13:41.234$ that can help treat and prevent

NOTE Confidence: 0.928184334375

 $00:13:41.234 \longrightarrow 00:13:42.970$ recurrence of mood disorders.

NOTE Confidence: 0.928184334375

 $00:13:42.970 \longrightarrow 00:13:44.440$ All of them may help.

NOTE Confidence: 0.928184334375

00:13:44.440 --> 00:13:46.456 Some of them have more data than others,

NOTE Confidence: 0.928184334375

 $00{:}13{:}46.460 \dashrightarrow 00{:}13{:}49.547$ so I typically recommend the top 4.

NOTE Confidence: 0.928184334375

 $00:13:49.550 \longrightarrow 00:13:51.503$ I'm so light I'll talk a little

NOTE Confidence: 0.928184334375

 $00:13:51.503 \longrightarrow 00:13:53.202$ bit more about later that would

NOTE Confidence: 0.928184334375

 $00{:}13{:}53.202 \dashrightarrow 00{:}13{:}54.924$ either be using a light box for

NOTE Confidence: 0.928184334375

00:13:54.924 --> 00:13:56.850 sort of formal bright light therapy,

NOTE Confidence: 0.928184334375

 $00:13:56.850 \longrightarrow 00:13:57.950$ or just even getting outside

 $00:13:57.950 \longrightarrow 00:13:59.270$ for a few minutes every day,

NOTE Confidence: 0.928184334375

 $00{:}13{:}59.270 --> 00{:}14{:}00.810$ ideally in the morning.

NOTE Confidence: 0.928184334375

 $00:14:00.810 \longrightarrow 00:14:03.533$ Aerobic exercise a few times a week

NOTE Confidence: 0.928184334375

 $00:14:03.533 \longrightarrow 00:14:06.050$ can be helpful for sleep that's both

NOTE Confidence: 0.928184334375

 $00:14:06.050 \longrightarrow 00:14:08.300$ getting enough sleep and also getting

NOTE Confidence: 0.928184334375

 $00:14:08.370 \longrightarrow 00:14:10.338$ sleep at regular times for socialization.

NOTE Confidence: 0.928184334375

00:14:10.338 --> 00:14:12.326 You know, getting outside of the house,

NOTE Confidence: 0.928184334375

00:14:12.330 --> 00:14:13.710 getting outside of your apartment,

NOTE Confidence: 0.928184334375

 $00:14:13.710 \longrightarrow 00:14:15.240$ being around other people I time

NOTE Confidence: 0.928184334375

00:14:15.240 --> 00:14:16.960 with friends if at all possible,

NOTE Confidence: 0.928184334375

 $00:14:16.960 \longrightarrow 00:14:18.430$ that could be really helpful

NOTE Confidence: 0.928184334375

 $00:14:18.430 \longrightarrow 00:14:19.900$ for people with mood disorders.

NOTE Confidence: 0.928184334375

 $00:14:19.900 \longrightarrow 00:14:21.836$ So ideally now I tell my patients every

NOTE Confidence: 0.928184334375

 $00{:}14{:}21.836 \dashrightarrow 00{:}14{:}23.817$ morning go for a long walk with a friend,

NOTE Confidence: 0.928184334375

00:14:23.820 --> 00:14:24.358 you know,

NOTE Confidence: 0.928184334375

00:14:24.358 --> 00:14:27.130 and that can kind of help with the exercise,

 $00:14:27.130 \longrightarrow 00:14:27.441$ socialization,

NOTE Confidence: 0.928184334375

 $00:14:27.441 \longrightarrow 00:14:29.929$ sunlight and all of that can also help

NOTE Confidence: 0.928184334375

 $00:14:29.929 \longrightarrow 00:14:31.847$ with regular and sufficient sleep.

NOTE Confidence: 0.9273781

00:14:36.110 --> 00:14:39.160 OK. And then the Bunny slippers.

NOTE Confidence: 0.9273781

 $00:14:39.160 \longrightarrow 00:14:40.686$ I just thought were kind of fun.

NOTE Confidence: 0.954324026666666

 $00:14:43.090 \longrightarrow 00:14:46.066$ OK, so just an overview of that you

NOTE Confidence: 0.95432402666666

 $00:14:46.066 \longrightarrow 00:14:48.664$ know of that overview mood disorder

NOTE Confidence: 0.954324026666666

 $00:14:48.664 \longrightarrow 00:14:50.883$ symptoms can be put into three groups,

NOTE Confidence: 0.954324026666666

 $00:14:50.890 \longrightarrow 00:14:53.140 \mod$, self attitude and vital

NOTE Confidence: 0.95432402666666

 $00{:}14{:}53.140 \dashrightarrow 00{:}14{:}54.634$ sense symptoms generally tracked

NOTE Confidence: 0.954324026666666

 $00:14:54.634 \longrightarrow 00:14:56.722$ together and are low in depression,

NOTE Confidence: 0.954324026666666

00:14:56.730 --> 00:14:59.684 elevated in hypomania and high in mania,

NOTE Confidence: 0.954324026666666

 $00{:}14{:}59.690 \dashrightarrow 00{:}15{:}02.372$ any history of mania or hypomania

NOTE Confidence: 0.954324026666666

 $00:15:02.372 \longrightarrow 00:15:04.542$ would be considered bipolar disorder.

NOTE Confidence: 0.954324026666666

 $00:15:04.542 \longrightarrow 00:15:06.238$ Mood disorders are treated

 $00:15:06.238 \longrightarrow 00:15:07.510$ with healthy habits,

NOTE Confidence: 0.954324026666666

 $00{:}15{:}07.510 \dashrightarrow 00{:}15{:}10.030$ including sleep and light exposure,

NOTE Confidence: 0.954324026666666

 $00:15:10.030 \longrightarrow 00:15:11.737$ psychotherapy and medications.

NOTE Confidence: 0.954324026666666

 $00:15:11.737 \longrightarrow 00:15:13.444$ Antidepressants can cause

NOTE Confidence: 0.954324026666666

 $00:15:13.444 \longrightarrow 00:15:16.030$ a manic switch in in.

NOTE Confidence: 0.954324026666666

 $00:15:16.030 \longrightarrow 00:15:17.446$ People with bipolar disorder

NOTE Confidence: 0.954324026666666

 $00:15:17.446 \longrightarrow 00:15:19.830$ if they're not also on and on.

NOTE Confidence: 0.954324026666666

 $00:15:19.830 \longrightarrow 00:15:20.889$ A mood stabilizer,

NOTE Confidence: 0.954324026666666

 $00{:}15{:}20.889 \dashrightarrow 00{:}15{:}23.818$ and then patients may need to try a

NOTE Confidence: 0.954324026666666

00:15:23.818 --> 00:15:26.485 few medications and see more than one

NOTE Confidence: 0.954324026666666

 $00{:}15{:}26.485 \to 00{:}15{:}28.949$ the rapist before treatment is successful.

NOTE Confidence: 0.954324026666666

 $00:15:28.950 \longrightarrow 00:15:32.340$ So now on to the main part of the talk.

NOTE Confidence: 0.954324026666666

 $00:15:32.340 \longrightarrow 00:15:35.098$ It's no secret that patients with mood

NOTE Confidence: 0.954324026666666

 $00{:}15{:}35.098 \dashrightarrow 00{:}15{:}37.050$ disorders have problems with sleep.

NOTE Confidence: 0.954324026666666

00:15:37.050 --> 00:15:38.698 Plato and Hippocrates apparently

NOTE Confidence: 0.954324026666666

 $00:15:38.698 \longrightarrow 00:15:40.758$ wrote about patients with melancholia

 $00:15:40.758 \longrightarrow 00:15:42.897$ and their problems falling asleep,

NOTE Confidence: 0.954324026666666

 $00:15:42.900 \longrightarrow 00:15:44.970$ staying asleep and waking up

NOTE Confidence: 0.954324026666666

 $00:15:44.970 \longrightarrow 00:15:47.180$ too early in the early 1900s.

NOTE Confidence: 0.954324026666666

00:15:47.180 --> 00:15:48.740 And milk raplin, who's?

NOTE Confidence: 0.954324026666666

00:15:48.740 --> 00:15:50.300 A German psychiatrist,

NOTE Confidence: 0.954324026666666

 $00:15:50.300 \longrightarrow 00:15:52.900$ wrote textbooks describing mental illness.

NOTE Confidence: 0.954324026666666

00:15:52.900 --> 00:15:55.756 He divided depression into 2 categories,

NOTE Confidence: 0.95432402666666

 $00{:}15{:}55.760 \dashrightarrow 00{:}15{:}58.400$ and he noted that neurotic or

NOTE Confidence: 0.954324026666666

 $00:15:58.400 \longrightarrow 00:16:00.160$ psychological depression was associated

NOTE Confidence: 0.954324026666666

 $00:16:00.226 \longrightarrow 00:16:02.840$ more with sleep onset, insomnia, or.

NOTE Confidence: 0.954324026666666

 $00{:}16{:}02.840 \dashrightarrow 00{:}16{:}05.865$ Early in somnia that endogenous or

NOTE Confidence: 0.954324026666666

 $00:16:05.865 \longrightarrow 00:16:08.948$ biological depression as it was called.

NOTE Confidence: 0.954324026666666

 $00{:}16{:}08.950 \dashrightarrow 00{:}16{:}10.270$ Was associated with more sleep,

NOTE Confidence: 0.954324026666666

 $00{:}16{:}10.270 --> 00{:}16{:}10.853 \ \mathrm{maintenance},$

NOTE Confidence: 0.95432402666666

00:16:10.853 --> 00:16:13.768 insomnia and early morning awakening.

00:16:13.770 --> 00:16:16.626 And then starting in the 1960s,

NOTE Confidence: 0.954324026666666

 $00{:}16{:}16.630 \dashrightarrow 00{:}16{:}18.415$ sleep studies began documenting sleep

NOTE Confidence: 0.954324026666666

 $00:16:18.415 \longrightarrow 00:16:20.780$ problems in patients with mood disorders.

NOTE Confidence: 0.929743913529412

 $00:16:22.790 \longrightarrow 00:16:25.364$ So I thought this was a good description of

NOTE Confidence: 0.929743913529412

 $00:16:25.364 \longrightarrow 00:16:27.524$ problems in both kind of extremes of mood.

NOTE Confidence: 0.929743913529412

00:16:27.530 --> 00:16:30.414 Also by Kreplin about 100 years ago,

NOTE Confidence: 0.929743913529412

 $00:16:30.420 \longrightarrow 00:16:32.676$ the attacks of manic depressive insanity

NOTE Confidence: 0.929743913529412

00:16:32.676 --> 00:16:35.659 just a old term for bipolar disorder,

NOTE Confidence: 0.929743913529412

00:16:35.660 --> 00:16:37.232 are invariably accompanied by

NOTE Confidence: 0.929743913529412

 $00:16:37.232 \longrightarrow 00:16:39.197$ all kinds of bodily changes.

NOTE Confidence: 0.929743913529412

 $00{:}16{:}39.200 \longrightarrow 00{:}16{:}41.544$ By far the most striking are the disorders

NOTE Confidence: 0.929743913529412

 $00:16:41.544 \longrightarrow 00:16:43.570$ of sleep and general nourishment.

NOTE Confidence: 0.929743913529412

00:16:43.570 --> 00:16:45.985 In Mania, sleep is always

NOTE Confidence: 0.929743913529412

 $00:16:45.985 \longrightarrow 00:16:47.434$ considerably encroached upon.

NOTE Confidence: 0.929743913529412

00:16:47.440 --> 00:16:49.245 Sometimes there is even almost

NOTE Confidence: 0.929743913529412

 $00{:}16{:}49.245 \dashrightarrow 00{:}16{:}50.689$ complete sleeplessness at most.

 $00:16:50.690 \longrightarrow 00:16:52.280$ Interrupted for a few hours.

NOTE Confidence: 0.929743913529412

 $00:16:52.280 \longrightarrow 00:16:55.090$ Which may last for weeks, even months.

NOTE Confidence: 0.929743913529412

 $00:16:55.090 \longrightarrow 00:16:56.670$ In the states of depression,

NOTE Confidence: 0.929743913529412

 $00:16:56.670 \longrightarrow 00:16:58.469$ in spite of great need for sleep,

NOTE Confidence: 0.929743913529412

 $00:16:58.470 \longrightarrow 00:16:59.830$ the patients lie for hours,

NOTE Confidence: 0.929743913529412

 $00:16:59.830 \longrightarrow 00:17:00.721$ sleepless in bed,

NOTE Confidence: 0.929743913529412

 $00:17:00.721 \longrightarrow 00:17:02.206$ although even in bed they

NOTE Confidence: 0.929743913529412

 $00:17:02.206 \longrightarrow 00:17:03.560$ find no refreshment.

NOTE Confidence: 0.850994290833333

00:17:05.930 --> 00:17:08.583 So looking at more modern studies on

NOTE Confidence: 0.850994290833333

 $00:17:08.583 \longrightarrow 00:17:11.119$ bipolar disorder and depressive episodes,

NOTE Confidence: 0.850994290833333

 $00:17:11.120 \longrightarrow 00:17:13.112$ insomnia is very common.

NOTE Confidence: 0.850994290833333

 $00:17:13.112 \longrightarrow 00:17:15.080$ About 2/3 of patients,

NOTE Confidence: 0.850994290833333

00:17:15.080 --> 00:17:18.020 whereas hypersomnia occurs in about 1/5

NOTE Confidence: 0.850994290833333

 $00{:}17{:}18.020 \dashrightarrow 00{:}17{:}21.502$ to another third of patients in the

NOTE Confidence: 0.850994290833333

 $00:17:21.502 \longrightarrow 00:17:23.557$ manic or hypomanic episodes decrease.

 $00:17:23.560 \longrightarrow 00:17:25.618$ Need for sleep is very common.

NOTE Confidence: 0.850994290833333

00:17:25.620 --> 00:17:27.732 It's one of the most common

NOTE Confidence: 0.850994290833333

00:17:27.732 --> 00:17:28.788 symptoms of mania,

NOTE Confidence: 0.850994290833333

 $00:17:28.790 \longrightarrow 00:17:30.746$ and it's often the first sign,

NOTE Confidence: 0.850994290833333

 $00:17:30.750 \longrightarrow 00:17:32.730$ and it's possible that sleep

NOTE Confidence: 0.850994290833333

 $00:17:32.730 \longrightarrow 00:17:34.314$ loss may precipitate mania.

NOTE Confidence: 0.914970586153846

 $00:17:36.620 \longrightarrow 00:17:39.252$ So if you're wondering how to differentiate

NOTE Confidence: 0.914970586153846

00:17:39.252 --> 00:17:41.230 insomnia for mania in a patient,

NOTE Confidence: 0.914970586153846

 $00:17:41.230 \longrightarrow 00:17:42.410$ who spends hours in bed,

NOTE Confidence: 0.914970586153846

 $00:17:42.410 \longrightarrow 00:17:44.690$ and maybe has a history of

NOTE Confidence: 0.914970586153846

 $00{:}17{:}44.690 \dashrightarrow 00{:}17{:}46.120$ bipolar disorder and insomnia,

NOTE Confidence: 0.914970586153846

 $00:17:46.120 \longrightarrow 00:17:47.795$ the person will often describe

NOTE Confidence: 0.914970586153846

 $00:17:47.795 \longrightarrow 00:17:48.761$ feeling tired, drained.

NOTE Confidence: 0.914970586153846

 $00:17:48.761 \longrightarrow 00:17:50.507$ They may also have low motivation,

NOTE Confidence: 0.914970586153846

 $00:17:50.510 \longrightarrow 00:17:51.370$ and they may be anxious.

NOTE Confidence: 0.914970586153846

 $00:17:51.370 \longrightarrow 00:17:52.910$ They may be depressed,

 $00:17:52.910 \longrightarrow 00:17:54.450$ they don't feel restored,

NOTE Confidence: 0.914970586153846

 $00:17:54.450 \longrightarrow 00:17:56.028$ so really they need more sleep,

NOTE Confidence: 0.914970586153846

00:17:56.030 --> 00:17:57.970 but their body won't sleep,

NOTE Confidence: 0.914970586153846

 $00:17:57.970 \longrightarrow 00:18:00.650$ whereas in mania or hypomania,

NOTE Confidence: 0.914970586153846

 $00:18:00.650 \longrightarrow 00:18:03.848$ the person may describe feeling energetic,

NOTE Confidence: 0.914970586153846

00:18:03.850 --> 00:18:04.854 you know, active, impulsive,

NOTE Confidence: 0.914970586153846

 $00:18:04.854 \longrightarrow 00:18:05.607$ they're revved up,

NOTE Confidence: 0.914970586153846

 $00:18:05.610 \longrightarrow 00:18:07.850$ they've got plenty of energy.

NOTE Confidence: 0.914970586153846

 $00:18:07.850 \longrightarrow 00:18:09.362$ They may lie in bed because they feel

NOTE Confidence: 0.914970586153846

 $00:18:09.362 \longrightarrow 00:18:10.648$ like they're supposed to sleep more,

NOTE Confidence: 0.914970586153846

 $00:18:10.650 \longrightarrow 00:18:11.826$ or you know they.

NOTE Confidence: 0.914970586153846

 $00:18:11.826 \longrightarrow 00:18:13.296$ They usually need 7 hours,

NOTE Confidence: 0.914970586153846 00:18:13.300 --> 00:18:14.010 let's say, NOTE Confidence: 0.914970586153846

00:18:14.010 --> 00:18:15.785 but they really don't need

NOTE Confidence: 0.914970586153846

 $00:18:15.785 \longrightarrow 00:18:17.830$ as much sleep in that time.

 $00:18:20.730 \longrightarrow 00:18:23.660$ So turning to sleep problems

NOTE Confidence: 0.81081971875

00:18:23.660 --> 00:18:25.418 in major depression.

NOTE Confidence: 0.81081971875

 $00:18:25.420 \longrightarrow 00:18:28.150$ Insomnia is present in the great

NOTE Confidence: 0.81081971875

00:18:28.150 --> 00:18:30.810 majority of patients over about half

NOTE Confidence: 0.81081971875

 $00:18:30.810 \longrightarrow 00:18:32.960$ of patients have both difficulty

NOTE Confidence: 0.81081971875

00:18:32.960 --> 00:18:35.258 falling asleep or initial insomnia,

NOTE Confidence: 0.81081971875

 $00:18:35.260 \longrightarrow 00:18:37.858$ as well as early morning awakening.

NOTE Confidence: 0.81081971875

00:18:37.860 --> 00:18:39.970 Hypersomnia is also fairly common

NOTE Confidence: 0.81081971875

 $00:18:39.970 \longrightarrow 00:18:42.080$ and then other sleep complaints

NOTE Confidence: 0.81081971875

00:18:42.150 --> 00:18:44.098 include non restorative sleep,

NOTE Confidence: 0.81081971875

00:18:44.100 --> 00:18:45.726 daytime sleepiness, fatigue,

NOTE Confidence: 0.81081971875

00:18:45.726 --> 00:18:47.894 nightmares and increased risk.

NOTE Confidence: 0.81081971875

 $00:18:47.900 \longrightarrow 00:18:51.869$ As I mentioned of sleep apnea or you know.

NOTE Confidence: 0.81081971875

 $00{:}18{:}51.870 \dashrightarrow 00{:}18{:}56.014$ But day time sleepiness has not been found.

NOTE Confidence: 0.81081971875

00:18:56.020 --> 00:18:58.135 There's there's not been objective

NOTE Confidence: 0.81081971875

 $00:18:58.135 \longrightarrow 00:19:00.250$ evidence of hypersomnolence on MSLT,

 $00:19:00.250 \longrightarrow 00:19:03.238$ so perhaps patients are describing fatigue.

NOTE Confidence: 0.9604488925

 $00:19:05.530 \longrightarrow 00:19:08.036$ So just looking more closely at the

NOTE Confidence: 0.9604488925

 $00:19:08.036 \longrightarrow 00:19:09.554$ relationship between insomnia and

NOTE Confidence: 0.9604488925

00:19:09.554 --> 00:19:11.348 depression in patients with insomnia,

NOTE Confidence: 0.9604488925

00:19:11.348 --> 00:19:14.599 I mentioned that there are 10 times as likely

NOTE Confidence: 0.9604488925

 $00:19:14.599 \longrightarrow 00:19:17.105$ as good sleepers to have major depression

NOTE Confidence: 0.9604488925

 $00:19:17.110 \longrightarrow 00:19:20.086$ if they don't have major depression.

NOTE Confidence: 0.9604488925

00:19:20.090 --> 00:19:22.141 There are two to five times as

NOTE Confidence: 0.9604488925

 $00{:}19{:}22.141 \dashrightarrow 00{:}19{:}24.120$ likely to develop major depression.

NOTE Confidence: 0.9604488925

 $00:19:24.120 \longrightarrow 00:19:26.958$ If the insomnia is not treated,

NOTE Confidence: 0.9604488925

 $00:19:26.960 \longrightarrow 00:19:29.372$ and then insomnia seems to be

NOTE Confidence: 0.9604488925

00:19:29.372 --> 00:19:31.620 independent risk factor for suicide,

NOTE Confidence: 0.9604488925

 $00:19:31.620 \longrightarrow 00:19:32.859$ including suicidal thoughts

NOTE Confidence: 0.9604488925

 $00{:}19{:}32.859 \dashrightarrow 00{:}19{:}35.337$ as well as death by suicide.

NOTE Confidence: 0.9604488925

 $00:19:35.340 \longrightarrow 00:19:37.734$ And in the majority of studies that

 $00:19:37.734 \longrightarrow 00:19:40.667$ remains in a risk factor even when

NOTE Confidence: 0.9604488925

 $00:19:40.667 \longrightarrow 00:19:43.409$ controlled for the severity of depression.

NOTE Confidence: 0.9604488925

00:19:43.410 --> 00:19:45.786 I'm looking at it from the other angle

NOTE Confidence: 0.9604488925

 $00:19:45.786 \longrightarrow 00:19:47.760$ in patients with major depression.

NOTE Confidence: 0.9604488925

 $00:19:47.760 \longrightarrow 00:19:50.490$ Insomnia is a residual symptom.

NOTE Confidence: 0.9604488925

00:19:50.490 --> 00:19:53.804 Unfortunately, in about 20 to 40\% of

NOTE Confidence: 0.9604488925

 $00:19:53.804 \longrightarrow 00:19:55.568$ patients who are treated for depression.

NOTE Confidence: 0.9604488925

 $00:19:55.570 \longrightarrow 00:19:57.910$ So after the depression goes away,

NOTE Confidence: 0.9604488925

 $00:19:57.910 \longrightarrow 00:19:59.730$ it's the insomnia remains

NOTE Confidence: 0.9604488925

 $00:19:59.730 \longrightarrow 00:20:02.005$ in about 1/3 of patients.

NOTE Confidence: 0.9604488925

 $00{:}20{:}02.010 \dashrightarrow 00{:}20{:}04.330$ Residual insomnia increases the risk

NOTE Confidence: 0.9604488925

 $00:20:04.330 \longrightarrow 00:20:06.650$ of relapse of major depression.

NOTE Confidence: 0.9604488925

 $00:20:06.650 \longrightarrow 00:20:08.967$ But the good news is treating insomnia

NOTE Confidence: 0.9604488925

 $00:20:08.967 \longrightarrow 00:20:11.333$ in patients with depression even without

NOTE Confidence: 0.9604488925

 $00:20:11.333 \longrightarrow 00:20:13.513$ using any kind of antidepressants.

NOTE Confidence: 0.9604488925

 $00:20:13.520 \longrightarrow 00:20:15.860$ Treating in somnia with hypnotics or

 $00:20:15.860 \longrightarrow 00:20:18.200$ with cognitive behavioral therapy for

NOTE Confidence: 0.9604488925

 $00:20:18.267 \longrightarrow 00:20:21.182$ in somnia can actually have improvement

NOTE Confidence: 0.9604488925

 $00:20:21.182 \longrightarrow 00:20:23.030$ in their depressive symptoms.

NOTE Confidence: 0.90326826

 $00:20:25.140 \longrightarrow 00:20:26.820$ And so the take home points

NOTE Confidence: 0.90326826

 $00:20:26.820 \longrightarrow 00:20:27.940$ just on this section.

NOTE Confidence: 0.90326826

 $00:20:27.940 \longrightarrow 00:20:29.480$ Poor sleep is characteristic

NOTE Confidence: 0.90326826

00:20:29.480 --> 00:20:31.129 of mood disorders, insomnia,

NOTE Confidence: 0.90326826

 $00{:}20{:}31.129 \dashrightarrow 00{:}20{:}33.085$ hypersomnia and reduced need

NOTE Confidence: 0.90326826

 $00:20:33.085 \longrightarrow 00:20:36.025$ for sleep in the different mood

NOTE Confidence: 0.90326826

 $00{:}20{:}36.025 \dashrightarrow 00{:}20{:}38.032$ states patients with mania or

NOTE Confidence: 0.90326826

00:20:38.032 --> 00:20:40.420 hypomania may spend hours in bed

NOTE Confidence: 0.90326826

 $00:20:40.500 \longrightarrow 00:20:42.816$ awake as those do with insomnia,

NOTE Confidence: 0.90326826

 $00:20:42.820 \longrightarrow 00:20:45.494$ but they do not need more sleep.

NOTE Confidence: 0.90326826

00:20:45.500 --> 00:20:47.168 Insomnia, risk factor for

NOTE Confidence: 0.90326826

00:20:47.168 --> 00:20:48.419 new onset depression,

 $00:20:48.420 \longrightarrow 00:20:51.500$ relapse of depression and suicide

NOTE Confidence: 0.90326826

 $00{:}20{:}51.500 \dashrightarrow 00{:}20{:}53.132$ and treating in somnia can

NOTE Confidence: 0.90326826

 $00:20:53.132 \longrightarrow 00:20:54.764$ reduce symptoms of depression.

NOTE Confidence: 0.863473453333333

00:20:57.110 --> 00:20:58.400 So Polysomnogram findings

NOTE Confidence: 0.863473453333333

 $00:20:58.400 \longrightarrow 00:20:59.690$ and major depression,

NOTE Confidence: 0.863473453333333

 $00:20:59.690 \longrightarrow 00:21:02.168$ which is the most well studied,

NOTE Confidence: 0.863473453333333

 $00:21:02.170 \longrightarrow 00:21:07.056$ include three groups of of differences.

NOTE Confidence: 0.863473453333333

00:21:07.056 --> 00:21:11.130 So the first is poor sleep continuity.

NOTE Confidence: 0.863473453333333

 $00{:}21{:}11.130 \dashrightarrow 00{:}21{:}13.538$ Or you could think of that as

NOTE Confidence: 0.863473453333333

 $00:21:13.538 \longrightarrow 00:21:14.570$ increased sleep fragmentation.

NOTE Confidence: 0.863473453333333

00:21:14.570 --> 00:21:16.770 So that's reduced sleep efficiency,

NOTE Confidence: 0.863473453333333

00:21:16.770 --> 00:21:18.162 prolonged sleep latency,

NOTE Confidence: 0.863473453333333

 $00:21:18.162 \longrightarrow 00:21:20.946$ increased number and duration of awakenings

NOTE Confidence: 0.863473453333333

00:21:20.946 --> 00:21:23.568 as well as early morning awakening.

NOTE Confidence: 0.863473453333333

 $00:21:23.570 \longrightarrow 00:21:25.158$ The second is reduced.

NOTE Confidence: 0.863473453333333

00:21:25.158 --> 00:21:27.610 Slow wave sleep or also

00:21:27.610 --> 00:21:30.130 called reduced sleep depth,

NOTE Confidence: 0.863473453333333

 $00:21:30.130 \longrightarrow 00:21:32.440$ and that's characterized by more more time

NOTE Confidence: 0.863473453333333

00:21:32.440 --> 00:21:34.990 in stage one less time in stage three,

NOTE Confidence: 0.863473453333333

 $00:21:34.990 \longrightarrow 00:21:38.170$ and then in some patients the longer

NOTE Confidence: 0.863473453333333

00:21:38.170 --> 00:21:41.130 period of slow wave sleep seems to shift

NOTE Confidence: 0.863473453333333

00:21:41.212 --> 00:21:43.828 from the 1st to the 2nd sleep cycle,

NOTE Confidence: 0.863473453333333

00:21:43.830 --> 00:21:47.478 and then the third is increased REM sleep,

NOTE Confidence: 0.863473453333333

 $00:21:47.480 \longrightarrow 00:21:49.420$ sometimes called increased REM

NOTE Confidence: 0.863473453333333

 $00{:}21{:}49.420 \dashrightarrow 00{:}21{:}52.330$ pressure or disinhibition of REM sleep.

NOTE Confidence: 0.863473453333333

 $00:21:52.330 \longrightarrow 00:21:54.620$ Excuse me.

NOTE Confidence: 0.863473453333333

 $00:21:54.620 \longrightarrow 00:21:56.465$ So that's shorter latency to

NOTE Confidence: 0.863473453333333

 $00:21:56.465 \longrightarrow 00:21:58.820$ stage are more time in stage,

NOTE Confidence: 0.863473453333333

 $00{:}21{:}58.820 \dashrightarrow 00{:}22{:}00.728$ are especially early in the night

NOTE Confidence: 0.863473453333333

 $00:22:00.728 \longrightarrow 00:22:03.132$ in the first sleep cycle and then

NOTE Confidence: 0.863473453333333

 $00:22:03.132 \longrightarrow 00:22:04.907$ increased rapid eye movement density

 $00:22:04.907 \longrightarrow 00:22:07.342$ and so that means the number of

NOTE Confidence: 0.863473453333333

 $00{:}22{:}07.342 \dashrightarrow 00{:}22{:}10.659$ eye movements during stage are.

NOTE Confidence: 0.863473453333333

 $00:22:10.660 \longrightarrow 00:22:12.028$ So and this hypnogram,

NOTE Confidence: 0.863473453333333

 $00:22:12.028 \longrightarrow 00:22:13.738$ you can see those findings.

NOTE Confidence: 0.863473453333333

00:22:13.740 --> 00:22:16.396 So first, in terms of poor sleep continuity,

NOTE Confidence: 0.863473453333333

 $00:22:16.400 \longrightarrow 00:22:18.052$ the purple on the top is wake

NOTE Confidence: 0.863473453333333

 $00:22:18.052 \longrightarrow 00:22:19.880$ and you can see the person is

NOTE Confidence: 0.863473453333333

00:22:19.880 --> 00:22:21.845 just bouncing up and down in and

NOTE Confidence: 0.863473453333333

00:22:21.845 --> 00:22:23.430 out of wakefulness and sleep.

NOTE Confidence: 0.863473453333333

 $00:22:23.430 \longrightarrow 00:22:25.020$ There are a lot of awakenings,

NOTE Confidence: 0.863473453333333

 $00{:}22{:}25.020 \dashrightarrow 00{:}22{:}26.880$ and there's also the persons waking

NOTE Confidence: 0.863473453333333

00:22:26.880 --> 00:22:29.018 up kind of early in the morning

NOTE Confidence: 0.863473453333333

 $00:22:29.020 \longrightarrow 00:22:30.484$ in terms of reduced slow wave

NOTE Confidence: 0.863473453333333

 $00:22:30.484 \longrightarrow 00:22:32.239$ sleep all the way at the bottom.

NOTE Confidence: 0.863473453333333

 $00:22:32.240 \longrightarrow 00:22:34.358$ The dark blue is stage three

NOTE Confidence: 0.863473453333333

 $00:22:34.358 \longrightarrow 00:22:36.867$ and you can see there's very

 $00:22:36.867 \longrightarrow 00:22:38.899$ little stage three sleep.

NOTE Confidence: 0.863473453333333

 $00:22:38.900 \longrightarrow 00:22:40.312$ And then increased REM.

NOTE Confidence: 0.863473453333333

00:22:40.312 --> 00:22:42.826 The red is rapid eye movement sleep

NOTE Confidence: 0.863473453333333

 $00:22:42.826 \longrightarrow 00:22:44.762$ and you can see there's reduced

NOTE Confidence: 0.863473453333333

00:22:44.762 --> 00:22:47.016 REM latency and there's a lot of

NOTE Confidence: 0.863473453333333

00:22:47.016 --> 00:22:49.080 REM sleep throughout the night,

NOTE Confidence: 0.863473453333333

 $00:22:49.080 \longrightarrow 00:22:52.030$ including early in the night.

NOTE Confidence: 0.863473453333333

 $00:22:52.030 \longrightarrow 00:22:54.880$ And some other polysomnogram findings.

NOTE Confidence: 0.863473453333333

00:22:54.880 --> 00:22:56.800 Patients with depression have been

NOTE Confidence: 0.863473453333333

 $00{:}22{:}56.800 \dashrightarrow 00{:}22{:}59.161$ found to have reduced slow wave

NOTE Confidence: 0.863473453333333

00:22:59.161 --> 00:23:01.021 sleep and shortened REM latency

NOTE Confidence: 0.863473453333333

 $00:23:01.021 \longrightarrow 00:23:03.140$ even during periods of euthymia.

NOTE Confidence: 0.885797937

 $00{:}23{:}05.400 \dashrightarrow 00{:}23{:}07.830$ Family studies have also shown similar

NOTE Confidence: 0.885797937

00:23:07.830 --> 00:23:10.434 changes in REM sleep. In other words,

NOTE Confidence: 0.885797937

00:23:10.434 --> 00:23:12.402 family members who don't have depression,

 $00:23:12.410 \longrightarrow 00:23:14.580$ but they're they're relatives do.

NOTE Confidence: 0.885797937

 $00:23:14.580 \longrightarrow 00:23:16.674$ So maybe there's some kind of

NOTE Confidence: 0.885797937

00:23:16.674 --> 00:23:18.070 trait versus state markers,

NOTE Confidence: 0.885797937

 $00:23:18.070 \longrightarrow 00:23:20.210$ but either way they're not

NOTE Confidence: 0.885797937

 $00:23:20.210 \longrightarrow 00:23:21.494$ specific to depression.

NOTE Confidence: 0.885797937

 $00:23:21.500 \longrightarrow 00:23:25.040$ Similar polysomnogram findings have been

NOTE Confidence: 0.885797937

 $00{:}23{:}25.040 \to 00{:}23{:}28.580$ noted in other psychiatric disorders.

NOTE Confidence: 0.885797937

00:23:28.580 --> 00:23:30.075 Increased sleep latency and increased

NOTE Confidence: 0.885797937

 $00:23:30.075 \longrightarrow 00:23:31.870$ REM density have actually been found

NOTE Confidence: 0.885797937

 $00:23:31.870 \longrightarrow 00:23:33.376$ in all stages of bipolar disorder,

NOTE Confidence: 0.885797937

 $00{:}23{:}33.380 \to 00{:}23{:}36.030$ including mania.

NOTE Confidence: 0.885797937

 $00:23:36.030 \longrightarrow 00:23:39.012$ And then similar findings of last

NOTE Confidence: 0.885797937

 $00{:}23{:}39.012 \dashrightarrow 00{:}23{:}41.454$ slave sleep reduced REM latency and

NOTE Confidence: 0.885797937

 $00:23:41.454 \longrightarrow 00:23:43.620$ more sleep fragmentation as well as

NOTE Confidence: 0.885797937

00:23:43.684 --> 00:23:45.778 early morning awakening are also found

NOTE Confidence: 0.885797937

 $00:23:45.778 \longrightarrow 00:23:48.338$ in normal aging in patients without

00:23:48.338 --> 00:23:51.054 depression in these age related

NOTE Confidence: 0.885797937

 $00{:}23{:}51.054 \dashrightarrow 00{:}23{:}54.300$ changes are more pronounced in elderly

NOTE Confidence: 0.885797937

00:23:54.399 --> 00:23:57.519 patients who also have depression.

NOTE Confidence: 0.885797937

00:23:57.520 --> 00:24:00.530 There's a lot of evidence of circadian

NOTE Confidence: 0.885797937

00:24:00.530 --> 00:24:01.820 abnormalities and depression,

NOTE Confidence: 0.885797937

 $00:24:01.820 \longrightarrow 00:24:04.028$ so depression is associated with reduced

NOTE Confidence: 0.885797937

00:24:04.028 --> 00:24:06.220 heart rate and temperature variability,

NOTE Confidence: 0.885797937

 $00:24:06.220 \longrightarrow 00:24:08.019$ and over the course of the day,

NOTE Confidence: 0.885797937

 $00:24:08.020 \longrightarrow 00:24:09.764$ circadian fluctuations and cortisol

NOTE Confidence: 0.885797937

 $00:24:09.764 \longrightarrow 00:24:11.944$ and norepine phrine tend to be

NOTE Confidence: 0.885797937

 $00{:}24{:}11.944 \dashrightarrow 00{:}24{:}14.128$ phase advanced in depression and

NOTE Confidence: 0.885797937

 $00:24:14.128 \longrightarrow 00:24:16.096$ then mood and suicide rates vary

NOTE Confidence: 0.885797937

00:24:16.096 --> 00:24:18.217 diurnally over the course of the day,

NOTE Confidence: 0.885797937

 $00:24:18.220 \longrightarrow 00:24:21.034$ as well as seasonally throughout the year.

NOTE Confidence: 0.885797937

 $00{:}24{:}21.040 \dashrightarrow 00{:}24{:}22.498$ So a classic symptom of depression

00:24:22.498 --> 00:24:24.120 is low mood in the morning,

NOTE Confidence: 0.885797937

 $00{:}24{:}24.120 --> 00{:}24{:}25.506$ but it gets a little better

NOTE Confidence: 0.885797937

 $00:24:25.506 \longrightarrow 00:24:26.992$ in the evening and then also,

NOTE Confidence: 0.885797937

 $00:24:26.992 \longrightarrow 00:24:28.840 \mod \text{tends}$ to be worse in winter.

NOTE Confidence: 0.885797937

00:24:28.840 --> 00:24:32.008 You know, with seasonal affective disorder,

NOTE Confidence: 0.885797937

00:24:32.010 --> 00:24:35.178 and I thought this was surprising.

NOTE Confidence: 0.885797937

 $00:24:35.180 \longrightarrow 00:24:37.140$ Suicide rates also seemed to

NOTE Confidence: 0.885797937

 $00:24:37.140 \longrightarrow 00:24:39.100$ be higher in the evening,

NOTE Confidence: 0.885797937

00:24:39.100 --> 00:24:40.204 kind of evening,

NOTE Confidence: 0.885797937

00:24:40.204 --> 00:24:43.158 middle of the night or late in the night,

NOTE Confidence: 0.885797937

00:24:43.158 --> 00:24:44.820 depending on the different study in

NOTE Confidence: 0.885797937

 $00:24:44.877 \longrightarrow 00:24:46.110$ the demographic studied.

NOTE Confidence: 0.885797937

 $00:24:46.110 \longrightarrow 00:24:49.113$ But spring and summer actually had higher

NOTE Confidence: 0.885797937

00:24:49.113 --> 00:24:52.030 rates of suicide compared with winter,

NOTE Confidence: 0.885797937

 $00:24:52.030 \longrightarrow 00:24:55.220$ which I was not expecting.

NOTE Confidence: 0.885797937

 $00:24:55.220 \longrightarrow 00:24:56.516$ So people have studied,

 $00:24:56.516 \longrightarrow 00:24:58.768$ you know the relationships between mood and

NOTE Confidence: 0.885797937

 $00{:}24{:}58.768 \dashrightarrow 00{:}25{:}01.036$ sleep and come up with all kinds of theories.

NOTE Confidence: 0.885797937

 $00:25:01.040 \longrightarrow 00:25:03.434$ So I just want to briefly mention them here.

NOTE Confidence: 0.885797937

 $00:25:03.440 \longrightarrow 00:25:06.410$ So one is that CNS arousal or some kind

NOTE Confidence: 0.885797937

 $00{:}25{:}06.410 \dashrightarrow 00{:}25{:}09.577$ of problem with seroton in transmission

NOTE Confidence: 0.885797937

 $00:25:09.580 \longrightarrow 00:25:11.765$ leads to sleep fragmentation and

NOTE Confidence: 0.885797937

 $00:25:11.765 \longrightarrow 00:25:13.950$ then that leads to depression.

NOTE Confidence: 0.885797937

 $00:25:13.950 \longrightarrow 00:25:16.170$ Another theory is that increased rapid

NOTE Confidence: 0.885797937

 $00{:}25{:}16.170 \dashrightarrow 00{:}25{:}18.540$ eye movement sleep leads to depression.

NOTE Confidence: 0.885797937

 $00{:}25{:}18.540 \dashrightarrow 00{:}25{:}20.360$ Another is that depression leads

NOTE Confidence: 0.885797937

 $00{:}25{:}20.360 \dashrightarrow 00{:}25{:}22.666$ to some kind of primary defect

NOTE Confidence: 0.885797937

 $00{:}25{:}22.666 \dashrightarrow 00{:}25{:}24.726$ in the homeostatic sleep drive.

NOTE Confidence: 0.885797937

 $00{:}25{:}24.730 \dashrightarrow 00{:}25{:}26.395$ And that causes a decrease

NOTE Confidence: 0.885797937

 $00:25:26.395 \longrightarrow 00:25:27.727$ in slow wave sleep,

NOTE Confidence: 0.885797937

 $00:25:27.730 \longrightarrow 00:25:30.061$ and then that leads to earlier and

00:25:30.061 --> 00:25:32.150 more rapid eye movement sleep.

NOTE Confidence: 0.885797937

 $00:25:32.150 \longrightarrow 00:25:35.230$ Another is that circadian phase

NOTE Confidence: 0.885797937

 $00:25:35.230 \longrightarrow 00:25:37.329$ advance advancement leads to

NOTE Confidence: 0.885797937

 $00:25:37.329 \longrightarrow 00:25:39.794$ depression and then finally there's

NOTE Confidence: 0.885797937

 $00:25:39.794 \longrightarrow 00:25:42.180$ this cholinergic energic imbalance

NOTE Confidence: 0.885797937

 $00:25:42.180 \longrightarrow 00:25:44.684$ or cholinergic supersensitivity or

NOTE Confidence: 0.885797937

00:25:44.684 --> 00:25:47.254 HPA axis activation that causes

NOTE Confidence: 0.885797937

 $00:25:47.254 \longrightarrow 00:25:49.310$ both insomnia and depression.

NOTE Confidence: 0.885797937

 $00:25:49.310 \longrightarrow 00:25:51.249$ So in other words there's a shared

NOTE Confidence: 0.885797937

00:25:51.249 --> 00:25:52.780 pathway leading to problems with

NOTE Confidence: 0.885797937

 $00:25:52.780 \longrightarrow 00:25:54.385 \mod \text{ and problems with sleep}$.

NOTE Confidence: 0.894468298

 $00:25:57.020 \longrightarrow 00:26:00.132$ So summary on that section Polysomnogram

NOTE Confidence: 0.894468298

 $00:26:00.132 \longrightarrow 00:26:02.542$ findings in major depression and

NOTE Confidence: 0.894468298

 $00{:}26{:}02.542 \dashrightarrow 00{:}26{:}04.900$ bipolar disorder include reduced sleep,

NOTE Confidence: 0.894468298

00:26:04.900 --> 00:26:07.140 continuity, reduced slow wave sleep,

NOTE Confidence: 0.894468298

 $00{:}26{:}07.140 \dashrightarrow 00{:}26{:}09.756$ and increased rapid eye movement sleep.

 $00:26:09.760 \longrightarrow 00:26:11.544$ Polysomnogram findings are not

NOTE Confidence: 0.894468298

 $00:26:11.544 \longrightarrow 00:26:13.328$ specific to mood disorders.

NOTE Confidence: 0.894468298

 $00:26:13.330 \longrightarrow 00:26:15.604$ Some are found in normal aging

NOTE Confidence: 0.894468298

00:26:15.604 --> 00:26:17.120 or other psychiatric disorders,

NOTE Confidence: 0.894468298

 $00:26:17.120 \longrightarrow 00:26:20.672$ and some maybe treat markers found in family

NOTE Confidence: 0.894468298

 $00:26:20.672 \longrightarrow 00:26:23.827$ members or during periods of euthymia.

NOTE Confidence: 0.894468298

 $00:26:23.830 \longrightarrow 00:26:25.905$ Mood disorders are impacted by

NOTE Confidence: 0.894468298

 $00:26:25.905 \longrightarrow 00:26:27.923$ seasonal and circadian rhythms and

NOTE Confidence: 0.894468298

 $00:26:27.923 \longrightarrow 00:26:29.688$ relationships between sleep and mood

NOTE Confidence: 0.894468298

 $00:26:29.688 \longrightarrow 00:26:31.940$ are complex and likely bidirectional.

NOTE Confidence: 0.926762391538461

00:26:34.620 --> 00:26:37.772 Alright, so now I'll briefly go over some

NOTE Confidence: 0.926762391538461

 $00:26:37.772 \longrightarrow 00:26:40.539$ effects of antidepressants on sleep.

NOTE Confidence: 0.926762391538461

 $00{:}26{:}40.540 \dashrightarrow 00{:}26{:}42.220$ So this is a busy slide,

NOTE Confidence: 0.926762391538461

 $00:26:42.220 \longrightarrow 00:26:43.648$ but I'll just sort of go

NOTE Confidence: 0.926762391538461

00:26:43.648 --> 00:26:45.198 through it one line at a time,

00:26:45.200 --> 00:26:47.315 and then I'm going to repeat some of the

NOTE Confidence: 0.926762391538461

 $00:26:47.315 \longrightarrow 00:26:48.918$ information on the next couple of slides.

NOTE Confidence: 0.926762391538461

 $00:26:48.920 \longrightarrow 00:26:52.362$ So Doxepin and amitriptyline are newer,

NOTE Confidence: 0.926762391538461

 $00:26:52.362 \longrightarrow 00:26:54.690$ sometimes called third generation

NOTE Confidence: 0.926762391538461

00:26:54.690 --> 00:26:55.854 tricyclic antidepressants,

NOTE Confidence: 0.926762391538461

 $00:26:55.860 \longrightarrow 00:26:58.359$ and they tend to increase sleep continuity.

NOTE Confidence: 0.926762391538461

 $00:26:58.360 \longrightarrow 00:27:00.440$ They can help with sleep as we know

NOTE Confidence: 0.926762391538461

 $00:27:00.440 \longrightarrow 00:27:02.967$ they tend to increase slow wave sleep

NOTE Confidence: 0.926762391538461

 $00{:}27{:}02.967 {\:{\circ}{\circ}{\circ}}>00{:}27{:}05.339$ and decrease rapid eye movement sleep.

NOTE Confidence: 0.926762391538461

 $00:27:05.340 \longrightarrow 00:27:06.716$ They're also associated with

NOTE Confidence: 0.926762391538461

 $00{:}27{:}06.716 \dashrightarrow 00{:}27{:}08.780$ weight gain and possibly with an

NOTE Confidence: 0.926762391538461

 $00{:}27{:}08.839 \dashrightarrow 00{:}27{:}11.428$ increase in Russell's leg symptoms.

NOTE Confidence: 0.926762391538461

 $00{:}27{:}11.430 \dashrightarrow 00{:}27{:}13.846$ In the asterisk I put some of the

NOTE Confidence: 0.926762391538461

 $00:27:13.846 \longrightarrow 00:27:16.187$ sleep changes noted with older

NOTE Confidence: 0.926762391538461

00:27:16.187 --> 00:27:17.858 tricyclics including nortriptyline,

NOTE Confidence: 0.926762391538461

 $00:27:17.860 \longrightarrow 00:27:20.686$ and they either don't seem to

 $00:27:20.686 \longrightarrow 00:27:23.254$ affect sleep as much or they have

NOTE Confidence: 0.926762391538461

 $00{:}27{:}23.254 \dashrightarrow 00{:}27{:}25.490$ opposite effects of the of Doxepin.

NOTE Confidence: 0.926762391538461

00:27:25.490 --> 00:27:28.860 Amitriptyline for SSR eyes or

NOTE Confidence: 0.926762391538461

 $00:27:28.860 \longrightarrow 00:27:31.556$ SSR eyes same thing.

NOTE Confidence: 0.926762391538461

 $00{:}27{:}31.560 \dashrightarrow 00{:}27{:}35.370$ They also seem to depress rapid

NOTE Confidence: 0.926762391538461

 $00:27:35.370 \longrightarrow 00:27:37.050$ eye movement sleep but they seem

NOTE Confidence: 0.926762391538461

 $00:27:37.050 \longrightarrow 00:27:38.933$ to have the opposite effects on

NOTE Confidence: 0.926762391538461

 $00{:}27{:}38.933 \dashrightarrow 00{:}27{:}40.518$ sleep continuity and slow wave.

NOTE Confidence: 0.926762391538461

 $00{:}27{:}40.520 \dashrightarrow 00{:}27{:}42.770$ Sleep compared with Doxepin a mitriptyline

NOTE Confidence: 0.926762391538461

 $00:27:42.770 \longrightarrow 00:27:45.751$ they seem to cause more sleep

NOTE Confidence: 0.926762391538461

 $00:27:45.751 \longrightarrow 00:27:48.880$ fragmentation and increase slow wave sleep.

NOTE Confidence: 0.926762391538461

 $00{:}27{:}48.880 \dashrightarrow 00{:}27{:}49.885$ They're definitely associated

NOTE Confidence: 0.926762391538461

 $00{:}27{:}49.885 \to 00{:}27{:}51.895$ with an increase in restless leg.

NOTE Confidence: 0.926762391538461

 $00{:}27{:}51.900 \dashrightarrow 00{:}27{:}54.370$ Symptoms in REM without atonia

NOTE Confidence: 0.926762391538461

 $00:27:54.370 \longrightarrow 00:27:56.840$ in nightmares and in bruxism.

 $00:27:56.840 \longrightarrow 00:27:59.140$ Although interestingly patients often

NOTE Confidence: 0.926762391538461

00:27:59.140 --> 00:28:02.015 subjectively report improvement in sleep,

NOTE Confidence: 0.926762391538461

00:28:02.020 --> 00:28:06.860 the SNR eyes tend to be more activating,

NOTE Confidence: 0.926762391538461

 $00:28:06.860 \longrightarrow 00:28:08.205$ so they definitely are associated

NOTE Confidence: 0.926762391538461

 $00:28:08.205 \longrightarrow 00:28:10.110$ with a decrease in sleep continuity.

NOTE Confidence: 0.926762391538461

00:28:10.110 --> 00:28:12.468 In other words, more sleep fragmentation.

NOTE Confidence: 0.926762391538461

00:28:12.470 --> 00:28:15.508 They also may increase slow wave sleep,

NOTE Confidence: 0.926762391538461

00:28:15.510 --> 00:28:17.365 and they definitely suppress REM

NOTE Confidence: 0.926762391538461

 $00:28:17.365 \longrightarrow 00:28:19.627$ sleep or decrease rapid eye movement

NOTE Confidence: 0.926762391538461

00:28:19.627 --> 00:28:21.950 sleep and similar to the Sri's there

NOTE Confidence: 0.926762391538461

 $00{:}28{:}21.950 \dashrightarrow 00{:}28{:}23.810$ associated with an increase in restless

NOTE Confidence: 0.926762391538461

 $00:28:23.810 \longrightarrow 00:28:25.876$ legs run without a Tony and nightmares

NOTE Confidence: 0.926762391538461

 $00:28:25.876 \longrightarrow 00:28:27.880$ in Brooks ISM bupropion is different

NOTE Confidence: 0.926762391538461

 $00:28:27.880 \longrightarrow 00:28:30.610$ from a lot of the other antidepressants.

NOTE Confidence: 0.926762391538461

00:28:30.610 --> 00:28:32.160 It doesn't work on serotonin

NOTE Confidence: 0.926762391538461

 $00:28:32.160 \longrightarrow 00:28:34.339$ at all as far as we know.

 $00:28:34.340 \longrightarrow 00:28:36.452$ It really seems to just work

NOTE Confidence: 0.926762391538461

00:28:36.452 --> 00:28:37.860 in norepinephrine and dopamine.

NOTE Confidence: 0.926762391538461

 $00:28:37.860 \longrightarrow 00:28:41.088$ It does seem to cause some

NOTE Confidence: 0.926762391538461

 $00:28:41.088 \longrightarrow 00:28:42.164$ sleep fragmentation.

NOTE Confidence: 0.926762391538461

00:28:42.170 --> 00:28:45.434 And also likely increases as slow wave sleep,

NOTE Confidence: 0.926762391538461

 $00:28:45.440 \longrightarrow 00:28:46.500$ but unlike the others,

NOTE Confidence: 0.926762391538461

 $00:28:46.500 \longrightarrow 00:28:48.438$ it either has no effect on rapid

NOTE Confidence: 0.926762391538461

 $00{:}28{:}48.438 {\:\dashrightarrow\:} 00{:}28{:}50.482$ eye movement sleep or it seems to

NOTE Confidence: 0.926762391538461

 $00{:}28{:}50.482 \dashrightarrow 00{:}28{:}52.148$ increase rapid eye movement sleep.

NOTE Confidence: 0.895255722

 $00{:}28{:}54.620 \dashrightarrow 00{:}28{:}56.524$ It tends to be activating and so

NOTE Confidence: 0.895255722

 $00:28:56.524 \longrightarrow 00:28:58.571$ sometimes it's even used to help reduce

NOTE Confidence: 0.895255722

 $00:28:58.571 \longrightarrow 00:29:00.329$ day time somnolence in a patient with

NOTE Confidence: 0.895255722

 $00:29:00.389 \longrightarrow 00:29:02.339$ depression who's really having a hard

NOTE Confidence: 0.895255722

 $00:29:02.339 \longrightarrow 00:29:05.332$ time focusing there sort of have that

NOTE Confidence: 0.895255722

 $00:29:05.332 \longrightarrow 00:29:08.288$ mental cloudiness bupropion can be good.

 $00:29:08.288 \longrightarrow 00:29:10.116$ Unlike many other antidepressants

NOTE Confidence: 0.895255722

 $00:29:10.116 \longrightarrow 00:29:13.037$ which are associated with weight gain,

NOTE Confidence: 0.895255722

 $00:29:13.040 \longrightarrow 00:29:15.212$ Bureau program is not associated with

NOTE Confidence: 0.895255722

 $00:29:15.212 \longrightarrow 00:29:17.868$ that and occasionally can lead to some

NOTE Confidence: 0.895255722

 $00:29:17.868 \longrightarrow 00:29:20.636$ weight loss and then another difference is

NOTE Confidence: 0.895255722

 $00:29:20.636 \longrightarrow 00:29:23.905$ that it may reduce restless leg syndrome.

NOTE Confidence: 0.895255722

 $00:29:23.905 \longrightarrow 00:29:26.591$ Symptoms so mirtazapine here

NOTE Confidence: 0.895255722

 $00:29:26.591 \longrightarrow 00:29:30.000$ is the last one on the list.

NOTE Confidence: 0.895255722

00:29:30.000 --> 00:29:30.744 And actually,

NOTE Confidence: 0.895255722

 $00:29:30.744 \longrightarrow 00:29:32.976$ trazadone has similar effects as well,

NOTE Confidence: 0.895255722

 $00:29:32.980 \longrightarrow 00:29:36.232$ and that increases as sleep continuity

NOTE Confidence: 0.895255722

00:29:36.232 --> 00:29:38.520 increases, slow wave sleep and doesn't seem

NOTE Confidence: 0.895255722

 $00:29:38.520 \longrightarrow 00:29:41.130$ to have much of an effect on REM sleep.

NOTE Confidence: 0.895255722

 $00{:}29{:}41.130 --> 00{:}29{:}41.552 \ Unfortunately,$

NOTE Confidence: 0.895255722

 $00:29:41.552 \longrightarrow 00:29:44.928$ it has a strong association with an increase

NOTE Confidence: 0.895255722

 $00{:}29{:}44.928 \dashrightarrow 00{:}29{:}47.940$ in restless leg symptoms and nightmares,

00:29:47.940 --> 00:29:49.716 and also can cause significant weight

NOTE Confidence: 0.895255722

00:29:49.716 --> 00:29:52.029 gain as well as daytime somnolence.

NOTE Confidence: 0.929166442727273

00:29:54.660 --> 00:29:55.868 And then I just have a couple of

NOTE Confidence: 0.929166442727273

00:29:55.868 --> 00:29:57.532 other notes here, but I'm going

NOTE Confidence: 0.929166442727273

 $00:29:57.532 \longrightarrow 00:30:00.340$ to go over a lot of this again,

NOTE Confidence: 0.929166442727273

 $00:30:00.340 \longrightarrow 00:30:02.846$ so just overall in terms of the

NOTE Confidence: 0.929166442727273

 $00:30:02.846 \longrightarrow 00:30:04.540$ effects of antidepressants on sleep,

NOTE Confidence: 0.929166442727273

 $00:30:04.540 \longrightarrow 00:30:06.675$ there are significant variability within

NOTE Confidence: 0.929166442727273

00:30:06.675 --> 00:30:08.834 a class of depression, medications,

NOTE Confidence: 0.929166442727273

 $00:30:08.834 \longrightarrow 00:30:11.498$ and also even just between individuals,

NOTE Confidence: 0.929166442727273

 $00:30:11.500 \longrightarrow 00:30:14.120$ especially in the SSRI group.

NOTE Confidence: 0.929166442727273

 $00:30:14.120 \longrightarrow 00:30:16.820$ There's a lot of variability,

NOTE Confidence: 0.929166442727273

 $00{:}30{:}16.820 \dashrightarrow 00{:}30{:}20.438$ some sris at SNR eyes and

NOTE Confidence: 0.929166442727273

 $00{:}30{:}20.438 \dashrightarrow 00{:}30{:}22.818$ Grupo bupropion disrupt sleep.

NOTE Confidence: 0.929166442727273

 $00{:}30{:}22.818 \dashrightarrow 00{:}30{:}24.570$ But other antidepressants.

00:30:24.570 --> 00:30:27.440 Seem to improve sleep continuity.

NOTE Confidence: 0.929166442727273

 $00{:}30{:}27.440 {\:{\circ}{\circ}{\circ}}>00{:}30{:}29.108$ Generally antidepressants are used

NOTE Confidence: 0.929166442727273

 $00:30:29.108 \dashrightarrow 00:30:31.610$ in much higher doses for depression

NOTE Confidence: 0.929166442727273

 $00:30:31.678 \longrightarrow 00:30:33.288$ than they are for insomnia.

NOTE Confidence: 0.929166442727273

 $00:30:33.290 \longrightarrow 00:30:34.622$ 1 exception is mirtazapine,

NOTE Confidence: 0.929166442727273

 $00:30:34.622 \longrightarrow 00:30:37.517$ 15 to 30 milligrams may be kind of a

NOTE Confidence: 0.929166442727273

00:30:37.517 --> 00:30:39.456 sweet spot where it's low enough to

NOTE Confidence: 0.929166442727273

00:30:39.527 --> 00:30:41.747 work on histamine and improve sleep,

NOTE Confidence: 0.929166442727273

 $00:30:41.750 \longrightarrow 00:30:44.948$ but it's high enough to have

NOTE Confidence: 0.929166442727273

00:30:44.948 --> 00:30:46.547 some antidepressant benefit.

NOTE Confidence: 0.929166442727273

00:30:46.550 --> 00:30:48.284 Antidepressants may cause

NOTE Confidence: 0.929166442727273

 $00:30:48.284 \longrightarrow 00:30:50.018$ circadian rhythm disorders.

NOTE Confidence: 0.929166442727273

 $00:30:50.020 \longrightarrow 00:30:51.600$ There are some interesting

NOTE Confidence: 0.929166442727273

00:30:51.600 --> 00:30:53.180 studies showing that fluvoxamine,

NOTE Confidence: 0.929166442727273

 $00:30:53.180 \longrightarrow 00:30:55.430$ which is luvox and SSRI,

NOTE Confidence: 0.929166442727273

00:30:55.430 --> 00:30:57.778 seemed to cause delayed

 $00{:}30{:}57.780 \dashrightarrow 00{:}30{:}59.988$ circadian rhythm disorder.

NOTE Confidence: 0.929166442727273

 $00:30:59.988 \longrightarrow 00:31:02.196$ Withdrawal from antidepressants

NOTE Confidence: 0.929166442727273

 $00:31:02.200 \longrightarrow 00:31:04.024$ can also disrupt sleep.

NOTE Confidence: 0.929166442727273

 $00:31:04.024 \longrightarrow 00:31:04.936$ Peroxy teen,

NOTE Confidence: 0.929166442727273

00:31:04.940 --> 00:31:06.920 which is Paxil and venlafaxine,

NOTE Confidence: 0.929166442727273

 $00:31:06.920 \longrightarrow 00:31:08.272$ which is a fixer,

NOTE Confidence: 0.929166442727273

 $00:31:08.272 \longrightarrow 00:31:09.962$ are notorious for being very

NOTE Confidence: 0.929166442727273

 $00:31:09.962 \longrightarrow 00:31:12.101$ difficult to come off of because

NOTE Confidence: 0.929166442727273

 $00:31:12.101 \longrightarrow 00:31:13.493$ of their withdrawal symptoms.

NOTE Confidence: 0.929166442727273

00:31:13.500 --> 00:31:16.160 Antidepressants can cause daytime sedation,

NOTE Confidence: 0.929166442727273 00:31:16.160 --> 00:31:17.946 so that's. NOTE Confidence: 0.929166442727273

 $00:31:17.946 \longrightarrow 00:31:20.560$ Noteably in the case with mirtazapine

NOTE Confidence: 0.929166442727273

 $00{:}31{:}20.560 \dashrightarrow 00{:}31{:}22.534$ and sometimes with Trazodone or they

NOTE Confidence: 0.929166442727273

00:31:22.534 --> 00:31:24.316 can improve alertness during the day,

NOTE Confidence: 0.929166442727273

 $00:31:24.320 \longrightarrow 00:31:28.460$ as I mentioned with bupropion.

 $00:31:28.460 \longrightarrow 00:31:29.482$ Generally antidepressants

NOTE Confidence: 0.929166442727273

00:31:29.482 --> 00:31:32.037 decrease rapid eye movement sleep,

NOTE Confidence: 0.929166442727273

 $00:31:32.040 \longrightarrow 00:31:36.184$ although there are exceptions as I mentioned.

NOTE Confidence: 0.929166442727273

 $00:31:36.190 \longrightarrow 00:31:38.864$ They seem to increase slow wave sleep.

NOTE Confidence: 0.929166442727273

 $00:31:38.870 \longrightarrow 00:31:41.154$ One exception though are

NOTE Confidence: 0.929166442727273

 $00:31:41.154 \longrightarrow 00:31:42.867$ the activating Tricyclics.

NOTE Confidence: 0.929166442727273

 $00:31:42.870 \longrightarrow 00:31:46.349$ May cause or worsen restless leg symptoms,

NOTE Confidence: 0.929166442727273

 $00:31:46.350 \longrightarrow 00:31:47.286$ especially mirtagapine.

NOTE Confidence: 0.929166442727273

 $00:31:47.286 \longrightarrow 00:31:49.626$ Again bupropion is an exception.

NOTE Confidence: 0.929166442727273

 $00:31:49.630 \longrightarrow 00:31:52.304$ There they can cause or worsen nightmares.

NOTE Confidence: 0.929166442727273

00:31:52.310 --> 00:31:53.822 Again, mirtazapine is,

NOTE Confidence: 0.929166442727273 00:31:53.822 --> 00:31:54.830 you know, NOTE Confidence: 0.929166442727273

 $00:31:54.830 \longrightarrow 00:31:56.790$ especially noted to do that

NOTE Confidence: 0.929166442727273

 $00:31:56.790 \longrightarrow 00:31:58.521$ withdrawal from antidepressants

NOTE Confidence: 0.929166442727273

 $00:31:58.521 \longrightarrow 00:32:00.829$ can also cause nightmares,

NOTE Confidence: 0.929166442727273

 $00:32:00.830 \longrightarrow 00:32:02.606$ and then antidepressant medications

00:32:02.606 --> 00:32:04.826 can cause weight gain again,

NOTE Confidence: 0.929166442727273

 $00:32:04.830 \longrightarrow 00:32:06.695$ be appropriate as an exception

NOTE Confidence: 0.929166442727273

 $00:32:06.695 \longrightarrow 00:32:07.874$ there and then again,

NOTE Confidence: 0.929166442727273

 $00:32:07.874 \longrightarrow 00:32:08.946$ just as a reminder,

NOTE Confidence: 0.929166442727273

 $00:32:08.950 \dashrightarrow 00:32:11.505$ antidepressants can trigger mania or

NOTE Confidence: 0.929166442727273

 $00:32:11.505 \longrightarrow 00:32:14.780$ hypomania in patients with bipolar disorder.

NOTE Confidence: 0.929166442727273

 $00:32:14.780 \longrightarrow 00:32:17.524$ Who are not also on a mood stabilizer?

NOTE Confidence: 0.929485683846154

 $00{:}32{:}20.600 \dashrightarrow 00{:}32{:}23.232$ So, just briefly to mention the effect

NOTE Confidence: 0.929485683846154

00:32:23.232 --> 00:32:25.580 of sleep deprivation on mood disorders,

NOTE Confidence: 0.929485683846154

 $00:32:25.580 \longrightarrow 00:32:27.981$ a single night of sleep deprivation seems

NOTE Confidence: 0.929485683846154

00:32:27.981 --> 00:32:31.585 to have a short lived but very powerful

NOTE Confidence: 0.929485683846154

 $00{:}32{:}31.585 \dashrightarrow 00{:}32{:}34.303$ antidepressant effect. It's in over.

NOTE Confidence: 0.929485683846154

 $00:32:34.303 \dashrightarrow 00:32:38.360$ Half of patients seem to have a complete

NOTE Confidence: 0.929485683846154

 $00:32:38.360 \longrightarrow 00:32:40.700$ response of their major depression

NOTE Confidence: 0.929485683846154

 $00:32:40.700 \longrightarrow 00:32:43.796$ after just one night without sleep.

 $00:32:43.800 \longrightarrow 00:32:45.051$ Unfortunately, after they

NOTE Confidence: 0.929485683846154

 $00:32:45.051 \longrightarrow 00:32:46.719$ sleep the next time,

NOTE Confidence: 0.929485683846154

00:32:46.720 --> 00:32:48.134 even for just a couple of hours,

NOTE Confidence: 0.929485683846154

 $00:32:48.140 \longrightarrow 00:32:49.037$ the depression returns.

NOTE Confidence: 0.929485683846154

 $00:32:49.037 \longrightarrow 00:32:51.130$ So it's not really very practical treatment.

NOTE Confidence: 0.929485683846154

00:32:51.130 --> 00:32:53.223 Although I have been involved in one

NOTE Confidence: 0.929485683846154

 $00:32:53.223 \longrightarrow 00:32:55.618$ case where we did use that per patient

NOTE Confidence: 0.929485683846154

 $00:32:55.620 \longrightarrow 00:32:57.576$ who was extremely depressed for months

NOTE Confidence: 0.929485683846154

 $00:32:57.576 \longrightarrow 00:32:59.769$ and we just really needed some wins

NOTE Confidence: 0.929485683846154

 $00:32:59.769 \longrightarrow 00:33:02.196$ for her to sort of have a little bit

NOTE Confidence: 0.929485683846154

 $00{:}33{:}02.196 \dashrightarrow 00{:}33{:}04.449$ of hope that she could get better.

NOTE Confidence: 0.929485683846154

00:33:04.450 --> 00:33:07.450 Partial sleep deprivation has been tried,

NOTE Confidence: 0.929485683846154

 $00{:}33{:}07.450 \dashrightarrow 00{:}33{:}09.670$ including just sort of all stages.

NOTE Confidence: 0.929485683846154

 $00:33:09.670 \longrightarrow 00:33:10.645$ In other words,

NOTE Confidence: 0.929485683846154

 $00:33:10.645 \longrightarrow 00:33:12.270$ just restricting the total number

NOTE Confidence: 0.929485683846154

 $00:33:12.270 \longrightarrow 00:33:14.697$ of hours of sleep and then also

 $00:33:14.697 \longrightarrow 00:33:16.069$ selective REM sleep deprivation.

NOTE Confidence: 0.929485683846154

 $00:33:16.070 \longrightarrow 00:33:19.590$ So doing studies in the lab where you

NOTE Confidence: 0.929485683846154

 $00:33:19.590 \longrightarrow 00:33:20.850$ know when you notice the patient starts

NOTE Confidence: 0.929485683846154

00:33:20.850 --> 00:33:22.089 going into rapid eye movement sleep,

NOTE Confidence: 0.929485683846154

 $00:33:22.090 \longrightarrow 00:33:25.088$ then you wake them up and that that

NOTE Confidence: 0.929485683846154

00:33:25.088 --> 00:33:27.318 may have some sustained benefits,

NOTE Confidence: 0.929485683846154

00:33:27.320 --> 00:33:30.068 but certainly still not a practical

NOTE Confidence: 0.929485683846154

00:33:30.070 --> 00:33:33.720 treatment most of the time and then.

NOTE Confidence: 0.929485683846154

 $00:33:33.720 \longrightarrow 00:33:35.415$ Similar to antidepressants

NOTE Confidence: 0.929485683846154

 $00:33:35.415 \longrightarrow 00:33:37.110$ with bipolar disorder,

NOTE Confidence: 0.929485683846154

 $00:33:37.110 \longrightarrow 00:33:39.062$ sleep deprivation in patients

NOTE Confidence: 0.929485683846154

00:33:39.062 --> 00:33:41.502 with bipolar disorder has been

NOTE Confidence: 0.929485683846154

 $00{:}33{:}41.502 \dashrightarrow 00{:}33{:}43.848$ shown in experimental studies.

NOTE Confidence: 0.929485683846154

 $00:33:43.850 \longrightarrow 00:33:46.190$ To increase the risk of mania.

NOTE Confidence: 0.929485683846154

00:33:46.190 --> 00:33:49.376 We don't know for sure if that happens in,

00:33:49.380 --> 00:33:50.252 you know,

NOTE Confidence: 0.929485683846154

 $00:33:50.252 \longrightarrow 00:33:54.195$ real life and but we we know we are

NOTE Confidence: 0.929485683846154

 $00:33:54.195 \longrightarrow 00:33:55.542$ concerned enough about that that we

NOTE Confidence: 0.929485683846154

 $00:33:55.542 \longrightarrow 00:33:56.946$ try to tell patients with bipolar

NOTE Confidence: 0.929485683846154

 $00:33:56.946 \longrightarrow 00:33:58.416$ disorder to really protect their sleep

NOTE Confidence: 0.929485683846154

 $00:33:58.416 \longrightarrow 00:34:00.089$ and make sure they get enough sleep.

NOTE Confidence: 0.929485683846154

 $00:34:00.090 \longrightarrow 00:34:02.640$ Because of this risk of triggering

NOTE Confidence: 0.929485683846154

 $00:34:02.640 \longrightarrow 00:34:06.670$ triggering mania from sleep deprivation.

NOTE Confidence: 0.929485683846154

 $00:34:06.670 \longrightarrow 00:34:08.819$ And then just briefly to talk about

NOTE Confidence: 0.929485683846154

 $00:34:08.819 \longrightarrow 00:34:11.309$ the impact of light on mood disorders.

NOTE Confidence: 0.929485683846154

 $00:34:11.310 \longrightarrow 00:34:13.970$ Bright light therapy is the most effective

NOTE Confidence: 0.929485683846154

 $00:34:13.970 \longrightarrow 00:34:16.289$ treatment for seasonal affective disorder,

NOTE Confidence: 0.929485683846154

 $00:34:16.290 \longrightarrow 00:34:18.710$ and that's currently now called

NOTE Confidence: 0.929485683846154

 $00:34:18.710 \longrightarrow 00:34:20.646$ seasonal major depressive disorder.

NOTE Confidence: 0.929485683846154

 $00:34:20.650 \longrightarrow 00:34:22.386$ It's also effective in

NOTE Confidence: 0.929485683846154

00:34:22.386 --> 00:34:23.688 Nonseasonal major depression,

 $00:34:23.690 \longrightarrow 00:34:25.826$ especially if it's used

NOTE Confidence: 0.929485683846154

 $00:34:25.826 \longrightarrow 00:34:27.428$ along with antidepressants.

NOTE Confidence: 0.929485683846154

 $00{:}34{:}27.430 \dashrightarrow 00{:}34{:}30.048$ It may be effective for bipolar depression,

NOTE Confidence: 0.929485683846154

00:34:30.050 --> 00:34:32.668 but again, really as an adjunctive therapy,

NOTE Confidence: 0.929485683846154

 $00:34:32.670 \longrightarrow 00:34:34.866$ the person also has to be

NOTE Confidence: 0.929485683846154

 $00:34:34.866 \longrightarrow 00:34:36.330$ on a mood stabilizer.

NOTE Confidence: 0.929485683846154 00:34:36.330 --> 00:34:36.870 You know, NOTE Confidence: 0.929485683846154

 $00:34:36.870 \longrightarrow 00:34:38.760$ because it's not associated with weight gain,

NOTE Confidence: 0.929485683846154

 $00{:}34{:}38.760 \dashrightarrow 00{:}34{:}40.310$ there are no drug interactions

NOTE Confidence: 0.929485683846154

 $00:34:40.310 \longrightarrow 00:34:41.860$ or try to genic effects.

NOTE Confidence: 0.929485683846154

 $00{:}34{:}41.860 \dashrightarrow 00{:}34{:}44.086$ It may be something that we'll

NOTE Confidence: 0.929485683846154

 $00:34:44.086 \longrightarrow 00:34:46.000$ see used more commonly over.

NOTE Confidence: 0.929485683846154

 $00{:}34{:}46.000 \dashrightarrow 00{:}34{:}48.972$ You know the next decade or so it

NOTE Confidence: 0.929485683846154

00:34:48.972 --> 00:34:51.444 it can cause some mild headache.

NOTE Confidence: 0.929485683846154

 $00:34:51.450 \longrightarrow 00:34:53.485$ Eye strain is occasionally reported

 $00:34:53.485 \longrightarrow 00:34:55.113$ agitation as occasionally reported,

NOTE Confidence: 0.929485683846154

00:34:55.120 --> 00:34:56.905 but it's generally very safe

NOTE Confidence: 0.929485683846154

 $00:34:56.905 \longrightarrow 00:34:57.976$ and well tolerated.

NOTE Confidence: 0.929485683846154

 $00:34:57.980 \longrightarrow 00:35:01.172$ And then though there is this potential

NOTE Confidence: 0.929485683846154

00:35:01.172 --> 00:35:03.690 to trigger mania or hypomania.

NOTE Confidence: 0.929485683846154

 $00:35:03.690 \longrightarrow 00:35:06.789$ In vulnerable patients.

NOTE Confidence: 0.929485683846154

00:35:06.790 --> 00:35:09.268 So just wrapping up that section

NOTE Confidence: 0.929485683846154

 $00{:}35{:}09.268 \operatorname{--}{>} 00{:}35{:}10.920$ on antidepressants and sleep

NOTE Confidence: 0.929485683846154

00:35:10.990 --> 00:35:12.478 deprivation and light.

NOTE Confidence: 0.929485683846154

00:35:12.480 --> 00:35:15.440 Most antidepressants suppress REM sleep,

NOTE Confidence: 0.929485683846154

00:35:15.440 --> 00:35:17.320 increase slow wave sleep,

NOTE Confidence: 0.929485683846154

 $00:35:17.320 \longrightarrow 00:35:20.140$ and can worsen restless leg symptoms

NOTE Confidence: 0.929485683846154

 $00{:}35{:}20.222 \dashrightarrow 00{:}35{:}21.773$ and parasomnias antidepressant

NOTE Confidence: 0.929485683846154

 $00:35:21.773 \longrightarrow 00:35:24.251$ effects on sleep vary within the

NOTE Confidence: 0.929485683846154

 $00:35:24.251 \longrightarrow 00:35:26.320$ class and between individuals.

NOTE Confidence: 0.929485683846154

 $00{:}35{:}26.320 \dashrightarrow 00{:}35{:}28.708$ Sleep deprivation may transient

 $00:35:28.708 \longrightarrow 00:35:30.499$ Lee cure depression.

NOTE Confidence: 0.929485683846154

 $00:35:30.500 \longrightarrow 00:35:32.180$ And then sleep deprivation

NOTE Confidence: 0.929485683846154

 $00:35:32.180 \longrightarrow 00:35:33.860$ can also trigger mania.

NOTE Confidence: 0.929485683846154

00:35:33.860 --> 00:35:36.620 Bright light therapy can improve mood,

NOTE Confidence: 0.929485683846154

 $00:35:36.620 \longrightarrow 00:35:38.474$ and we also know that it

NOTE Confidence: 0.929485683846154

 $00:35:38.474 \longrightarrow 00:35:39.710$ has powerful effects on

NOTE Confidence: 0.948207482142857

 $00:35:39.780 \longrightarrow 00:35:42.342$ sleep and helping to strengthen circadian

NOTE Confidence: 0.948207482142857

 $00:35:42.342 \longrightarrow 00:35:45.870$ rhythms and shift them and patients

NOTE Confidence: 0.948207482142857

 $00:35:45.870 \longrightarrow 00:35:48.810$ with bipolar disorder again should not

NOTE Confidence: 0.948207482142857

 $00:35:48.810 \longrightarrow 00:35:50.965$ use antidepressants or light therapy

NOTE Confidence: 0.948207482142857

 $00:35:50.965 \longrightarrow 00:35:53.527$ if they're not on a mood stabilizer.

NOTE Confidence: 0.948207482142857

 $00:35:53.530 \longrightarrow 00:35:56.319$ So just a couple of you know what I hope will

NOTE Confidence: 0.948207482142857

 $00{:}35{:}56.319 \dashrightarrow 00{:}35{:}58.720$ be practical tools here for patient care.

NOTE Confidence: 0.970062242222222

 $00:36:00.750 \longrightarrow 00:36:04.462$ So you know, I think it's helpful if

NOTE Confidence: 0.97006224222222

 $00:36:04.462 \longrightarrow 00:36:06.898$ we assess all patients in sleep clinic

 $00:36:06.898 \longrightarrow 00:36:08.778$ for mood disorders, and you know,

NOTE Confidence: 0.97006224222222

 $00:36:08.778 \longrightarrow 00:36:10.850$ ask about anxiety as well as mood.

NOTE Confidence: 0.97006224222222

 $00:36:10.850 \longrightarrow 00:36:12.250$ So just a simple question you know.

NOTE Confidence: 0.970062242222222

 $00:36:12.250 \longrightarrow 00:36:13.570$ Have you been irritable

NOTE Confidence: 0.970062242222222

 $00:36:13.570 \longrightarrow 00:36:14.890$ down or anxious lately,

NOTE Confidence: 0.970062242222222

00:36:14.890 --> 00:36:17.154 or what's on your mind when you're lying

NOTE Confidence: 0.97006224222222

00:36:17.154 --> 00:36:19.808 in bed and you can't sleep to assess

NOTE Confidence: 0.97006224222222

 $00:36:19.808 \longrightarrow 00:36:23.320$ self attitude if you can sort of guess

NOTE Confidence: 0.97006224222222

 $00:36:23.421 \longrightarrow 00:36:26.718$ at what matters most to the patient?

NOTE Confidence: 0.97006224222222

00:36:26.720 --> 00:36:28.000 That's typically more helpful

NOTE Confidence: 0.970062242222222

00:36:28.000 --> 00:36:29.280 than saying you know,

NOTE Confidence: 0.970062242222222

 $00:36:29.280 \longrightarrow 00:36:31.024$ do you think you're a good person because

NOTE Confidence: 0.970062242222222

 $00:36:31.024 \longrightarrow 00:36:32.438$ the majority of people will say yes?

NOTE Confidence: 0.970062242222222

 $00{:}36{:}32.440 \dashrightarrow 00{:}36{:}33.960$ Of course, I'm a good person. You know.

NOTE Confidence: 0.97006224222222

 $00:36:33.960 \longrightarrow 00:36:35.640$ It's like saying how are you fine,

NOTE Confidence: 0.970062242222222

00:36:35.640 --> 00:36:37.663 you know, but if you say you

 $00{:}36{:}37.663 \dashrightarrow 00{:}36{:}40.139$ know to a woman with children,

NOTE Confidence: 0.97006224222222

00:36:40.140 --> 00:36:42.200 you know how are you doing as a mom you know?

NOTE Confidence: 0.97006224222222

 $00:36:42.200 \longrightarrow 00:36:44.424$ Or if a man you know maybe sees

NOTE Confidence: 0.970062242222222

 $00:36:44.424 \longrightarrow 00:36:46.638$ his career as his primary identity?

NOTE Confidence: 0.97006224222222

00:36:46.640 --> 00:36:49.547 You know how are you doing in your career?

NOTE Confidence: 0.970062242222222

 $00:36:49.550 \longrightarrow 00:36:52.378$ If you know an elderly person may

NOTE Confidence: 0.97006224222222

 $00:36:52.378 \longrightarrow 00:36:55.189$ feel that they're a burden on their

NOTE Confidence: 0.97006224222222

 $00:36:55.189 \longrightarrow 00:36:56.562$ family if they're struggling with

NOTE Confidence: 0.97006224222222

 $00{:}36{:}56.562 \dashrightarrow 00{:}36{:}58.050$ depression and so asking you know,

NOTE Confidence: 0.97006224222222

00:36:58.050 --> 00:37:00.246 do you get to spend time with your grandkids?

NOTE Confidence: 0.970062242222222

 $00:37:00.250 \longrightarrow 00:37:02.868$ Those can really get at self attitude.

NOTE Confidence: 0.925251531875

00:37:05.210 --> 00:37:07.184 You know it's better to avoid

NOTE Confidence: 0.925251531875

 $00{:}37{:}07.184 \dashrightarrow 00{:}37{:}08.930$ jargon and just document your

NOTE Confidence: 0.925251531875

 $00:37:08.930 \dashrightarrow 00:37:10.760$ observations in your own words.

NOTE Confidence: 0.925251531875

 $00:37:10.760 \longrightarrow 00:37:12.209$ So instead of you know normal mood,

 $00:37:12.210 \longrightarrow 00:37:13.830$ normal affect, you know the

NOTE Confidence: 0.925251531875

 $00:37:13.830 \dashrightarrow 00:37:15.801$ definitions of those things are kind

NOTE Confidence: 0.925251531875

00:37:15.801 --> 00:37:17.256 of inconsistent and doesn't really

NOTE Confidence: 0.925251531875

 $00:37:17.256 \longrightarrow 00:37:19.700$ give us a lot of information really.

NOTE Confidence: 0.925251531875

 $00:37:19.700 \longrightarrow 00:37:22.400$ Just write whatever you you notice.

NOTE Confidence: 0.925251531875

 $00:37:22.400 \longrightarrow 00:37:24.486$ So for example, you know he described

NOTE Confidence: 0.925251531875

 $00{:}37{:}24.486 \dashrightarrow 00{:}37{:}26.670$ his mood as OK but appeared sad.

NOTE Confidence: 0.925251531875

 $00:37:26.670 \longrightarrow 00:37:28.060$ He made rare eye contact,

NOTE Confidence: 0.925251531875

 $00{:}37{:}28.060 \dashrightarrow 00{:}37{:}31.408$ spoke slowly and did not smile.

NOTE Confidence: 0.925251531875

 $00:37:31.410 \longrightarrow 00:37:32.800$ She described her mood as

NOTE Confidence: 0.925251531875

 $00{:}37{:}32.800 \dashrightarrow 00{:}37{:}34.190$ pretty good and looked cheerful.

NOTE Confidence: 0.925251531875

 $00:37:34.190 \longrightarrow 00:37:36.122$ She made good eye contact and

NOTE Confidence: 0.925251531875

 $00:37:36.122 \longrightarrow 00:37:38.089$ even laughed at my bad joke.

NOTE Confidence: 0.925251531875

 $00{:}37{:}38.090 \dashrightarrow 00{:}37{:}39.630$ Or the patient was an imated,

NOTE Confidence: 0.925251531875

00:37:39.630 --> 00:37:41.490 tapping his foot constantly and

NOTE Confidence: 0.925251531875

 $00:37:41.490 \longrightarrow 00:37:42.234$ speaking quickly.

 $00:37:42.240 \longrightarrow 00:37:44.292$ He was difficult to interrupt and

NOTE Confidence: 0.925251531875

00:37:44.292 --> 00:37:45.318 required frequent redirection

NOTE Confidence: 0.925251531875

 $00:37:45.318 \longrightarrow 00:37:47.060$ to get through the interview.

NOTE Confidence: 0.869066402

 $00:37:49.400 \longrightarrow 00:37:50.560$ You know, as sleep clinicians,

NOTE Confidence: 0.869066402

 $00:37:50.560 \longrightarrow 00:37:53.048$ we're not going to be diagnosing and treating

NOTE Confidence: 0.869066402

00:37:53.048 --> 00:37:55.000 patients with mood disorders directly,

NOTE Confidence: 0.869066402

 $00:37:55.000 \longrightarrow 00:37:57.166$ but we can really help encourage

NOTE Confidence: 0.869066402

00:37:57.166 --> 00:37:59.818 them to get treated for their mood

NOTE Confidence: 0.869066402

 $00:37:59.818 \longrightarrow 00:38:02.086$ disorder and to stay in treatment.

NOTE Confidence: 0.869066402

 $00{:}38{:}02.090 \dashrightarrow 00{:}38{:}04.214$ So one of my mentors used to tell our

NOTE Confidence: 0.869066402

 $00{:}38{:}04.214 \dashrightarrow 00{:}38{:}05.847$ patients depression is like as thma.

NOTE Confidence: 0.869066402

 $00{:}38{:}05.850 \dashrightarrow 00{:}38{:}07.775$ You know it's a real medical disorder.

NOTE Confidence: 0.869066402

 $00{:}38{:}07.780 \dashrightarrow 00{:}38{:}09.716$ It's treated with medications

NOTE Confidence: 0.869066402

00:38:09.716 --> 00:38:11.168 and lifestyle changes.

NOTE Confidence: 0.869066402

 $00:38:11.170 \longrightarrow 00:38:12.598$ We know that it runs in families.

 $00:38:12.600 \longrightarrow 00:38:14.720$ There's a strong genetic component.

NOTE Confidence: 0.869066402

00:38:14.720 --> 00:38:16.228 There's a consistent clinical

NOTE Confidence: 0.869066402

 $00:38:16.228 \dashrightarrow 00:38:18.113$ picture across time and cultures.

NOTE Confidence: 0.869066402

 $00:38:18.120 \longrightarrow 00:38:19.809$ It's a syndrome.

NOTE Confidence: 0.869066402

 $00:38:19.809 \longrightarrow 00:38:22.624$ And there are environmental triggers.

NOTE Confidence: 0.869066402

 $00:38:22.630 \dashrightarrow 00:38:24.686$ And then in terms of staying in treatment,

NOTE Confidence: 0.869066402

00:38:24.690 --> 00:38:26.330 you know if the person

NOTE Confidence: 0.869066402

 $00:38:26.330 \longrightarrow 00:38:27.642$ has concerns about you,

NOTE Confidence: 0.869066402

 $00:38:27.650 \longrightarrow 00:38:29.215$ know side effects of medications

NOTE Confidence: 0.869066402

 $00:38:29.215 \longrightarrow 00:38:30.467$ or how they're progressing,

NOTE Confidence: 0.869066402

00:38:30.470 --> 00:38:31.986 or they're you know,

NOTE Confidence: 0.869066402

00:38:31.986 --> 00:38:34.260 not doing well in psychotherapy really,

NOTE Confidence: 0.869066402

 $00{:}38{:}34.260 \dashrightarrow 00{:}38{:}36.066$ encourage them to talk with their

NOTE Confidence: 0.869066402

 $00:38:36.066 \longrightarrow 00:38:38.100$ mental health team about those concerns.

NOTE Confidence: 0.968206925384615

00:38:41.530 --> 00:38:44.034 I found this useful to try to encourage

NOTE Confidence: 0.968206925384615

 $00:38:44.034 \longrightarrow 00:38:45.828$ patients to stay in treatment,

 $00:38:45.830 \longrightarrow 00:38:48.526$ so this was again by the same mentor,

NOTE Confidence: 0.968206925384615

 $00{:}38{:}48.530 \dashrightarrow 00{:}38{:}50.670$ doctor Karen Swartz at Hopkins,

NOTE Confidence: 0.968206925384615

 $00{:}38{:}50.670 \dashrightarrow 00{:}38{:}52.426$ so she would tell patients, you know,

NOTE Confidence: 0.968206925384615

00:38:52.426 --> 00:38:54.284 here's how you want to get better, you know?

NOTE Confidence: 0.968206925384615

 $00:38:54.284 \longrightarrow 00:38:55.269$ So that's the yellow line.

NOTE Confidence: 0.968206925384615

 $00:38:55.270 \longrightarrow 00:38:56.764$ Just basically tomorrow.

NOTE Confidence: 0.968206925384615

 $00:38:56.764 \longrightarrow 00:38:58.038$ You're 100% better.

NOTE Confidence: 0.968206925384615

 $00:38:58.038 \longrightarrow 00:38:59.984$ And then the blue line is how

NOTE Confidence: 0.968206925384615

 $00:38:59.984 \longrightarrow 00:39:01.669$ you think you'll get better.

NOTE Confidence: 0.968206925384615

 $00:39:01.670 \longrightarrow 00:39:03.400$ And so that's kind of

NOTE Confidence: 0.968206925384615

 $00:39:03.400 \longrightarrow 00:39:04.784$ slow and steady overtime.

NOTE Confidence: 0.968206925384615

 $00:39:04.790 \longrightarrow 00:39:06.393$ But the green line is how you

NOTE Confidence: 0.968206925384615

00:39:06.393 --> 00:39:07.480 actually will get better,

NOTE Confidence: 0.968206925384615

 $00:39:07.480 \longrightarrow 00:39:09.304$ and so that's you know ups and downs.

 $\begin{aligned} & \text{NOTE Confidence: } 0.968206925384615 \\ & 00:39:09.310 --> 00:39:10.118 \text{ But overall,} \end{aligned}$

00:39:10.118 --> 00:39:11.330 making progress overtime.

NOTE Confidence: 0.885499238571429

 $00:39:14.210 \longrightarrow 00:39:16.265$ In terms of thinking about

NOTE Confidence: 0.885499238571429

00:39:16.265 --> 00:39:17.087 psychiatric medications,

NOTE Confidence: 0.885499238571429

00:39:17.090 --> 00:39:19.858 you know as a sleep clinician you know.

NOTE Confidence: 0.885499238571429

 $00:39:19.858 \longrightarrow 00:39:21.426$ I think it's important that we don't

NOTE Confidence: 0.885499238571429

 $00{:}39{:}21.426 \dashrightarrow 00{:}39{:}23.008$ change people psychiatric medications,

NOTE Confidence: 0.885499238571429

 $00:39:23.010 \longrightarrow 00:39:24.048$ but we need to thank you,

NOTE Confidence: 0.885499238571429

 $00:39:24.050 \longrightarrow 00:39:25.912$ know how likely is it that this

NOTE Confidence: 0.885499238571429

 $00{:}39{:}25.912 \dashrightarrow 00{:}39{:}27.435$ medication is either causing or

NOTE Confidence: 0.885499238571429

 $00:39:27.435 \longrightarrow 00:39:28.767$ contributing to the problem?

NOTE Confidence: 0.885499238571429

 $00:39:28.770 \longrightarrow 00:39:31.773$ What other factors could be addressed besides

NOTE Confidence: 0.885499238571429

 $00:39:31.773 \longrightarrow 00:39:34.740$ or before changing psychiatric medications?

NOTE Confidence: 0.885499238571429

00:39:34.740 --> 00:39:36.258 How important is it that we

NOTE Confidence: 0.885499238571429

 $00:39:36.258 \longrightarrow 00:39:37.270$ get an accurate diagnosis?

NOTE Confidence: 0.885499238571429

00:39:37.270 --> 00:39:39.730 Sometimes it's really important, you know.

NOTE Confidence: 0.885499238571429

 $00:39:39.730 \longrightarrow 00:39:42.860$ In the case of like I had a patient who.

 $00:39:42.860 \longrightarrow 00:39:45.534$ Was having all kinds of legal problems

NOTE Confidence: 0.885499238571429

 $00:39:45.534 \longrightarrow 00:39:47.515$ because he did something when he was

NOTE Confidence: 0.885499238571429

 $00:39:47.515 \longrightarrow 00:39:49.079$ supposedly asleep and we needed to see.

NOTE Confidence: 0.885499238571429

 $00:39:49.080 \longrightarrow 00:39:50.260$ Does he really have narcolepsy?

NOTE Confidence: 0.885499238571429

00:39:50.260 --> 00:39:53.114 And you know in that case it was very

NOTE Confidence: 0.885499238571429

 $00:39:53.114 \dashrightarrow 00:39:54.799$ important that you had an accurate diagnosis,

NOTE Confidence: 0.885499238571429

 $00:39:54.800 \longrightarrow 00:39:57.830$ but often it's not that important.

NOTE Confidence: 0.885499238571429

 $00:39:57.830 \dashrightarrow 00:39:59.580$ How serious is the underlying

NOTE Confidence: 0.885499238571429

 $00{:}39{:}59.580 \dashrightarrow 00{:}40{:}00.980$ psychiatric condition you know?

NOTE Confidence: 0.885499238571429

 $00:40:00.980 \longrightarrow 00:40:03.752$ Is this a patient who has mild

NOTE Confidence: 0.885499238571429

00:40:03.752 --> 00:40:05.886 depression and they just tried Zoloft

NOTE Confidence: 0.885499238571429

00:40:05.886 --> 00:40:07.890 50 milligrams and they're doing fine?

NOTE Confidence: 0.885499238571429

 $00{:}40{:}07.890 \dashrightarrow 00{:}40{:}09.606$ Or is this some body with really

NOTE Confidence: 0.885499238571429

 $00:40:09.606 \longrightarrow 00:40:10.464$ severe mental illness?

NOTE Confidence: 0.885499238571429

00:40:10.470 --> 00:40:11.541 They've been hospitalized,

00:40:11.541 --> 00:40:12.969 they've tried multiple medications,

NOTE Confidence: 0.885499238571429

 $00:40:12.970 \longrightarrow 00:40:14.458$ and we really don't want to

NOTE Confidence: 0.885499238571429

 $00:40:14.458 \longrightarrow 00:40:15.450$ mess with their regimen.

NOTE Confidence: 0.885499238571429

 $00:40:15.450 \longrightarrow 00:40:16.218$ And then again,

NOTE Confidence: 0.885499238571429 00:40:16.218 --> 00:40:16.986 I would say,

NOTE Confidence: 0.885499238571429

 $00:40:16.990 \longrightarrow 00:40:18.880$ you know it's probably best to

NOTE Confidence: 0.885499238571429

 $00:40:18.880 \longrightarrow 00:40:20.140$ not change psychiatric medications

NOTE Confidence: 0.885499238571429

00:40:20.192 --> 00:40:21.548 prescribed by somebody else,

NOTE Confidence: 0.885499238571429

 $00{:}40{:}21.550 \dashrightarrow 00{:}40{:}23.540$ but I would recommend discussing

NOTE Confidence: 0.885499238571429

 $00:40:23.540 \longrightarrow 00:40:25.530$ the sleep effects and alternative

NOTE Confidence: 0.885499238571429

 $00{:}40{:}25.591 \dashrightarrow 00{:}40{:}27.459$ treatments with the prescribed.

NOTE Confidence: 0.885499238571429

 $00:40:27.460 \longrightarrow 00:40:29.680$ Prescribing clinician because you know,

NOTE Confidence: 0.885499238571429

 $00:40:29.680 \longrightarrow 00:40:33.110$ it's possible that the psychiatrist

NOTE Confidence: 0.885499238571429

 $00:40:33.110 \longrightarrow 00:40:35.865$ or primary care provider is just

NOTE Confidence: 0.885499238571429

 $00:40:35.865 \longrightarrow 00:40:38.486$ not aware of these impact on

NOTE Confidence: 0.885499238571429

 $00:40:38.486 \longrightarrow 00:40:40.406$ sleep from these medications.

 $00:40:40.410 \longrightarrow 00:40:43.188$ And one more thing for medications.

NOTE Confidence: 0.885499238571429

 $00{:}40{:}43.190 \dashrightarrow 00{:}40{:}45.445$ I mentioned that some antidepressants

NOTE Confidence: 0.885499238571429

 $00:40:45.445 \longrightarrow 00:40:48.140$ can be very difficult to stop,

NOTE Confidence: 0.885499238571429

00:40:48.140 --> 00:40:49.790 and I had a patient actually,

NOTE Confidence: 0.885499238571429

 $00:40:49.790 \longrightarrow 00:40:51.248$ a couple of patients in sleep

NOTE Confidence: 0.885499238571429

 $00{:}40{:}51.248 {\:\dashrightarrow\:} 00{:}40{:}52.843$ clinic this year who needed to

NOTE Confidence: 0.885499238571429

 $00:40:52.843 \longrightarrow 00:40:54.268$ come off of tricky medications.

NOTE Confidence: 0.885499238571429

 $00{:}40{:}54.270 \dashrightarrow 00{:}40{:}56.517$ And I used this technique for them.

NOTE Confidence: 0.885499238571429

 $00{:}40{:}56.520 \dashrightarrow 00{:}41{:}00.954$ So one person in particular was on Effexor,

NOTE Confidence: 0.885499238571429

 $00{:}41{:}00.954 \dashrightarrow 00{:}41{:}03.564$ which has been the vaccine 150 milligrams.

NOTE Confidence: 0.885499238571429

 $00:41:03.564 \longrightarrow 00:41:05.106$ He was on it for years,

NOTE Confidence: 0.885499238571429

00:41:05.110 --> 00:41:06.030 kept trying to come off,

NOTE Confidence: 0.885499238571429

 $00{:}41{:}06.030 \dashrightarrow 00{:}41{:}08.460$ just couldn't tolerate the taper

NOTE Confidence: 0.885499238571429

 $00:41:08.460 \longrightarrow 00:41:10.170$ and his primary care doctor was

NOTE Confidence: 0.885499238571429

 $00:41:10.170 \longrightarrow 00:41:11.580$ prescribing it for him and.

00:41:11.580 --> 00:41:12.498 And you know,

NOTE Confidence: 0.885499238571429

00:41:12.498 --> 00:41:14.334 it was probably just not aware

NOTE Confidence: 0.885499238571429

 $00:41:14.334 \longrightarrow 00:41:15.689$ of this technique,

NOTE Confidence: 0.885499238571429

 $00:41:15.690 \longrightarrow 00:41:17.679$ so I didn't directly tell him to do this.

NOTE Confidence: 0.885499238571429

00:41:17.680 --> 00:41:18.300 But I said, you know,

NOTE Confidence: 0.885499238571429

00:41:18.300 --> 00:41:20.520 talk with your prescribing

NOTE Confidence: 0.885499238571429

 $00:41:20.520 \longrightarrow 00:41:23.295$ clinician about a slow taper,

NOTE Confidence: 0.885499238571429

 $00:41:23.300 \longrightarrow 00:41:24.805$ and this can also be useful for

NOTE Confidence: 0.885499238571429

00:41:24.805 --> 00:41:26.090 coming up for patients who've

NOTE Confidence: 0.885499238571429

 $00:41:26.090 \longrightarrow 00:41:27.560$ been on benzos for decades.

NOTE Confidence: 0.885499238571429

 $00{:}41{:}27.560 \dashrightarrow 00{:}41{:}29.401$ You know for sleep or they're addicted

NOTE Confidence: 0.885499238571429

00:41:29.401 --> 00:41:31.359 to their 20 milligrams of Ambien,

NOTE Confidence: 0.885499238571429

 $00:41:31.360 \longrightarrow 00:41:31.920$ for example.

NOTE Confidence: 0.885499238571429

 $00:41:31.920 \longrightarrow 00:41:34.160$ So so the idea is to just think

NOTE Confidence: 0.885499238571429

 $00:41:34.225 \longrightarrow 00:41:35.880$ in terms of weekly dosage,

NOTE Confidence: 0.885499238571429

 $00:41:35.880 \longrightarrow 00:41:37.690$ and then just gradually reduce

 $00:41:37.690 \longrightarrow 00:41:39.138$ the total weekly dosage.

NOTE Confidence: 0.885499238571429

 $00:41:39.140 \longrightarrow 00:41:41.112$ So in the patient,

NOTE Confidence: 0.885499238571429

00:41:41.112 --> 00:41:44.566 who's on 150 milligrams of venlafaxine a day?

NOTE Confidence: 0.885499238571429 00:41:44.570 --> 00:41:45.056 First, NOTE Confidence: 0.885499238571429

00:41:45.056 --> 00:41:48.280 you can change to 437 1/2 milligram pills,

NOTE Confidence: 0.885499238571429

 $00:41:48.280 \longrightarrow 00:41:50.200$ so whatever the smallest increment is,

NOTE Confidence: 0.885499238571429

 $00:41:50.200 \longrightarrow 00:41:51.584$ and then in week one you have them.

NOTE Confidence: 0.885499238571429

00:41:51.590 --> 00:41:53.844 Take 3 pills just one day out

NOTE Confidence: 0.885499238571429

 $00:41:53.844 \longrightarrow 00:41:56.229$ of the week and then 4 pills,

NOTE Confidence: 0.885499238571429

 $00{:}41{:}56.230 \dashrightarrow 00{:}41{:}58.426$ which would be the full 150 milligram dose.

NOTE Confidence: 0.885499238571429

00:41:58.426 --> 00:42:00.750 All the other dates so you're just

NOTE Confidence: 0.885499238571429

 $00:42:00.818 \longrightarrow 00:42:02.818$ gradually reducing the weekly dose

NOTE Confidence: 0.885499238571429

 $00{:}42{:}02.818 --> 00{:}42{:}04.784 \text{ from } 1050 \text{ milligrams to } 1012.5.$

NOTE Confidence: 0.885499238571429

 $00:42:04.784 \longrightarrow 00:42:07.130$ And then the second week they

NOTE Confidence: 0.931493346818182

00:42:07.205 --> 00:42:09.403 would take 3 pills on two days

00:42:09.403 --> 00:42:11.329 like on Monday and Thursday,

NOTE Confidence: 0.931493346818182

 $00{:}42{:}11.330 \dashrightarrow 00{:}42{:}12.898$ and then they take the full 4

NOTE Confidence: 0.931493346818182

 $00:42:12.898 \longrightarrow 00:42:14.785$ pills all the other days and just

NOTE Confidence: 0.931493346818182

 $00:42:14.785 \longrightarrow 00:42:17.373$ gradually chip away often on this

NOTE Confidence: 0.931493346818182

00:42:17.373 --> 00:42:20.058 regimen people will will kind of go

NOTE Confidence: 0.931493346818182

 $00{:}42{:}20.058 \dashrightarrow 00{:}42{:}21.877$ go down more quickly towards the end

NOTE Confidence: 0.931493346818182

 $00:42:21.877 \longrightarrow 00:42:23.129$ because they're feeling optimistic

NOTE Confidence: 0.931493346818182

00:42:23.129 --> 00:42:25.249 and they know that they can do it,

NOTE Confidence: 0.931493346818182

00:42:25.250 --> 00:42:26.420 but if they're having trouble

NOTE Confidence: 0.931493346818182

 $00:42:26.420 \longrightarrow 00:42:28.130$ at the very end of the taper,

NOTE Confidence: 0.931493346818182

 $00:42:28.130 \longrightarrow 00:42:30.110$ another trick is to talk with

NOTE Confidence: 0.931493346818182

 $00:42:30.110 \longrightarrow 00:42:31.430$ the pharmacist about getting

NOTE Confidence: 0.931493346818182

 $00:42:31.493 \longrightarrow 00:42:32.690$ a liquid formulation,

NOTE Confidence: 0.931493346818182

 $00:42:32.690 \longrightarrow 00:42:34.783$ and then you can have them dilute

NOTE Confidence: 0.931493346818182

 $00:42:34.783 \longrightarrow 00:42:36.597$ the medication and just do a very,

NOTE Confidence: 0.931493346818182

 $00:42:36.600 \longrightarrow 00:42:37.425$ very gradual taper.

 $00:42:37.425 \longrightarrow 00:42:38.250$ At the end.

NOTE Confidence: 0.89704785

 $00:42:41.800 \longrightarrow 00:42:43.980$ And then last point is,

NOTE Confidence: 0.89704785

 $00:42:43.980 \longrightarrow 00:42:45.744$ we're in a really good position to

NOTE Confidence: 0.89704785

00:42:45.744 --> 00:42:47.199 help patients with mood disorders

NOTE Confidence: 0.89704785

 $00:42:47.199 \longrightarrow 00:42:48.499$ by protecting their sleep.

NOTE Confidence: 0.89704785

 $00:42:48.500 \longrightarrow 00:42:50.630$ We can really optimize sleep

NOTE Confidence: 0.89704785

 $00:42:50.630 \longrightarrow 00:42:52.334$ in many different ways,

NOTE Confidence: 0.89704785

 $00:42:52.340 \longrightarrow 00:42:54.636$ so I think it's important that we

NOTE Confidence: 0.89704785

 $00{:}42{:}54.636 \dashrightarrow 00{:}42{:}56.518$ don't ignore insomnia or delay care.

NOTE Confidence: 0.89704785

00:42:56.520 --> 00:42:57.815 You know, I've certainly ordered

NOTE Confidence: 0.89704785

00:42:57.815 --> 00:42:59.110 sleep studies in patients with

NOTE Confidence: 0.89704785

 $00:42:59.160 \longrightarrow 00:43:00.697$ insomnia because I was thinking, well,

NOTE Confidence: 0.89704785

 $00{:}43{:}00.697 \dashrightarrow 00{:}43{:}02.433$ maybe there's a chance they have sleep apnea,

NOTE Confidence: 0.89704785

 $00:43:02.440 \longrightarrow 00:43:04.600$ but it can take several months.

NOTE Confidence: 0.89704785

 $00:43:04.600 \longrightarrow 00:43:05.914$ You know, for those studies to

 $00:43:05.914 \longrightarrow 00:43:07.370$ happen and then get the results,

NOTE Confidence: 0.89704785

 $00:43:07.370 \longrightarrow 00:43:08.936$ and then you know the home test is negative,

NOTE Confidence: 0.89704785

 $00:43:08.940 \longrightarrow 00:43:10.420$ and then you do an in lab and.

NOTE Confidence: 0.89704785

 $00:43:10.420 \longrightarrow 00:43:12.490$ And really, the person is suffering

NOTE Confidence: 0.89704785

 $00:43:12.490 \longrightarrow 00:43:14.630$ with their insomnia for a long time.

NOTE Confidence: 0.89704785

 $00:43:14.630 \longrightarrow 00:43:15.323$ We have CBT,

NOTE Confidence: 0.89704785

00:43:15.323 --> 00:43:16.940 I you know it's really the best

NOTE Confidence: 0.89704785

 $00{:}43{:}16.997 \dashrightarrow 00{:}43{:}18.887$ treatment that we have for insomnia.

NOTE Confidence: 0.89704785

 $00{:}43{:}18.890 \dashrightarrow 00{:}43{:}21.506$ But there are also medication options,

NOTE Confidence: 0.89704785

00:43:21.510 --> 00:43:24.744 low dose, Doxepin the benzo days of

NOTE Confidence: 0.89704785

00:43:24.744 --> 00:43:27.509 pain receptor agonist like Ambien etc.

NOTE Confidence: 0.89704785

00:43:27.510 --> 00:43:30.858 Low dose mirtazapine and so on

NOTE Confidence: 0.89704785

 $00{:}43{:}30.860 \dashrightarrow 00{:}43{:}33.156$ and then I think that even if some

NOTE Confidence: 0.89704785

00:43:33.156 --> 00:43:34.830 of these other problems impacting

NOTE Confidence: 0.89704785

 $00:43:34.830 \longrightarrow 00:43:36.580$ sleep aren't directly within our

NOTE Confidence: 0.89704785

 $00{:}43{:}36.580 \dashrightarrow 00{:}43{:}38.783$ field of Sleep Medicine I think we

 $00{:}43{:}38.783 \dashrightarrow 00{:}43{:}40.433$ can really help the patients by.

NOTE Confidence: 0.89704785

 $00{:}43{:}40.440 \dashrightarrow 00{:}43{:}41.760$ Either directly treating them

NOTE Confidence: 0.89704785

 $00:43:41.760 \longrightarrow 00:43:43.740$ or trying to refer for care.

NOTE Confidence: 0.89704785

 $00:43:43.740 \longrightarrow 00:43:44.502$ So sleep apnea.

NOTE Confidence: 0.89704785

00:43:44.502 --> 00:43:47.200 Of course we treat, but also nightmares,

NOTE Confidence: 0.89704785

00:43:47.200 --> 00:43:49.840 anxiety, leg cramps, you know,

NOTE Confidence: 0.89704785

00:43:49.840 --> 00:43:51.760 restless leg symptoms syndrome.

NOTE Confidence: 0.89704785

 $00:43:51.760 \longrightarrow 00:43:55.366$ Ivy Iron has a much faster.

NOTE Confidence: 0.89704785

 $00{:}43{:}55.370 \dashrightarrow 00{:}43{:}57.866$ Time, you know until it's effective,

NOTE Confidence: 0.89704785

 $00{:}43{:}57.870 \dashrightarrow 00{:}44{:}00.820$ then oral supplements if needed.

NOTE Confidence: 0.89704785

 $00{:}44{:}00.820 \dashrightarrow 00{:}44{:}02.878$ Is there a bad partner who snores

NOTE Confidence: 0.89704785

 $00:44:02.878 \longrightarrow 00:44:04.270$ are their children or pets,

NOTE Confidence: 0.89704785

 $00{:}44{:}04.270 \dashrightarrow 00{:}44{:}05.476$ disrupting sleep etc.

NOTE Confidence: 0.89704785

 $00:44:05.476 \longrightarrow 00:44:07.888$ And then finally just reminding patients

NOTE Confidence: 0.89704785

 $00:44:07.888 \longrightarrow 00:44:10.630$ with mood disorders to protect their sleep?

 $00:44:10.630 \longrightarrow 00:44:12.422$ We can help them brainstorm if they have

NOTE Confidence: 0.89704785

 $00:44:12.422 \longrightarrow 00:44:14.288$ periods of stress coming up or transition,

NOTE Confidence: 0.89704785

00:44:14.290 --> 00:44:15.870 such as a baby,

NOTE Confidence: 0.89704785

 $00:44:15.870 \longrightarrow 00:44:17.845$ new job or shift work.

NOTE Confidence: 0.89704785

00:44:17.850 --> 00:44:18.320 Alright,

NOTE Confidence: 0.89704785

 $00:44:18.320 \longrightarrow 00:44:21.610$ and then there's just a summary here,

NOTE Confidence: 0.89704785

00:44:21.610 --> 00:44:23.968 so suspect mood disorders in all

NOTE Confidence: 0.89704785

00:44:23.968 --> 00:44:26.077 patients in sleep clinic document

NOTE Confidence: 0.89704785

 $00{:}44{:}26.077 \dashrightarrow 00{:}44{:}28.377$ observations in your own words,

NOTE Confidence: 0.89704785

 $00:44:28.380 \longrightarrow 00:44:29.952$ encourage patients to get

NOTE Confidence: 0.89704785

 $00{:}44{:}29.952 \dashrightarrow 00{:}44{:}31.917$ treated and stay in treatment.

NOTE Confidence: 0.89704785

00:44:31.920 --> 00:44:33.564 Avoid changing psychiatric medications,

NOTE Confidence: 0.89704785

 $00:44:33.564 \longrightarrow 00:44:36.552$ but do discuss the sleep effects and

NOTE Confidence: 0.89704785

 $00{:}44{:}36.552 \dashrightarrow 00{:}44{:}38.837$ alternatives with the prescribing clinician.

NOTE Confidence: 0.89704785

 $00:44:38.840 \longrightarrow 00:44:41.080$ Consider a slow taper for

NOTE Confidence: 0.89704785

 $00{:}44{:}41.080 \dashrightarrow 00{:}44{:}41.976$ problematic medications.

 $00:44:41.980 \longrightarrow 00:44:44.858$ Don't wait to treat insomnia and

NOTE Confidence: 0.89704785

 $00:44:44.858 \longrightarrow 00:44:46.348$ then help patients with mood

NOTE Confidence: 0.89704785

 $00:44:46.348 \longrightarrow 00:44:47.540$ disorders protect their sleep.

NOTE Confidence: 0.8913235

00:44:49.730 --> 00:44:50.759 And that's it.

NOTE Confidence: 0.95858

 $00:44:55.570 \longrightarrow 00:44:57.700$ OK, thank you.

NOTE Confidence: 0.908808083

00:45:00.560 --> 00:45:04.016 Thanks, Theresa, that was a extraordinarily

NOTE Confidence: 0.908808083

 $00:45:04.016 \longrightarrow 00:45:06.320$ helpful and interesting talk.

NOTE Confidence: 0.908808083

 $00{:}45{:}06.320 \dashrightarrow 00{:}45{:}07.622$ And I was just giving folks a

NOTE Confidence: 0.908808083

 $00{:}45{:}07.622 \dashrightarrow 00{:}45{:}09.020$ chance 'cause I like your cartoons.

NOTE Confidence: 0.908808083

 $00:45:09.020 \longrightarrow 00:45:11.540$ I like the Bunny slope the best.

NOTE Confidence: 0.908808083

 $00{:}45{:}11.540 \dashrightarrow 00{:}45{:}13.440$ But anyway folks have questions.

NOTE Confidence: 0.908808083

 $00:45:13.440 \longrightarrow 00:45:16.248$ They can unmute or they can pop something

NOTE Confidence: 0.908808083

 $00{:}45{:}16.248 \dashrightarrow 00{:}45{:}18.862$ in the chat and I think I'll start just

NOTE Confidence: 0.908808083

 $00:45:18.862 \longrightarrow 00:45:21.019$ as folks get their questions together.

NOTE Confidence: 0.908808083

 $00:45:21.020 \longrightarrow 00:45:22.405$ You know, something that you

 $00:45:22.405 \longrightarrow 00:45:23.790$ and I have talked about.

NOTE Confidence: 0.908808083

00:45:23.790 --> 00:45:25.250 In a slightly different context,

NOTE Confidence: 0.908808083

 $00:45:25.250 \longrightarrow 00:45:30.090$ this year is is how do we take care of?

NOTE Confidence: 0.908808083

 $00:45:30.090 \longrightarrow 00:45:31.770$ Patients were more at the

NOTE Confidence: 0.908808083

 $00:45:31.770 \longrightarrow 00:45:34.310$ edge of our of of expertise.

NOTE Confidence: 0.908808083

 $00:45:34.310 \longrightarrow 00:45:35.775$ Sometimes in this multidisciplinary sleep

NOTE Confidence: 0.908808083

 $00:45:35.775 \longrightarrow 00:45:38.210$ world where some of us come from neurology,

NOTE Confidence: 0.908808083

 $00{:}45{:}38.210 \dashrightarrow 00{:}45{:}39.960$ some from pulmonary and from

NOTE Confidence: 0.908808083

00:45:39.960 --> 00:45:41.792 some psychotic psych psychiatry,

NOTE Confidence: 0.908808083

 $00:45:41.792 \longrightarrow 00:45:44.082$ and then N beyond surgery,

NOTE Confidence: 0.908808083

 $00:45:44.090 \longrightarrow 00:45:45.240$ family medicine and so on.

NOTE Confidence: 0.921664402

 $00:45:47.490 \longrightarrow 00:45:49.245$ Is there a space or a model or a

NOTE Confidence: 0.921664402

00:45:49.245 --> 00:45:51.188 way to better serve these patients,

NOTE Confidence: 0.921664402

 $00{:}45{:}51.190 \dashrightarrow 00{:}45{:}52.792$ which sounds like a really significant

NOTE Confidence: 0.921664402

00:45:52.792 --> 00:45:54.447 population of folks who have both

NOTE Confidence: 0.921664402

 $00:45:54.447 \longrightarrow 00:45:55.535 \mod disorders and insomnia?$

 $00:45:58.690 \longrightarrow 00:46:00.748$ Yeah, I mean I think that some

NOTE Confidence: 0.9413336675

00:46:00.748 --> 00:46:03.024 kind of like you know Team meeting

NOTE Confidence: 0.9413336675

00:46:03.024 --> 00:46:04.998 sort of thing or you know,

NOTE Confidence: 0.9413336675

00:46:05.000 --> 00:46:07.149 once a month sort of talking about

NOTE Confidence: 0.9413336675

 $00{:}46{:}07.149 \dashrightarrow 00{:}46{:}08.712$ different difficult cases you know

NOTE Confidence: 0.9413336675

 $00:46:08.712 \longrightarrow 00:46:10.476$ something like that could be helpful.

NOTE Confidence: 0.924115026

00:46:13.660 --> 00:46:17.270 Yeah, I I think really I think I don't know.

NOTE Confidence: 0.924115026

 $00:46:17.270 \longrightarrow 00:46:19.760$ I think taking the patients

NOTE Confidence: 0.924115026

00:46:19.760 --> 00:46:20.540 complaints seriously,

NOTE Confidence: 0.924115026

 $00{:}46{:}20.540 \dashrightarrow 00{:}46{:}23.270$ even if we don't directly have a

NOTE Confidence: 0.924115026

 $00:46:23.270 \longrightarrow 00:46:25.459$ solution for them I think is helpful,

NOTE Confidence: 0.924115026

 $00:46:25.460 \longrightarrow 00:46:26.340$ you know and saying, yeah,

NOTE Confidence: 0.924115026

 $00{:}46{:}26.340 \dashrightarrow 00{:}46{:}27.720$ that's that's an important problem.

NOTE Confidence: 0.924115026

 $00:46:27.720 \longrightarrow 00:46:28.889$ You know, I don't know the answer.

NOTE Confidence: 0.924115026

 $00:46:28.890 \longrightarrow 00:46:30.298$ I don't know how to treat leg cramps,

 $00:46:30.300 \longrightarrow 00:46:32.372$ but I really recommend you talk to your

NOTE Confidence: 0.924115026

 $00:46:32.372 \longrightarrow 00:46:34.291$ primary care doctor about it because it's

NOTE Confidence: 0.924115026

 $00:46:34.291 \longrightarrow 00:46:36.239$ so important that you get good sleep.

NOTE Confidence: 0.924115026

 $00:46:36.240 \longrightarrow 00:46:37.518$ You know, like something like that.

NOTE Confidence: 0.924115026

 $00:46:37.520 \longrightarrow 00:46:40.048$ I think may be helpful.

NOTE Confidence: 0.86986519875

00:46:41.410 --> 00:46:43.330 And thank you also for validating

NOTE Confidence: 0.86986519875

 $00:46:43.330 \longrightarrow 00:46:46.034$ my general fear of changing

NOTE Confidence: 0.86986519875

00:46:46.034 --> 00:46:48.098 people psychiatric committee.

NOTE Confidence: 0.86986519875

00:46:48.100 --> 00:46:49.300 Alright, thank you, that's how.

NOTE Confidence: 0.86986519875

 $00:46:49.300 \longrightarrow 00:46:50.180$ And actually that's great.

NOTE Confidence: 0.86986519875

 $00:46:50.180 \longrightarrow 00:46:50.620$ You're right.

NOTE Confidence: 0.86986519875

 $00:46:50.620 \longrightarrow 00:46:52.600$ Like almost like a tumor board,

NOTE Confidence: 0.86986519875

 $00:46:52.600 \longrightarrow 00:46:55.036$ but uh, asleep asleep board for

NOTE Confidence: 0.86986519875

 $00:46:55.036 \longrightarrow 00:46:56.660$ these multi disciplinary cases.

NOTE Confidence: 0.86986519875

 $00:46:56.660 \longrightarrow 00:46:58.305$ Or are there other folks with questions?

NOTE Confidence: 0.853666975

 $00{:}47{:}14.500 \dashrightarrow 00{:}47{:}16.450$ There's a question if there's

 $00:47:16.450 \longrightarrow 00:47:18.010$ are natural supplements that

NOTE Confidence: 0.853666975

 $00:47:18.010 \longrightarrow 00:47:19.807$ could also help folks sleep.

NOTE Confidence: 0.968740406666667

00:47:22.230 --> 00:47:26.410 I don't know. I mean, you know melatonin,

NOTE Confidence: 0.968740406666667

 $00:47:26.410 \longrightarrow 00:47:28.000$ you know can be helpful sometimes.

NOTE Confidence: 0.864824106363636

 $00{:}47{:}30.500 \dashrightarrow 00{:}47{:}32.026$ I think what is it valerian that

NOTE Confidence: 0.864824106363636

00:47:32.026 --> 00:47:33.170 people would take sometimes?

NOTE Confidence: 0.890220428333333

 $00:47:35.410 \longrightarrow 00:47:36.616$ Yeah, that's that's a good question.

NOTE Confidence: 0.890220428333333

 $00{:}47{:}36.620 --> 00{:}47{:}37.760$ I don't know I'd have to

NOTE Confidence: 0.890220428333333

 $00:47:37.760 \longrightarrow 00:47:38.520$ learn more about that.

NOTE Confidence: 0.892266095

 $00{:}47{:}41.600 \dashrightarrow 00{:}47{:}44.377$ There was a recent melatonin.

NOTE Confidence: 0.892266095

 $00:47:44.377 \longrightarrow 00:47:47.233$ There was a recent article I can't remember.

NOTE Confidence: 0.892266095

00:47:47.240 --> 00:47:49.696 It was it was a major news outlet,

NOTE Confidence: 0.892266095

 $00:47:49.700 \longrightarrow 00:47:52.140$ but sort of highlighting.

NOTE Confidence: 0.892266095

 $00:47:52.140 \longrightarrow 00:47:54.462$ The challenges of supplements that are

NOTE Confidence: 0.892266095

 $00:47:54.462 \longrightarrow 00:47:57.051$ not regulated and what's what's in there

00:47:57.051 --> 00:47:59.326 actually making it hard to figure out

NOTE Confidence: 0.892266095

 $00:47:59.397 \longrightarrow 00:48:01.309$ effective effectiveness and efficacy?

NOTE Confidence: 0.697806034

 $00:48:01.880 \longrightarrow 00:48:03.940$ Yeah, yeah. I mean, I,

NOTE Confidence: 0.697806034

00:48:03.940 --> 00:48:05.782 you know I would always just

NOTE Confidence: 0.697806034

 $00:48:05.782 \longrightarrow 00:48:07.340$ really try to push CBT.

NOTE Confidence: 0.697806034

 $00:48:07.340 \longrightarrow 00:48:10.567$ I think it's so helpful even if

NOTE Confidence: 0.697806034

00:48:10.567 --> 00:48:12.771 a person ultimately needs you,

NOTE Confidence: 0.697806034

 $00:48:12.771 \longrightarrow 00:48:14.126$ know a hypnotic as well.

NOTE Confidence: 0.697806034

00:48:14.130 --> 00:48:15.498 I think just learning

NOTE Confidence: 0.697806034

 $00:48:15.498 \longrightarrow 00:48:16.866$ those skills having that.

NOTE Confidence: 0.933590802142857

00:48:18.970 --> 00:48:20.224 You know healthier framework for thinking

NOTE Confidence: 0.933590802142857

00:48:20.224 --> 00:48:21.500 about how much sleep they need and

NOTE Confidence: 0.933590802142857

 $00:48:21.500 \longrightarrow 00:48:22.866$ you know what to do in the middle of

NOTE Confidence: 0.933590802142857

 $00{:}48{:}22.866 \dashrightarrow 00{:}48{:}24.030$ the night when they're not sleeping.

NOTE Confidence: 0.933590802142857

 $00:48:24.030 \longrightarrow 00:48:25.280$ I think really just about

NOTE Confidence: 0.933590802142857

00:48:25.280 --> 00:48:26.530 anyone can benefit from CBT.

 $00:48:26.530 \longrightarrow 00:48:29.346$ I and then exercise and sunlight can also

NOTE Confidence: 0.933590802142857

 $00:48:29.346 \longrightarrow 00:48:32.100$ have a huge impact on sleep, you know.

NOTE Confidence: 0.8086776875

 $00:48:34.380 \longrightarrow 00:48:35.466$ You know better than I do

NOTE Confidence: 0.8086776875

 $00:48:35.466 \longrightarrow 00:48:36.220$ with circadian rhythms.

NOTE Confidence: 0.8548784

 $00:48:39.390 \longrightarrow 00:48:40.020$ Alright.

NOTE Confidence: 0.84690046

 $00:48:42.610 \longrightarrow 00:48:44.143$ Thanks so much Teresa.

NOTE Confidence: 0.84690046

00:48:44.143 --> 00:48:46.248 Great talk this is Andre,

NOTE Confidence: 0.91250136

00:48:46.250 --> 00:48:47.605 I'm just curious about your

NOTE Confidence: 0.91250136

00:48:47.605 --> 00:48:48.689 thoughts and other thoughts

NOTE Confidence: 0.91250136

 $00:48:48.690 \longrightarrow 00:48:51.998$ on CBT in the setting of.

NOTE Confidence: 0.91250136

 $00{:}48{:}52.000 \dashrightarrow 00{:}48{:}53.018$ Individuals who already have

NOTE Confidence: 0.91250136

 $00:48:53.018 \longrightarrow 00:48:54.070$ a short sleep duration,

NOTE Confidence: 0.8676225825

 $00{:}48{:}55.020 {\: -->\:} 00{:}48{:}56.528$ so people with insomnia

NOTE Confidence: 0.82003092125

 $00{:}48{:}56.540 \dashrightarrow 00{:}48{:}58.075$ with you know somewhere between

NOTE Confidence: 0.82003092125

 $00:48:58.075 \longrightarrow 00:49:01.220$ six to four hours of sleep.

 $00:49:01.220 \longrightarrow 00:49:02.414$ You know, maybe their time in

NOTE Confidence: 0.82003092125

 $00{:}49{:}02.414 \dashrightarrow 00{:}49{:}03.930$ bed is 8 hours or what not, but

NOTE Confidence: 0.842972928333333

 $00:49:04.720 \longrightarrow 00:49:06.796$ they're still have a short duration

NOTE Confidence: 0.842972928333333

 $00:49:06.800 \longrightarrow 00:49:08.137$ of sleep, and so since the tenant

NOTE Confidence: 0.842972928333333

 $00{:}49{:}08.137 \dashrightarrow 00{:}49{:}11.319$ of CBT of tentimes is restriction.

NOTE Confidence: 0.842972928333333

 $00:49:11.320 \longrightarrow 00:49:12.570$ How effective is that therapy

NOTE Confidence: 0.849623261111111

 $00:49:12.580 \longrightarrow 00:49:15.016$ in that setting and water might

NOTE Confidence: 0.849623261111111

 $00:49:15.016 \longrightarrow 00:49:16.825$ be some alternatives. And and so,

NOTE Confidence: 0.8496232611111111

 $00:49:16.825 \longrightarrow 00:49:17.995$ just to make sure I understand.

NOTE Confidence: 0.849623261111111

00:49:18.000 --> 00:49:19.518 So you're saying people who spend

NOTE Confidence: 0.849623261111111

 $00:49:19.518 \longrightarrow 00:49:21.437$ 8 hours in bed but they're only

NOTE Confidence: 0.849623261111111

 $00:49:21.437 \longrightarrow 00:49:23.129$ sleeping for four to six hours?

NOTE Confidence: 0.849623261111111

00:49:23.130 --> 00:49:25.709 Is that right? That's right, that's

NOTE Confidence: 0.92811853375

 $00:49:25.720 \longrightarrow 00:49:27.328$ right, and so they already feel like they

NOTE Confidence: 0.8270263

 $00:49:28.580 \longrightarrow 00:49:31.040$ so not so much. Just the.

NOTE Confidence: 0.8270263

00:49:31.040 --> 00:49:33.098 Opportunity of sleep is too long,

00:49:33.100 --> 00:49:35.676 but the actual duration of sleep is short,

NOTE Confidence: 0.8270263

00:49:35.680 --> 00:49:38.387 right, right, so you know, yeah,

NOTE Confidence: 0.8270263

 $00{:}49{:}38.387 \dashrightarrow 00{:}49{:}40.683$ it's it can be sort of counter intuitive

NOTE Confidence: 0.8270263

 $00:49:40.683 \longrightarrow 00:49:43.159$ to tell somebody to spend less time in

NOTE Confidence: 0.8270263

00:49:43.159 --> 00:49:45.308 bed when they're not sleeping enough,

NOTE Confidence: 0.8270263

00:49:45.310 --> 00:49:47.109 but generally, of course you know Doctor,

NOTE Confidence: 0.8270263

00:49:47.110 --> 00:49:49.140 Schneeberg and other people who do CBT.

NOTE Confidence: 0.8270263

00:49:49.140 --> 00:49:52.533 I, you know, will know better than I do,

NOTE Confidence: 0.8270263

 $00{:}49{:}52.540 {\: --> \:} 00{:}49{:}54.544$ but but, but generally you don't

NOTE Confidence: 0.8270263

 $00:49:54.544 \longrightarrow 00:49:56.538$ have to restrict it even more

NOTE Confidence: 0.8270263

 $00:49:56.538 \longrightarrow 00:49:58.320$ than the four or six hours.

NOTE Confidence: 0.8270263

00:49:58.320 --> 00:49:59.724 You could even just say OK

NOTE Confidence: 0.8270263

 $00:49:59.724 \longrightarrow 00:50:01.049$ instead of eight hours in bed.

NOTE Confidence: 0.8270263

00:50:01.050 --> 00:50:03.778 Don't spend more than six hours in bed

NOTE Confidence: 0.8270263

00:50:03.778 --> 00:50:06.548 and what that's going to do is for one.

 $00:50:06.548 \longrightarrow 00:50:07.743$ If they actually are sleeping

NOTE Confidence: 0.8270263

00:50:07.743 --> 00:50:09.148 for more than the six hours,

NOTE Confidence: 0.8270263

 $00:50:09.150 \dashrightarrow 00:50:11.142$ you know maybe there's some sleep

NOTE Confidence: 0.8270263

 $00:50:11.142 \longrightarrow 00:50:12.470$ sleep state misperception there.

NOTE Confidence: 0.8270263

 $00:50:12.470 \longrightarrow 00:50:13.718$ Then they're going to just get

NOTE Confidence: 0.8270263

00:50:13.718 --> 00:50:14.750 more tired during the day,

NOTE Confidence: 0.8270263

 $00:50:14.750 \longrightarrow 00:50:15.625$ and they're going to have

NOTE Confidence: 0.8270263

 $00:50:15.625 \longrightarrow 00:50:16.325$ a stronger sleep drive.

NOTE Confidence: 0.8270263

 $00{:}50{:}16.330 \to 00{:}50{:}17.965$ And then they'll sleep through

NOTE Confidence: 0.8270263

 $00:50:17.965 \longrightarrow 00:50:18.946$ the night better.

NOTE Confidence: 0.8270263

 $00:50:18.950 \longrightarrow 00:50:22.038$ The other thing is going to decrease that

NOTE Confidence: 0.8270263

00:50:22.038 --> 00:50:24.887 association of wakefulness and being in bed,

NOTE Confidence: 0.8270263

00:50:24.890 --> 00:50:25.480 you know,

NOTE Confidence: 0.8270263

00:50:25.480 --> 00:50:27.250 because if you're lying in bed,

NOTE Confidence: 0.8270263

00:50:27.250 --> 00:50:29.986 awake for a couple of hours every day,

NOTE Confidence: 0.8270263

 $00:50:29.990 \longrightarrow 00:50:31.106$ that's going to increase.

 $00:50:31.106 \longrightarrow 00:50:33.060$ You know arousal in bed worries is

NOTE Confidence: 0.8270263

 $00{:}50{:}33.060 \to 00{:}50{:}34.884$ going to be your place of not sleeping.

NOTE Confidence: 0.8270263

00:50:34.890 --> 00:50:36.030 Instead of your place to sleep,

NOTE Confidence: 0.8270263

 $00:50:36.030 \longrightarrow 00:50:38.305$ so you know there are lots of

NOTE Confidence: 0.8270263

 $00{:}50{:}38.305 \dashrightarrow 00{:}50{:}40.025$ other techniques in CBT besides

NOTE Confidence: 0.8270263

00:50:40.025 --> 00:50:41.090 just sleep restriction,

NOTE Confidence: 0.8270263

 $00:50:41.090 \longrightarrow 00:50:43.148$ but I think even in those cases,

NOTE Confidence: 0.8270263

 $00{:}50{:}43.150 \dashrightarrow 00{:}50{:}44.950$ sleep restriction could be helpful,

NOTE Confidence: 0.8270263

 $00{:}50{:}44.950 \dashrightarrow 00{:}50{:}47.127$ but just not as not very extreme.

NOTE Confidence: 0.8270263

 $00{:}50{:}47.130 \dashrightarrow 00{:}50{:}49.195$ And then then one other thought is.

NOTE Confidence: 0.9662602

00:50:51.230 --> 00:50:53.430 In patients with bipolar disorder,

NOTE Confidence: 0.9662602

00:50:53.430 --> 00:50:56.314 they can also benefit from CBT I,

NOTE Confidence: 0.9662602

 $00{:}50{:}56.320 \rightarrow 00{:}50{:}58.584$ but generally the period

NOTE Confidence: 0.9662602

00:50:58.584 --> 00:51:00.848 of sleep restriction is,

NOTE Confidence: 0.9662602

 $00:51:00.850 \longrightarrow 00:51:03.635$ it's just more kind of reduced. It's not.

 $00:51:03.635 \longrightarrow 00:51:05.610$ It's not as severely restricted,

NOTE Confidence: 0.9662602

 $00{:}51{:}05.610 \dashrightarrow 00{:}51{:}07.591$ so maybe you know perhaps 7 hours

NOTE Confidence: 0.9662602

 $00:51:07.591 \longrightarrow 00:51:09.709$ or so instead of like five or six.

NOTE Confidence: 0.9662602

00:51:09.710 --> 00:51:11.846 I if Doctor Schneeberg is here,

NOTE Confidence: 0.9662602

00:51:11.850 --> 00:51:13.946 she certainly would know better than I do,

NOTE Confidence: 0.9662602

 $00:51:13.950 \longrightarrow 00:51:16.054$ but but you do want to be careful

NOTE Confidence: 0.9662602

 $00:51:16.054 \longrightarrow 00:51:17.760$ in somebody with either bipolar

NOTE Confidence: 0.9662602

00:51:17.760 --> 00:51:19.986 disorder or any history of psychosis,

NOTE Confidence: 0.9662602

 $00{:}51{:}19.990 \dashrightarrow 00{:}51{:}22.026$ whether it's severe depression.

NOTE Confidence: 0.9662602

00:51:22.026 --> 00:51:24.062 Or schizophrenia or bipolar

NOTE Confidence: 0.9662602

00:51:24.062 --> 00:51:25.850 disorder with psychosis?

NOTE Confidence: 0.9662602

 $00{:}51{:}25.850 \dashrightarrow 00{:}51{:}28.150$ Restricting their sleep too much

NOTE Confidence: 0.9662602

00:51:28.150 --> 00:51:29.674 could trigger mania or psychosis,

NOTE Confidence: 0.9662602

 $00:51:29.674 \longrightarrow 00:51:32.228$ so you want to be kind of careful there.

NOTE Confidence: 0.91279798

 $00:51:41.400 \longrightarrow 00:51:42.780$ Another question in the chat.

NOTE Confidence: 0.91279798

00:51:42.780 --> 00:51:43.676 I don't know if you can see it,

 $00:51:43.680 \longrightarrow 00:51:46.480$ but I think it's sort of an interesting

NOTE Confidence: 0.91279798

 $00{:}51{:}46.480 \to 00{:}51{:}48.398$ concern that I was thinking of

NOTE Confidence: 0.91279798

 $00:51:48.400 \longrightarrow 00:51:50.464$ as well as if a patient does not

NOTE Confidence: 0.91279798

 $00:51:50.464 \longrightarrow 00:51:52.599$ have an outpatient psychiatrist.

NOTE Confidence: 0.91279798

 $00:51:52.600 \longrightarrow 00:51:54.285$ Are the recommendations that could

NOTE Confidence: 0.91279798

 $00:51:54.285 \longrightarrow 00:51:56.415$ be offered for patients to obtain

NOTE Confidence: 0.91279798

00:51:56.415 --> 00:51:58.350 therapy or considerations to offer?

NOTE Confidence: 0.91279798

 $00:51:58.350 \longrightarrow 00:52:02.196$ Primary or or or considerations

NOTE Confidence: 0.91279798

 $00:52:02.196 \dashrightarrow 00:52:03.961$ to offer to primary providers

NOTE Confidence: 0.91279798

 $00:52:03.961 \dashrightarrow 00:52:05.919$ with respect to sleep and mood.

NOTE Confidence: 0.91279798

 $00{:}52{:}05.920 \dashrightarrow 00{:}52{:}08.650$ So so I don't pin bar.

NOTE Confidence: 0.91279798

00:52:08.650 --> 00:52:10.477 If you want to clarify but but

NOTE Confidence: 0.91279798

 $00:52:10.477 \longrightarrow 00:52:12.182$ things that we can do to to

NOTE Confidence: 0.91279798

00:52:12.182 --> 00:52:14.342 meet that gap I guess is how I'm

NOTE Confidence: 0.91279798

 $00:52:14.342 \longrightarrow 00:52:15.966$ interpreting the question between.

00:52:15.970 --> 00:52:17.510 Also, sleep providers and a patient who

NOTE Confidence: 0.91279798

 $00{:}52{:}17.510 \dashrightarrow 00{:}52{:}19.237$ may not have a primary mental health.

NOTE Confidence: 0.8571134

 $00:52:20.740 \longrightarrow 00:52:23.799$ Sure, so so I I think so.

NOTE Confidence: 0.8571134

 $00:52:23.800 \longrightarrow 00:52:25.822$ If a person doesn't have a

NOTE Confidence: 0.8571134

00:52:25.822 --> 00:52:27.575 psychiatrist but but you're pretty

NOTE Confidence: 0.8571134

00:52:27.575 --> 00:52:29.609 sure they have a mood disorder,

NOTE Confidence: 0.8571134

00:52:29.610 --> 00:52:30.370 you know, you know,

NOTE Confidence: 0.8571134

 $00:52:30.370 \longrightarrow 00:52:31.510$ we don't need to diagnose that.

NOTE Confidence: 0.8571134

 $00:52:31.510 \longrightarrow 00:52:34.650$ Of course, as sleep clinicians but but

NOTE Confidence: 0.8571134

 $00:52:34.650 \longrightarrow 00:52:36.090$ I think we are in a really good role.

NOTE Confidence: 0.8571134

00:52:36.090 --> 00:52:37.778 You know we're in a position of authority.

NOTE Confidence: 0.8571134

 $00:52:37.780 \longrightarrow 00:52:39.040$ We're also in a position

NOTE Confidence: 0.8571134

 $00:52:39.040 \longrightarrow 00:52:40.300$ of caring for the person,

NOTE Confidence: 0.8571134

 $00:52:40.300 \longrightarrow 00:52:42.788$ and so you know if we recommend that

NOTE Confidence: 0.8571134

 $00:52:42.788 \longrightarrow 00:52:45.539$ they talk with their primary care doctor

NOTE Confidence: 0.8571134

 $00{:}52{:}45.539 \dashrightarrow 00{:}52{:}48.010$ or primary care provider about mood.

 $00:52:48.010 \longrightarrow 00:52:49.672$ You know, then there's a chance

NOTE Confidence: 0.8571134

 $00:52:49.672 \longrightarrow 00:52:50.780$ that their primary care.

NOTE Confidence: 0.8571134

 $00:52:50.780 \longrightarrow 00:52:52.408$ Provider would diagnose them

NOTE Confidence: 0.8571134

00:52:52.408 --> 00:52:54.036 with depression for example,

NOTE Confidence: 0.8571134

 $00:52:54.040 \longrightarrow 00:52:56.714$ and be able to prescribe the medication.

NOTE Confidence: 0.8571134

 $00:52:56.720 \longrightarrow 00:52:59.528$ We do probably know more than

NOTE Confidence: 0.8571134

00:52:59.530 --> 00:53:01.062 many primary care providers

NOTE Confidence: 0.8571134

 $00:53:01.062 \longrightarrow 00:53:02.977$ about the importance of sleep,

NOTE Confidence: 0.8571134

 $00:53:02.980 \longrightarrow 00:53:04.498$ and so hopefully I've convinced I've

NOTE Confidence: 0.8571134

 $00{:}53{:}04.498 \dashrightarrow 00{:}53{:}06.081$ convinced you that you know sleep

NOTE Confidence: 0.8571134

00:53:06.081 --> 00:53:07.396 is important for mood disorders,

NOTE Confidence: 0.8571134

 $00:53:07.400 \longrightarrow 00:53:09.480$ so we can, you know,

NOTE Confidence: 0.8571134

 $00{:}53{:}09.480 \dashrightarrow 00{:}53{:}11.846$ tell that to the patient that it's

NOTE Confidence: 0.8571134

00:53:11.846 --> 00:53:13.532 really important that they get

NOTE Confidence: 0.8571134

00:53:13.532 --> 00:53:15.418 enough sleep and you know they

00:53:15.418 --> 00:53:17.048 have a regular sleep schedule,

NOTE Confidence: 0.8571134

 $00:53:17.050 \longrightarrow 00:53:18.570$ and then if we're concerned,

NOTE Confidence: 0.8571134

 $00:53:18.570 \longrightarrow 00:53:20.620$ let's say they have restless

NOTE Confidence: 0.8571134

 $00:53:20.620 \longrightarrow 00:53:21.850$ leg syndrome already.

NOTE Confidence: 0.8571134

 $00:53:21.850 \longrightarrow 00:53:22.786$ And they're depressed.

NOTE Confidence: 0.8571134

 $00:53:22.786 \longrightarrow 00:53:24.658$ We may not want to worsen

NOTE Confidence: 0.8571134

00:53:24.658 --> 00:53:25.976 that with an antidepressant,

NOTE Confidence: 0.8571134

 $00:53:25.976 \longrightarrow 00:53:28.326$ so we may say, you know,

NOTE Confidence: 0.8571134

 $00{:}53{:}28.326 \to 00{:}53{:}30.795$ talk with your primary care provider

NOTE Confidence: 0.8571134

 $00:53:30.795 \longrightarrow 00:53:32.570$ about the possibility of bupropion.

NOTE Confidence: 0.8571134

 $00:53:32.570 \longrightarrow 00:53:33.758$ You know that may be a

NOTE Confidence: 0.8571134

 $00:53:33.758 \longrightarrow 00:53:34.550$ good medication for you,

NOTE Confidence: 0.8571134

 $00:53:34.550 \longrightarrow 00:53:35.426$ for example.

NOTE Confidence: 0.8571134

 $00:53:35.426 \longrightarrow 00:53:38.492$ If I understand the question correctly.

NOTE Confidence: 0.91411075

 $00:53:40.530 \longrightarrow 00:53:42.461$ Thank you. Alright,

NOTE Confidence: 0.91411075

 $00:53:42.461 \longrightarrow 00:53:44.447$ well thank you for a tremendous

 $00{:}53{:}44.447 \dashrightarrow 00{:}53{:}46.606$ talk into something that was both

NOTE Confidence: 0.91411075

 $00{:}53{:}46.606 \dashrightarrow 00{:}53{:}48.086$ really educational and pragmatic.

NOTE Confidence: 0.91411075

 $00{:}53{:}48.090 \dashrightarrow 00{:}53{:}49.842$ I really appreciate it and it

NOTE Confidence: 0.91411075

 $00{:}53{:}49.842 \dashrightarrow 00{:}53{:}51.462$ will definitely help me and I'm

NOTE Confidence: 0.91411075

 $00{:}53{:}51.462 \dashrightarrow 00{:}53{:}53.044$ sure others here as we go forward.

NOTE Confidence: 0.91411075

00:53:53.050 --> 00:53:53.860 Thanks everyone.

NOTE Confidence: 0.903558483333333

 $00:53:54.270 \longrightarrow 00:53:55.398$ Alright thank you.