WEBVTT

NOTE duration:"01:00:24" NOTE recognizability:0.821

NOTE language:en-us

NOTE Confidence: 0.752825055882353

00:00:00.000 --> 00:00:02.724 Let's welcome everyone pleased to be

NOTE Confidence: 0.752825055882353

 $00:00:02.724 \longrightarrow 00:00:05.686$  able to introduce garlic parsley from

NOTE Confidence: 0.752825055882353

00:00:05.686 --> 00:00:08.346 Boston University School of Medicine,

NOTE Confidence: 0.752825055882353

 $00:00:08.350 \longrightarrow 00:00:10.590$  School of Dental Medicine.

NOTE Confidence: 0.752825055882353

00:00:10.590 --> 00:00:12.174 Who's going to give us our talk today?

NOTE Confidence: 0.752825055882353

 $00{:}00{:}12.180 \dashrightarrow 00{:}00{:}15.099$  She's a she's actually a a special

NOTE Confidence: 0.752825055882353

00:00:15.099 --> 00:00:18.489 asset to our Sleep Medicine program.

NOTE Confidence: 0.752825055882353

 $00:00:18.490 \dashrightarrow 00:00:20.716$  And we're fortunate to have her there.

NOTE Confidence: 0.752825055882353

00:00:20.720 --> 00:00:23.498 She's, she's a clinical assistant professor,

NOTE Confidence: 0.752825055882353

 $00:00:23.500 \longrightarrow 00:00:26.000$  associate professor of in in

NOTE Confidence: 0.752825055882353

 $00{:}00{:}26.000 \dashrightarrow 00{:}00{:}28.500$  the School of Dental Medicine.

NOTE Confidence: 0.752825055882353

 $00:00:28.500 \longrightarrow 00:00:30.800$  She recently got her.

NOTE Confidence: 0.752825055882353

 $00{:}00{:}30.800 \dashrightarrow 00{:}00{:}33.540$  Doctorate of Dental Science in

 $00:00:33.540 \longrightarrow 00:00:36.080$  2006 from the University Pacific

NOTE Confidence: 0.752825055882353

 $00:00:36.080 \longrightarrow 00:00:38.620$  Arthur Dugoni School of Dentistry.

NOTE Confidence: 0.752825055882353

 $00:00:38.620 \longrightarrow 00:00:40.876$  She then came to Boston University

NOTE Confidence: 0.752825055882353

 $00:00:40.876 \longrightarrow 00:00:43.020$  Goldman School of Dental Medicine.

NOTE Confidence: 0.752825055882353

00:00:43.020 --> 00:00:46.818 She completed her training in Orthodontics,

NOTE Confidence: 0.752825055882353

00:00:46.820 --> 00:00:49.628 Orthodontics, and Dentofacial Orthopedics.

NOTE Confidence: 0.752825055882353

 $00:00:49.628 \longrightarrow 00:00:51.734$  She went on,

NOTE Confidence: 0.752825055882353

 $00{:}00{:}51.740 \dashrightarrow 00{:}00{:}54.458$  also got her doctorate in science

NOTE Confidence: 0.752825055882353

00:00:54.458 --> 00:00:55.817 of dental medicine,

NOTE Confidence: 0.752825055882353

 $00:00:55.820 \longrightarrow 00:00:59.672$  and also has a certificate of

NOTE Confidence: 0.752825055882353

 $00{:}00{:}59.672 \dashrightarrow 00{:}01{:}01.910$  Advanced graduate Science.

NOTE Confidence: 0.752825055882353

 $00:01:01.910 \longrightarrow 00:01:05.090$  In north and orthodontics.

NOTE Confidence: 0.752825055882353

 $00:01:05.090 \longrightarrow 00:01:07.900$  I think I've got it all and she's gone on.

NOTE Confidence: 0.752825055882353

 $00:01:07.900 \longrightarrow 00:01:09.212$  She's been particularly interested

NOTE Confidence: 0.752825055882353

00:01:09.212 --> 00:01:10.852 in upper airway development and

NOTE Confidence: 0.752825055882353

 $00{:}01{:}10.852 \dashrightarrow 00{:}01{:}12.453$  also it's been interesting in

 $00:01:12.453 \longrightarrow 00:01:13.677$  relationship to sleep apnea.

NOTE Confidence: 0.752825055882353

00:01:13.680 --> 00:01:15.346 And with all of that I'm very

NOTE Confidence: 0.752825055882353

 $00:01:15.346 \longrightarrow 00:01:16.300$  pleased to introduce her.

NOTE Confidence: 0.854527851666667

00:01:18.220 --> 00:01:19.708 Thank you so much, Doctor Orbach.

NOTE Confidence: 0.854527851666667

 $00:01:19.710 \longrightarrow 00:01:22.530$  Thank you to the host of

NOTE Confidence: 0.854527851666667

 $00:01:22.530 \longrightarrow 00:01:23.940$  this wonderful meeting.

NOTE Confidence: 0.854527851666667

 $00:01:23.940 \longrightarrow 00:01:26.172$  I'm pleased to have been invited

NOTE Confidence: 0.854527851666667

00:01:26.172 --> 00:01:29.397 and I hope I that you'll find my.

NOTE Confidence: 0.854527851666667

 $00:01:29.400 \longrightarrow 00:01:30.134$  Presentation useful.

NOTE Confidence: 0.854527851666667

 $00:01:30.134 \longrightarrow 00:01:32.703$  I know that I'm probably speaking to

NOTE Confidence: 0.854527851666667

00:01:32.703 --> 00:01:34.800 most of you in the medical field,

NOTE Confidence: 0.854527851666667

 $00:01:34.800 \longrightarrow 00:01:37.797$  so I'm coming from the dental side of things.

NOTE Confidence: 0.854527851666667

 $00:01:37.800 \longrightarrow 00:01:40.260$  So I hope that some of it will be new

NOTE Confidence: 0.854527851666667

 $00{:}01{:}40.336 \to 00{:}01{:}42.866$  and I apologize if if a bunch of it is

NOTE Confidence: 0.854527851666667

00:01:42.938 --> 00:01:45.536 redundant where the overlap is between,

 $00:01:45.540 \longrightarrow 00:01:47.224$  I guess our fields.

NOTE Confidence: 0.854527851666667

 $00:01:47.224 \longrightarrow 00:01:48.908$  So without further ado,

NOTE Confidence: 0.854527851666667

 $00:01:48.910 \longrightarrow 00:01:51.990$  I believe I need to show this.

NOTE Confidence: 0.854527851666667 00:01:51.990 --> 00:01:53.138 Uh, Sammy, NOTE Confidence: 0.854527851666667

 $00{:}01{:}53.138 \dashrightarrow 00{:}01{:}55.434$  disclosure and accreditation for

NOTE Confidence: 0.854527851666667

 $00:01:55.434 \longrightarrow 00:01:58.704$  the numbers that you may need

NOTE Confidence: 0.854527851666667

 $00{:}01{:}58.704 \dashrightarrow 00{:}02{:}01.777$  and I do not have any conflict

NOTE Confidence: 0.854527851666667

 $00:02:01.777 \longrightarrow 00:02:04.380$  financial interest in any of the.

NOTE Confidence: 0.854527851666667

 $00:02:04.380 \longrightarrow 00:02:05.645$  Portions of the lecture that

NOTE Confidence: 0.854527851666667

 $00:02:05.645 \longrightarrow 00:02:06.657$  I will be giving.

NOTE Confidence: 0.854527851666667

 $00:02:06.660 \longrightarrow 00:02:07.624$  So the outline today,

NOTE Confidence: 0.854527851666667

 $00:02:07.624 \longrightarrow 00:02:09.819$  I would like to go over a little bit

NOTE Confidence: 0.854527851666667

 $00:02:09.819 \longrightarrow 00:02:11.624$  for you all about how craniofacial

NOTE Confidence: 0.854527851666667

 $00:02:11.624 \longrightarrow 00:02:14.276$  growth may be associated with sleep

NOTE Confidence: 0.854527851666667

 $00:02:14.276 \longrightarrow 00:02:15.996$  disorder breathing and particularly

NOTE Confidence: 0.854527851666667

 $00:02:15.996 \longrightarrow 00:02:18.312$  in children and as they grow

 $00{:}02{:}18.312 \dashrightarrow 00{:}02{:}20.020$  into a dolescence and adulthood.

NOTE Confidence: 0.854527851666667

 $00:02:20.020 \longrightarrow 00:02:23.050$  And how we as dentists and

NOTE Confidence: 0.854527851666667

 $00{:}02{:}23.050 \dashrightarrow 00{:}02{:}24.991$  orthodontists use our screening

NOTE Confidence: 0.854527851666667

00:02:24.991 --> 00:02:27.376 tools and other clinical diagnosis

NOTE Confidence: 0.854527851666667

 $00:02:27.376 \longrightarrow 00:02:29.774$  and imaging techniques to understand

NOTE Confidence: 0.854527851666667

 $00:02:29.774 \longrightarrow 00:02:32.049$  what treatment we can offer

NOTE Confidence: 0.854527851666667

 $00:02:32.049 \longrightarrow 00:02:34.599$  and when to refer to you guys.

NOTE Confidence: 0.854527851666667

 $00:02:34.600 \longrightarrow 00:02:36.301$  And went to or which specialty we

NOTE Confidence: 0.854527851666667

 $00{:}02{:}36.301 \dashrightarrow 00{:}02{:}38.250$  need to make appropriate referrals to

NOTE Confidence: 0.854527851666667

 $00:02:38.250 \longrightarrow 00:02:40.180$  and then ultimately what treatment

NOTE Confidence: 0.854527851666667

00:02:40.180 --> 00:02:41.966 modalities we can offer because at

NOTE Confidence: 0.854527851666667

 $00:02:41.966 \longrightarrow 00:02:44.596$  the end of the day we're all the

NOTE Confidence: 0.854527851666667

 $00{:}02{:}44.596 \dashrightarrow 00{:}02{:}47.056$  team addressing a multifactorial

NOTE Confidence: 0.854527851666667

00:02:47.056 --> 00:02:49.720 problem in these children.

NOTE Confidence: 0.854527851666667

 $00{:}02{:}49.720 \dashrightarrow 00{:}02{:}52.240$  So let's talk a little bit about

 $00:02:52.240 \longrightarrow 00:02:53.707$  craniofacial growth and that's

NOTE Confidence: 0.854527851666667

 $00{:}02{:}53.707 \dashrightarrow 00{:}02{:}55.954$  the part that I'm hoping that may

NOTE Confidence: 0.854527851666667

 $00:02:55.954 \longrightarrow 00:02:58.080$  have some new notes for you all.

NOTE Confidence: 0.854527851666667

 $00:02:58.080 \longrightarrow 00:03:00.327$  You know as an orthodontist that I

NOTE Confidence: 0.854527851666667

 $00:03:00.327 \longrightarrow 00:03:02.699$  work with patients at an age where a

NOTE Confidence: 0.854527851666667

00:03:02.699 --> 00:03:04.400 lot about their faces, their bites,

NOTE Confidence: 0.854527851666667

 $00:03:04.400 \longrightarrow 00:03:06.260$  their teeth is going to change.

NOTE Confidence: 0.854527851666667

 $00:03:06.260 \longrightarrow 00:03:08.178$  I do see how the growth and

NOTE Confidence: 0.854527851666667

 $00{:}03{:}08.178 \dashrightarrow 00{:}03{:}10.152$  development of the heart tissue and

NOTE Confidence: 0.854527851666667

 $00:03:10.152 \longrightarrow 00:03:11.967$  the soft tissue structures that

NOTE Confidence: 0.854527851666667

 $00{:}03{:}11.967 \dashrightarrow 00{:}03{:}13.762$  surround the airway that starts

NOTE Confidence: 0.854527851666667

 $00:03:13.762 \longrightarrow 00:03:15.766$  from the nerves to the epiglottis

NOTE Confidence: 0.854527851666667

 $00:03:15.766 \longrightarrow 00:03:17.448$  and can affect the airway.

NOTE Confidence: 0.854527851666667

 $00:03:17.448 \longrightarrow 00:03:19.636$  So in a sense we have.

NOTE Confidence: 0.854527851666667

 $00:03:19.636 \longrightarrow 00:03:21.726$  The development of the softened

NOTE Confidence: 0.854527851666667

 $00:03:21.726 \longrightarrow 00:03:24.203$  heart tissues and that are happening

00:03:24.203 --> 00:03:26.877 as the child is growing and that's

NOTE Confidence: 0.854527851666667

 $00:03:26.953 \longrightarrow 00:03:29.185$  having an impact on the airway.

NOTE Confidence: 0.854527851666667

 $00{:}03{:}29.190 \longrightarrow 00{:}03{:}30.912$  And then the growth of the airway

NOTE Confidence: 0.854527851666667

 $00:03:30.912 \longrightarrow 00:03:32.756$  or any sort of impairment in the

NOTE Confidence: 0.854527851666667

00:03:32.756 --> 00:03:34.702 growth of the airway can in turn

NOTE Confidence: 0.854527851666667

 $00:03:34.702 \longrightarrow 00:03:36.262$  affect how the skeletal tissues

NOTE Confidence: 0.854527851666667

 $00:03:36.262 \longrightarrow 00:03:38.614$  and the soft tissues around it in

NOTE Confidence: 0.854527851666667

 $00{:}03{:}38.614 \dashrightarrow 00{:}03{:}40.454$  the craniofacial region are going

NOTE Confidence: 0.854527851666667

 $00:03:40.454 \longrightarrow 00:03:42.548$  to respond and grow in the end.

NOTE Confidence: 0.854527851666667

 $00:03:42.550 \longrightarrow 00:03:44.620$  So we consider it as airway

NOTE Confidence: 0.854527851666667

 $00:03:44.620 \longrightarrow 00:03:46.648$  functioning as a keystone for the

NOTE Confidence: 0.854527851666667

 $00:03:46.648 \longrightarrow 00:03:48.944$  face and how the blueprint of the of

NOTE Confidence: 0.854527851666667

 $00{:}03{:}49.010 \dashrightarrow 00{:}03{:}51.488$  the growth of the skeletal structures.

NOTE Confidence: 0.854527851666667

 $00:03:51.490 \longrightarrow 00:03:53.290$  And the and the bones of the jaws,

NOTE Confidence: 0.854527851666667

 $00:03:53.290 \longrightarrow 00:03:54.556$  the upper jaw and the lower

 $00:03:54.556 \longrightarrow 00:03:56.008$  jaw really is not in the bone,

NOTE Confidence: 0.854527851666667

 $00{:}03{:}56.010 \dashrightarrow 00{:}03{:}58.075$  but it's in the structures around it,

NOTE Confidence: 0.854527851666667

 $00:03:58.080 \longrightarrow 00:04:00.728$  including the muscles, the,

NOTE Confidence: 0.854527851666667

00:04:00.730 --> 00:04:02.140 the, you know, the tongue,

NOTE Confidence: 0.854527851666667

 $00:04:02.140 \longrightarrow 00:04:02.583$  the,

NOTE Confidence: 0.854527851666667

 $00:04:02.583 \longrightarrow 00:04:05.684$  the facial structures and the airway itself.

NOTE Confidence: 0.854527851666667

 $00:04:05.690 \longrightarrow 00:04:08.624$  So it all goes into a two way St.

NOTE Confidence: 0.854527851666667

 $00:04:08.630 \longrightarrow 00:04:11.924$  in a way one affects the other very closely.

NOTE Confidence: 0.854527851666667

00:04:11.930 --> 00:04:15.800 So it takes about 16 to 18 years for you

NOTE Confidence: 0.887761496363636

 $00:04:15.905 \longrightarrow 00:04:17.558$  know, to fully develop from

NOTE Confidence: 0.887761496363636

00:04:17.558 --> 00:04:19.310 a newborn to an adult face.

NOTE Confidence: 0.887761496363636

00:04:19.310 --> 00:04:21.788 And during this process there's many

NOTE Confidence: 0.887761496363636

 $00{:}04{:}21.788 \dashrightarrow 00{:}04{:}23.440$  environmental variables that are

NOTE Confidence: 0.887761496363636

00:04:23.502 --> 00:04:25.728 acting on what could have genetically

NOTE Confidence: 0.887761496363636

00:04:25.728 --> 00:04:27.898 been programmed for face to turn

NOTE Confidence: 0.887761496363636

 $00:04:27.898 \longrightarrow 00:04:29.764$  into with what the child inherits

 $00:04:29.764 \longrightarrow 00:04:32.460$  from their parents and in a sense

NOTE Confidence: 0.887761496363636

 $00:04:32.460 \longrightarrow 00:04:34.530$  for the nasal maxillary complex.

NOTE Confidence: 0.887761496363636

 $00:04:34.530 \longrightarrow 00:04:36.540$  And that's really the area that

NOTE Confidence: 0.887761496363636

00:04:36.540 --> 00:04:39.536 you know as an orthodontist I I can

NOTE Confidence: 0.887761496363636

 $00:04:39.536 \longrightarrow 00:04:41.900$  have any control over and that's.

NOTE Confidence: 0.887761496363636

 $00:04:41.900 \longrightarrow 00:04:43.742$  Really the area that grows out

NOTE Confidence: 0.887761496363636

00:04:43.742 --> 00:04:45.862 from down and under of the cranial

NOTE Confidence: 0.887761496363636

 $00:04:45.862 \longrightarrow 00:04:47.794$  base and it is pushed from the

NOTE Confidence: 0.887761496363636

00:04:47.861 --> 00:04:49.847 cranial base and the growth of

NOTE Confidence: 0.887761496363636

00:04:49.847 --> 00:04:51.525 the cranial base around here,

NOTE Confidence: 0.887761496363636

 $00:04:51.525 \longrightarrow 00:04:53.250$  the anterior portion is about

NOTE Confidence: 0.887761496363636

 $00:04:53.250 \longrightarrow 00:04:55.179$  done by the age of 6-7.

NOTE Confidence: 0.887761496363636

 $00{:}04{:}55.180 \dashrightarrow 00{:}04{:}57.180$  So we have a short,

NOTE Confidence: 0.887761496363636

 $00:04:57.180 \longrightarrow 00:04:59.490$  I guess window of opportunity to maybe

NOTE Confidence: 0.887761496363636

 $00:04:59.490 \longrightarrow 00:05:02.428$  have any any impact in that area early on.

 $00:05:02.430 \longrightarrow 00:05:04.302$  And a lot of times I don't even

NOTE Confidence: 0.887761496363636

 $00:05:04.302 \longrightarrow 00:05:06.555$  get to see a lot of the children

NOTE Confidence: 0.887761496363636

00:05:06.555 --> 00:05:08.595 during that time to to do much work

NOTE Confidence: 0.887761496363636

 $00:05:08.595 \longrightarrow 00:05:10.476$  and then there's a ton of growth

NOTE Confidence: 0.887761496363636

 $00:05:10.476 \longrightarrow 00:05:12.076$  still left and continuing on.

NOTE Confidence: 0.887761496363636

 $00:05:12.080 \longrightarrow 00:05:13.920$  So.

NOTE Confidence: 0.887761496363636

 $00:05:13.920 \longrightarrow 00:05:15.135$  With that said,

NOTE Confidence: 0.887761496363636

00:05:15.135 --> 00:05:18.178 and what what we really sort of

NOTE Confidence: 0.887761496363636

00:05:18.178 --> 00:05:22.250 bank on a lot of our treatment is

NOTE Confidence: 0.887761496363636

 $00:05:22.378 \longrightarrow 00:05:25.126$  a very old hypothesis that came

NOTE Confidence: 0.887761496363636

 $00:05:25.126 \longrightarrow 00:05:27.919$  about by Doctor Melvin Moss and

NOTE Confidence: 0.887761496363636

 $00:05:27.919 \longrightarrow 00:05:29.314$  that basically introduced the idea

NOTE Confidence: 0.887761496363636

00:05:29.314 --> 00:05:31.428 that the bone growth is under the

NOTE Confidence: 0.887761496363636

 $00:05:31.428 \longrightarrow 00:05:32.998$  influence of the surrounding structures.

NOTE Confidence: 0.887761496363636

 $00:05:33.000 \longrightarrow 00:05:35.785$  So the skeletal structures are

NOTE Confidence: 0.887761496363636

 $00{:}05{:}35.785 \dashrightarrow 00{:}05{:}38.013$  under mostly epigenetic control.

 $00:05:38.020 \longrightarrow 00:05:40.337$  So the stimulus is coming really from

NOTE Confidence: 0.887761496363636

 $00:05:40.337 \longrightarrow 00:05:42.483$  the tissues around the bone basically

NOTE Confidence: 0.887761496363636

00:05:42.483 --> 00:05:44.293 to determine their final size.

NOTE Confidence: 0.887761496363636

00:05:44.300 --> 00:05:47.750 Shape and there's strong evidence

NOTE Confidence: 0.887761496363636

 $00:05:47.750 \longrightarrow 00:05:50.025$  that the dental structures is

NOTE Confidence: 0.887761496363636

 $00:05:50.025 \longrightarrow 00:05:52.110$  as much as the Bony structures

NOTE Confidence: 0.887761496363636

 $00:05:52.110 \longrightarrow 00:05:54.255$  are really affected by this,

NOTE Confidence: 0.887761496363636

00:05:54.260 --> 00:05:55.848 by the external stimuli,

NOTE Confidence: 0.887761496363636

 $00:05:55.848 \longrightarrow 00:05:57.039$  even the nutrition,

NOTE Confidence: 0.887761496363636

 $00:05:57.040 \longrightarrow 00:05:59.758$  even having a softer diet versus

NOTE Confidence: 0.887761496363636

 $00:05:59.758 \longrightarrow 00:06:02.591$  a harder diet that maybe are

NOTE Confidence: 0.887761496363636

 $00{:}06{:}02.591 \dashrightarrow 00{:}06{:}05.387$  our ancestors were more used to.

NOTE Confidence: 0.887761496363636

 $00{:}06{:}05.390 \dashrightarrow 00{:}06{:}07.910$  So a little bit about the cranial base.

NOTE Confidence: 0.887761496363636 00:06:07.910 --> 00:06:08.480 You know, NOTE Confidence: 0.887761496363636

 $00:06:08.480 \longrightarrow 00:06:10.190$  it connects the skull with the

00:06:10.190 --> 00:06:11.670 vertebral column and the mandible.

NOTE Confidence: 0.887761496363636

 $00:06:11.670 \longrightarrow 00:06:14.710$  It influences the craniofacial morphology.

NOTE Confidence: 0.887761496363636

 $00:06:14.710 \longrightarrow 00:06:16.834$  And there's really 2 main ones

NOTE Confidence: 0.887761496363636

 $00:06:16.834 \longrightarrow 00:06:19.509$  that I want to point out here.

NOTE Confidence: 0.887761496363636

 $00:06:19.510 \longrightarrow 00:06:23.290$  That's the inner sphenoidal suture here.

NOTE Confidence: 0.887761496363636

 $00:06:23.290 \longrightarrow 00:06:26.110$  And then there's the spheno

NOTE Confidence: 0.887761496363636

00:06:26.110 --> 00:06:28.366 occipital suture right here.

NOTE Confidence: 0.887761496363636

 $00:06:28.370 \longrightarrow 00:06:30.530$  And those are the two that,

NOTE Confidence: 0.887761496363636 00:06:30.530 --> 00:06:31.498 you know, NOTE Confidence: 0.887761496363636

 $00:06:31.498 \longrightarrow 00:06:34.886$  sort of their growth affects the anterior.

NOTE Confidence: 0.887761496363636

 $00{:}06{:}34.890 \dashrightarrow 00{:}06{:}36.546$  Out of the cranial basin because

NOTE Confidence: 0.887761496363636

 $00:06:36.546 \longrightarrow 00:06:38.780$  again as you saw the nasal maxillary

NOTE Confidence: 0.887761496363636

 $00:06:38.780 \longrightarrow 00:06:40.910$  complex is right underneath that any

NOTE Confidence: 0.887761496363636

 $00:06:40.910 \longrightarrow 00:06:43.416$  growth in the cranial base effects how long,

NOTE Confidence: 0.887761496363636

00:06:43.420 --> 00:06:46.579 how wide and you know how the size of

NOTE Confidence: 0.887761496363636

 $00:06:46.579 \longrightarrow 00:06:50.020$  the the nasal maxillary complex for us.

 $00{:}06{:}50.020 \dashrightarrow 00{:}06{:}51.870$  So the inner entrance interest

NOTE Confidence: 0.887761496363636

00:06:51.870 --> 00:06:52.980 Sphenoidal synchondrosis that's

NOTE Confidence: 0.887761496363636

 $00:06:52.980 \longrightarrow 00:06:54.912$  that that junction usually for the

NOTE Confidence: 0.887761496363636

 $00:06:54.912 \longrightarrow 00:06:56.610$  1st 12 months it's it's active

NOTE Confidence: 0.887761496363636

 $00:06:56.665 \longrightarrow 00:06:58.210$  with this phenoxy Capital One.

NOTE Confidence: 0.887761496363636

 $00:06:58.210 \longrightarrow 00:07:00.730$  The more posterior one it tends to

NOTE Confidence: 0.887761496363636

 $00:07:00.730 \longrightarrow 00:07:03.326$  stay active for for a bit longer

NOTE Confidence: 0.887761496363636

 $00{:}07{:}03.326 \rightarrow 00{:}07{:}05.126$  and really it's active even.

NOTE Confidence: 0.887761496363636

 $00:07:05.130 \dashrightarrow 00:07:06.978$  Well into, you know, the teen years,

NOTE Confidence: 0.887761496363636

 $00{:}07{:}06.980 \dashrightarrow 00{:}07{:}09.311$  and it has been evidence that it

NOTE Confidence: 0.887761496363636

00:07:09.311 --> 00:07:11.868 may not even fully fuse up until,

NOTE Confidence: 0.887761496363636

00:07:11.870 --> 00:07:13.620 you know, maybe 1820 years of age,

NOTE Confidence: 0.887761496363636

 $00:07:13.620 \longrightarrow 00:07:14.896$  but that's more posteriorly.

NOTE Confidence: 0.887761496363636

 $00{:}07{:}14.896 \dashrightarrow 00{:}07{:}16.810$  The anterior part of the cranial

NOTE Confidence: 0.887761496363636

 $00:07:16.864 \longrightarrow 00:07:18.120$  based generally is done.

00:07:18.120 --> 00:07:18.624 You know,

NOTE Confidence: 0.887761496363636

 $00:07:18.624 \longrightarrow 00:07:20.640$  we can sort of count on it being

NOTE Confidence: 0.891709084

 $00:07:20.707 \longrightarrow 00:07:22.027$  done by 6-7 years old.

NOTE Confidence: 0.891709084

 $00:07:22.030 \longrightarrow 00:07:24.262$  But it's flexure as I as I was

NOTE Confidence: 0.891709084

 $00:07:24.262 \longrightarrow 00:07:26.026$  explaining how it affects the

NOTE Confidence: 0.891709084

 $00:07:26.026 \longrightarrow 00:07:27.550$  the nasal maxillary complex,

NOTE Confidence: 0.891709084

 $00:07:27.550 \longrightarrow 00:07:29.326$  it's interesting because as

NOTE Confidence: 0.891709084

 $00:07:29.326 \longrightarrow 00:07:31.546$  the basic cranial flexes it,

NOTE Confidence: 0.891709084

 $00{:}07{:}31.550 \dashrightarrow 00{:}07{:}33.545$  the cranial base tends to shorten and

NOTE Confidence: 0.891709084

 $00:07:33.545 \longrightarrow 00:07:35.660$  widen and then the Volt increases in

NOTE Confidence: 0.891709084

 $00:07:35.660 \longrightarrow 00:07:37.910$  height and the cranial base angle closes.

NOTE Confidence: 0.891709084

 $00:07:37.910 \longrightarrow 00:07:40.486$  So as you can see here where

NOTE Confidence: 0.891709084

 $00:07:40.486 \longrightarrow 00:07:43.538$  we have a the slightly flexed

NOTE Confidence: 0.891709084

 $00:07:43.540 \longrightarrow 00:07:45.886$  cranial base that's in red it,

NOTE Confidence: 0.891709084

 $00{:}07{:}45.890 \dashrightarrow 00{:}07{:}49.880$  it tends to translate into a much

NOTE Confidence: 0.891709084

 $00:07:49.880 \longrightarrow 00:07:51.891$  narrower and longer maxillary.

 $00:07:51.891 \longrightarrow 00:07:53.697$  Arch and that's sort of the

NOTE Confidence: 0.891709084

00:07:53.697 --> 00:07:55.239 upper arch of the teeth.

NOTE Confidence: 0.891709084

 $00:07:55.240 \longrightarrow 00:07:57.580$  And then when we have the green one

NOTE Confidence: 0.891709084

 $00:07:57.580 \longrightarrow 00:07:59.760$  where the cranial base is more flexed,

NOTE Confidence: 0.891709084

 $00:07:59.760 \longrightarrow 00:08:01.720$  it tends to end up sort of

NOTE Confidence: 0.891709084

 $00:08:01.720 \longrightarrow 00:08:03.652$  correlate again with a much wider

NOTE Confidence: 0.891709084

 $00:08:03.652 \longrightarrow 00:08:05.016$  and shorter maxillary arch.

NOTE Confidence: 0.891709084

 $00:08:05.020 \longrightarrow 00:08:06.883$  So you can see how how they are all

NOTE Confidence: 0.891709084

 $00{:}08{:}06.883 \dashrightarrow 00{:}08{:}08.978$  are are going hand in hand and these

NOTE Confidence: 0.891709084

 $00{:}08{:}08.978 \dashrightarrow 00{:}08{:}10.755$  patients tend to have longer faces

NOTE Confidence: 0.891709084

 $00:08:10.755 \longrightarrow 00:08:12.633$  than these ones with shorter faces.

NOTE Confidence: 0.891709084

 $00:08:12.640 \longrightarrow 00:08:14.704$  So that the shape of the palette and

NOTE Confidence: 0.891709084

 $00{:}08{:}14.704 \dashrightarrow 00{:}08{:}16.871$  the arch form is actually sort of all

NOTE Confidence: 0.891709084

 $00:08:16.871 \longrightarrow 00:08:19.023$  in a pattern with with how the face

NOTE Confidence: 0.891709084

 $00:08:19.023 \longrightarrow 00:08:21.668$  looks too and the height of it and then how,

 $00:08:21.668 \longrightarrow 00:08:22.756$  how maybe a lot.

NOTE Confidence: 0.891709084

 $00{:}08{:}22.760 \longrightarrow 00{:}08{:}24.712$  Face that's long then the the child

NOTE Confidence: 0.891709084

00:08:24.712 --> 00:08:26.770 has a hard time bringing their lips

NOTE Confidence: 0.891709084

 $00:08:26.770 \longrightarrow 00:08:28.950$  together and then they end up maybe

NOTE Confidence: 0.891709084

 $00:08:28.950 \longrightarrow 00:08:31.057$  having more of a mouth breathing pattern.

NOTE Confidence: 0.891709084 00:08:31.060 --> 00:08:32.760 So. NOTE Confidence: 0.891709084

00:08:32.760 --> 00:08:35.436 Um, the airway configuration in general,

NOTE Confidence: 0.891709084

 $00{:}08{:}35.440 \dashrightarrow 00{:}08{:}36.995$  and its size would affect

NOTE Confidence: 0.891709084

 $00:08:36.995 \longrightarrow 00:08:39.100$  the arch form of the orbits.

NOTE Confidence: 0.891709084

 $00:08:39.100 \longrightarrow 00:08:40.787$  The nasal and oral sides of the

NOTE Confidence: 0.891709084

00:08:40.787 --> 00:08:42.144 palate are affected by it because

NOTE Confidence: 0.891709084

 $00:08:42.144 \longrightarrow 00:08:43.502$  the the nasal side of it is

NOTE Confidence: 0.891709084

 $00:08:43.551 \longrightarrow 00:08:44.827$  obviously the nasal cavity.

NOTE Confidence: 0.891709084

 $00:08:44.830 \longrightarrow 00:08:46.050$  The oral side would be

NOTE Confidence: 0.891709084

 $00:08:46.050 \longrightarrow 00:08:47.270$  the would be the mouse,

NOTE Confidence: 0.891709084

 $00:08:47.270 \longrightarrow 00:08:48.548$  the maxillary arch,

 $00:08:48.548 \longrightarrow 00:08:50.678$  the sinuses right above it,

NOTE Confidence: 0.891709084

 $00{:}08{:}50.680 {\:{\mbox{--}}\!>}\ 00{:}08{:}52.731$  and the zygomatic arches are all subject

NOTE Confidence: 0.891709084

 $00:08:52.731 \longrightarrow 00:08:54.757$  to it because as you can see here,

NOTE Confidence: 0.891709084

 $00:08:54.760 \longrightarrow 00:08:56.993$  the way that the growth is happening

NOTE Confidence: 0.891709084

 $00:08:56.993 \longrightarrow 00:08:58.821$  within that we have the Bony

NOTE Confidence: 0.891709084

 $00:08:58.821 \longrightarrow 00:09:01.142$  walls of the of the nose that are

NOTE Confidence: 0.891709084

 $00:09:01.142 \longrightarrow 00:09:03.017$  all sort of resorptive surfaces.

NOTE Confidence: 0.891709084

 $00:09:03.020 \longrightarrow 00:09:04.020$  Is the child that's growing,

NOTE Confidence: 0.891709084

 $00:09:04.020 \longrightarrow 00:09:05.772$  there's resorption of the bone on

NOTE Confidence: 0.891709084

 $00{:}09{:}05.772 \dashrightarrow 00{:}09{:}07.723$  these lateral walls the the nose

NOTE Confidence: 0.891709084

00:09:07.723 --> 00:09:09.410 is becoming wider at the same time

NOTE Confidence: 0.891709084

 $00:09:09.466 \dashrightarrow 00:09:11.110$  the sinuses are growing in size.

NOTE Confidence: 0.891709084

 $00:09:11.110 \longrightarrow 00:09:12.748$  But the medial wall of it,

NOTE Confidence: 0.891709084

 $00:09:12.750 \longrightarrow 00:09:14.250$  there is opposition of the bone

NOTE Confidence: 0.891709084

 $00:09:14.250 \longrightarrow 00:09:16.583$  sort of in in response to having the

 $00:09:16.583 \longrightarrow 00:09:19.050$  resorption on the lateral walls of the nose.

NOTE Confidence: 0.891709084

 $00:09:19.050 \longrightarrow 00:09:21.325$  And then it sort of grows laterally

NOTE Confidence: 0.891709084

 $00:09:21.325 \longrightarrow 00:09:22.750$  and and becomes wider.

NOTE Confidence: 0.891709084

 $00:09:22.750 \longrightarrow 00:09:24.580$  Similarly we have opposition of the

NOTE Confidence: 0.891709084

 $00:09:24.580 \longrightarrow 00:09:27.189$  bone and the sort of in the orbits there.

NOTE Confidence: 0.891709084 00:09:27.190 --> 00:09:27.573 So, NOTE Confidence: 0.891709084

 $00:09:27.573 \longrightarrow 00:09:30.254$  so this whole segment between the floor

NOTE Confidence: 0.891709084

 $00:09:30.254 \longrightarrow 00:09:33.096$  of the eye and the and the mouth.

NOTE Confidence: 0.891709084

 $00{:}09{:}33.100 \dashrightarrow 00{:}09{:}34.915$  It just lengthens significantly between

NOTE Confidence: 0.891709084

00:09:34.915 --> 00:09:37.112 because we have opposition right and

NOTE Confidence: 0.891709084

 $00:09:37.112 \longrightarrow 00:09:39.098$  inferiorly here and then superiorly there.

NOTE Confidence: 0.891709084

 $00:09:39.100 \longrightarrow 00:09:41.510$  And this height just increases

NOTE Confidence: 0.891709084

 $00:09:41.510 \longrightarrow 00:09:43.602$  significantly between the the child

NOTE Confidence: 0.891709084

 $00{:}09{:}43.602 \dashrightarrow 00{:}09{:}45.207$  sort of growing into a dulthood

NOTE Confidence: 0.891709084

00:09:45.207 --> 00:09:47.130 and that's making the whole array

NOTE Confidence: 0.891709084

 $00:09:47.130 \dashrightarrow 00:09:48.936$  again longer and then wider here.

 $00:09:48.940 \longrightarrow 00:09:50.732$  And then we have the palatal side

NOTE Confidence: 0.891709084

 $00:09:50.732 \longrightarrow 00:09:52.792$  of the whole structure sort

NOTE Confidence: 0.891709084

 $00:09:52.792 \longrightarrow 00:09:54.016$  of acquisition there.

NOTE Confidence: 0.891709084

 $00:09:54.020 \longrightarrow 00:09:56.676$  So in a way again we have facial

NOTE Confidence: 0.891709084

 $00:09:56.676 \longrightarrow 00:09:58.721$  areas and exceedingly significant

NOTE Confidence: 0.891709084

 $00:09:58.721 \longrightarrow 00:10:01.317$  component that's involved in

NOTE Confidence: 0.891709084

00:10:01.317 --> 00:10:03.913 normal versus abnormal facial

NOTE Confidence: 0.874370403333333

 $00:10:03.992 \longrightarrow 00:10:06.424$  morphogenesis. Now mouth breathing and

NOTE Confidence: 0.874370403333333

 $00:10:06.424 \longrightarrow 00:10:08.975$  how how that correlates to all this is

NOTE Confidence: 0.874370403333333

 $00:10:08.975 \dashrightarrow 00:10:11.379$  that we're where we tend to see a lot

NOTE Confidence: 0.874370403333333

00:10:11.379 --> 00:10:13.696 of the mouth readers would then have

NOTE Confidence: 0.874370403333333

 $00:10:13.696 \longrightarrow 00:10:16.260$  smaller nasal cavities if for whatever

NOTE Confidence: 0.874370403333333

 $00{:}10{:}16.260 \dashrightarrow 00{:}10{:}18.578$  reason they're I mean whatever would

NOTE Confidence: 0.874370403333333

 $00:10:18.578 \longrightarrow 00:10:21.047$  be the the etiologic factor for it

NOTE Confidence: 0.874370403333333

 $00:10:21.047 \longrightarrow 00:10:23.483$  that aside they tend to show smaller

00:10:23.483 --> 00:10:25.749 nasal cavities and that they're now

NOTE Confidence: 0.874370403333333

 $00:10:25.749 \longrightarrow 00:10:27.993$  they're they're mid faces are smaller

NOTE Confidence: 0.874370403333333

00:10:28.000 --> 00:10:30.142 again all the the blueprint being

NOTE Confidence: 0.874370403333333

 $00:10:30.142 \longrightarrow 00:10:33.122$  in the in the soft tissue and the

NOTE Confidence: 0.874370403333333

00:10:33.122 --> 00:10:34.714 structures around the skeleton.

NOTE Confidence: 0.874370403333333

 $00:10:34.720 \longrightarrow 00:10:36.855$  Then the and the airway they they

NOTE Confidence: 0.874370403333333

 $00:10:36.855 \longrightarrow 00:10:39.105$  never got the in a way the the

NOTE Confidence: 0.874370403333333

 $00:10:39.105 \longrightarrow 00:10:41.012$  motive to to grow more around the

NOTE Confidence: 0.874370403333333

 $00:10:41.012 \longrightarrow 00:10:43.680$  mid face so they they it tends to be

NOTE Confidence: 0.874370403333333

00:10:43.680 --> 00:10:45.960 smaller and then ultimately the their

NOTE Confidence: 0.874370403333333

 $00:10:45.960 \longrightarrow 00:10:48.159$  maximas are going to be narrower.

NOTE Confidence: 0.874370403333333

00:10:48.160 --> 00:10:49.945 Their arches if you look in these

NOTE Confidence: 0.874370403333333

00:10:49.945 --> 00:10:51.542 patients mouth they tend to have

NOTE Confidence: 0.874370403333333

 $00{:}10{:}51.542 \dashrightarrow 00{:}10{:}52.837$  much much narrower upper jaws,

NOTE Confidence: 0.874370403333333

 $00:10:52.840 \longrightarrow 00:10:55.185$  the pallets the the roof of the

NOTE Confidence: 0.874370403333333

 $00:10:55.185 \longrightarrow 00:10:57.446$  mouth is is much higher deeper

 $00:10:57.446 \longrightarrow 00:11:00.176$  in a way but but much narrower.

NOTE Confidence: 0.874370403333333

 $00:11:00.180 \longrightarrow 00:11:02.434$  So what we call this these sort

NOTE Confidence: 0.874370403333333

 $00:11:02.434 \longrightarrow 00:11:04.900$  of all of these significant.

NOTE Confidence: 0.874370403333333

00:11:04.900 --> 00:11:07.036 The findings together they kind of

NOTE Confidence: 0.874370403333333

00:11:07.036 --> 00:11:09.448 compile into what we call a long

NOTE Confidence: 0.874370403333333

 $00:11:09.448 \longrightarrow 00:11:11.583$  face syndrome that would go hand in

NOTE Confidence: 0.874370403333333

00:11:11.648 --> 00:11:13.723 hand with chronic mouth breathers

NOTE Confidence: 0.874370403333333

 $00:11:13.723 \longrightarrow 00:11:16.151$  that have that's implicated in the

NOTE Confidence: 0.874370403333333

 $00:11:16.151 \longrightarrow 00:11:17.906$  dental facial deformities they have.

NOTE Confidence: 0.874370403333333

00:11:17.910 --> 00:11:19.650 They tend to have extended head,

NOTE Confidence: 0.874370403333333

00:11:19.650 --> 00:11:21.742 the craniocervical posture they're,

NOTE Confidence: 0.874370403333333

00:11:21.742 --> 00:11:24.357 they're sort of forwardly inclined

NOTE Confidence: 0.874370403333333

00:11:24.357 --> 00:11:26.890 as they try to increase their.

NOTE Confidence: 0.874370403333333

 $00:11:26.890 \longrightarrow 00:11:29.284$  The air flow there they have

NOTE Confidence: 0.874370403333333

 $00:11:29.284 \longrightarrow 00:11:30.880$  excessive anterior facial height.

 $00:11:30.880 \longrightarrow 00:11:33.526$  They the especially the lower part of

NOTE Confidence: 0.874370403333333

 $00:11:33.526 \longrightarrow 00:11:36.630$  the face tends to be become much longer

NOTE Confidence: 0.874370403333333

 $00:11:36.630 \longrightarrow 00:11:39.620$  and their lips therefore is not competent.

NOTE Confidence: 0.874370403333333

 $00:11:39.620 \longrightarrow 00:11:41.663$  A lot of times there as they try to

NOTE Confidence: 0.874370403333333

00:11:41.663 --> 00:11:43.338 bring their lips together you see

NOTE Confidence: 0.874370403333333

 $00:11:43.338 \longrightarrow 00:11:45.374$  dimpling on the on the chin there's

NOTE Confidence: 0.874370403333333

 $00:11:45.374 \longrightarrow 00:11:47.432$  mentalis strain going on and but at

NOTE Confidence: 0.874370403333333

00:11:47.432 --> 00:11:49.830 rest every time you look at them their

NOTE Confidence: 0.874370403333333

 $00:11:49.830 \longrightarrow 00:11:52.359$  their lips are not comfortably together.

NOTE Confidence: 0.874370403333333  $00:11:52.360 \longrightarrow 00:11:52.960$  And Umm,

NOTE Confidence: 0.874370403333333

 $00{:}11{:}52.960 \dashrightarrow 00{:}11{:}54.460$  there's a flared external Canaries

NOTE Confidence: 0.874370403333333

 $00:11:54.460 \longrightarrow 00:11:56.532$  and what we call the steep mandibular

NOTE Confidence: 0.874370403333333

 $00:11:56.532 \longrightarrow 00:11:58.880$  plane is if you look here on the

NOTE Confidence: 0.874370403333333

 $00:11:58.880 \longrightarrow 00:12:00.116$  on the lateral cephalogram,

NOTE Confidence: 0.874370403333333

 $00:12:00.120 \longrightarrow 00:12:01.744$  you could see that too that this

NOTE Confidence: 0.874370403333333

 $00:12:01.744 \longrightarrow 00:12:03.029$  mandibular plane is very stable.

00:12:03.030 --> 00:12:05.158 Normally the the angle should be much,

NOTE Confidence: 0.874370403333333

 $00:12:05.160 \longrightarrow 00:12:06.424$  much flatter this way.

NOTE Confidence: 0.874370403333333

 $00:12:06.424 \longrightarrow 00:12:08.722$  So and I'll explain in a little

NOTE Confidence: 0.874370403333333

 $00:12:08.722 \longrightarrow 00:12:11.032$  bit why all of this happens in

NOTE Confidence: 0.874370403333333

 $00:12:11.032 \longrightarrow 00:12:13.104$  response to being a mouth breather

NOTE Confidence: 0.874370403333333

00:12:13.104 --> 00:12:15.240 and not you know having the normal

NOTE Confidence: 0.874370403333333

 $00:12:15.240 \longrightarrow 00:12:16.700$  growth pattern that we expect.

NOTE Confidence: 0.874370403333333

00:12:16.700 --> 00:12:18.525 Now intraorally you know they

NOTE Confidence: 0.874370403333333

 $00{:}12{:}18.525 \dashrightarrow 00{:}12{:}21.094$  tend to have large over over jets

NOTE Confidence: 0.874370403333333

 $00:12:21.094 \longrightarrow 00:12:23.110$  here they tend to have again.

NOTE Confidence: 0.874370403333333

00:12:23.110 --> 00:12:25.570 Very narrow upper arches even narrower

NOTE Confidence: 0.874370403333333

 $00{:}12{:}25.570 \dashrightarrow 00{:}12{:}28.709$  in this I can show you pictures.

NOTE Confidence: 0.874370403333333

 $00{:}12{:}28.710 \dashrightarrow 00{:}12{:}30.726$  Much narrower than that you can tell,

NOTE Confidence: 0.874370403333333

 $00:12:30.730 \longrightarrow 00:12:32.520$  and the palatal volts tends

NOTE Confidence: 0.874370403333333

 $00:12:32.520 \longrightarrow 00:12:33.952$  to be pretty deep.

00:12:37.810 --> 00:12:41.010 Now, Umm, there's an experimental,

NOTE Confidence: 0.683912578

 $00:12:41.010 \longrightarrow 00:12:43.490$  I guess a paper out there that actually

NOTE Confidence: 0.683912578

 $00:12:43.490 \longrightarrow 00:12:46.131$  shows that when where there is an

NOTE Confidence: 0.683912578

 $00:12:46.131 \longrightarrow 00:12:48.086$  instant nasal blockage automatically and

NOTE Confidence: 0.683912578

 $00:12:48.149 \longrightarrow 00:12:50.259$  almost instantly there's five degree

NOTE Confidence: 0.683912578

 $00:12:50.259 \longrightarrow 00:12:52.822$  change in the cranial vertebral angle.

NOTE Confidence: 0.683912578

 $00:12:52.822 \longrightarrow 00:12:54.630$  So for mouth breathers,

NOTE Confidence: 0.683912578

00:12:54.630 --> 00:12:56.580 this this can be sort of, again,

NOTE Confidence: 0.683912578

 $00:12:56.580 \dashrightarrow 00:12:59.032$  they're not necessarily 100% mouth breathers.

NOTE Confidence: 0.683912578

00:12:59.032 --> 00:13:00.748 There may also always be some

NOTE Confidence: 0.683912578

 $00:13:00.748 \longrightarrow 00:13:02.567$  percentage of nasal breathing going on.

NOTE Confidence: 0.683912578

 $00:13:02.570 \longrightarrow 00:13:04.845$  But with with the effect of

NOTE Confidence: 0.683912578

00:13:04.845 --> 00:13:06.103 mouth breathing, what the what

NOTE Confidence: 0.683912578

 $00:13:06.103 \longrightarrow 00:13:07.309$  these patients are trying to do,

NOTE Confidence: 0.683912578

 $00:13:07.310 \longrightarrow 00:13:08.862$  they're lowering their mandibles.

NOTE Confidence: 0.683912578

 $00:13:08.862 \longrightarrow 00:13:11.190$  Of tongues and they're extending their

00:13:11.246 --> 00:13:12.992 heads forward and the posterior teeth

NOTE Confidence: 0.683912578

 $00{:}13{:}12.992 \to 00{:}13{:}15.244$  then are sort of coming apart from each

NOTE Confidence: 0.683912578

 $00:13:15.244 \longrightarrow 00:13:17.607$  other as the as the mouth is sort of

NOTE Confidence: 0.683912578

 $00:13:17.607 \longrightarrow 00:13:20.180$  held open and the mandible is is held down.

NOTE Confidence: 0.683912578

00:13:20.180 --> 00:13:22.070 Now there is really nothing stopping the

NOTE Confidence: 0.683912578

 $00:13:22.070 \longrightarrow 00:13:23.782$  back teeth from necessarily erupting more

NOTE Confidence: 0.683912578

 $00:13:23.782 \longrightarrow 00:13:26.260$  and that's what we call the Super eruption.

NOTE Confidence: 0.683912578

 $00:13:26.260 \longrightarrow 00:13:28.199$  So as these back teeth are now

NOTE Confidence: 0.683912578

 $00{:}13{:}28.199 \dashrightarrow 00{:}13{:}29.767$  erupting more because the jaws

NOTE Confidence: 0.683912578

00:13:29.767 --> 00:13:31.119 weren't really held together,

NOTE Confidence: 0.683912578

 $00{:}13{:}31.120 \dashrightarrow 00{:}13{:}33.238$  that's sort of the vicious cycle

NOTE Confidence: 0.683912578

 $00{:}13{:}33.238 \dashrightarrow 00{:}13{:}35.368$  there now their teeth that are

NOTE Confidence: 0.683912578

 $00{:}13{:}35.368 \dashrightarrow 00{:}13{:}37.014$  erupted more and therefore even

NOTE Confidence: 0.683912578

 $00:13:37.014 \longrightarrow 00:13:39.338$  if the the job wants to rotate.

NOTE Confidence: 0.683912578

 $00:13:39.340 \longrightarrow 00:13:40.072$  Close. It can't.

 $00:13:40.072 \longrightarrow 00:13:41.048$  It's in the way.

NOTE Confidence: 0.683912578

 $00:13:41.050 \longrightarrow 00:13:43.492$  So the mandible itself is rotated

NOTE Confidence: 0.683912578

 $00:13:43.492 \longrightarrow 00:13:45.120$  down and back and.

NOTE Confidence: 0.683912578

 $00:13:45.120 \longrightarrow 00:13:46.782$  The opening the bite would then

NOTE Confidence: 0.683912578

 $00:13:46.782 \longrightarrow 00:13:48.463$  translate into an upfront where the

NOTE Confidence: 0.683912578

 $00:13:48.463 \longrightarrow 00:13:50.011$  back that's come down together up

NOTE Confidence: 0.683912578

 $00:13:50.011 \longrightarrow 00:13:51.922$  front you can see that maybe the front

NOTE Confidence: 0.683912578

00:13:51.922 --> 00:13:53.816 teeth will not be touching and then

NOTE Confidence: 0.683912578

 $00:13:53.816 \longrightarrow 00:13:55.476$  they'll have an increased overjet.

NOTE Confidence: 0.683912578

 $00:13:55.480 \longrightarrow 00:13:57.816$  And there there has to be then more

NOTE Confidence: 0.683912578

 $00:13:57.816 \longrightarrow 00:13:59.367$  stretching more pressure coming from

NOTE Confidence: 0.683912578

00:13:59.367 --> 00:14:01.488 the from the cheeks and the lips

NOTE Confidence: 0.683912578

 $00:14:01.550 \longrightarrow 00:14:03.440$  to just just bring them together.

NOTE Confidence: 0.683912578

 $00:14:03.440 \longrightarrow 00:14:05.456$  And a lot of times if you could if

NOTE Confidence: 0.683912578

 $00:14:05.456 \longrightarrow 00:14:07.401$  you could imagine that you know a

NOTE Confidence: 0.683912578

00:14:07.401 --> 00:14:09.699 child that may be sucking on their

 $00:14:09.699 \longrightarrow 00:14:11.584$  thumb habitually then just this

NOTE Confidence: 0.683912578

 $00{:}14{:}11.584 \dashrightarrow 00{:}14{:}13.672$  sucking pattern and and the way

NOTE Confidence: 0.683912578

 $00:14:13.672 \longrightarrow 00:14:15.670$  that the that the cheeks are.

NOTE Confidence: 0.683912578

00:14:15.670 --> 00:14:18.070 Sort of going through these contractions,

NOTE Confidence: 0.683912578

 $00:14:18.070 \longrightarrow 00:14:20.620$  that tends to again affect

NOTE Confidence: 0.683912578

 $00:14:20.620 \longrightarrow 00:14:23.170$  the the position or the,

NOTE Confidence: 0.683912578

 $00:14:23.170 \longrightarrow 00:14:24.675$  I guess the the way that the

NOTE Confidence: 0.683912578

 $00:14:24.675 \longrightarrow 00:14:26.579$  upper jaw is shaped and that way

NOTE Confidence: 0.683912578

 $00:14:26.579 \longrightarrow 00:14:27.783$  especially at the corners,

NOTE Confidence: 0.683912578

 $00:14:27.790 \longrightarrow 00:14:30.326$  it tends to just never grow wide enough.

NOTE Confidence: 0.683912578

00:14:30.330 --> 00:14:32.388 And again that sort of continues

NOTE Confidence: 0.683912578

 $00:14:32.388 \longrightarrow 00:14:35.006$  on with the with the pattern that

NOTE Confidence: 0.683912578

00:14:35.006 --> 00:14:36.566 I was just explaining.

NOTE Confidence: 0.683912578

 $00:14:36.570 \longrightarrow 00:14:37.068$  Here too,

NOTE Confidence: 0.683912578

 $00:14:37.068 \longrightarrow 00:14:38.562$  and these kids go from thumbsucking

00:14:38.562 --> 00:14:40.143 to just being mouth breathers and

NOTE Confidence: 0.683912578

 $00:14:40.143 \longrightarrow 00:14:41.691$  then their tongue is going to

NOTE Confidence: 0.683912578

 $00:14:41.746 \longrightarrow 00:14:43.108$  be sitting in that space too.

NOTE Confidence: 0.683912578

00:14:43.110 --> 00:14:44.085 So it all,

NOTE Confidence: 0.683912578

 $00:14:44.085 \longrightarrow 00:14:46.035$  it all affects their long term

NOTE Confidence: 0.683912578

 $00:14:46.035 \longrightarrow 00:14:48.432$  how how their face is going to

NOTE Confidence: 0.683912578

00:14:48.432 --> 00:14:50.709 grow into looking a certain way.

NOTE Confidence: 0.683912578

00:14:50.710 --> 00:14:52.110 So if you can look at it and

NOTE Confidence: 0.683912578

 $00:14:52.110 \longrightarrow 00:14:53.370$  how they affect each other,

NOTE Confidence: 0.683912578

 $00:14:53.370 \longrightarrow 00:14:55.434$  if you could think of it as the

NOTE Confidence: 0.683912578

 $00{:}14{:}55.434 \to 00{:}14{:}57.407$  obstruction of the airway happens first,

NOTE Confidence: 0.683912578

 $00:14:57.410 \longrightarrow 00:15:00.198$  maybe for whatever reason,

NOTE Confidence: 0.683912578

 $00{:}15{:}00.200 \dashrightarrow 00{:}15{:}02.145$  then there is enormous muscular

NOTE Confidence: 0.683912578

 $00{:}15{:}02.145 \dashrightarrow 00{:}15{:}04.090$  feedback that causes the postural

NOTE Confidence: 0.683912578

 $00:15:04.155 \longrightarrow 00:15:06.057$  change of the mandible sort of

NOTE Confidence: 0.683912578

 $00:15:06.057 \longrightarrow 00:15:07.870$  rotating down the head flexing.

00:15:07.870 --> 00:15:08.173 Uh,

NOTE Confidence: 0.683912578

 $00:15:08.173 \longrightarrow 00:15:08.779$  forward tilting.

NOTE Confidence: 0.683912578

 $00:15:08.779 \longrightarrow 00:15:10.597$  And then there is the differential

NOTE Confidence: 0.683912578

 $00{:}15{:}10.597 {\:{\circ}{\circ}{\circ}}>00{:}15{:}11.974$  forces on the skeleton because

NOTE Confidence: 0.683912578

 $00:15:11.974 \longrightarrow 00:15:13.780$  of that as this stretches on the

NOTE Confidence: 0.683912578

 $00:15:13.780 \longrightarrow 00:15:15.130$  on the cheeks and the tissues

NOTE Confidence: 0.683912578

 $00:15:15.130 \longrightarrow 00:15:16.196$  around it is happening.

NOTE Confidence: 0.683912578

 $00:15:16.196 \longrightarrow 00:15:18.512$  And that really is what causes

NOTE Confidence: 0.683912578

00:15:18.512 --> 00:15:19.670 the morphological change

NOTE Confidence: 0.859311545

 $00:15:19.730 \longrightarrow 00:15:21.872$  because we believe in the hypothesis

NOTE Confidence: 0.859311545

 $00{:}15{:}21.872 \longrightarrow 00{:}15{:}23.738$  of the functional matrix theory

NOTE Confidence: 0.859311545

 $00:15:23.738 \longrightarrow 00:15:25.638$  where the information is coming,

NOTE Confidence: 0.859311545

 $00{:}15{:}25.640 {\:{\mbox{--}}\!\!>}\ 00{:}15{:}26.875$  the blueprint is coming from

NOTE Confidence: 0.859311545

 $00:15:26.875 \longrightarrow 00:15:27.863$  the soft tissues around.

NOTE Confidence: 0.859311545

 $00:15:27.870 \longrightarrow 00:15:29.070$  So if that's really true,

 $00:15:29.070 \longrightarrow 00:15:30.589$  which we do see all the time,

NOTE Confidence: 0.859311545

 $00{:}15{:}30.590 \dashrightarrow 00{:}15{:}32.358$  then that sort of goes hand in hand

NOTE Confidence: 0.859311545

 $00:15:32.358 \longrightarrow 00:15:34.069$  with then affecting the obstruction of

NOTE Confidence: 0.859311545

 $00:15:34.069 \longrightarrow 00:15:36.165$  the airway because now the tissue is

NOTE Confidence: 0.859311545

00:15:36.165 --> 00:15:37.869 not growing as much as it should be.

NOTE Confidence: 0.859311545

 $00:15:37.870 \longrightarrow 00:15:39.575$  That the mandible that's rotated

NOTE Confidence: 0.859311545

 $00:15:39.575 \longrightarrow 00:15:40.598$  down and back,

NOTE Confidence: 0.859311545

 $00:15:40.600 \longrightarrow 00:15:42.784$  it's narrowing the airway in the back here.

NOTE Confidence: 0.859311545

 $00{:}15{:}42.790 \dashrightarrow 00{:}15{:}44.698$  So again this this cycle just

NOTE Confidence: 0.859311545

 $00:15:44.698 \longrightarrow 00:15:46.210$  keeps continuing on and on.

NOTE Confidence: 0.715429402142857

 $00{:}15{:}48.390 \dashrightarrow 00{:}15{:}51.144$  Um, so in a newborn and the pharynx is

NOTE Confidence: 0.715429402142857

 $00:15:51.144 \longrightarrow 00:15:54.012$  very similar to other primates and mammals.

NOTE Confidence: 0.715429402142857

 $00:15:54.012 \longrightarrow 00:15:56.820$  The uvula and epiglottis are very much in

NOTE Confidence: 0.715429402142857

 $00{:}15{:}56.888 \dashrightarrow 00{:}15{:}59.485$  close proximity around 18 months of age.

NOTE Confidence: 0.715429402142857

 $00:15:59.490 \longrightarrow 00:16:01.464$  The with the development of the larynx,

NOTE Confidence: 0.715429402142857

 $00{:}16{:}01.470 \dashrightarrow 00{:}16{:}03.662$  it's sort of descends down to the C5

 $00{:}16{:}03.662 \dashrightarrow 00{:}16{:}06.057$  level and that's really because of the

NOTE Confidence: 0.715429402142857

 $00{:}16{:}06.057 \dashrightarrow 00{:}16{:}08.608$  role of the pharynx information and in

NOTE Confidence: 0.715429402142857

 $00:16:08.608 \longrightarrow 00:16:10.708$  humans and this lengthening right there,

NOTE Confidence: 0.715429402142857

00:16:10.710 --> 00:16:13.006 I'm sure you you know more about it

NOTE Confidence: 0.715429402142857

 $00{:}16{:}13.006 \dashrightarrow 00{:}16{:}15.462$  than I would and how how it's now

NOTE Confidence: 0.715429402142857

 $00:16:15.462 \longrightarrow 00:16:17.482$  more susceptible to obstruction and.

NOTE Confidence: 0.715429402142857

 $00:16:17.482 \longrightarrow 00:16:20.050$  All the problems that we're going

NOTE Confidence: 0.715429402142857

 $00:16:20.120 \longrightarrow 00:16:21.239$  to discuss today,

NOTE Confidence: 0.715429402142857

 $00:16:21.240 \longrightarrow 00:16:22.800$  but then anatomically the regions

NOTE Confidence: 0.715429402142857

 $00:16:22.800 \longrightarrow 00:16:25.308$  that are that are going to cause these

NOTE Confidence: 0.715429402142857

00:16:25.308 --> 00:16:27.380 blockages in a child versus the adults,

NOTE Confidence: 0.715429402142857

 $00:16:27.380 \longrightarrow 00:16:28.364$  it's it's very different.

NOTE Confidence: 0.715429402142857

 $00{:}16{:}28.364 \dashrightarrow 00{:}16{:}30.120$  And again I'm sure you all would

NOTE Confidence: 0.715429402142857

 $00:16:30.120 \longrightarrow 00:16:31.500$  know this more than I would.

NOTE Confidence: 0.715429402142857

 $00:16:31.500 \longrightarrow 00:16:34.132$  Where we do tend to see in younger

 $00:16:34.132 \longrightarrow 00:16:36.362$  children the obstruction being more

NOTE Confidence: 0.715429402142857

 $00{:}16{:}36.362 \dashrightarrow 00{:}16{:}38.857$  in the higher nasophary ngeal area,

NOTE Confidence: 0.715429402142857

 $00:16:38.860 \longrightarrow 00:16:40.236$  maybe higher oropharyngeal area

NOTE Confidence: 0.715429402142857

 $00:16:40.236 \longrightarrow 00:16:42.300$  with the where the adenoids and

NOTE Confidence: 0.715429402142857

 $00:16:42.360 \longrightarrow 00:16:44.000$  tonsils would be the culprits.

NOTE Confidence: 0.715429402142857

 $00:16:44.000 \longrightarrow 00:16:45.904$  And then while in adults it would

NOTE Confidence: 0.715429402142857

00:16:45.904 --> 00:16:47.859 be maybe lower oropharyngeal area,

NOTE Confidence: 0.715429402142857

00:16:47.860 --> 00:16:49.654 retro glossal area.

NOTE Confidence: 0.715429402142857

 $00:16:49.654 \longrightarrow 00:16:54.850$  Would be probably more often encountered.

NOTE Confidence: 0.715429402142857

 $00:16:54.850 \longrightarrow 00:16:56.730$  So the narrowing as you can see here

NOTE Confidence: 0.715429402142857

 $00{:}16{:}56.730 \dashrightarrow 00{:}16{:}58.843$  is just an example of enlargement of

NOTE Confidence: 0.715429402142857

 $00:16:58.843 \longrightarrow 00:17:00.747$  the tonsils and adenoids there versus

NOTE Confidence: 0.715429402142857

 $00:17:00.747 \longrightarrow 00:17:02.891$  an adult where it would be the blockage

NOTE Confidence: 0.715429402142857

 $00:17:02.891 \longrightarrow 00:17:05.506$  and little bit lower in the airway.

NOTE Confidence: 0.715429402142857

00:17:05.510 --> 00:17:08.516 So what do we do I guess is orthodontist

NOTE Confidence: 0.715429402142857

 $00:17:08.516 \longrightarrow 00:17:11.616$  and we go by the recommendations of

 $00:17:11.616 \longrightarrow 00:17:14.082$  the American Association of PD Atrics

NOTE Confidence: 0.715429402142857

 $00:17:14.082 \longrightarrow 00:17:16.098$  where you know that they recommend

NOTE Confidence: 0.715429402142857

 $00:17:16.098 \longrightarrow 00:17:18.145$  that all children or adolescent

NOTE Confidence: 0.715429402142857

 $00:17:18.145 \longrightarrow 00:17:20.767$  who snow regularly be screened for

NOTE Confidence: 0.715429402142857

 $00{:}17{:}20.767 \dashrightarrow 00{:}17{:}22.589$  obstructive sleep apnea and because

NOTE Confidence: 0.715429402142857

 $00:17:22.589 \longrightarrow 00:17:24.918$  we think that at least being in.

NOTE Confidence: 0.715429402142857

 $00:17:24.918 \longrightarrow 00:17:27.006$  The dental field and seeing children

NOTE Confidence: 0.715429402142857

 $00{:}17{:}27.006 \dashrightarrow 00{:}17{:}29.254$  maybe every six months for their

NOTE Confidence: 0.715429402142857

00:17:29.254 --> 00:17:31.154 checkups as a pediatric dentist,

NOTE Confidence: 0.715429402142857

 $00:17:31.160 \longrightarrow 00:17:32.945$  as an orthodontist and we get referred

NOTE Confidence: 0.715429402142857

 $00:17:32.945 \longrightarrow 00:17:35.035$  to when they when they do see something

NOTE Confidence: 0.715429402142857

 $00:17:35.035 \longrightarrow 00:17:36.660$  maybe off going on about their,

NOTE Confidence: 0.715429402142857

 $00{:}17{:}36.660 \dashrightarrow 00{:}17{:}38.940$  their dentition sort of growth

NOTE Confidence: 0.715429402142857

 $00:17:38.940 \longrightarrow 00:17:41.220$  or even their facial development,

NOTE Confidence: 0.715429402142857

 $00:17:41.220 \longrightarrow 00:17:42.100$  we get to see them.

 $00:17:42.100 \longrightarrow 00:17:43.825$  And the recommendation really force

NOTE Confidence: 0.715429402142857

 $00{:}17{:}43.825 \dashrightarrow 00{:}17{:}46.005$  adonic screening is by the American

NOTE Confidence: 0.715429402142857

00:17:46.005 --> 00:17:47.565 Association of Orthodontics is

NOTE Confidence: 0.715429402142857

00:17:47.565 --> 00:17:49.515 sometime between age of seven.

NOTE Confidence: 0.715429402142857

 $00:17:49.520 \longrightarrow 00:17:51.472$  We would like to see every child just

NOTE Confidence: 0.715429402142857

00:17:51.472 --> 00:17:53.538 to make sure that even if they're

NOTE Confidence: 0.715429402142857

 $00:17:53.538 \longrightarrow 00:17:55.440$  really not that many permanent teeth.

NOTE Confidence: 0.715429402142857

 $00:17:55.440 \longrightarrow 00:17:56.292$  Maybe come in again,

NOTE Confidence: 0.715429402142857

 $00:17:56.292 \longrightarrow 00:17:57.570$  maybe mainly baby teeth are still

NOTE Confidence: 0.715429402142857

 $00:17:57.609 \longrightarrow 00:17:58.239$  in their mouths.

NOTE Confidence: 0.715429402142857

 $00{:}17{:}58.240 \dashrightarrow 00{:}18{:}00.168$  We still would like to see to may be

NOTE Confidence: 0.715429402142857

 $00:18:00.168 \longrightarrow 00:18:01.830$  be able to intervene sooner.

NOTE Confidence: 0.715429402142857

 $00:18:01.830 \longrightarrow 00:18:05.422$  So what we do routinely in our practices

NOTE Confidence: 0.715429402142857

 $00:18:05.422 \longrightarrow 00:18:07.568$  is that at least at the dental school,

NOTE Confidence: 0.715429402142857

 $00:18:07.570 \longrightarrow 00:18:09.803$  what we have implemented is that we

NOTE Confidence: 0.715429402142857

 $00:18:09.803 \longrightarrow 00:18:11.461$  screened for obstructive sleep apnea

00:18:11.461 --> 00:18:13.405 by really virtue of history taking

NOTE Confidence: 0.715429402142857

 $00:18:13.405 \longrightarrow 00:18:14.918$  their question is that I'm going

NOTE Confidence: 0.715429402142857

00:18:14.918 --> 00:18:16.996 to show you in a bit and clinical

NOTE Confidence: 0.715429402142857

 $00:18:16.996 \longrightarrow 00:18:20.027$  examination and then if we see red

NOTE Confidence: 0.715429402142857

 $00:18:20.027 \longrightarrow 00:18:22.210$  flags that we think that there

NOTE Confidence: 0.715429402142857

 $00:18:22.210 \longrightarrow 00:18:26.040$  needs to be a sort of more.

NOTE Confidence: 0.715429402142857

00:18:26.040 --> 00:18:27.648 You know, figuring out really what it is,

NOTE Confidence: 0.715429402142857

 $00{:}18{:}27.650 \dashrightarrow 00{:}18{:}29.750$  we make a referral for polysomnography

NOTE Confidence: 0.715429402142857

 $00:18:29.750 \longrightarrow 00:18:31.490$  by you all or Umm,

NOTE Confidence: 0.715429402142857 00:18:31.490 --> 00:18:32.086 you know, NOTE Confidence: 0.715429402142857

00:18:32.086 --> 00:18:34.172 again having you involved in it and

NOTE Confidence: 0.715429402142857

 $00:18:34.172 \longrightarrow 00:18:36.295$  figuring out what's best for the patient.

NOTE Confidence: 0.715429402142857

 $00{:}18{:}36.300 \dashrightarrow 00{:}18{:}37.692$  And then alternate testing

NOTE Confidence: 0.715429402142857

00:18:37.692 --> 00:18:39.780 this day and age with probably

NOTE Confidence: 0.784110833478261

 $00:18:39.845 \longrightarrow 00:18:42.365$  sonography being very difficult to sign up

00:18:42.365 --> 00:18:45.039 our patients for financially or otherwise,

NOTE Confidence: 0.784110833478261

 $00:18:45.040 \longrightarrow 00:18:48.082$  then maybe in a home sleep test and such.

NOTE Confidence: 0.784110833478261

 $00:18:48.090 \longrightarrow 00:18:50.862$  So we start out as part of our medical

NOTE Confidence: 0.784110833478261

00:18:50.862 --> 00:18:53.082 history taking for our patients every

NOTE Confidence: 0.784110833478261

00:18:53.082 --> 00:18:55.626 new patients that we get, you know,

NOTE Confidence: 0.784110833478261

 $00:18:55.626 \longrightarrow 00:18:57.714$  probably under the age of 18.

NOTE Confidence: 0.784110833478261

 $00:18:57.720 \longrightarrow 00:18:59.995$  We use the Bears questionnaire that I'm

NOTE Confidence: 0.784110833478261

00:18:59.995 --> 00:19:02.656 sure you're all familiar with to go over

NOTE Confidence: 0.784110833478261

 $00:19:02.656 \longrightarrow 00:19:05.109$  any bedtime problems that they may have any.

NOTE Confidence: 0.784110833478261

 $00:19:05.110 \longrightarrow 00:19:07.696$  So here's the here's the breakdown

NOTE Confidence: 0.784110833478261

 $00{:}19{:}07.696 \dashrightarrow 00{:}19{:}09.950$  of the questions right there.

NOTE Confidence: 0.784110833478261

00:19:09.950 --> 00:19:12.169 But again, we have the toddler preschoolers,

NOTE Confidence: 0.784110833478261

 $00:19:12.170 \longrightarrow 00:19:13.526$  their parents are answering those questions

NOTE Confidence: 0.784110833478261

00:19:13.526 --> 00:19:15.119 if they have any bedtime problems,

NOTE Confidence: 0.784110833478261

 $00:19:15.120 \longrightarrow 00:19:17.100$  any excessive daytime sleepiness

NOTE Confidence: 0.784110833478261

00:19:17.100 --> 00:19:19.080 awakening during the night.

00:19:19.080 --> 00:19:21.165 Or any irregularity during sleep

NOTE Confidence: 0.784110833478261

 $00:19:21.165 \longrightarrow 00:19:22.833$  and of course snoring.

NOTE Confidence: 0.784110833478261

 $00:19:22.840 \longrightarrow 00:19:24.964$  And then we have the same set of questions

NOTE Confidence: 0.784110833478261

 $00:19:24.964 \longrightarrow 00:19:27.022$  that the child or the parent for some of

NOTE Confidence: 0.784110833478261

 $00:19:27.022 \longrightarrow 00:19:28.843$  them can answer between the ages of 16

NOTE Confidence: 0.784110833478261

 $00:19:28.843 \longrightarrow 00:19:31.880$  and 12 and for adolescence of 13 to 18.

NOTE Confidence: 0.784110833478261

 $00:19:31.880 \longrightarrow 00:19:33.816$  The child tends to answer all of those

NOTE Confidence: 0.784110833478261

 $00{:}19{:}33.816 \dashrightarrow 00{:}19{:}35.045$  questions except for the question

NOTE Confidence: 0.784110833478261

 $00:19:35.045 \longrightarrow 00:19:36.676$  for the snoring that we would expect

NOTE Confidence: 0.784110833478261

 $00:19:36.723 \longrightarrow 00:19:37.559$  the parent to know,

NOTE Confidence: 0.784110833478261

 $00:19:37.560 \longrightarrow 00:19:40.296$  hopefully be able to hear and let us know.

NOTE Confidence: 0.784110833478261

 $00:19:40.300 \longrightarrow 00:19:43.072$  And then if there are any yeses to that,

NOTE Confidence: 0.784110833478261

 $00:19:43.080 \longrightarrow 00:19:44.958$  to that on their medical history,

NOTE Confidence: 0.784110833478261

 $00:19:44.960 \longrightarrow 00:19:47.151$  we then sort of give them the

NOTE Confidence: 0.784110833478261

00:19:47.151 --> 00:19:48.444 pediatric Sleep Questionnaire that

 $00:19:48.444 \longrightarrow 00:19:50.220$  I'm sure you're all familiar with.

NOTE Confidence: 0.784110833478261

00:19:50.220 --> 00:19:53.735 It's high validity and you

NOTE Confidence: 0.784110833478261

 $00:19:53.735 \longrightarrow 00:19:55.844$  know specificity and.

NOTE Confidence: 0.784110833478261

 $00:19:55.850 \longrightarrow 00:19:57.682$  Sensitivity that was sort

NOTE Confidence: 0.784110833478261

00:19:57.682 --> 00:19:59.514 of validated against PSG.

NOTE Confidence: 0.784110833478261

 $00:19:59.520 \longrightarrow 00:20:01.473$  So we used that again routinely for

NOTE Confidence: 0.784110833478261

00:20:01.473 --> 00:20:03.871 anyone who has answered yes to any of

NOTE Confidence: 0.784110833478261

 $00:20:03.871 \longrightarrow 00:20:06.038$  the of the Bears questionnaires and then

NOTE Confidence: 0.784110833478261

 $00:20:06.038 \longrightarrow 00:20:08.446$  we'll go from there for any further question.

NOTE Confidence: 0.784110833478261

 $00:20:08.450 \longrightarrow 00:20:09.998$  I'm not going to go over

NOTE Confidence: 0.784110833478261

00:20:09.998 --> 00:20:11.030 each segments of these.

NOTE Confidence: 0.784110833478261

00:20:11.030 --> 00:20:12.070 I'm sure you've seen them,

NOTE Confidence: 0.784110833478261

 $00:20:12.070 \longrightarrow 00:20:15.300$  but again that's Doctor Shervin.

NOTE Confidence: 0.784110833478261

 $00{:}20{:}15.300 \dashrightarrow 00{:}20{:}16.581$  But paper there,

NOTE Confidence: 0.784110833478261

 $00:20:16.581 \longrightarrow 00:20:20.414$  the next step for us is to clinically

NOTE Confidence: 0.784110833478261

 $00{:}20{:}20{:}414 \dashrightarrow 00{:}20{:}23.914$  examine these patients and being you

00:20:23.914 --> 00:20:25.853 know working in the in the mouth,

NOTE Confidence: 0.784110833478261

 $00:20:25.860 \longrightarrow 00:20:27.648$  it's very easy for us to

NOTE Confidence: 0.784110833478261

 $00:20:27.648 \longrightarrow 00:20:28.840$  check out their tonsils.

NOTE Confidence: 0.784110833478261

 $00:20:28.840 \longrightarrow 00:20:31.606$  So we look for tonsillar hypertrophy

NOTE Confidence: 0.784110833478261

00:20:31.606 --> 00:20:33.897 and understanding that we're working

NOTE Confidence: 0.784110833478261

 $00:20:33.897 \longrightarrow 00:20:36.111$  with children at an age where

NOTE Confidence: 0.784110833478261

00:20:36.111 --> 00:20:38.463 you know there is some shrinkage

NOTE Confidence: 0.784110833478261

 $00{:}20{:}38.463 \dashrightarrow 00{:}20{:}41.193$  expected to happen as they get older.

NOTE Confidence: 0.784110833478261

 $00:20:41.200 \longrightarrow 00:20:43.568$  But then also do we want to make

NOTE Confidence: 0.784110833478261

 $00:20:43.568 \longrightarrow 00:20:45.592$  sure that it's not you know again?

NOTE Confidence: 0.784110833478261

00:20:45.592 --> 00:20:47.176 Putting all of it together with

NOTE Confidence: 0.784110833478261

00:20:47.176 --> 00:20:48.662 their answers to the questioner

NOTE Confidence: 0.784110833478261

 $00:20:48.662 \longrightarrow 00:20:50.127$  and what we see clinically,

NOTE Confidence: 0.784110833478261

 $00:20:50.130 \longrightarrow 00:20:51.957$  then we make the we would like to be

NOTE Confidence: 0.784110833478261

 $00:20:51.957 \longrightarrow 00:20:53.909$  able to make the appropriate referrals,

 $00:20:53.910 \longrightarrow 00:20:56.226$  so then we go by them.

NOTE Confidence: 0.784110833478261

 $00{:}20{:}56.230 \dashrightarrow 00{:}20{:}58.414$  By the scale of the bronsky scale

NOTE Confidence: 0.784110833478261

 $00{:}20{:}58.414 \dashrightarrow 00{:}21{:}00.619$ here where I'm sure again you know

NOTE Confidence: 0.784110833478261

00:21:00.619 --> 00:21:03.150 all the way from grade one to four

NOTE Confidence: 0.784110833478261

 $00:21:03.150 \longrightarrow 00:21:05.142$  with the kissing tonsils and then

NOTE Confidence: 0.784110833478261

 $00{:}21{:}05.142 \dashrightarrow 00{:}21{:}07.710$  three and four where is where really

NOTE Confidence: 0.784110833478261

 $00:21:07.710 \longrightarrow 00:21:10.373$  we're more worried and we added to

NOTE Confidence: 0.784110833478261

00:21:10.373 --> 00:21:12.774 all of our other findings and make

NOTE Confidence: 0.784110833478261

 $00:21:12.774 \longrightarrow 00:21:15.995$  the referrals and then we'll do the

NOTE Confidence: 0.784110833478261

00:21:15.995 --> 00:21:17.857 Mallampati Friedman sort of scaling

NOTE Confidence: 0.784110833478261

 $00{:}21{:}17.857 \dashrightarrow 00{:}21{:}20.432$  too just to see how much again or phan

NOTE Confidence: 0.784110833478261

 $00:21:20.432 \longrightarrow 00:21:23.120$  jail crowding we have and for the child

NOTE Confidence: 0.784110833478261

00:21:23.120 --> 00:21:25.884 and you know how that's all affect how,

NOTE Confidence: 0.784110833478261

 $00:21:25.890 \longrightarrow 00:21:26.224$  how.

NOTE Confidence: 0.784110833478261

00:21:26.224 --> 00:21:27.894 That really translates into what

NOTE Confidence: 0.784110833478261

 $00:21:27.894 \longrightarrow 00:21:29.748$  we're seeing from their questionnaires

 $00:21:29.748 \longrightarrow 00:21:31.588$  and their chief complaints.

NOTE Confidence: 0.807801268888889

 $00:21:31.590 \longrightarrow 00:21:34.110$  And Umm, we do hear a lot of bruxism,

NOTE Confidence: 0.807801268888889

00:21:34.110 --> 00:21:36.245 actually complaints from the patients

NOTE Confidence: 0.807801268888889

 $00:21:36.245 \longrightarrow 00:21:39.130$  and a lot more from children.

NOTE Confidence: 0.807801268888889

 $00:21:39.130 \longrightarrow 00:21:41.757$  We we tend to see it obviously in a

NOTE Confidence: 0.807801268888889

 $00:21:41.757 \longrightarrow 00:21:43.640$  higher prevalence than in the in the

NOTE Confidence: 0.807801268888889

 $00:21:43.699 \longrightarrow 00:21:45.979$  children and how sort of as they grow

NOTE Confidence: 0.807801268888889

 $00:21:45.979 \longrightarrow 00:21:47.608$  into adolescence and then adulthood,

NOTE Confidence: 0.807801268888889

 $00:21:47.610 \longrightarrow 00:21:49.560$  at least the night time bruxism,

NOTE Confidence: 0.807801268888889

00:21:49.560 --> 00:21:52.327 the sleep bruxism tends to become

NOTE Confidence: 0.807801268888889

00:21:52.327 --> 00:21:55.106 less prevalent as opposed to the wake

NOTE Confidence: 0.807801268888889

 $00{:}21{:}55.106 \dashrightarrow 00{:}21{:}57.904$  time bruxism that is lower in the in

NOTE Confidence: 0.807801268888889

 $00{:}21{:}57.904 \dashrightarrow 00{:}21{:}59.910$  the childhood ages and then it sort

NOTE Confidence: 0.807801268888889

 $00:21:59.910 \longrightarrow 00:22:01.675$  of increases in the adulthood, so.

NOTE Confidence: 0.807801268888889

 $00:22:01.675 \longrightarrow 00:22:03.700$  We do ask for that.

 $00:22:03.700 \longrightarrow 00:22:04.880$  We do see that.

NOTE Confidence: 0.807801268888889

 $00:22:04.880 \longrightarrow 00:22:07.472$  We do look for signs of any wear

NOTE Confidence: 0.807801268888889

 $00:22:07.472 \longrightarrow 00:22:09.698$  and attrition on the teeth that

NOTE Confidence: 0.807801268888889

 $00:22:09.698 \longrightarrow 00:22:11.879$  could be caused by bruxism.

NOTE Confidence: 0.807801268888889

 $00:22:11.880 \longrightarrow 00:22:14.256$  Any white coating on the tongue

NOTE Confidence: 0.807801268888889

 $00:22:14.256 \longrightarrow 00:22:16.680$  where the popular overgrown and you

NOTE Confidence: 0.807801268888889

 $00:22:16.680 \longrightarrow 00:22:18.600$  could see the projections there.

NOTE Confidence: 0.807801268888889

 $00:22:18.600 \longrightarrow 00:22:19.979$  And we do look for their tongues.

NOTE Confidence: 0.807801268888889

 $00{:}22{:}19.980 \longrightarrow 00{:}22{:}22.752$  There is some evidence of you

NOTE Confidence: 0.807801268888889

00:22:22.752 --> 00:22:24.600 know having an ankyloglossia,

NOTE Confidence: 0.807801268888889

 $00:22:24.600 \longrightarrow 00:22:26.920$  the the short lingual frenum.

NOTE Confidence: 0.807801268888889

 $00:22:26.920 \longrightarrow 00:22:28.470$  There's really no robust evidence

NOTE Confidence: 0.807801268888889

 $00:22:28.470 \longrightarrow 00:22:30.890$  on that and how that affects sleep,

NOTE Confidence: 0.807801268888889

 $00{:}22{:}30.890 --> 00{:}22{:}31.946 \ disordered \ breathing, \ but.$ 

NOTE Confidence: 0.807801268888889

 $00:22:31.946 \longrightarrow 00:22:34.058$  There has been here and there

NOTE Confidence: 0.807801268888889

 $00:22:34.058 \longrightarrow 00:22:36.148$  some articles that show that maybe

00:22:36.148 --> 00:22:38.199 doing some treatment for for that

NOTE Confidence: 0.807801268888889

 $00{:}22{:}38.199 \dashrightarrow 00{:}22{:}40.101$  and releasing it can help with

NOTE Confidence: 0.807801268888889

00:22:40.101 --> 00:22:42.554 the tongue movement and hence with

NOTE Confidence: 0.807801268888889

 $00:22:42.554 \longrightarrow 00:22:45.044$  with snoring or sleep apnea.

NOTE Confidence: 0.80780126888888900:22:45.050 --> 00:22:45.470 But again,

 $00:22:45.470 \longrightarrow 00:22:47.609$  because we see a lot of this and in the

NOTE Confidence: 0.807801268888889

NOTE Confidence: 0.807801268888889

 $00:22:47.609 \longrightarrow 00:22:49.249$  Brexiters and we see a lot of this,

NOTE Confidence: 0.807801268888889

 $00:22:49.250 \longrightarrow 00:22:50.950$  these coating of the tongue

NOTE Confidence: 0.807801268888889

 $00:22:50.950 \longrightarrow 00:22:52.549$  in the mouth breathing again,

NOTE Confidence: 0.807801268888889

 $00:22:52.549 \longrightarrow 00:22:54.222$  we we tend to again have have

NOTE Confidence: 0.807801268888889

 $00{:}22{:}54.222 \dashrightarrow 00{:}22{:}55.787$  a way of looking for it.

NOTE Confidence: 0.807801268888889

 $00{:}22{:}55.790 \dashrightarrow 00{:}22{:}57.974$  And then we have the comparison of

NOTE Confidence: 0.807801268888889

 $00{:}22{:}57.974 \dashrightarrow 00{:}23{:}00.463$  having a very narrow arch where again

NOTE Confidence: 0.807801268888889

 $00:23:00.463 \longrightarrow 00:23:03.210$  there's crowded space for for the tongue.

NOTE Confidence: 0.807801268888889

 $00:23:03.210 \longrightarrow 00:23:05.050$  And the argument is that if the tongue

00:23:05.050 --> 00:23:06.506 doesn't have much space to sit in,

NOTE Confidence: 0.807801268888889

 $00:23:06.510 \longrightarrow 00:23:09.502$  then it tends to sort of fall backwards

NOTE Confidence: 0.807801268888889

 $00:23:09.502 \longrightarrow 00:23:10.931$  posteriorly towards the oropharyngeal

NOTE Confidence: 0.807801268888889

00:23:10.931 --> 00:23:13.878 area and sort of narrow the airway

NOTE Confidence: 0.807801268888889

 $00:23:13.878 \longrightarrow 00:23:16.419$  there as opposed to having the.

NOTE Confidence: 0.807801268888889

00:23:16.420 --> 00:23:18.070 Wider arch here and having ample

NOTE Confidence: 0.807801268888889

 $00:23:18.070 \longrightarrow 00:23:19.740$  room for the for the time.

NOTE Confidence: 0.807801268888889

 $00:23:19.740 \longrightarrow 00:23:21.516$  But then again I just want to point

NOTE Confidence: 0.807801268888889

 $00{:}23{:}21.516 \dashrightarrow 00{:}23{:}23.146$  out here too that there's only so

NOTE Confidence: 0.807801268888889

 $00:23:23.146 \longrightarrow 00:23:25.038$  far that we can push the teeth out.

NOTE Confidence: 0.807801268888889

 $00{:}23{:}25.040 \dashrightarrow 00{:}23{:}26.570$  So just just widening the arch

NOTE Confidence: 0.807801268888889

 $00:23:26.570 \longrightarrow 00:23:28.456$  and pushing the teeth out is not

NOTE Confidence: 0.807801268888889

00:23:28.456 --> 00:23:29.806 the answer for everyone because

NOTE Confidence: 0.807801268888889

 $00:23:29.806 \longrightarrow 00:23:31.529$  there's only so much bone and we

NOTE Confidence: 0.807801268888889

 $00:23:31.529 \longrightarrow 00:23:33.224$  can't really grow bone out in the

NOTE Confidence: 0.807801268888889

 $00:23:33.224 \longrightarrow 00:23:34.634$  outer side of these teeth.

 $00:23:34.640 \longrightarrow 00:23:36.936$  If we do push them far out and

NOTE Confidence: 0.807801268888889

 $00:23:36.936 \longrightarrow 00:23:38.470$  there's initially there may not

NOTE Confidence: 0.807801268888889

00:23:38.470 --> 00:23:40.264 be any symptom any problems but

NOTE Confidence: 0.807801268888889

00:23:40.264 --> 00:23:42.385 then over time you you're going to

NOTE Confidence: 0.807801268888889

 $00:23:42.385 \longrightarrow 00:23:44.499$  notice that what we don't see is

NOTE Confidence: 0.807801268888889

 $00:23:44.499 \longrightarrow 00:23:46.064$  that there's thin bone underneath

NOTE Confidence: 0.807801268888889

 $00:23:46.064 \longrightarrow 00:23:47.330$  and fenestrations and sort of.

NOTE Confidence: 0.807801268888889

 $00:23:47.330 \longrightarrow 00:23:47.576$  Again,

NOTE Confidence: 0.807801268888889

 $00:23:47.576 \longrightarrow 00:23:49.544$  holes created in the bone that we do

NOTE Confidence: 0.807801268888889

 $00{:}23{:}49.544 \dashrightarrow 00{:}23{:}51.367$  not see and is covered by by gum,

NOTE Confidence: 0.807801268888889

00:23:51.370 --> 00:23:53.785 but as they age and recession happens,

NOTE Confidence: 0.807801268888889

 $00:23:53.790 \longrightarrow 00:23:55.568$  then all these problems sort of arise.

NOTE Confidence: 0.807801268888889

 $00{:}23{:}55.570 \dashrightarrow 00{:}23{:}58.055$  So again pushing the teeth out is

NOTE Confidence: 0.807801268888889

 $00:23:58.055 \longrightarrow 00:24:00.406$  not the answer and you know I'm

NOTE Confidence: 0.807801268888889

 $00:24:00.406 \longrightarrow 00:24:02.706$  going to go over some of the

 $00:24:02.706 \longrightarrow 00:24:04.736$  alternatives that we have to.

NOTE Confidence: 0.807801268888889

 $00{:}24{:}04.740 \dashrightarrow 00{:}24{:}06.210$  And and like I said,

NOTE Confidence: 0.807801268888889

 $00:24:06.210 \longrightarrow 00:24:08.124$  we look for tooth grinding against

NOTE Confidence: 0.807801268888889

 $00:24:08.124 \longrightarrow 00:24:09.400$  sleep related breakfast that

NOTE Confidence: 0.807801268888889

 $00:24:09.456 \longrightarrow 00:24:10.466$  may affect up to 50%

NOTE Confidence: 0.882467125714286

 $00:24:10.470 \longrightarrow 00:24:12.010$  of children. Most of the time we're

NOTE Confidence: 0.882467125714286

00:24:12.010 --> 00:24:13.430 telling the parents that do not worry,

NOTE Confidence: 0.882467125714286

 $00:24:13.430 \longrightarrow 00:24:16.198$  it's part of their.

NOTE Confidence: 0.882467125714286

00:24:16.200 --> 00:24:18.160 The stage they're in now and they're

NOTE Confidence: 0.882467125714286

00:24:18.160 --> 00:24:20.578 going to grow out of it because fifty

NOTE Confidence: 0.882467125714286

 $00{:}24{:}20.578 \dashrightarrow 00{:}24{:}22.599$  turns into 15 into adolescence and Umm,

NOTE Confidence: 0.882467125714286

 $00:24:22.600 \longrightarrow 00:24:25.064$  but the sleep bruxism risk is 4 times

NOTE Confidence: 0.882467125714286

 $00:24:25.064 \longrightarrow 00:24:27.198$  higher in children who have OSA.

NOTE Confidence: 0.882467125714286

00:24:27.200 --> 00:24:29.036 So that's why we still pay attention to it,

NOTE Confidence: 0.882467125714286

 $00:24:29.040 \longrightarrow 00:24:30.936$  although the percentage is so high.

NOTE Confidence: 0.882467125714286

 $00:24:30.940 \longrightarrow 00:24:34.420$  But in the context of having all these

 $00:24:34.420 \longrightarrow 00:24:36.400$  other symptoms and all the other,

NOTE Confidence: 0.882467125714286

 $00:24:36.400 \longrightarrow 00:24:38.297$  you know the way that their answer

NOTE Confidence: 0.882467125714286

00:24:38.297 --> 00:24:39.839 is that their questionnaires and

NOTE Confidence: 0.882467125714286

 $00:24:39.839 \longrightarrow 00:24:42.170$  what we see clinically then it there

NOTE Confidence: 0.882467125714286

 $00:24:42.170 \longrightarrow 00:24:44.229$  may be something valid to it because

NOTE Confidence: 0.882467125714286

 $00:24:44.229 \longrightarrow 00:24:46.580$  also too what we see as part of the.

NOTE Confidence: 0.882467125714286

 $00:24:46.580 \longrightarrow 00:24:49.088$  The categories that's that the International

NOTE Confidence: 0.882467125714286

00:24:49.088 --> 00:24:51.030 Classification of Sleep Disorders has,

NOTE Confidence: 0.882467125714286

 $00:24:51.030 \longrightarrow 00:24:52.041$  has sent out.

NOTE Confidence: 0.882467125714286

 $00:24:52.041 \longrightarrow 00:24:54.063$  We see the sleep related breathing

NOTE Confidence: 0.882467125714286

 $00:24:54.063 \longrightarrow 00:24:55.510$  disorders and sleep bruxism,

NOTE Confidence: 0.882467125714286

00:24:55.510 --> 00:24:56.938 they're they're both underneath

NOTE Confidence: 0.882467125714286

00:24:56.938 --> 00:24:58.009 the same umbrella.

NOTE Confidence: 0.882467125714286

 $00:24:58.010 \longrightarrow 00:25:01.190$  So again they're very close, they're there.

NOTE Confidence: 0.882467125714286

00:25:01.190 --> 00:25:03.310 It's not that which one, if,

 $00:25:03.310 \longrightarrow 00:25:04.850$  if there is any cause and effect,

NOTE Confidence: 0.882467125714286

 $00:25:04.850 \longrightarrow 00:25:06.830$  if if sleep related breathing,

NOTE Confidence: 0.882467125714286

 $00:25:06.830 \longrightarrow 00:25:08.420$  if obstructive sleep apnea is

NOTE Confidence: 0.882467125714286

 $00:25:08.420 \longrightarrow 00:25:10.400$  causing sleep racism or vice versa.

NOTE Confidence: 0.882467125714286

 $00:25:10.400 \longrightarrow 00:25:11.980$  But there's so many commonalities

NOTE Confidence: 0.882467125714286

 $00:25:11.980 \longrightarrow 00:25:14.085$  between the two and so much overlap

NOTE Confidence: 0.882467125714286

 $00:25:14.085 \longrightarrow 00:25:16.620$  that we do tend to see a lot of bruxism.

NOTE Confidence: 0.882467125714286

00:25:16.620 --> 00:25:19.470 And um, apneic patients too.

NOTE Confidence: 0.882467125714286

 $00:25:19.470 \longrightarrow 00:25:22.530$  So they both have been associated,

NOTE Confidence: 0.882467125714286

 $00:25:22.530 \longrightarrow 00:25:24.610$  but there's no cause and effect between them.

NOTE Confidence: 0.882467125714286

 $00{:}25{:}24.610 \dashrightarrow 00{:}25{:}26.548$  So the hypothesis is that there's

NOTE Confidence: 0.882467125714286

00:25:26.548 --> 00:25:27.517 this rhythmic muscle,

NOTE Confidence: 0.882467125714286

 $00:25:27.520 \longrightarrow 00:25:29.212$  masticatory muscle activities that

NOTE Confidence: 0.882467125714286

00:25:29.212 --> 00:25:31.750 may help reinstate the airway patency

NOTE Confidence: 0.882467125714286

00:25:31.809 --> 00:25:33.629 following an obstructive event.

NOTE Confidence: 0.882467125714286

 $00:25:33.630 \longrightarrow 00:25:36.542$  Or another is that it's a physiological

 $00:25:36.542 \longrightarrow 00:25:38.610$  motor event that lubricates

NOTE Confidence: 0.882467125714286

 $00:25:38.610 \longrightarrow 00:25:40.839$  the oropharyngeal structures.

NOTE Confidence: 0.882467125714286 00:25:40.840 --> 00:25:41.692 So again, NOTE Confidence: 0.882467125714286

 $00:25:41.692 \longrightarrow 00:25:44.248$  it it happens as there's mouth

NOTE Confidence: 0.882467125714286

 $00:25:44.248 \longrightarrow 00:25:45.410$  breathing going on,

NOTE Confidence: 0.882467125714286

 $00:25:45.410 \longrightarrow 00:25:47.720$  but at the same time they're

NOTE Confidence: 0.882467125714286

 $00:25:47.720 \longrightarrow 00:25:50.030$  both more common when sleeping.

NOTE Confidence: 0.882467125714286

 $00:25:50.030 \longrightarrow 00:25:53.768$  Supine position for both of them,

NOTE Confidence: 0.882467125714286

00:25:53.770 --> 00:25:55.518 the masticatory muscle activity

NOTE Confidence: 0.882467125714286

 $00:25:55.518 \longrightarrow 00:25:58.140$  that's happening in the sleep disorder

NOTE Confidence: 0.882467125714286

00:25:58.210 --> 00:26:00.346 breathing and apnea event and the

NOTE Confidence: 0.882467125714286

00:26:00.346 --> 00:26:02.581 sleep bruxism they both occur during,

NOTE Confidence: 0.882467125714286

 $00{:}26{:}02.581 \dashrightarrow 00{:}26{:}05.598$  it's unclear if the muscle activation in

NOTE Confidence: 0.882467125714286

 $00:26:05.598 \longrightarrow 00:26:08.810$  apnea is resulting in the sleep racism.

NOTE Confidence: 0.882467125714286 00:26:08.810 --> 00:26:10.038 So in a way,

 $00:26:10.038 \longrightarrow 00:26:11.880$  is it that the patient stopped

NOTE Confidence: 0.882467125714286

 $00{:}26{:}11.957 \dashrightarrow 00{:}26{:}14.399$  breathing and now as a defensive

NOTE Confidence: 0.882467125714286

00:26:14.399 --> 00:26:16.820 mechanism the bruxism is happening?

NOTE Confidence: 0.882467125714286

 $00:26:16.820 \longrightarrow 00:26:19.052$  To wake them up and cause an arousal

NOTE Confidence: 0.882467125714286

 $00:26:19.052 \longrightarrow 00:26:21.519$  so that they can gasp for air or not.

NOTE Confidence: 0.882467125714286

 $00:26:21.520 \longrightarrow 00:26:24.916$  But the arousal for an apnea,

NOTE Confidence: 0.882467125714286

 $00:26:24.920 \longrightarrow 00:26:27.566$  as you know it happens after the

NOTE Confidence: 0.882467125714286

 $00:26:27.566 \longrightarrow 00:26:29.784$  apnea episode but for the sleep

NOTE Confidence: 0.882467125714286

 $00:26:29.784 \longrightarrow 00:26:32.115$  bruxism on the PSG we see that

NOTE Confidence: 0.882467125714286

 $00:26:32.195 \longrightarrow 00:26:34.024$  the sleep sleep racism,

NOTE Confidence: 0.882467125714286

 $00{:}26{:}34.024 \dashrightarrow 00{:}26{:}36.134$  which is the muscular activity

NOTE Confidence: 0.882467125714286

 $00:26:36.134 \longrightarrow 00:26:38.189$  of the of the chin.

NOTE Confidence: 0.882467125714286

 $00:26:38.190 \longrightarrow 00:26:40.590$  Area that's that's how it would show up.

NOTE Confidence: 0.882467125714286

00:26:40.590 --> 00:26:41.210 It would,

NOTE Confidence: 0.882467125714286

00:26:41.210 --> 00:26:41.830 it would,

NOTE Confidence: 0.882467125714286

 $00:26:41.830 \longrightarrow 00:26:44.068$  it would occur during the within the

 $00:26:44.068 \longrightarrow 00:26:45.928$  arousal and both of them patients

NOTE Confidence: 0.882467125714286

 $00{:}26{:}45.928 \longrightarrow 00{:}26{:}48.071$  tend to report headaches and tension

NOTE Confidence: 0.882467125714286

00:26:48.071 --> 00:26:49.981 type and migraine headaches have

NOTE Confidence: 0.882467125714286

 $00:26:49.981 \longrightarrow 00:26:52.310$  both been associated with have been

NOTE Confidence: 0.882467125714286

 $00:26:52.310 \longrightarrow 00:26:54.260$  associated with both sleep racism

NOTE Confidence: 0.882467125714286

 $00:26:54.260 \longrightarrow 00:26:56.443$  and sleep disordered breathing and

NOTE Confidence: 0.882467125714286

 $00:26:56.443 \longrightarrow 00:26:59.041$  children with sleep racism report three

NOTE Confidence: 0.882467125714286

 $00:26:59.106 \longrightarrow 00:27:00.961$  times more headaches than children

NOTE Confidence: 0.882467125714286

00:27:00.961 --> 00:27:03.104 who don't have bruxism at night.

NOTE Confidence: 0.882467125714286

00:27:03.104 --> 00:27:05.376 30 to 50% of the adults that have

NOTE Confidence: 0.882467125714286

00:27:05.376 --> 00:27:07.577 sleep bruxism complain of headaches.

NOTE Confidence: 0.882467125714286

 $00:27:07.580 \longrightarrow 00:27:08.976$  And this repetitive rhythmic

NOTE Confidence: 0.882467125714286

 $00{:}27{:}08.976 \dashrightarrow 00{:}27{:}10.721$  contractions of the mass auditory

NOTE Confidence: 0.882467125714286

 $00:27:10.721 \longrightarrow 00:27:12.479$  muscles may be the cause of

NOTE Confidence: 0.882467125714286

 $00:27:12.479 \longrightarrow 00:27:13.563$  these tension type headaches.

 $00:27:13.570 \longrightarrow 00:27:16.386$  But again, there's no robust evidence in the

NOTE Confidence: 0.865088025333333

 $00{:}27{:}16.386 \dashrightarrow 00{:}27{:}18.678$  literature that can confirm that for sure.

NOTE Confidence: 0.865088025333333

00:27:18.680 --> 00:27:20.068 And again, sleep disorder

NOTE Confidence: 0.865088025333333

 $00:27:20.068 \longrightarrow 00:27:21.803$  breathing is also to associated

NOTE Confidence: 0.865088025333333

 $00:27:21.803 \longrightarrow 00:27:23.779$  with sleep bruxism and headaches.

NOTE Confidence: 0.865088025333333

 $00:27:23.780 \longrightarrow 00:27:27.180$  Now could it be because of the fragmentation

NOTE Confidence: 0.865088025333333

00:27:27.180 --> 00:27:30.437 because of the hypoxemia and hypercapnia?

NOTE Confidence: 0.865088025333333

 $00:27:30.440 \longrightarrow 00:27:32.533$  Or again, as you see they're sort

NOTE Confidence: 0.865088025333333

 $00:27:32.533 \longrightarrow 00:27:34.370$  of all related to each other.

NOTE Confidence: 0.865088025333333

 $00:27:34.370 \longrightarrow 00:27:36.344$  And the way that we would manage

NOTE Confidence: 0.865088025333333

 $00:27:36.344 \longrightarrow 00:27:38.351$  this would be we generally would

NOTE Confidence: 0.865088025333333

 $00:27:38.351 \longrightarrow 00:27:40.673$  give the patient some an occlusal

NOTE Confidence: 0.865088025333333

 $00:27:40.673 \longrightarrow 00:27:43.052$  splint to essentially protect their

NOTE Confidence: 0.865088025333333

 $00:27:43.052 \longrightarrow 00:27:46.058$  teeth from further wear and there's

NOTE Confidence: 0.865088025333333

 $00:27:46.058 \longrightarrow 00:27:48.231$  pharmacotherapy that you would probably

NOTE Confidence: 0.865088025333333

 $00:27:48.231 \longrightarrow 00:27:50.786$  know more about than I do Botox,

 $00:27:50.790 \longrightarrow 00:27:53.112$  you know to some extent can

NOTE Confidence: 0.865088025333333

00:27:53.112 --> 00:27:54.660 help and physical therapy.

NOTE Confidence: 0.865088025333333

 $00:27:54.660 \longrightarrow 00:27:55.343$  Hypnotherapy,

NOTE Confidence: 0.865088025333333

00:27:55.343 --> 00:27:57.392 cognitive behavioral therapy,

NOTE Confidence: 0.865088025333333

00:27:57.392 --> 00:28:00.690 and ultimately, sleep hygiene.

NOTE Confidence: 0.865088025333333

 $00:28:00.690 \longrightarrow 00:28:04.953$  So let's move on to another diagnostic

NOTE Confidence: 0.865088025333333

 $00:28:04.953 \longrightarrow 00:28:09.022$  sort of arsenal that we use as

NOTE Confidence: 0.865088025333333

 $00{:}28{:}09.022 \dashrightarrow 00{:}28{:}12.202$  a lateral cephalogram or a CBCT.

NOTE Confidence: 0.865088025333333

 $00:28:12.210 \longrightarrow 00:28:14.140$  That would really show us

NOTE Confidence: 0.865088025333333

 $00{:}28{:}14.140 \dashrightarrow 00{:}28{:}16.599$  statically in the moment with the

NOTE Confidence: 0.865088025333333

 $00{:}28{:}16.599 \rightarrow 00{:}28{:}18.399$  patient actually sitting up,

NOTE Confidence: 0.865088025333333

 $00{:}28{:}18.400 \dashrightarrow 00{:}28{:}19.594$  which really has very little to

NOTE Confidence: 0.865088025333333

 $00:28:19.594 \longrightarrow 00:28:20.878$  do with what they would look

NOTE Confidence: 0.865088025333333

 $00:28:20.878 \longrightarrow 00:28:22.216$  like when they're on their backs.

NOTE Confidence: 0.865088025333333

 $00:28:22.220 \longrightarrow 00:28:24.360$  And while sleeping with the

00:28:24.360 --> 00:28:26.072 muscle tonicity very different,

NOTE Confidence: 0.865088025333333

 $00:28:26.080 \longrightarrow 00:28:28.568$  just gives us a general idea of the

NOTE Confidence: 0.865088025333333

 $00:28:28.568 \longrightarrow 00:28:30.969$  size and the shape of the airway.

NOTE Confidence: 0.865088025333333

 $00:28:30.970 \longrightarrow 00:28:33.994$  So there's a position paper by the

NOTE Confidence: 0.865088025333333

 $00:28:33.994 \longrightarrow 00:28:36.353$  American Association of Oral Maxifacial

NOTE Confidence: 0.865088025333333

00:28:36.353 --> 00:28:39.276 Radiology back in 2013 that actually

NOTE Confidence: 0.865088025333333

 $00:28:39.276 \longrightarrow 00:28:43.250$  and they came up with the with this,

NOTE Confidence: 0.865088025333333

 $00:28:43.250 \longrightarrow 00:28:45.134$  with this position paper saying that

NOTE Confidence: 0.865088025333333

 $00:28:45.134 \longrightarrow 00:28:47.233$  there despite there is a number of

NOTE Confidence: 0.865088025333333

 $00:28:47.233 \longrightarrow 00:28:49.423$  publications and the use of cold beam CT

NOTE Confidence: 0.865088025333333

 $00:28:49.423 \longrightarrow 00:28:51.565$  and specifically in orthodontics what I do,

NOTE Confidence: 0.865088025333333

 $00:28:51.570 \longrightarrow 00:28:53.380$  but there is no benefit

NOTE Confidence: 0.865088025333333

 $00:28:53.380 \longrightarrow 00:28:54.466$  for airway assessment.

NOTE Confidence: 0.865088025333333

 $00:28:54.470 \longrightarrow 00:28:57.620$  So in a sense we can't really justify or

NOTE Confidence: 0.865088025333333

 $00:28:57.620 \longrightarrow 00:29:01.063$  be able to make a diagnosis based on it.

NOTE Confidence: 0.865088025333333

 $00:29:01.070 \longrightarrow 00:29:02.318$  Ultimately it's the uh,

00:29:02.318 --> 00:29:04.640 I guess PSG that we could go by,

NOTE Confidence: 0.865088025333333

 $00:29:04.640 \longrightarrow 00:29:06.260$  but it gives us an idea.

NOTE Confidence: 0.865088025333333

 $00:29:06.260 \longrightarrow 00:29:08.402$  And since we do need these X-rays

NOTE Confidence: 0.865088025333333

 $00:29:08.402 \longrightarrow 00:29:10.749$  anyways a lot of times for our

NOTE Confidence: 0.865088025333333

00:29:10.749 --> 00:29:12.794 purposes of moving teeth, moving jaws,

NOTE Confidence: 0.865088025333333

 $00:29:12.794 \longrightarrow 00:29:14.479$  and again it's right there,

NOTE Confidence: 0.865088025333333

 $00:29:14.480 \longrightarrow 00:29:17.045$  we can just take a look and see if

NOTE Confidence: 0.865088025333333

 $00{:}29{:}17.045 \dashrightarrow 00{:}29{:}19.452$  things are adding up in the in the

NOTE Confidence: 0.865088025333333

 $00{:}29{:}19.452 \dashrightarrow 00{:}29{:}21.657$  shape and size of the airway too.

NOTE Confidence: 0.865088025333333

 $00:29:21.660 \longrightarrow 00:29:23.740$  The limitations are are that,

NOTE Confidence: 0.865088025333333

 $00:29:23.740 \longrightarrow 00:29:25.408$  but the problem with these is

NOTE Confidence: 0.865088025333333

00:29:25.408 --> 00:29:26.939 that they're very useful for us,

NOTE Confidence: 0.865088025333333

00:29:26.940 --> 00:29:27.828 as again as orthodontist,

NOTE Confidence: 0.865088025333333

 $00:29:27.828 \longrightarrow 00:29:29.396$  to see where the where the jaws

NOTE Confidence: 0.865088025333333

 $00:29:29.396 \longrightarrow 00:29:30.740$  need to be moved to where the

 $00:29:30.740 \longrightarrow 00:29:31.809$  teeth need to be moved to,

NOTE Confidence: 0.865088025333333

 $00{:}29{:}31.810 \longrightarrow 00{:}29{:}33.868$  what are our limitations to how

NOTE Confidence: 0.865088025333333

 $00:29:33.868 \longrightarrow 00:29:36.540$  far we can we can move things.

NOTE Confidence: 0.865088025333333

 $00:29:36.540 \longrightarrow 00:29:38.205$  But there's lack of standardization

NOTE Confidence: 0.865088025333333

 $00:29:38.205 \longrightarrow 00:29:40.571$  of the head and tongue posture as

NOTE Confidence: 0.865088025333333

00:29:40.571 --> 00:29:42.497 these are taking and that's what's

NOTE Confidence: 0.865088025333333

00:29:42.497 --> 00:29:44.639 really the head being flexed or not.

NOTE Confidence: 0.865088025333333

00:29:44.640 --> 00:29:46.860 And the tongue being, you know,

NOTE Confidence: 0.865088025333333

 $00:29:46.860 \longrightarrow 00:29:48.379$  placed on the roof of the mouth

NOTE Confidence: 0.865088025333333

 $00:29:48.379 \longrightarrow 00:29:49.519$  versus in between the teeth.

NOTE Confidence: 0.865088025333333

 $00{:}29{:}49.520 \dashrightarrow 00{:}29{:}51.018$  All of these will affect the airway.

NOTE Confidence: 0.865088025333333

00:29:51.020 --> 00:29:52.564 And again, that's why we can't really count.

NOTE Confidence: 0.865088025333333

00:29:52.570 --> 00:29:54.852 On the way that the airway looks

NOTE Confidence: 0.865088025333333

 $00:29:54.852 \longrightarrow 00:29:57.131$  on these X-rays and there's a

NOTE Confidence: 0.865088025333333

00:29:57.131 --> 00:29:59.171 great intra and inter examiner

NOTE Confidence: 0.865088025333333

 $00:29:59.171 \longrightarrow 00:30:01.220$  reliability for the airway volume

 $00:30:01.220 \dashrightarrow 00:30:03.880$  and maximum cross section area.

NOTE Confidence: 0.865088025333333

 $00:30:03.880 \longrightarrow 00:30:05.816$  So there's lack of it I should say.

NOTE Confidence: 0.865088025333333

 $00{:}30{:}05.820 \dashrightarrow 00{:}30{:}07.844$  And then there's the and there is lack

NOTE Confidence: 0.865088025333333

 $00:30:07.844 \longrightarrow 00:30:09.911$  of an established protocol also to

NOTE Confidence: 0.865088025333333

 $00:30:09.911 \longrightarrow 00:30:12.155$  for the standardization of these the

NOTE Confidence: 0.840520689

 $00:30:12.221 \longrightarrow 00:30:13.716$  the measurement on the on

NOTE Confidence: 0.840520689

 $00:30:13.716 \longrightarrow 00:30:15.211$  the softwares that we use.

NOTE Confidence: 0.840520689

 $00:30:15.220 \longrightarrow 00:30:17.201$  So, so when we go to different

NOTE Confidence: 0.840520689

 $00:30:17.201 \longrightarrow 00:30:18.647$  softwares depending on the threshold

NOTE Confidence: 0.840520689

 $00{:}30{:}18.647 \dashrightarrow 00{:}30{:}20.574$  that we pick for soft tissue

NOTE Confidence: 0.840520689

 $00:30:20.574 \longrightarrow 00:30:22.709$  versus heart tissue and airway.

NOTE Confidence: 0.840520689

00:30:22.710 --> 00:30:24.488 Every software is going to have some,

NOTE Confidence: 0.840520689

 $00{:}30{:}24.490 \dashrightarrow 00{:}30{:}26.218$  some level of discrepancy.

NOTE Confidence: 0.840520689

 $00:30:26.218 \longrightarrow 00:30:27.898$  Every, every patient's bone thickness

NOTE Confidence: 0.840520689

 $00:30:27.898 \longrightarrow 00:30:29.458$  may be different soft tissue.

 $00:30:29.460 \longrightarrow 00:30:31.020$  So there's always a little bit

NOTE Confidence: 0.840520689

 $00{:}30{:}31.020 \dashrightarrow 00{:}30{:}33.060$  of an error to really know the

NOTE Confidence: 0.840520689

 $00:30:33.060 \longrightarrow 00:30:34.615$  exact volume for for these.

NOTE Confidence: 0.840520689

 $00:30:34.620 \longrightarrow 00:30:36.594$  But on average the volume of the

NOTE Confidence: 0.840520689

00:30:36.594 --> 00:30:38.428 fringer airway has been reported to

NOTE Confidence: 0.840520689

 $00:30:38.428 \longrightarrow 00:30:40.288$  be maybe about 20 cubic centimeters

NOTE Confidence: 0.840520689

 $00{:}30{:}40.288 \dashrightarrow 00{:}30{:}42.675$  and the mean volume of the superior

NOTE Confidence: 0.840520689

 $00:30:42.675 \longrightarrow 00:30:44.618$  component versus the inferior component

NOTE Confidence: 0.840520689

 $00{:}30{:}44.618 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}30{:}48.734$  being around 9 versus versus 12 there.

NOTE Confidence: 0.840520689 00:30:48.740 --> 00:30:50.650 So. NOTE Confidence: 0.840520689

 $00:30:50.650 \longrightarrow 00:30:52.312$  Let's move on with police and

NOTE Confidence: 0.840520689

 $00:30:52.312 \longrightarrow 00:30:54.547$  don't want to go over because I

NOTE Confidence: 0.840520689

 $00:30:54.547 \longrightarrow 00:30:56.317$  haven't gotten to treatment yet.

NOTE Confidence: 0.840520689

 $00{:}30{:}56.320 {\:{\circ}{\circ}{\circ}}>00{:}30{:}57.964$  But polysomnography again ultimately

NOTE Confidence: 0.840520689

 $00:30:57.964 \longrightarrow 00:31:01.268$  gold standard that we go by and based

NOTE Confidence: 0.840520689

 $00:31:01.268 \longrightarrow 00:31:03.578$  on that and in collaboration with

00:31:03.578 --> 00:31:05.640 sleep physicians such as yourselves,

NOTE Confidence: 0.840520689

 $00{:}31{:}05.640 \dashrightarrow 00{:}31{:}06.935$  we come up with a treatment plan.

NOTE Confidence: 0.840520689

 $00:31:06.940 \longrightarrow 00:31:09.470$  Now the idea is that we we do want to

NOTE Confidence: 0.840520689

00:31:09.539 --> 00:31:11.835 work as a team because we don't want

NOTE Confidence: 0.840520689

00:31:11.835 --> 00:31:14.600 to be like these people and touching,

NOTE Confidence: 0.840520689

00:31:14.600 --> 00:31:15.164 you know,

NOTE Confidence: 0.840520689

 $00:31:15.164 \longrightarrow 00:31:17.680$  a certain part of what we are good at.

NOTE Confidence: 0.840520689

00:31:17.680 --> 00:31:19.948 I don't want to be the orthodontist

NOTE Confidence: 0.840520689

 $00:31:19.948 \longrightarrow 00:31:21.460$  that expands every child's.

NOTE Confidence: 0.840520689

 $00{:}31{:}21.460 \dashrightarrow 00{:}31{:}23.116$  With the with the sleep disorder

NOTE Confidence: 0.840520689

00:31:23.116 --> 00:31:24.796 breathing with an expansion and not

NOTE Confidence: 0.840520689

 $00{:}31{:}24.796 \dashrightarrow 00{:}31{:}26.106$  really make the correct referral

NOTE Confidence: 0.840520689

00:31:26.106 --> 00:31:27.704 same as probably you know every

NOTE Confidence: 0.840520689

 $00{:}31{:}27.704 \dashrightarrow 00{:}31{:}28.716$  pulmonologist doesn't want to

NOTE Confidence: 0.840520689

 $00:31:28.716 \longrightarrow 00:31:30.360$  be the one just giving the CPAP.

 $00:31:30.360 \longrightarrow 00:31:32.559$  Well there may be you know adenoids involved.

NOTE Confidence: 0.840520689

 $00{:}31{:}32.560 \dashrightarrow 00{:}31{:}36.196$  So let's go over again a denoidectomy,

NOTE Confidence: 0.840520689

 $00:31:36.200 \longrightarrow 00:31:37.544$  I'm not going to go over to you

NOTE Confidence: 0.840520689

 $00:31:37.544 \longrightarrow 00:31:38.856$  all know more about it than me.

NOTE Confidence: 0.840520689

 $00:31:38.860 \longrightarrow 00:31:40.660$  But the effect of it and how it

NOTE Confidence: 0.840520689

 $00:31:40.660 \longrightarrow 00:31:41.957$  affects the growth and development

NOTE Confidence: 0.840520689

00:31:41.957 --> 00:31:44.311 of the face that I was very early on

NOTE Confidence: 0.840520689

 $00:31:44.311 \longrightarrow 00:31:46.159$  in the lecture I was going over it.

NOTE Confidence: 0.840520689

 $00{:}31{:}46.160 \dashrightarrow 00{:}31{:}48.005$  It's been shown that Adenoide ctomy

NOTE Confidence: 0.840520689

 $00:31:48.005 \longrightarrow 00:31:50.276$  now results in a normal airway

NOTE Confidence: 0.840520689

 $00{:}31{:}50.276 \dashrightarrow 00{:}31{:}52.076$  now having a normal airway.

NOTE Confidence: 0.840520689

00:31:52.080 --> 00:31:54.950 Being the blueprint for the growth of

NOTE Confidence: 0.840520689

 $00:31:54.950 \longrightarrow 00:31:56.938$  the skeletal craniofacial skeleton then

NOTE Confidence: 0.840520689

 $00:31:56.938 \longrightarrow 00:32:00.090$  leads to a less extended posture of the head.

NOTE Confidence: 0.840520689

 $00:32:00.090 \longrightarrow 00:32:02.205$  And then there has been and there has been,

NOTE Confidence: 0.840520689

 $00:32:02.210 \longrightarrow 00:32:04.576$  it has been shown that the children

00:32:04.576 --> 00:32:05.590 who underwent adenotonsillectomy,

NOTE Confidence: 0.840520689

 $00:32:05.590 \longrightarrow 00:32:07.660$  they showed an additional 3 millimeters

NOTE Confidence: 0.840520689

 $00:32:07.660 \longrightarrow 00:32:09.690$  forward and downward movement of the chin.

NOTE Confidence: 0.840520689

 $00:32:09.690 \longrightarrow 00:32:11.550$  So their their jaws are growing

NOTE Confidence: 0.840520689

 $00:32:11.550 \longrightarrow 00:32:12.790$  downward and forward more.

NOTE Confidence: 0.840520689

00:32:12.790 --> 00:32:14.285 And that's significant enough for

NOTE Confidence: 0.840520689

 $00:32:14.285 \longrightarrow 00:32:16.690$  for us to see after this procedure.

NOTE Confidence: 0.840520689

 $00:32:16.690 \longrightarrow 00:32:18.813$  So that goes to say that if, if,

NOTE Confidence: 0.840520689

 $00:32:18.813 \longrightarrow 00:32:20.628$  if, there was no intervention,

NOTE Confidence: 0.840520689

 $00:32:20.630 \longrightarrow 00:32:22.830$  if the if the adenoidectomy.

NOTE Confidence: 0.840520689

 $00:32:22.830 \longrightarrow 00:32:23.829$  Was not done.

NOTE Confidence: 0.840520689

00:32:23.829 --> 00:32:25.161 Then these children would

NOTE Confidence: 0.840520689

 $00{:}32{:}25.161 \dashrightarrow 00{:}32{:}27.259$  essentially end up with smaller jaws.

NOTE Confidence: 0.840520689

 $00:32:27.260 \longrightarrow 00:32:28.650$  Now this would be affected,

NOTE Confidence: 0.840520689

 $00:32:28.650 \longrightarrow 00:32:29.739$  affecting their bites.

00:32:29.739 --> 00:32:32.252 It would be affecting their, you know,

NOTE Confidence: 0.840520689

 $00:32:32.252 \longrightarrow 00:32:33.636$  their profiles, their aesthetic,

NOTE Confidence: 0.840520689

 $00:32:33.640 \longrightarrow 00:32:35.634$  look up their faces and then, you know,

NOTE Confidence: 0.840520689

 $00:32:35.634 \longrightarrow 00:32:36.936$  later in life maybe that would,

NOTE Confidence: 0.840520689

00:32:36.940 --> 00:32:37.500 you know,

NOTE Confidence: 0.840520689

 $00:32:37.500 \longrightarrow 00:32:39.460$  turn out to be a surgical treatment

NOTE Confidence: 0.840520689

 $00:32:39.460 \longrightarrow 00:32:41.204$  if it's significant enough to

NOTE Confidence: 0.840520689

 $00:32:41.204 \longrightarrow 00:32:43.304$  the patient or to their function.

NOTE Confidence: 0.840520689

 $00:32:43.310 \longrightarrow 00:32:44.117$  And I mean,

NOTE Confidence: 0.840520689

00:32:44.117 --> 00:32:45.731 obviously you all know better than

NOTE Confidence: 0.840520689

00:32:45.731 --> 00:32:47.649 me the improvement in cognition,

NOTE Confidence: 0.840520689

 $00:32:47.650 \longrightarrow 00:32:50.458$  IQ test and quality of life.

NOTE Confidence: 0.840520689

00:32:50.460 --> 00:32:52.206 And CPAP again,

NOTE Confidence: 0.840520689

00:32:52.206 --> 00:32:55.698 very effective treatment for persistent OSA.

NOTE Confidence: 0.893731816

00:32:55.700 --> 00:32:57.560 It's unfortunately, as you know,

NOTE Confidence: 0.893731816

 $00:32:57.560 \longrightarrow 00:33:00.830$  it's not always tolerated in children.

 $00:33:00.830 \longrightarrow 00:33:01.763$  And it's expensive.

NOTE Confidence: 0.893731816

 $00{:}33{:}01.763 \dashrightarrow 00{:}33{:}03.490$  Adherence is a problem, anxiety,

NOTE Confidence: 0.893731816

 $00:33:03.490 \longrightarrow 00:33:05.410$  sleep disruption and such.

NOTE Confidence: 0.893731816

 $00:33:05.410 \longrightarrow 00:33:07.386$  But now the same way that we were

NOTE Confidence: 0.893731816

 $00:33:07.386 \longrightarrow 00:33:09.254$  talking about how the soft tissue is

NOTE Confidence: 0.893731816

 $00:33:09.254 \longrightarrow 00:33:11.100$  affecting the growth of the skeleton.

NOTE Confidence: 0.893731816

00:33:11.100 --> 00:33:13.110 If you could imagine having the

NOTE Confidence: 0.893731816

 $00{:}33{:}13.110 \dashrightarrow 00{:}33{:}15.551$  CPAP on with where it's placed and

NOTE Confidence: 0.893731816

 $00{:}33{:}15.551 \dashrightarrow 00{:}33{:}17.945$  where it's strapped on now in turn,

NOTE Confidence: 0.893731816

 $00:33:17.950 \longrightarrow 00:33:19.432$  that the pressure that it that

NOTE Confidence: 0.893731816

 $00:33:19.432 \longrightarrow 00:33:21.086$  it has for a sustained amount

NOTE Confidence: 0.893731816

 $00{:}33{:}21.086 \dashrightarrow 00{:}33{:}23.214$  of time over the amount of time

NOTE Confidence: 0.893731816

 $00{:}33{:}23.214 \dashrightarrow 00{:}33{:}25.189$  that the that the child's in bed.

NOTE Confidence: 0.893731816

00:33:25.190 --> 00:33:27.080 So let's say a good, I don't know,

NOTE Confidence: 0.893731816

 $00:33:27.080 \longrightarrow 00:33:28.536$  four or five, 6810 hours,

 $00:33:28.536 \longrightarrow 00:33:30.294$  the amount of time that the

NOTE Confidence: 0.893731816

00:33:30.294 --> 00:33:31.480 child can actually.

NOTE Confidence: 0.893731816

 $00:33:31.480 \longrightarrow 00:33:32.976$  Tolerated and wear it.

NOTE Confidence: 0.893731816

 $00:33:32.976 \longrightarrow 00:33:35.220$  Now this will directly affect further

NOTE Confidence: 0.893731816

 $00:33:35.285 \longrightarrow 00:33:37.573$  growth of the of the jaws because it's

NOTE Confidence: 0.893731816

00:33:37.573 --> 00:33:39.836 sort of holding it by holding the

NOTE Confidence: 0.893731816

 $00{:}33{:}39.836 \dashrightarrow 00{:}33{:}42.016$  soft tissue back and hence having an

NOTE Confidence: 0.893731816

 $00:33:42.016 \longrightarrow 00:33:44.880$  effect on the on the growth of the skeleton.

NOTE Confidence: 0.893731816

 $00{:}33{:}44.880 \dashrightarrow 00{:}33{:}47.050$  So there has been significant

NOTE Confidence: 0.893731816

00:33:47.050 --> 00:33:47.918 maxillary retrovision.

NOTE Confidence: 0.893731816

 $00:33:47.920 \longrightarrow 00:33:49.192$  The upper jaw does not grow

NOTE Confidence: 0.893731816

 $00:33:49.192 \longrightarrow 00:33:50.799$  as much as the control screw.

NOTE Confidence: 0.893731816

 $00:33:50.800 \longrightarrow 00:33:52.180$  So if you look here, this is the,

NOTE Confidence: 0.893731816

 $00{:}33{:}52.180 --> 00{:}33{:}53.280$  this is the control group,

NOTE Confidence: 0.893731816

 $00:33:53.280 \longrightarrow 00:33:55.331$  this is normal growth of the maxilla

NOTE Confidence: 0.893731816

00:33:55.331 --> 00:33:57.257 down and forward and this is after,

00:33:57.260 --> 00:33:59.920 you know this is the the child with the CPAP,

NOTE Confidence: 0.893731816

 $00{:}33{:}59.920 \dashrightarrow 00{:}34{:}00.910$  there's counterclockwise.

NOTE Confidence: 0.893731816

 $00:34:00.910 \longrightarrow 00:34:03.880$  Clipping of the palatal plane so.

NOTE Confidence: 0.89373181600:34:03.880 --> 00:34:04.160 Again,

NOTE Confidence: 0.893731816

00:34:04.160 --> 00:34:05.560 the powerful plane should be

NOTE Confidence: 0.893731816

 $00{:}34{:}05.560 \dashrightarrow 00{:}34{:}07.272$  coming down and forward and you

NOTE Confidence: 0.893731816

 $00:34:07.272 \longrightarrow 00:34:08.627$  see this tipping down happening.

NOTE Confidence: 0.893731816

 $00{:}34{:}08.630 \dashrightarrow 00{:}34{:}10.590$  The back side is coming down in the

NOTE Confidence: 0.893731816

 $00:34:10.590 \longrightarrow 00:34:12.799$  front side is sort of held up and

NOTE Confidence: 0.893731816

00:34:12.799 --> 00:34:14.743 you know dentally to then which may

NOTE Confidence: 0.893731816

 $00{:}34{:}14.743 \dashrightarrow 00{:}34{:}16.738$  not be as significant for you all,

NOTE Confidence: 0.893731816

 $00{:}34{:}16.740 \dashrightarrow 00{:}34{:}18.555$  but again being an orthodontist

NOTE Confidence: 0.893731816

 $00{:}34{:}18.555 \dashrightarrow 00{:}34{:}21.571$  for us there is this flaring or the

NOTE Confidence: 0.893731816

 $00:34:21.571 \longrightarrow 00:34:24.210$  torquing of the upper incisors as well.

NOTE Confidence: 0.893731816

 $00:34:24.210 \longrightarrow 00:34:25.570$  So what do we do?

00:34:25.570 --> 00:34:27.475 A lot of times, again, as an orthodontist,

NOTE Confidence: 0.893731816

 $00:34:27.475 \longrightarrow 00:34:29.400$  there are sort of what we look

NOTE Confidence: 0.893731816

 $00:34:29.455 \longrightarrow 00:34:30.829$  for is if this is really,

NOTE Confidence: 0.893731816

 $00:34:30.830 \longrightarrow 00:34:32.570$  truly a problem within the skeleton,

NOTE Confidence: 0.893731816

 $00:34:32.570 \longrightarrow 00:34:34.490$  if the maxilla is really narrow,

NOTE Confidence: 0.893731816

 $00:34:34.490 \longrightarrow 00:34:36.050$  and who caused it? It?

NOTE Confidence: 0.893731816

 $00:34:36.050 \longrightarrow 00:34:37.646$  Was it the chicken or the egg?

NOTE Confidence: 0.893731816

 $00:34:37.650 \longrightarrow 00:34:38.236$  That aside,

NOTE Confidence: 0.893731816

 $00:34:38.236 \longrightarrow 00:34:40.580$  now we use what we call a

NOTE Confidence: 0.893731816

00:34:40.661 --> 00:34:42.569 rapid maxillary expansion.

NOTE Confidence: 0.893731816

 $00:34:42.570 \longrightarrow 00:34:44.778$  Now that what it does is it just

NOTE Confidence: 0.893731816

 $00:34:44.778 \longrightarrow 00:34:46.428$  articulates the maxillary and the

NOTE Confidence: 0.893731816

 $00:34:46.428 \longrightarrow 00:34:48.843$  palatal bones and it moves them laterally.

NOTE Confidence: 0.893731816

 $00:34:48.850 \longrightarrow 00:34:50.742$  Now there's because there's

NOTE Confidence: 0.893731816

 $00:34:50.742 \longrightarrow 00:34:52.634$  this pyramidal shaped expansion

NOTE Confidence: 0.893731816

 $00:34:52.634 \longrightarrow 00:34:54.149$  that's happening we have.

 $00:34:54.150 \longrightarrow 00:34:55.893$  We have the fulcrum being if you

NOTE Confidence: 0.893731816

 $00{:}34{:}55.893 \dashrightarrow 00{:}34{:}57.402$  could imagine that the nasal area

NOTE Confidence: 0.893731816

 $00:34:57.402 \longrightarrow 00:34:58.812$  and the the inferior part sort

NOTE Confidence: 0.893731816

00:34:58.812 --> 00:35:00.417 of comes apart makes it wider.

NOTE Confidence: 0.893731816

 $00:35:00.420 \longrightarrow 00:35:02.177$  And then also to if you're looking

NOTE Confidence: 0.893731816

 $00:35:02.177 \longrightarrow 00:35:04.084$  at the axial view here the anterior

NOTE Confidence: 0.893731816

 $00:35:04.084 \longrightarrow 00:35:06.038$  part tends to widen more and the

NOTE Confidence: 0.893731816

 $00:35:06.038 \longrightarrow 00:35:07.598$  back part tends to widen less.

NOTE Confidence: 0.893731816

 $00:35:07.600 \longrightarrow 00:35:10.664$  But All in all this will cause a

NOTE Confidence: 0.893731816

 $00:35:10.664 \dashrightarrow 00:35:12.977$  narrow maxilla to to become wider

NOTE Confidence: 0.893731816

 $00:35:12.980 \longrightarrow 00:35:14.821$  in a sense and because right above

NOTE Confidence: 0.893731816

 $00:35:14.821 \longrightarrow 00:35:16.949$  it it's the nasal cavity then the

NOTE Confidence: 0.893731816

 $00{:}35{:}16.949 \dashrightarrow 00{:}35{:}18.869$  we're increasing the volume of the

NOTE Confidence: 0.893731816

00:35:18.931 --> 00:35:21.075 of the nose too and I'll show you

NOTE Confidence: 0.893731816

 $00:35:21.075 \longrightarrow 00:35:22.755$  some articles on that and and some

 $00:35:22.755 \longrightarrow 00:35:24.290$  of actually the work that we did.

NOTE Confidence: 0.893731816

 $00{:}35{:}24.290 \dashrightarrow 00{:}35{:}28.196$  Here so just a quick don't know

NOTE Confidence: 0.893731816

 $00:35:28.196 \longrightarrow 00:35:30.280$  if this video will. Works.

NOTE Confidence: 0.828476503809524

 $00:35:33.480 \longrightarrow 00:35:35.752$  Be not. OK, let's say this was just

NOTE Confidence: 0.828476503809524

 $00:35:35.752 \longrightarrow 00:35:38.408$  going to show you how the how the

NOTE Confidence: 0.828476503809524

 $00{:}35{:}38.408 {\:\dashrightarrow\:} 00{:}35{:}40.210$  over superimposition of the bonus,

NOTE Confidence: 0.828476503809524

 $00:35:40.210 \dashrightarrow 00:35:43.306$  but I have some static screen shots of it.

NOTE Confidence: 0.828476503809524

 $00:35:43.310 \longrightarrow 00:35:45.081$  So if you look at the green

NOTE Confidence: 0.828476503809524

 $00:35:45.081 \longrightarrow 00:35:46.923$  and here that's the after the

NOTE Confidence: 0.828476503809524

 $00:35:46.923 \longrightarrow 00:35:48.618$  yellow was the before expansion,

NOTE Confidence: 0.828476503809524

 $00:35:48.620 \longrightarrow 00:35:49.940$  so that's where the teeth were,

NOTE Confidence: 0.828476503809524

 $00:35:49.940 \longrightarrow 00:35:51.718$  but did the expansion and that's how

NOTE Confidence: 0.828476503809524

 $00:35:51.718 \longrightarrow 00:35:54.066$  the jaw sort of widened and along with

NOTE Confidence: 0.828476503809524

 $00:35:54.066 \longrightarrow 00:35:55.860$  that the teeth traveled outwardly too.

NOTE Confidence: 0.828476503809524

 $00:35:55.860 \longrightarrow 00:35:57.532$  So you see the red being the most

NOTE Confidence: 0.828476503809524

 $00:35:57.532 \longrightarrow 00:35:59.170$  amount of movement versus the blue

 $00:35:59.170 \longrightarrow 00:36:00.630$  the least amount of movement.

NOTE Confidence: 0.828476503809524

 $00:36:00.630 \longrightarrow 00:36:02.527$  You see how most of the movement

NOTE Confidence: 0.828476503809524

 $00:36:02.527 \longrightarrow 00:36:04.232$  is happening here as opposed to

NOTE Confidence: 0.828476503809524

 $00:36:04.232 \longrightarrow 00:36:05.894$  up there and again the widening.

NOTE Confidence: 0.828476503809524

 $00:36:05.900 \longrightarrow 00:36:08.050$  And the posterior as well.

NOTE Confidence: 0.828476503809524

 $00:36:08.050 \longrightarrow 00:36:09.658$  And because again all of this

NOTE Confidence: 0.828476503809524

 $00:36:09.658 \longrightarrow 00:36:11.110$  is connected to each other,

NOTE Confidence: 0.828476503809524

 $00{:}36{:}11.110 \dashrightarrow 00{:}36{:}13.526$  I would like to show you how the

NOTE Confidence: 0.828476503809524

 $00{:}36{:}13.526 \dashrightarrow 00{:}36{:}15.855$  widening in the upper arch has

NOTE Confidence: 0.828476503809524

 $00{:}36{:}15.855 \dashrightarrow 00{:}36{:}17.503$  actually caused the increase.

NOTE Confidence: 0.828476503809524

 $00:36:17.510 \longrightarrow 00:36:19.286$  As you can see here in the red

NOTE Confidence: 0.828476503809524

 $00:36:19.286 \longrightarrow 00:36:21.487$  here in the even the sinuses and

NOTE Confidence: 0.828476503809524

 $00{:}36{:}21.487 \dashrightarrow 00{:}36{:}23.182$  the orophary ngeal area here right

NOTE Confidence: 0.828476503809524

 $00:36:23.244 \longrightarrow 00:36:24.180$  behind the tank.

NOTE Confidence: 0.828476503809524 00:36:24.180 --> 00:36:25.104 So this is, NOTE Confidence: 0.828476503809524  $00:36:25.104 \longrightarrow 00:36:26.849$  this is the cross-sectional view of

NOTE Confidence: 0.828476503809524

 $00{:}36{:}26.849 \dashrightarrow 00{:}36{:}29.044$  the airway and you can see just by

NOTE Confidence: 0.828476503809524

 $00:36:29.044 \longrightarrow 00:36:30.852$  widening of the air of the upper arch.

NOTE Confidence: 0.828476503809524

 $00:36:30.860 \longrightarrow 00:36:32.900$  The idea is that now the tank has

NOTE Confidence: 0.828476503809524

 $00:36:32.900 \longrightarrow 00:36:35.036$  more room to sit up above where it

NOTE Confidence: 0.828476503809524

 $00:36:35.036 \longrightarrow 00:36:37.159$  really should be on the roof of the

NOTE Confidence: 0.828476503809524

 $00:36:37.159 \longrightarrow 00:36:39.572$  mouth and that's why we see this increase.

NOTE Confidence: 0.828476503809524 00:36:39.572 --> 00:36:40.454 And Umm.

NOTE Confidence: 0.828476503809524

 $00{:}36{:}40.454 \dashrightarrow 00{:}36{:}42.218$  The fragile space there.

NOTE Confidence: 0.828476503809524

 $00:36:42.220 \longrightarrow 00:36:44.518$  Here's some examples of what these

NOTE Confidence: 0.828476503809524

 $00{:}36{:}44.518 \dashrightarrow 00{:}36{:}46.420$  palatal expanders would look like.

NOTE Confidence: 0.828476503809524

 $00:36:46.420 \longrightarrow 00:36:48.045$  And there are many different

NOTE Confidence: 0.828476503809524

 $00:36:48.045 \longrightarrow 00:36:49.020$  designs depending on,

NOTE Confidence: 0.828476503809524 00:36:49.020 --> 00:36:49.612 you know, NOTE Confidence: 0.828476503809524

 $00:36:49.612 \longrightarrow 00:36:51.388$  the teeth that are there depending

NOTE Confidence: 0.828476503809524

 $00:36:51.388 \longrightarrow 00:36:53.857$  on if we need any bone supported or

 $00:36:53.857 \longrightarrow 00:36:55.839$  just tooth support is good and so.

NOTE Confidence: 0.828476503809524

 $00:36:55.840 \longrightarrow 00:36:57.952$  But what they all have in common is

NOTE Confidence: 0.828476503809524

 $00{:}36{:}57.952 \dashrightarrow 00{:}37{:}00.242$  this Jack screw in the middle that

NOTE Confidence: 0.828476503809524

 $00:37:00.242 \longrightarrow 00:37:02.278$  tends to cause significant amount of

NOTE Confidence: 0.828476503809524

 $00:37:02.278 \longrightarrow 00:37:04.168$  force that then and has the ability

NOTE Confidence: 0.828476503809524

 $00:37:04.168 \longrightarrow 00:37:06.760$  to open the sutures and growing children.

NOTE Confidence: 0.828476503809524

00:37:06.760 --> 00:37:09.376 Now again we have a limited window of

NOTE Confidence: 0.828476503809524

 $00:37:09.376 \longrightarrow 00:37:11.327$  opportunity now after a certain age.

NOTE Confidence: 0.828476503809524

00:37:11.330 --> 00:37:12.875 Because there's so much resistance

NOTE Confidence: 0.828476503809524

 $00:37:12.875 \longrightarrow 00:37:14.792$  and the actually not so much

NOTE Confidence: 0.828476503809524

 $00:37:14.792 \longrightarrow 00:37:16.347$  within the mid palatal suture,

NOTE Confidence: 0.828476503809524

 $00:37:16.350 \longrightarrow 00:37:19.080$  but further back in the terrago maxillary

NOTE Confidence: 0.828476503809524

 $00{:}37{:}19.080 \dashrightarrow 00{:}37{:}21.174$  area and the zygomatic but tress,

NOTE Confidence: 0.828476503809524

 $00:37:21.174 \longrightarrow 00:37:23.304$  then it becomes almost impossible

NOTE Confidence: 0.828476503809524

 $00:37:23.304 \longrightarrow 00:37:25.623$  to use these in adults and be

 $00:37:25.623 \longrightarrow 00:37:27.200$  able to really crack them open.

NOTE Confidence: 0.828476503809524

 $00:37:27.200 \longrightarrow 00:37:28.520$  And that's when we need to

NOTE Confidence: 0.828476503809524

 $00:37:28.520 \longrightarrow 00:37:29.848$  do an additional surgery,

NOTE Confidence: 0.828476503809524

 $00:37:29.850 \longrightarrow 00:37:32.167$  release those sutures and then do the

NOTE Confidence: 0.828476503809524

 $00:37:32.167 \longrightarrow 00:37:35.360$  same type of expansion to widen the arch.

NOTE Confidence: 0.828476503809524

00:37:35.360 --> 00:37:37.922 And that has been shown to that

NOTE Confidence: 0.828476503809524

 $00:37:37.922 \longrightarrow 00:37:40.285$  the nasal cavity and orphans and

NOTE Confidence: 0.828476503809524

 $00:37:40.285 \longrightarrow 00:37:43.060$  can expand about 11% and for each

NOTE Confidence: 0.828476503809524

00:37:43.060 --> 00:37:45.040 millimeter of expansion the airway

NOTE Confidence: 0.828476503809524

 $00:37:45.111 \longrightarrow 00:37:47.006$  volume increased about 2.4%.

NOTE Confidence: 0.828476503809524

 $00:37:47.006 \longrightarrow 00:37:48.836$  And this is a very,

NOTE Confidence: 0.828476503809524 00:37:48.840 --> 00:37:49.161 Umm, NOTE Confidence: 0.828476503809524

 $00:37:49.161 \longrightarrow 00:37:51.087$  I thought a very interesting article

NOTE Confidence: 0.828476503809524

 $00:37:51.087 \longrightarrow 00:37:53.199$  that is now you know it's it's

NOTE Confidence: 0.828476503809524

 $00:37:53.199 \longrightarrow 00:37:55.140$  been a while since it came out,

NOTE Confidence: 0.828476503809524

 $00:37:55.140 \longrightarrow 00:37:56.913$  but it the the good thing about it,

 $00:37:56.920 \longrightarrow 00:37:58.120$  the interesting thing is that

NOTE Confidence: 0.828476503809524

 $00:37:58.120 \longrightarrow 00:37:59.942$  is that it's a very long term

NOTE Confidence: 0.828476503809524

 $00:37:59.942 \longrightarrow 00:38:01.634$  follow-up study on children and Umm,

NOTE Confidence: 0.828476503809524

 $00:38:01.640 \longrightarrow 00:38:03.838$  this is the group with I think

NOTE Confidence: 0.828476503809524

 $00:38:03.838 \longrightarrow 00:38:04.720$  Doctor Gimeno too.

NOTE Confidence: 0.828476503809524 00:38:04.720 --> 00:38:05.138 Umm.

NOTE Confidence: 0.828476503809524

 $00{:}38{:}05.138 \dashrightarrow 00{:}38{:}07.846$  Stanford that looked at it on children

NOTE Confidence: 0.828476503809524

 $00{:}38{:}07.846 \dashrightarrow 00{:}38{:}10.310$ 4 to 8 years old that underwent rapid

NOTE Confidence: 0.788764463333333

 $00:38:10.373 \longrightarrow 00:38:11.629$  maxillary expansion.

NOTE Confidence: 0.788764463333333

00:38:11.630 --> 00:38:14.689 The HI decreased from 6 to 4,

NOTE Confidence: 0.788764463333333

00:38:14.690 --> 00:38:16.242 the oxygen saturation increased

NOTE Confidence: 0.788764463333333

 $00:38:16.242 \longrightarrow 00:38:19.447$  from 95 to 97 and a 12 year

NOTE Confidence: 0.788764463333333

 $00{:}38{:}19.447 \dashrightarrow 00{:}38{:}21.823$  follow-up study on them showed that

NOTE Confidence: 0.788764463333333

 $00{:}38{:}21.823 \dashrightarrow 00{:}38{:}24.372$  the post rapid mixer expansion

NOTE Confidence: 0.788764463333333

 $00:38:24.372 \longrightarrow 00:38:27.670$  HIV increase decreased 12 to .4,

 $00:38:27.670 \longrightarrow 00:38:30.910$  oxygen saturation increased 78 to 95.

NOTE Confidence: 0.788764463333333

 $00{:}38{:}30.910 \dashrightarrow 00{:}38{:}33.064$  So wrong long term results is

NOTE Confidence: 0.788764463333333

 $00:38:33.064 \longrightarrow 00:38:34.750$  really what we're interested in,

NOTE Confidence: 0.788764463333333

 $00:38:34.750 \longrightarrow 00:38:35.750$  but then also to you.

NOTE Confidence: 0.788764463333333

 $00:38:35.750 \longrightarrow 00:38:37.448$  Would argue that well all these

NOTE Confidence: 0.788764463333333

 $00:38:37.448 \longrightarrow 00:38:39.350$  you know these 12 year follow up

NOTE Confidence: 0.788764463333333

 $00:38:39.350 \longrightarrow 00:38:41.620$  part of it is that the the the

NOTE Confidence: 0.788764463333333

00:38:41.620 --> 00:38:43.282 children are you know growing too

NOTE Confidence: 0.788764463333333

 $00{:}38{:}43.282 \dashrightarrow 00{:}38{:}45.815$  and in essence the you know the

NOTE Confidence: 0.788764463333333

00:38:45.815 --> 00:38:47.790 adenoids and tonsils are shrinking

NOTE Confidence: 0.788764463333333

 $00{:}38{:}47.863 \dashrightarrow 00{:}38{:}49.860$  as well but you know they had a

NOTE Confidence: 0.788764463333333

 $00:38:49.860 \longrightarrow 00:38:51.413$  control group to compare this with

NOTE Confidence: 0.788764463333333

 $00:38:51.413 \longrightarrow 00:38:53.309$  and still this is the this is the

NOTE Confidence: 0.788764463333333

 $00:38:53.309 \longrightarrow 00:38:54.710$  results that they're showing so

NOTE Confidence: 0.788764463333333

 $00:38:54.710 \longrightarrow 00:38:56.378$  there is some validity to that

NOTE Confidence: 0.788764463333333

 $00:38:56.380 \longrightarrow 00:38:58.410$  and some it's not for every child

 $00:38:58.410 \longrightarrow 00:39:00.149$  absolutely I'm not saying that but

NOTE Confidence: 0.788764463333333

 $00:39:00.149 \longrightarrow 00:39:02.025$  definitely in the in the for the

NOTE Confidence: 0.788764463333333

 $00:39:02.087 \longrightarrow 00:39:03.792$  wrong right candidate it's effective

NOTE Confidence: 0.788764463333333

 $00:39:03.792 \longrightarrow 00:39:06.640$  and it's it's been shown it also.

NOTE Confidence: 0.788764463333333

00:39:06.640 --> 00:39:09.490 Helps improve quality of life.

NOTE Confidence: 0.788764463333333

00:39:09.490 --> 00:39:11.986 And the questionnaires that we've done,

NOTE Confidence: 0.788764463333333

 $00:39:11.990 \longrightarrow 00:39:14.393$  this is a study we did here at BU

NOTE Confidence: 0.788764463333333

 $00:39{:}14.393 \dashrightarrow 00{:}39{:}16.857$  where we analyzed the nasal airway

NOTE Confidence: 0.788764463333333

 $00:39{:}16.857 \dashrightarrow 00{:}39{:}18.982$  symmetry and upper airway changes

NOTE Confidence: 0.788764463333333

 $00{:}39{:}19.051 \dashrightarrow 00{:}39{:}20.967$  after rapid mixer expansion.

NOTE Confidence: 0.788764463333333

 $00{:}39{:}20.970 \dashrightarrow 00{:}39{:}22.430$  So we had two groups.

NOTE Confidence: 0.788764463333333

 $00:39:22.430 \longrightarrow 00:39:24.254$  So we had a group of patients that

NOTE Confidence: 0.788764463333333

 $00:39:24.254 \longrightarrow 00:39:26.313$  we that we that had rapid maxillary

NOTE Confidence: 0.788764463333333

 $00:39:26.313 \longrightarrow 00:39:28.557$  expansion and we were looking at each

NOTE Confidence: 0.788764463333333

 $00:39:28.557 \longrightarrow 00:39:30.147$  segment of the airway separately.

00:39:30.150 --> 00:39:32.022 So we had the right and left nasal cavity,

NOTE Confidence: 0.788764463333333

 $00:39:32.030 \longrightarrow 00:39:33.490$  the nasal pharyngeal area,

NOTE Confidence: 0.788764463333333

 $00:39:33.490 \longrightarrow 00:39:34.950$  the oropharyngeal area and

NOTE Confidence: 0.788764463333333

 $00:39:34.950 \longrightarrow 00:39:35.990$  the Hypopharyngeal area.

NOTE Confidence: 0.788764463333333

 $00:39:35.990 \longrightarrow 00:39:37.852$  And what we showed was that both

NOTE Confidence: 0.788764463333333

 $00:39:37.852 \longrightarrow 00:39:39.537$  the control groups this was over 2.

NOTE Confidence: 0.788764463333333

 $00:39:39.540 \longrightarrow 00:39:41.507$  Two years time point on the initial

NOTE Confidence: 0.788764463333333

00:39:41.507 --> 00:39:43.441 call beam CT's were taken right

NOTE Confidence: 0.788764463333333

00:39:43.441 --> 00:39:45.156 before chronic treatment and two

NOTE Confidence: 0.788764463333333

 $00:39:45.156 \longrightarrow 00:39:46.859$  years later when it was done.

NOTE Confidence: 0.788764463333333

 $00:39:46.860 \longrightarrow 00:39:48.915$  And what we showed was that both

NOTE Confidence: 0.788764463333333

 $00:39:48.915 \longrightarrow 00:39:51.165$  groups that control and the the

NOTE Confidence: 0.788764463333333

 $00:39:51.165 \longrightarrow 00:39:53.065$  rapid mixer expansion group showed

NOTE Confidence: 0.788764463333333

 $00:39:53.065 \longrightarrow 00:39:55.195$  an increase in in all segments.

NOTE Confidence: 0.78876446333333300:39:55.200 --> 00:39:55.544 However, NOTE Confidence: 0.788764463333333

 $00:39:55.544 \longrightarrow 00:39:57.608$  for the control group the only

00:39:57.608 --> 00:39:59.381 significant increase was in the

NOTE Confidence: 0.788764463333333

 $00:39:59.381 \longrightarrow 00:40:01.433$  or opharyngeal region and the screen portion.

NOTE Confidence: 0.788764463333333

 $00:40:01.440 \longrightarrow 00:40:03.596$  But for the for the subject group,

NOTE Confidence: 0.788764463333333 00:40:03.600 --> 00:40:04.368 for the, NOTE Confidence: 0.788764463333333

 $00:40:04.368 \longrightarrow 00:40:07.056$  for the children who had maxillary expansion,

NOTE Confidence: 0.788764463333333

 $00:40:07.060 \longrightarrow 00:40:09.620$  all of these other segments.

NOTE Confidence: 0.788764463333333

 $00:40:09.620 \longrightarrow 00:40:10.946$  To increase significantly.

NOTE Confidence: 0.788764463333333

 $00:40:10.946 \longrightarrow 00:40:14.040$  But what we also found was that

NOTE Confidence: 0.788764463333333

 $00:40:14.125 \longrightarrow 00:40:16.596$  where the rights if if the right

NOTE Confidence: 0.788764463333333

 $00{:}40{:}16.596 \dashrightarrow 00{:}40{:}19.095$  side was the smaller side relative

NOTE Confidence: 0.788764463333333

 $00:40:19.095 \longrightarrow 00:40:22.462$  to the left side before rapid mixer

NOTE Confidence: 0.788764463333333

 $00:40:22.462 \longrightarrow 00:40:24.582$  expansion it tended the discrepancy

NOTE Confidence: 0.788764463333333

 $00:40:24.582 \longrightarrow 00:40:26.910$  between them tends to become less.

NOTE Confidence: 0.788764463333333

 $00{:}40{:}26.910 \dashrightarrow 00{:}40{:}31.206$  So the one that started up smaller became.

NOTE Confidence: 0.788764463333333

00:40:31.210 --> 00:40:33.274 I guess it grew more in a way

 $00:40:33.274 \longrightarrow 00:40:35.755$  or it it became larger than the

NOTE Confidence: 0.788764463333333

00:40:35.755 --> 00:40:37.735 one that started out larger.

NOTE Confidence: 0.788764463333333

 $00:40:37.735 \longrightarrow 00:40:40.060$  However in the control group.

NOTE Confidence: 0.788764463333333

 $00:40:40.060 \longrightarrow 00:40:42.180$  The side that's started out

NOTE Confidence: 0.788764463333333

 $00{:}40{:}42.180 \dashrightarrow 00{:}40{:}44.300$  smaller states smaller after that.

NOTE Confidence: 0.788764463333333

 $00:40:44.300 \longrightarrow 00:40:46.526$  So it it almost seems like there

NOTE Confidence: 0.788764463333333

 $00:40:46.526 \longrightarrow 00:40:48.665$  would be a balancing effect too

NOTE Confidence: 0.788764463333333

 $00:40:48.665 \longrightarrow 00:40:51.684$  to the to sort of balance out and

NOTE Confidence: 0.788764463333333

 $00{:}40{:}51.684 \dashrightarrow 00{:}40{:}54.169$  equalize the the right and left side

NOTE Confidence: 0.788764463333333

 $00:40:54.169 \longrightarrow 00:40:56.272$  as well with rapid mixer expansion.

NOTE Confidence: 0.788764463333333

 $00{:}40{:}56.272 \dashrightarrow 00{:}40{:}59.034$  This is just some of the tables I

NOTE Confidence: 0.788764463333333

 $00:40:59.034 \longrightarrow 00:41:01.162$  know I'm running out of time so.

NOTE Confidence: 0.788764463333333

00:41:01.170 --> 00:41:02.880 Just to show you the significant

NOTE Confidence: 0.788764463333333

 $00:41:02.880 \longrightarrow 00:41:04.643$  increase in each of those segments

NOTE Confidence: 0.788764463333333

 $00:41:04.643 \longrightarrow 00:41:06.883$  that I was talking about and this is

NOTE Confidence: 0.914727820333333

 $00:41:06.942 \longrightarrow 00:41:08.850$  for the control group or the

 $00{:}41{:}08.850 \dashrightarrow 00{:}41{:}10.122$  only significant increase was

NOTE Confidence: 0.914727820333333

 $00:41:10.130 \longrightarrow 00:41:13.190$  in the oropharyngeal region?

NOTE Confidence: 0.914727820333333

00:41:13.190 --> 00:41:14.870 And I just went over that.

NOTE Confidence: 0.914727820333333

00:41:14.870 --> 00:41:18.890 Another treatment modality is the

NOTE Confidence: 0.914727820333333

 $00:41:18.890 \longrightarrow 00:41:20.555$  functional appliances that are very

NOTE Confidence: 0.914727820333333

 $00:41:20.555 \longrightarrow 00:41:23.231$  similar to what you all may be familiar

NOTE Confidence: 0.914727820333333

 $00:41:23.231 \longrightarrow 00:41:25.127$  with with the oral appliances and

NOTE Confidence: 0.914727820333333

 $00{:}41{:}25.127 \dashrightarrow 00{:}41{:}26.931$  adults to essentially posture the

NOTE Confidence: 0.914727820333333

 $00:41:26.931 \longrightarrow 00:41:28.711$  the mandible forward to increase

NOTE Confidence: 0.914727820333333

 $00:41:28.711 \longrightarrow 00:41:30.600$  the airway volume posteriorly.

NOTE Confidence: 0.914727820333333

00:41:30.600 --> 00:41:32.130 And in children,

NOTE Confidence: 0.914727820333333

 $00:41:32.130 \longrightarrow 00:41:35.034$  we do this normally because the idea is

NOTE Confidence: 0.914727820333333

 $00{:}41{:}35.034 \dashrightarrow 00{:}41{:}38.308$  that again by posturing the mandible forward.

NOTE Confidence: 0.914727820333333

 $00{:}41{:}38.310 \dashrightarrow 00{:}41{:}40.614$  We're sending the signal through the

NOTE Confidence: 0.914727820333333

 $00:41:40.614 \longrightarrow 00:41:42.788$  soft tissue around too that there

 $00:41:42.788 \longrightarrow 00:41:45.076$  would be a sort of an increase in

NOTE Confidence: 0.914727820333333

 $00:41:45.145 \longrightarrow 00:41:47.173$  the condylar activity in a sense

NOTE Confidence: 0.914727820333333

 $00:41:47.173 \longrightarrow 00:41:49.200$  helping them grow a larger mandible.

NOTE Confidence: 0.914727820333333

 $00:41:49.200 \longrightarrow 00:41:51.545$  Now there's a lot of debate about

NOTE Confidence: 0.914727820333333

 $00:41:51.545 \longrightarrow 00:41:53.767$  that and it's not that significant.

NOTE Confidence: 0.914727820333333

 $00{:}41{:}53.770 --> 00{:}41{:}54.622$  If we're lucky,

NOTE Confidence: 0.914727820333333

 $00:41:54.622 \longrightarrow 00:41:57.466$  we may be able to get one to two

NOTE Confidence: 0.914727820333333

 $00:41:57.466 \longrightarrow 00:41:59.806$  millimeter of longer mandibles per se.

NOTE Confidence: 0.914727820333333

 $00:41:59.810 \longrightarrow 00:42:01.610$  And a lot of it may be really

NOTE Confidence: 0.914727820333333

 $00:42:01.610 \longrightarrow 00:42:02.470$  borrowing from future.

NOTE Confidence: 0.914727820333333

00:42:02.470 --> 00:42:03.466 But in essence,

NOTE Confidence: 0.914727820333333

 $00:42:03.466 \longrightarrow 00:42:05.790$  and this is also what it's doing,

NOTE Confidence: 0.914727820333333

 $00:42:05.790 \longrightarrow 00:42:07.770$  is that it's helping us with

NOTE Confidence: 0.914727820333333

 $00{:}42{:}07.770 \dashrightarrow 00{:}42{:}09.090$  with correcting the occlusion.

NOTE Confidence: 0.914727820333333

 $00:42:09.090 \longrightarrow 00:42:11.774$  Of the of the children with maybe

NOTE Confidence: 0.914727820333333

 $00{:}42{:}11.774 \dashrightarrow 00{:}42{:}13.838$  potentially helping them with a little

00:42:13.838 --> 00:42:16.218 bit more growth of the lower jaw and

NOTE Confidence: 0.914727820333333

 $00:42:16.218 \longrightarrow 00:42:18.540$  at the same time opening up their Airways.

NOTE Confidence: 0.914727820333333

 $00:42:18.540 \longrightarrow 00:42:20.172$  And you know there are several

NOTE Confidence: 0.914727820333333

 $00{:}42{:}20.172 \dashrightarrow 00{:}42{:}22.305$  articles on this I can I can leave

NOTE Confidence: 0.914727820333333

 $00:42:22.305 \longrightarrow 00:42:24.103$  these here with you that you know

NOTE Confidence: 0.914727820333333

 $00:42:24.103 \longrightarrow 00:42:26.007$  how they can reduce they may reduce

NOTE Confidence: 0.914727820333333

 $00:42:26.007 \longrightarrow 00:42:27.840$  the risk of OSA later but again

NOTE Confidence: 0.914727820333333

 $00{:}42{:}27.840 \dashrightarrow 00{:}42{:}29.383$  they're not treatment for OSA and

NOTE Confidence: 0.914727820333333

 $00:42:29.383 \longrightarrow 00:42:31.039$  I would not really edge it just to

NOTE Confidence: 0.914727820333333

 $00:42:31.039 \longrightarrow 00:42:32.782$  put it out there for you that these

NOTE Confidence: 0.914727820333333

 $00:42:32.782 \longrightarrow 00:42:34.592$  are sort of some of the treatment

NOTE Confidence: 0.914727820333333

 $00:42:34.592 \longrightarrow 00:42:36.350$  that we do the opposite problem

NOTE Confidence: 0.914727820333333

 $00{:}42{:}36.410 \dashrightarrow 00{:}42{:}38.419$  when the upper jaws that fault and

NOTE Confidence: 0.914727820333333

 $00:42:38.419 \longrightarrow 00:42:40.119$  it's smaller than the lower jaw.

NOTE Confidence: 0.914727820333333

 $00:42:40.120 \longrightarrow 00:42:42.904$  Use what's what we call a face mask

 $00:42:42.904 \longrightarrow 00:42:44.998$  that sort of brings the maxilla

NOTE Confidence: 0.914727820333333

 $00:42:44.998 \longrightarrow 00:42:47.154$  forward and that tends to bring the

NOTE Confidence: 0.914727820333333

00:42:47.154 --> 00:42:48.713 maxilla forward and downward and

NOTE Confidence: 0.914727820333333

 $00:42:48.713 \longrightarrow 00:42:50.489$  then it rotates the mandible back.

NOTE Confidence: 0.914727820333333

 $00:42:50.490 \longrightarrow 00:42:52.345$  And again there are studies that show

NOTE Confidence: 0.914727820333333

00:42:52.345 --> 00:42:54.625 it's this is sort of what it looks like.

NOTE Confidence: 0.914727820333333

 $00:42:54.630 \longrightarrow 00:42:56.730$  So the upper teeth would be

NOTE Confidence: 0.914727820333333

 $00:42:56.730 \longrightarrow 00:42:58.550$  sort of falling behind here.

NOTE Confidence: 0.914727820333333

 $00:42:58.550 \longrightarrow 00:42:59.650$  It doesn't show that it's

NOTE Confidence: 0.914727820333333

 $00:42:59.650 \longrightarrow 00:43:00.530$  behind because of these.

NOTE Confidence: 0.914727820333333

 $00:43:00.530 \longrightarrow 00:43:02.162$  The the byte block that you

NOTE Confidence: 0.914727820333333

 $00:43:02.162 \longrightarrow 00:43:03.750$  see here it's holding it open.

NOTE Confidence: 0.914727820333333

 $00{:}43{:}03.750 \dashrightarrow 00{:}43{:}05.814$  But a lot of kids would have this

NOTE Confidence: 0.914727820333333

 $00:43:05.814 \longrightarrow 00:43:07.670$  underbite and then we can use this

NOTE Confidence: 0.914727820333333

 $00:43:07.670 \longrightarrow 00:43:09.339$  appliance that holds on to this

NOTE Confidence: 0.914727820333333

 $00{:}43{:}09.339 \dashrightarrow 00{:}43{:}10.939$  contractor we make inside and.

 $00:43:10.940 \longrightarrow 00:43:13.460$  It pulls in and at this age

NOTE Confidence: 0.914727820333333

 $00:43:13.460 \longrightarrow 00:43:15.319$  it actually is able to.

NOTE Confidence: 0.914727820333333

 $00:43:15.320 \longrightarrow 00:43:16.680$  Promote growth at the level

NOTE Confidence: 0.914727820333333

 $00:43:16.680 \longrightarrow 00:43:17.768$  of the sutures right.

NOTE Confidence: 0.914727820333333

 $00{:}43{:}17.770 \dashrightarrow 00{:}43{:}19.464$  Right where I was showing you in

NOTE Confidence: 0.914727820333333

 $00:43:19.464 \longrightarrow 00:43:21.013$  the very first slides where can

NOTE Confidence: 0.914727820333333

 $00:43:21.013 \longrightarrow 00:43:22.812$  still we can we can manipulate it

NOTE Confidence: 0.914727820333333

 $00{:}43{:}22.869 \rightarrow 00{:}43{:}24.414$  and and cause activation within

NOTE Confidence: 0.914727820333333

 $00:43:24.414 \longrightarrow 00:43:26.231$  these sutures in the maxilla and

NOTE Confidence: 0.914727820333333

 $00{:}43{:}26.231 \dashrightarrow 00{:}43{:}28.128$  and and effect and have the effect

NOTE Confidence: 0.914727820333333

00:43:28.128 --> 00:43:30.078 for it to actually grow downward

NOTE Confidence: 0.914727820333333

 $00:43:30.078 \longrightarrow 00:43:32.100$  and forward more and hence the

NOTE Confidence: 0.914727820333333

 $00{:}43{:}32.163 \dashrightarrow 00{:}43{:}33.968$ airway would be become larger.

NOTE Confidence: 0.914727820333333 00:43:33.970 --> 00:43:34.484 So here's, NOTE Confidence: 0.914727820333333

 $00:43:34.484 \longrightarrow 00:43:36.283$  here's an example of before and after.

00:43:36.290 --> 00:43:38.579 You see red is after yellow was

NOTE Confidence: 0.914727820333333

00:43:38.579 --> 00:43:40.748 before and how it's come forward

NOTE Confidence: 0.914727820333333

 $00:43:40.748 \longrightarrow 00:43:42.968$  and the mandible has gone down

NOTE Confidence: 0.914727820333333

 $00:43:42.968 \longrightarrow 00:43:45.479$  and back and the airway enlarges.

NOTE Confidence: 0.914727820333333

 $00:43:45.480 \longrightarrow 00:43:47.220$  The one thing that I really

NOTE Confidence: 0.914727820333333

 $00:43:47.220 \longrightarrow 00:43:48.380$  would like to mention

NOTE Confidence: 0.884556799545455

 $00:43:48.447 \longrightarrow 00:43:51.057$  just because there's a lot of talk about you

NOTE Confidence: 0.884556799545455

00:43:51.057 --> 00:43:54.154 know orthodontic treatment, taking out teeth,

NOTE Confidence: 0.884556799545455

 $00:43:54.154 \longrightarrow 00:43:57.500$  extraction of teeth and causes sleep apnea.

NOTE Confidence: 0.884556799545455

 $00:43:57.500 \longrightarrow 00:44:00.452$  And there there are a lot of dentists that

NOTE Confidence: 0.884556799545455

 $00:44:00.452 \longrightarrow 00:44:02.882$  actually claim that there's a lot of you

NOTE Confidence: 0.884556799545455

00:44:02.882 --> 00:44:05.564 know you know many, many I guess people

NOTE Confidence: 0.884556799545455

 $00:44:05.564 \longrightarrow 00:44:07.700$  in medical profession have heard that.

NOTE Confidence: 0.884556799545455

 $00:44:07.700 \longrightarrow 00:44:10.360$  So I would I would just like to go over

NOTE Confidence: 0.884556799545455

 $00:44:10.437 \longrightarrow 00:44:12.684$  this very quickly that when we take

NOTE Confidence: 0.884556799545455

 $00:44:12.684 \longrightarrow 00:44:15.570$  out a tooth we have reasons for it and.

00:44:15.570 --> 00:44:16.950 And like I said earlier too,

NOTE Confidence: 0.884556799545455

 $00:44:16.950 \longrightarrow 00:44:19.230$  one is that, you know,

NOTE Confidence: 0.884556799545455

00:44:19.230 --> 00:44:21.342 there's only so much around bone around the

NOTE Confidence: 0.884556799545455

 $00:44:21.342 \longrightarrow 00:44:23.568$  tooth and we don't want to compromise that.

NOTE Confidence: 0.884556799545455

 $00:44:23.570 \longrightarrow 00:44:25.680$  So just to show you here, for instance,

NOTE Confidence: 0.884556799545455

 $00:44:25.680 \longrightarrow 00:44:27.390$  if a tooth is extracted here,

NOTE Confidence: 0.884556799545455

 $00:44:27.390 \longrightarrow 00:44:28.972$  we can, we can use the space

NOTE Confidence: 0.884556799545455

 $00:44:28.972 \longrightarrow 00:44:30.009$  several different ways we can,

NOTE Confidence: 0.884556799545455

 $00{:}44{:}30.010 \dashrightarrow 00{:}44{:}31.890$  we can push everything back from the front.

NOTE Confidence: 0.884556799545455

 $00:44:31.890 \longrightarrow 00:44:33.210$  There could be some movement from

NOTE Confidence: 0.884556799545455

00:44:33.210 --> 00:44:34.690 the front teeth and from the back

NOTE Confidence: 0.884556799545455

 $00:44:34.690 \longrightarrow 00:44:35.992$  teeth and then it could be that

NOTE Confidence: 0.884556799545455

 $00{:}44{:}36.042 \dashrightarrow 00{:}44{:}37.368$  all the back teeth come forward.

NOTE Confidence: 0.884556799545455

 $00:44:37.370 \longrightarrow 00:44:38.894$  So again there's so many different

NOTE Confidence: 0.884556799545455

 $00:44:38.894 \longrightarrow 00:44:40.314$  ways we can manipulate, but we,

 $00:44:40.314 \longrightarrow 00:44:41.728$  we if we need to take out

NOTE Confidence: 0.884556799545455

 $00:44:41.728 \longrightarrow 00:44:43.427$  a tooth to make room for a,

NOTE Confidence: 0.884556799545455

 $00:44:43.430 \longrightarrow 00:44:44.406$  for another tooth that's

NOTE Confidence: 0.884556799545455

 $00:44:44.406 \longrightarrow 00:44:45.626$  impacted or when there are.

NOTE Confidence: 0.884556799545455

 $00:44:45.630 \longrightarrow 00:44:47.340$  Indications that actually extraction of the

NOTE Confidence: 0.884556799545455

00:44:47.340 --> 00:44:49.517 tooth is needed and if it's not extracted,

NOTE Confidence: 0.884556799545455

00:44:49.520 --> 00:44:53.250 it can have, you know, sort of.

NOTE Confidence: 0.884556799545455

 $00:44:53.250 \longrightarrow 00:44:54.550$  Side effects in a way.

NOTE Confidence: 0.884556799545455

 $00:44:54.550 \longrightarrow 00:44:55.650$  Umm, later on in life,

NOTE Confidence: 0.884556799545455 00:44:55.650 --> 00:44:56.694 if if not that.

NOTE Confidence: 0.884556799545455

 $00:44:56.694 \longrightarrow 00:44:59.210$  So there are times that it's it's effective.

NOTE Confidence: 0.884556799545455

 $00:44:59.210 \longrightarrow 00:44:59.843$  So for instance,

NOTE Confidence: 0.884556799545455

00:44:59.843 --> 00:45:02.071 I just want to show you a case of mine

NOTE Confidence: 0.884556799545455

00:45:02.071 --> 00:45:04.149 when I was doing my residency and this is,

NOTE Confidence: 0.884556799545455

 $00:45:04.150 \longrightarrow 00:45:06.580$  this is the mouth of an 18 year old boy

NOTE Confidence: 0.884556799545455

 $00:45:06.643 \longrightarrow 00:45:08.809$  with there's absolutely no room for

 $00:45:08.809 \longrightarrow 00:45:11.130$  these two canine teeth to be placed.

NOTE Confidence: 0.884556799545455

00:45:11.130 --> 00:45:12.579 So if if anybody would would tell

NOTE Confidence: 0.884556799545455

 $00:45:12.579 \longrightarrow 00:45:14.354$  me that you need to fit all these

NOTE Confidence: 0.884556799545455

 $00:45:14.354 \longrightarrow 00:45:15.690$  teeth and push these teeth out,

NOTE Confidence: 0.884556799545455

 $00:45:15.690 \longrightarrow 00:45:17.406$  create more room for the tongue.

NOTE Confidence: 0.884556799545455

00:45:17.410 --> 00:45:18.640 And because this kid is going

NOTE Confidence: 0.884556799545455

 $00:45:18.640 \longrightarrow 00:45:19.460$  to have sleep apnea,

NOTE Confidence: 0.884556799545455

 $00:45:19.460 \longrightarrow 00:45:20.708$  if you take out teeth that's,

NOTE Confidence: 0.884556799545455

 $00:45:20.710 \longrightarrow 00:45:22.090$  you know that that's the wrong

NOTE Confidence: 0.884556799545455

 $00:45:22.090 \longrightarrow 00:45:23.240$  thing to do because the.

NOTE Confidence: 0.884556799545455

 $00:45:23.240 \longrightarrow 00:45:25.880$  They cannot push these teeth out and not

NOTE Confidence: 0.884556799545455

00:45:25.880 --> 00:45:28.350 cause problems for this child who is now 18,

NOTE Confidence: 0.884556799545455

 $00:45:28.350 \longrightarrow 00:45:29.350$  not a child anymore,

NOTE Confidence: 0.884556799545455

 $00:45:29.350 \longrightarrow 00:45:31.571$  but you know by 45 is going to

NOTE Confidence: 0.884556799545455

00:45:31.571 --> 00:45:33.226 have recession all along here.

00:45:33.230 --> 00:45:34.134 And Umm, you know,

NOTE Confidence: 0.884556799545455

 $00:45:34.134 \longrightarrow 00:45:35.940$  sensitive teeth and all sorts of problems.

NOTE Confidence: 0.884556799545455

00:45:35.940 --> 00:45:38.316 So no, we, I took out four teeth,

NOTE Confidence: 0.884556799545455

 $00:45:38.320 \longrightarrow 00:45:39.520$  as we can see is missing.

NOTE Confidence: 0.884556799545455

 $00:45:39.520 \longrightarrow 00:45:41.417$  Now these two teeth are gone here,

NOTE Confidence: 0.884556799545455

 $00:45:41.420 \longrightarrow 00:45:43.156$  and the same thing on the lower 2.

NOTE Confidence: 0.884556799545455

 $00:45:43.160 \longrightarrow 00:45:44.558$  Teeth are gone.

NOTE Confidence: 0.884556799545455

00:45:44.558 --> 00:45:45.956 Everything's fit nicely.

NOTE Confidence: 0.884556799545455

00:45:45.960 --> 00:45:48.273 And if you look at the side lateral view,

NOTE Confidence: 0.884556799545455

 $00:45:48.280 \longrightarrow 00:45:50.359$  you know there's not a the airway,

NOTE Confidence: 0.884556799545455

 $00:45:50.360 \longrightarrow 00:45:51.320$  at least from this view.

NOTE Confidence: 0.884556799545455

 $00:45:51.320 \longrightarrow 00:45:54.120$  You can't see significant change in it there.

NOTE Confidence: 0.884556799545455

 $00:45:54.120 \longrightarrow 00:45:55.920$  There shouldn't be and it's not.

NOTE Confidence: 0.884556799545455

 $00:45:55.920 \longrightarrow 00:45:57.880$  And this is sort of the superimposition

NOTE Confidence: 0.884556799545455

 $00:45:57.880 \longrightarrow 00:45:59.920$  before and after you see them gone back.

NOTE Confidence: 0.884556799545455

 $00:45:59.920 \longrightarrow 00:46:01.288$  I actually had to push the

 $00:46:01.288 \longrightarrow 00:46:02.200$  top teeth back too,

NOTE Confidence: 0.884556799545455

 $00:46:02.200 \longrightarrow 00:46:03.740$  but essentially there's really.

NOTE Confidence: 0.884556799545455

 $00:46:03.740 \longrightarrow 00:46:05.280$  Not a significant change.

NOTE Confidence: 0.884556799545455

 $00:46:05.280 \longrightarrow 00:46:07.180$  So a lot of times we do have to take

NOTE Confidence: 0.912279694166667

00:46:07.240 --> 00:46:09.249 out teeth. But unfortunately there

NOTE Confidence: 0.912279694166667

00:46:09.249 --> 00:46:12.812 has been a recent talks of, you know,

NOTE Confidence: 0.912279694166667

 $00:46:12.812 \longrightarrow 00:46:14.919$  over the past few years that orthodontists

NOTE Confidence: 0.912279694166667

00:46:14.919 --> 00:46:16.566 are causing sleep apnea because

NOTE Confidence: 0.912279694166667

00:46:16.566 --> 00:46:18.830 they're taking out teeth and all that.

NOTE Confidence: 0.912279694166667

 $00:46:18.830 \longrightarrow 00:46:20.630$  Just, you know, just to give you an example,

NOTE Confidence: 0.912279694166667

00:46:20.630 --> 00:46:22.128 if I'm sure you will hear it

NOTE Confidence: 0.912279694166667

 $00:46:22.128 \longrightarrow 00:46:23.510$  at one point or the other,

NOTE Confidence: 0.912279694166667

 $00{:}46{:}23.510 \dashrightarrow 00{:}46{:}26.350$  us being accused to, Umm, you know,

NOTE Confidence: 0.912279694166667

 $00{:}46{:}26.350 \dashrightarrow 00{:}46{:}28.310$  adding to your patient population in a way.

NOTE Confidence: 0.912279694166667

 $00{:}46{:}28.310 \dashrightarrow 00{:}46{:}31.046$  So the last thing I want to go

 $00:46:31.046 \longrightarrow 00:46:34.079$  over is the orthogonathic surgery.

NOTE Confidence: 0.912279694166667

 $00{:}46{:}34.080 \dashrightarrow 00{:}46{:}36.904$  Interventions that we do a lot to not

NOTE Confidence: 0.912279694166667

 $00:46:36.904 \longrightarrow 00:46:39.238$  during usually we tend to do that for,

NOTE Confidence: 0.912279694166667

 $00:46:39.240 \longrightarrow 00:46:41.344$  you know, when the children are done with

NOTE Confidence: 0.912279694166667

00:46:41.344 --> 00:46:43.362 growing but you know sort of bringing

NOTE Confidence: 0.912279694166667

00:46:43.362 --> 00:46:45.200 the jaws forward for orthodontic effort,

NOTE Confidence: 0.912279694166667

00:46:45.200 --> 00:46:46.067 they're, you know,

NOTE Confidence: 0.912279694166667

 $00:46:46.067 \longrightarrow 00:46:47.801$  sort of their function and their

NOTE Confidence: 0.912279694166667

 $00:46:47.801 \longrightarrow 00:46:48.839$  aesthetics of their faces.

NOTE Confidence: 0.912279694166667

 $00:46:48.840 \longrightarrow 00:46:50.513$  But also too we know how that

NOTE Confidence: 0.912279694166667

 $00{:}46{:}50.513 \dashrightarrow 00{:}46{:}51.880$  would affect their Airways too.

NOTE Confidence: 0.912279694166667

 $00:46:51.880 \longrightarrow 00:46:54.373$  So the idea is that we can still, uh,

NOTE Confidence: 0.912279694166667

 $00:46:54.373 \longrightarrow 00:46:56.038$  when there is mandibular deformities,

NOTE Confidence: 0.912279694166667

 $00:46:56.040 \longrightarrow 00:46:57.440$  when there's efficiency in the

NOTE Confidence: 0.912279694166667

 $00:46:57.440 \longrightarrow 00:46:58.000$  mandible mandible,

NOTE Confidence: 0.912279694166667

 $00:46:58.000 \longrightarrow 00:46:59.375$  we don't have to necessarily

 $00:46:59.375 \longrightarrow 00:47:00.475$  wait for them to,

NOTE Confidence: 0.912279694166667

 $00:47:00.480 \longrightarrow 00:47:02.650$  you know be 2122 to do the

NOTE Confidence: 0.912279694166667

 $00:47:02.650 \longrightarrow 00:47:04.339$  surgery the if there is.

NOTE Confidence: 0.912279694166667

 $00:47:04.340 \longrightarrow 00:47:07.462$  As preoperative rate of growth is can

NOTE Confidence: 0.912279694166667

 $00:47:07.462 \longrightarrow 00:47:10.153$  be maintained after bilateral sagittal

NOTE Confidence: 0.912279694166667

 $00:47:10.153 \longrightarrow 00:47:13.338$  osteotomy or vertical Ramis osteotomy.

NOTE Confidence: 0.912279694166667

 $00:47:13.340 \longrightarrow 00:47:15.724$  If the rate of growth was normal and

NOTE Confidence: 0.912279694166667

 $00:47:15.724 \longrightarrow 00:47:18.544$  the the jaws were just very much they

NOTE Confidence: 0.912279694166667

 $00{:}47{:}18.544 \dashrightarrow 00{:}47{:}20.999$  had a large discrepancy and we do the,

NOTE Confidence: 0.912279694166667

 $00{:}47{:}21.000 \dashrightarrow 00{:}47{:}22.673$  we do the surgery then you know

NOTE Confidence: 0.912279694166667

 $00:47:22.673 \longrightarrow 00:47:24.584$  that it tends to grow at the same

NOTE Confidence: 0.912279694166667

 $00:47:24.584 \longrightarrow 00:47:26.100$  normal rate that it was going.

NOTE Confidence: 0.912279694166667

00:47:26.100 --> 00:47:28.100 Now if the rate of growth was deficient

NOTE Confidence: 0.912279694166667

 $00:47:28.100 \longrightarrow 00:47:30.251$  for the mandible prior to surgery then

NOTE Confidence: 0.912279694166667

 $00{:}47{:}30.251 \dashrightarrow 00{:}47{:}32.127$  chances are that it continues the

 $00:47:32.127 \longrightarrow 00:47:34.414$  same way and the and the child may need.

NOTE Confidence: 0.912279694166667

 $00:47:34.414 \longrightarrow 00:47:36.058$  And a second surgery later on.

NOTE Confidence: 0.912279694166667

 $00:47:36.060 \longrightarrow 00:47:37.990$  But a lot of times there could

NOTE Confidence: 0.912279694166667

 $00:47:37.990 \longrightarrow 00:47:39.565$  be indications that we have to do

NOTE Confidence: 0.912279694166667

 $00:47:39.565 \longrightarrow 00:47:41.089$  the surgery maybe when they're,

NOTE Confidence: 0.912279694166667

00:47:41.090 --> 00:47:42.734 you know, 1314.

NOTE Confidence: 0.912279694166667

00:47:42.734 --> 00:47:45.474 And then for maxillary deformities,

NOTE Confidence: 0.912279694166667

 $00:47:45.480 \longrightarrow 00:47:47.405$  if there's a very small maxilla now,

NOTE Confidence: 0.912279694166667

 $00:47:47.410 \longrightarrow 00:47:49.048$  now the problem becomes the like

NOTE Confidence: 0.912279694166667

 $00:47:49.048 \longrightarrow 00:47:51.264$  we have to realize that any laford

NOTE Confidence: 0.912279694166667

 $00{:}47{:}51.264 \dashrightarrow 00{:}47{:}52.326$  maxillary osteotomy inhibits

NOTE Confidence: 0.912279694166667

 $00:47:52.326 \longrightarrow 00:47:54.230$  further growth of the maxilla.

NOTE Confidence: 0.912279694166667

 $00:47:54.230 \longrightarrow 00:47:55.995$  So a vertical growth continues

NOTE Confidence: 0.912279694166667

 $00{:}47{:}55.995 \dashrightarrow 00{:}47{:}57.407$  at the presurgical rate.

NOTE Confidence: 0.912279694166667

00:47:57.410 --> 00:47:59.312 But because we can't expect much

NOTE Confidence: 0.912279694166667

 $00:47:59.312 \longrightarrow 00:48:01.346$  forward growth in the in the

00:48:01.346 --> 00:48:03.106 maxilla after the Lefort osteotomy,

NOTE Confidence: 0.912279694166667

 $00{:}48{:}03.110 \dashrightarrow 00{:}48{:}05.492$  there has to be some overcorrection

NOTE Confidence: 0.912279694166667 00:48:05.492 --> 00:48:06.286 plans too. NOTE Confidence: 0.912279694166667

00:48:06.290 --> 00:48:08.477 And the last thing I want to go over

NOTE Confidence: 0.912279694166667

00:48:08.477 --> 00:48:10.662 is another another study we did here

NOTE Confidence: 0.912279694166667

 $00:48:10.662 \longrightarrow 00:48:13.038$  at at BU looking at the effect of.

NOTE Confidence: 0.912279694166667

 $00:48:13.040 \longrightarrow 00:48:14.768$  Different types of surgeries and again

NOTE Confidence: 0.912279694166667

 $00:48:14.768 \longrightarrow 00:48:16.280$  different segments of the airway.

NOTE Confidence: 0.912279694166667

 $00:48:16.280 \longrightarrow 00:48:18.499$  Now we have again the nasal area,

NOTE Confidence: 0.912279694166667

00:48:18.500 --> 00:48:20.132 the nasopharyngeal area,

NOTE Confidence: 0.912279694166667

00:48:20.132 --> 00:48:23.396 oropharynx and hypopharynx and we looked

NOTE Confidence: 0.912279694166667

 $00:48:23.396 \longrightarrow 00:48:26.032$  at the maxillary advancement alone,

NOTE Confidence: 0.912279694166667

 $00{:}48{:}26.032 \dashrightarrow 00{:}48{:}28.124$  mandibular advancement alone and

NOTE Confidence: 0.912279694166667

 $00:48:28.124 \longrightarrow 00:48:30.000$  then bimaxillary advancement.

NOTE Confidence: 0.912279694166667

 $00:48:30.000 \longrightarrow 00:48:31.668$  And I've just highlighted the significant

00:48:31.668 --> 00:48:33.409 changes in volume in each of them.

NOTE Confidence: 0.912279694166667

 $00:48:33.410 \longrightarrow 00:48:35.111$  And you can see that the next

NOTE Confidence: 0.912279694166667

00:48:35.111 --> 00:48:36.562 three advancement along the only

NOTE Confidence: 0.912279694166667

 $00:48:36.562 \longrightarrow 00:48:37.902$  significant change actually appeared

NOTE Confidence: 0.912279694166667

00:48:37.902 --> 00:48:39.642 in the oropharyngeal region with

NOTE Confidence: 0.912279694166667

 $00:48:39.642 \longrightarrow 00:48:41.038$  the mandibular advancement alone,

NOTE Confidence: 0.912279694166667

 $00:48:41.040 \longrightarrow 00:48:43.040$  same thing or financial region.

NOTE Confidence: 0.912279694166667

 $00:48:43.040 \longrightarrow 00:48:43.748$  Increased significantly.

NOTE Confidence: 0.912279694166667

00:48:43.748 --> 00:48:46.226 But when you put the two together

NOTE Confidence: 0.912279694166667

00:48:46.226 --> 00:48:48.331 and you do an MMA bimaxillary

NOTE Confidence: 0.912279694166667

 $00{:}48{:}48.331 \dashrightarrow 00{:}48{:}50.016$  advancement now there is increase

NOTE Confidence: 0.789896958965517

00:48:50.079 --> 00:48:52.364 in nasopharyngeal cavity or pharyngeal

NOTE Confidence: 0.789896958965517

 $00:48:52.364 \longrightarrow 00:48:54.192$  cavity and hypopharyngeal cavity.

NOTE Confidence: 0.789896958965517

 $00:48:54.200 \longrightarrow 00:48:56.450$  Now because by bringing the maxilla

NOTE Confidence: 0.789896958965517

 $00:48:56.450 \longrightarrow 00:48:58.988$  forward now we're giving a chance for

NOTE Confidence: 0.789896958965517

 $00:48:58.988 \longrightarrow 00:49:01.263$  the mandible to be even further brought

 $00:49:01.325 \longrightarrow 00:49:03.949$  forward and in harmony with the upper jaw.

NOTE Confidence: 0.789896958965517

 $00:49:03.950 \longrightarrow 00:49:06.214$  And this is, this is what we're seeing

NOTE Confidence: 0.789896958965517

 $00:49:06.214 \longrightarrow 00:49:08.802$  both in the volume and this is the

NOTE Confidence: 0.789896958965517

 $00:49:08.802 \longrightarrow 00:49:11.418$  minimum cross section area that for all

NOTE Confidence: 0.789896958965517

 $00:49:11.418 \longrightarrow 00:49:13.493$  of them actually increased significantly.

NOTE Confidence: 0.789896958965517

 $00:49:13.500 \longrightarrow 00:49:17.234$  And then we showed that you know if

NOTE Confidence: 0.789896958965517

 $00:49:17.234 \longrightarrow 00:49:20.106$  there is any for every millimeter of

NOTE Confidence: 0.789896958965517

 $00{:}49{:}20.106 \dashrightarrow 00{:}49{:}22.276$  anterior movement that the greater

NOTE Confidence: 0.789896958965517

 $00:49:22.276 \longrightarrow 00:49:25.035$  Palatine frame and that we that we

NOTE Confidence: 0.789896958965517

 $00:49:25.035 \longrightarrow 00:49:26.981$  measured for bimaxillary surgery for

NOTE Confidence: 0.789896958965517

00:49:26.981 --> 00:49:29.627 every anterior movement of the maxilla

NOTE Confidence: 0.789896958965517

 $00:49:29.627 \longrightarrow 00:49:33.423$  we we see so much increase in in volume

NOTE Confidence: 0.789896958965517

 $00{:}49{:}33.423 \to 00{:}49{:}36.282$  and same way with the downward with

NOTE Confidence: 0.789896958965517

 $00:49:36.282 \longrightarrow 00:49:38.587$  every millimeter downward movement of

NOTE Confidence: 0.789896958965517

 $00:49:38.587 \longrightarrow 00:49:41.331$  the posterior nasal spine again we're

 $00:49:41.331 \longrightarrow 00:49:43.923$  seeing so much increase in nasopharyngeal.

NOTE Confidence: 0.789896958965517 00:49:43.930 --> 00:49:44.418 Gravity. NOTE Confidence: 0.789896958965517

00:49:44.418 --> 00:49:47.834 So just to show you some pictures,

NOTE Confidence: 0.789896958965517

 $00:49:47.840 \longrightarrow 00:49:49.532$  this is an example of a

NOTE Confidence: 0.789896958965517

00:49:49.532 --> 00:49:50.096 mandibular advancement.

NOTE Confidence: 0.789896958965517

00:49:50.100 --> 00:49:53.130 You see how the mandible is so far back huge

NOTE Confidence: 0.789896958965517

 $00:49:53.205 \longrightarrow 00:49:55.711$  overjet and this is before surgery where

NOTE Confidence: 0.789896958965517

00:49:55.711 --> 00:49:58.996 the jaw was and where it's brought forward,

NOTE Confidence: 0.789896958965517

 $00{:}49{:}59.000 \dashrightarrow 00{:}50{:}00.984$  just a single jaw.

NOTE Confidence: 0.789896958965517

 $00:50:00.984 \longrightarrow 00:50:01.976$  Mandibular advancement.

NOTE Confidence: 0.789896958965517

 $00:50:01.980 \longrightarrow 00:50:05.376$  And this is the facial change,

NOTE Confidence: 0.789896958965517

 $00:50:05.380 \longrightarrow 00:50:07.145$  the not sort of occlusion

NOTE Confidence: 0.789896958965517

 $00:50:07.145 \longrightarrow 00:50:09.280$  and then on the airway too.

NOTE Confidence: 0.789896958965517

 $00:50:09.280 \longrightarrow 00:50:10.819$  So this is where the jaw used to be.

NOTE Confidence: 0.789896958965517

 $00:50:10.820 \longrightarrow 00:50:12.542$  The upper is not touched practically

NOTE Confidence: 0.789896958965517

 $00:50:12.542 \longrightarrow 00:50:14.170$  this is where the initial.

00:50:14.170 --> 00:50:15.700 Position of the lower jaw,

NOTE Confidence: 0.789896958965517

 $00:50:15.700 \longrightarrow 00:50:17.908$  the final position and the increase

NOTE Confidence: 0.789896958965517

 $00:50:17.908 \longrightarrow 00:50:21.107$  in the in the airway as you can see.

NOTE Confidence: 0.789896958965517

 $00:50:21.110 \longrightarrow 00:50:22.916$  And from another view from the

NOTE Confidence: 0.789896958965517

 $00:50:22.916 \longrightarrow 00:50:25.093$  axial view again this is where you

NOTE Confidence: 0.789896958965517

 $00{:}50{:}25.093 \dashrightarrow 00{:}50{:}26.905$  know the initial position and and

NOTE Confidence: 0.789896958965517

 $00:50:26.905 \longrightarrow 00:50:28.685$  after and how the airway changes

NOTE Confidence: 0.789896958965517

 $00{:}50{:}28.685 \dashrightarrow 00{:}50{:}30.854$  and she's not going to go over the

NOTE Confidence: 0.789896958965517

 $00:50:30.854 \longrightarrow 00:50:32.590$  numbers much with you at this point.

NOTE Confidence: 0.789896958965517

 $00:50:32.590 \longrightarrow 00:50:33.706$  Skeletal class 3,

NOTE Confidence: 0.789896958965517

 $00:50:33.706 \longrightarrow 00:50:36.310$  that's when the maxilla is has not

NOTE Confidence: 0.789896958965517

 $00:50:36.389 \longrightarrow 00:50:38.909$  grown as much in a way it's smaller

NOTE Confidence: 0.789896958965517

 $00{:}50{:}38.909 \dashrightarrow 00{:}50{:}41.804$  and it's not projected as much or the

NOTE Confidence: 0.789896958965517

 $00:50:41.804 \longrightarrow 00:50:44.590$  mandible appears to be to have grown so much.

NOTE Confidence: 0.789896958965517

00:50:44.590 --> 00:50:46.462 But really and truly most of the time

00:50:46.462 --> 00:50:48.389 really the mandible is is not at fault

NOTE Confidence: 0.789896958965517

 $00:50:48.389 \longrightarrow 00:50:50.210$  and it's the maxilla didn't grow much.

NOTE Confidence: 0.78989695896551700:50:50.210 --> 00:50:51.053 So it's best.

NOTE Confidence: 0.789896958965517

 $00:50:51.053 \longrightarrow 00:50:52.739$  And also to for the airway,

NOTE Confidence: 0.789896958965517

 $00:50:52.740 \longrightarrow 00:50:54.876$  it's best to try and bring the maxilla

NOTE Confidence: 0.789896958965517

 $00:50:54.876 \longrightarrow 00:50:56.973$  forward as opposed to setting back the

NOTE Confidence: 0.789896958965517

 $00:50:56.973 \longrightarrow 00:50:59.035$  mandible and that's what we set up

NOTE Confidence: 0.789896958965517

 $00:50:59.035 \longrightarrow 00:51:01.070$  the patients for and we set them up

NOTE Confidence: 0.789896958965517

 $00:51:01.070 \longrightarrow 00:51:03.130$  and then they go through the surgery.

NOTE Confidence: 0.789896958965517

 $00:51:03.130 \longrightarrow 00:51:05.338$  So this was a double job because we

NOTE Confidence: 0.789896958965517

 $00{:}51{:}05.338 \dashrightarrow 00{:}51{:}07.270$  don't want to do just the demand.

NOTE Confidence: 0.789896958965517

 $00:51:07.270 \longrightarrow 00:51:08.745$  Maxilla forward sometimes may affect

NOTE Confidence: 0.789896958965517

 $00:51:08.745 \longrightarrow 00:51:10.824$  the esthetics of the nose too depending

NOTE Confidence: 0.789896958965517

 $00:51:10.824 \longrightarrow 00:51:12.468$  on how much advancement we need.

NOTE Confidence: 0.789896958965517

 $00:51:12.470 \longrightarrow 00:51:15.014$  So then we sort of titrated not having

NOTE Confidence: 0.789896958965517

 $00{:}51{:}15.014 \dashrightarrow 00{:}51{:}17.609$  to do just the mandible back and

 $00:51:17.609 \longrightarrow 00:51:20.510$  affecting the airway in a negative way.

NOTE Confidence: 0.789896958965517

 $00{:}51{:}20.510 \dashrightarrow 00{:}51{:}23.222$  And then the most common one for sleep

NOTE Confidence: 0.789896958965517

 $00{:}51{:}23.222 \dashrightarrow 00{:}51{:}24.695$  apnea maxillomandibular advancement and

NOTE Confidence: 0.789896958965517

 $00:51:24.695 \longrightarrow 00:51:27.285$  that it enlarges the pharyngeal airway space.

NOTE Confidence: 0.789896958965517

 $00:51:27.290 \longrightarrow 00:51:28.900$  It tightens the upper airway

NOTE Confidence: 0.789896958965517

 $00:51:28.900 \longrightarrow 00:51:30.510$  muscles and tendons and Umm.

NOTE Confidence: 0.789896958965517

 $00:51:30.510 \longrightarrow 00:51:33.370$  But the counterclockwise rotation

NOTE Confidence: 0.789896958965517

 $00{:}51{:}33.370 \dashrightarrow 00{:}51{:}36.102$  especially there's 4547% increase that's

NOTE Confidence: 0.789896958965517

 $00{:}51{:}36.102 \dashrightarrow 00{:}51{:}38.610$  been shown in the financial airway space,

NOTE Confidence: 0.789896958965517

 $00:51:38.610 \longrightarrow 00:51:40.045$  in the soft palate and at the

NOTE Confidence: 0.789896958965517

 $00:51:40.045 \longrightarrow 00:51:41.070$  base of the tongue.

NOTE Confidence: 0.789896958965517

 $00:51:41.070 \longrightarrow 00:51:44.430$  This goes up to 76%

NOTE Confidence: 0.82082547

 $00:51:44.430 \longrightarrow 00:51:47.682$  and another superimposition of it showing

NOTE Confidence: 0.82082547

 $00:51:47.682 \longrightarrow 00:51:50.630$  the before and after how that changes.

NOTE Confidence: 0.82082547

00:51:50.630 --> 00:51:52.030 It's a bimaxillary advancement

 $00:51:52.030 \longrightarrow 00:51:54.941$  and most of the changes you see is

NOTE Confidence: 0.82082547

 $00{:}51{:}54.941 \dashrightarrow 00{:}51{:}56.796$  happening in the orophary ngeal area.

NOTE Confidence: 0.82082547

 $00:51:56.800 \longrightarrow 00:51:58.768$  I'm sorry I went very fast the last

NOTE Confidence: 0.82082547

 $00:51:58.768 \longrightarrow 00:52:00.200$  few slides, but that's all I got.

NOTE Confidence: 0.82082547

 $00:52:00.200 \longrightarrow 00:52:02.016$  Happy to answer any questions you may have.

NOTE Confidence: 0.722658495714286

00:52:07.570 --> 00:52:09.094 Doctor Orbach, I think

NOTE Confidence: 0.722658495714286

 $00:52:09.094 \longrightarrow 00:52:10.940$  you're on mute. You're muted.

NOTE Confidence: 0.82075115

00:52:18.490 --> 00:52:21.199 Sorry, we can't. I can't hear you.

NOTE Confidence: 0.82075115

 $00:52:21.200 \longrightarrow 00:52:23.160$  Alright, ask to mute.

NOTE Confidence: 0.832453353333333

 $00:52:27.050 \longrightarrow 00:52:27.638$  There you go.

NOTE Confidence: 0.830217002

00:52:27.790 --> 00:52:32.925 OK. Am I off? So thank you so much for

NOTE Confidence: 0.830217002

 $00:52:32.925 \longrightarrow 00:52:35.390$  such a wonderful talk, so thorough.

NOTE Confidence: 0.830217002

 $00{:}52{:}35.390 \dashrightarrow 00{:}52{:}37.026$  I I wonder if we have a few minutes.

NOTE Confidence: 0.830217002

 $00:52:37.030 \longrightarrow 00:52:40.236$  And I think that people can unmute

NOTE Confidence: 0.830217002

 $00:52:40.236 \longrightarrow 00:52:42.590$  themselves to ask questions.

NOTE Confidence: 0.830217002

 $00:52:42.590 \longrightarrow 00:52:45.069$  If there are any people have any questions,

 $00:52:45.070 \longrightarrow 00:52:46.753$  they'll probably be the easiest way to do it.

NOTE Confidence: 0.762946495

 $00:52:47.650 \longrightarrow 00:52:48.250$  All right, let's see.

NOTE Confidence: 0.762946495

 $00:52:48.250 \longrightarrow 00:52:49.642$  Let me, I see. Doctor Robert

NOTE Confidence: 0.762946495

 $00:52:49.642 \longrightarrow 00:52:51.620$  Thomas has a question in the chat.

NOTE Confidence: 0.762946495

 $00:52:51.620 \longrightarrow 00:52:52.880$  So let him unmute himself first,

NOTE Confidence: 0.762946495

 $00:52:52.880 \longrightarrow 00:52:54.420$  then we'll go to Doctor Connor Perry.

NOTE Confidence: 0.838385863333333

 $00:52:57.840 \longrightarrow 00:52:59.388$  Yes, the question I had was

NOTE Confidence: 0.852872292857143

00:53:00.160 --> 00:53:02.422 the time it takes to remodel

NOTE Confidence: 0.852872292857143

 $00:53:02.422 \longrightarrow 00:53:05.420$  the face, say expansion and

NOTE Confidence: 0.852872292857143

 $00:53:05.420 \longrightarrow 00:53:07.830$  similar techniques months, years.

NOTE Confidence: 0.809244869285714

 $00{:}53{:}08.630 \dashrightarrow 00{:}53{:}11.118$  Ohh sure. So what we do with expansion

NOTE Confidence: 0.809244869285714

 $00:53:11.118 \longrightarrow 00:53:13.269$  is generally it's definitely a month.

NOTE Confidence: 0.809244869285714

 $00{:}53{:}13.270 \dashrightarrow 00{:}53{:}15.334$  So what we do is that the active

NOTE Confidence: 0.809244869285714

00:53:15.334 --> 00:53:17.014 portion of it would be probably

NOTE Confidence: 0.809244869285714

 $00{:}53{:}17.014 \dashrightarrow 00{:}53{:}19.378$  weeks and then we sort of hold it

00:53:19.378 --> 00:53:21.322 to allow for a bone acquisition

NOTE Confidence: 0.809244869285714

 $00:53:21.322 \longrightarrow 00:53:23.041$  and remodeling to happen somewhere

NOTE Confidence: 0.809244869285714

 $00:53:23.041 \longrightarrow 00:53:25.183$  between four to six months after.

NOTE Confidence: 0.809244869285714

 $00:53:25.190 \longrightarrow 00:53:27.872$  And then we hold the teeth with with some

NOTE Confidence: 0.809244869285714

 $00:53:27.872 \longrightarrow 00:53:30.386$  sort of a retainer or will we go on to

NOTE Confidence: 0.809244869285714

 $00:53:30.386 \longrightarrow 00:53:32.895$  the to with the rest of the treatment.

NOTE Confidence: 0.55162993

 $00{:}53{:}34.420 \dashrightarrow 00{:}53{:}35.899$  Already done in a dults. I mean you

NOTE Confidence: 0.55162993

 $00:53:35.899 \longrightarrow 00:53:37.416$  had a crack in the bone to do that.

NOTE Confidence: 0.856225612

 $00:53:37.480 \longrightarrow 00:53:39.550$  But so that's what I was

NOTE Confidence: 0.856225612

 $00:53:39.550 \longrightarrow 00:53:40.930$  explaining earlier that the,

NOTE Confidence: 0.856225612

 $00{:}53{:}40.930 \dashrightarrow 00{:}53{:}43.747$  the suture itself may not be a problem much,

NOTE Confidence: 0.856225612

 $00:53:43.750 \longrightarrow 00:53:46.014$  but there is the sort of the zygomatic

NOTE Confidence: 0.856225612

 $00:53:46.014 \longrightarrow 00:53:47.679$  but tress and the terrigal plates

NOTE Confidence: 0.856225612

 $00{:}53{:}47.679 \dashrightarrow 00{:}53{:}49.749$  posteriorly that become really most of

NOTE Confidence: 0.856225612

 $00:53:49.749 \longrightarrow 00:53:51.929$  the resistance is coming from there.

NOTE Confidence: 0.856225612

 $00:53:51.930 \longrightarrow 00:53:53.680$  So that's why if we once we

 $00:53:53.680 \longrightarrow 00:53:55.358$  need to do it in adults,

NOTE Confidence: 0.856225612

 $00{:}53{:}55.360 \dashrightarrow 00{:}53{:}57.412$  a lot of times we do need the surgeons

NOTE Confidence: 0.856225612

 $00:53:57.412 \longrightarrow 00:53:59.028$  to go in and uh, release those.

NOTE Confidence: 0.856225612

 $00:53:59.028 \longrightarrow 00:54:01.121$  So it would it would involve what

NOTE Confidence: 0.856225612

 $00:54:01.121 \longrightarrow 00:54:03.262$  we call a surgically assisted

NOTE Confidence: 0.856225612

00:54:03.262 --> 00:54:04.594 rapid maxillary expansion.

NOTE Confidence: 0.856225612

00:54:04.600 --> 00:54:05.370 A starpiece,

NOTE Confidence: 0.856225612

 $00:54:05.370 \longrightarrow 00:54:08.450$  so that that's sort of the indication here.

NOTE Confidence: 0.7486606

 $00.54:11.530 \longrightarrow 00.54:12.610$  Is that major surgery?

NOTE Confidence: 0.81330527777778

 $00:54:14.120 \longrightarrow 00:54:16.780$  It can be an uh in office

NOTE Confidence: 0.81330527777778

 $00{:}54{:}16.780 \dashrightarrow 00{:}54{:}18.394$  surgery actually, but most,

NOTE Confidence: 0.81330527777778

 $00:54:18.394 \longrightarrow 00:54:20.956$  most surgeons that I know prefer,

NOTE Confidence: 0.81330527777778

 $00{:}54{:}20.960 --> 00{:}54{:}22.764$  you know, to do it. But it's not.

NOTE Confidence: 0.81330527777778

 $00:54:22.764 \longrightarrow 00:54:24.870$  I think it's a day surgery not not

NOTE Confidence: 0.81330527777778

 $00:54:24.870 \longrightarrow 00:54:26.350$  keeping the patients overnight.

 $00:54:28.520 \longrightarrow 00:54:30.449$  Doctor Kenneth Perry.

NOTE Confidence: 0.6049388

00:54:30.450 --> 00:54:32.042 Hi, Doctor Parsi, thanks.

NOTE Confidence: 0.6049388

 $00:54:32.042 \longrightarrow 00:54:34.430$  That was such a interesting topic.

NOTE Confidence: 0.6049388

 $00:54:34.430 \longrightarrow 00:54:36.810 \text{ I I work in Pediatrics}.$ 

NOTE Confidence: 0.6049388

 $00:54:36.810 \longrightarrow 00:54:39.172$  So these are issues that we we

NOTE Confidence: 0.6049388

00:54:39.172 --> 00:54:41.286 think about a lot and actually have

NOTE Confidence: 0.6049388

 $00{:}54{:}41.286 \dashrightarrow 00{:}54{:}43.043$  two questions of first of all I I

NOTE Confidence: 0.6049388

 $00:54:43.043 \longrightarrow 00:54:44.310$  do wonder if you think there's any

NOTE Confidence: 0.6049388

 $00:54:44.310 \longrightarrow 00:54:45.870$  role for myofunctional therapy.

NOTE Confidence: 0.6049388

00:54:45.870 --> 00:54:47.765 I think you sort of kind of referenced

NOTE Confidence: 0.6049388

 $00{:}54{:}47.765 \dashrightarrow 00{:}54{:}49.810$  a lot of the myofunctional therapy

NOTE Confidence: 0.6049388

 $00{:}54{:}49.810 \dashrightarrow 00{:}54{:}52.080$  zealots talking about you can never

NOTE Confidence: 0.6049388

 $00:54:52.080 \longrightarrow 00:54:54.052$  pull out a tooth or someone's

NOTE Confidence: 0.6049388

 $00{:}54{:}54.052 \dashrightarrow 00{:}54{:}55.580$  going to be a terrible airway and

NOTE Confidence: 0.6049388

 $00:54:55.580 \longrightarrow 00:54:57.630$  and and the other question,

NOTE Confidence: 0.6049388

 $00:54:57.630 \longrightarrow 00:54:59.709$  but I do think there is some,

 $00:54:59.710 \longrightarrow 00:55:01.228$  there's some interesting.

NOTE Confidence: 0.6049388

 $00:55:01.230 \longrightarrow 00:55:02.393$  Stuff in the literature about that.

NOTE Confidence: 0.6049388

 $00:55:02.393 \longrightarrow 00:55:04.017$  And the other thing is if you think

NOTE Confidence: 0.6049388

 $00:55:04.017 \longrightarrow 00:55:05.348$  that this is something I think

NOTE Confidence: 0.6049388

 $00:55:05.348 \longrightarrow 00:55:06.947$  about with my kids when I see them

NOTE Confidence: 0.6049388

 $00{:}55{:}06.947 \dashrightarrow 00{:}55{:}08.676$  looking at their phones all the time.

NOTE Confidence: 0.6049388

00:55:08.680 --> 00:55:10.156 If you think that having people

NOTE Confidence: 0.6049388

 $00:55:10.156 \longrightarrow 00:55:12.423$  have their head a lot in sort of an

NOTE Confidence: 0.6049388

 $00{:}55{:}12.423 \dashrightarrow 00{:}55{:}13.957$  anterior head carriage is going to

NOTE Confidence: 0.6049388

 $00:55:13.957 \dashrightarrow 00:55:15.926$  affect their airway adversely as well.

NOTE Confidence: 0.6049388

00:55:15.926 --> 00:55:18.214 I mean I I think I have the,

NOTE Confidence: 0.6049388

 $00:55:18.220 \longrightarrow 00:55:20.334$  I share the same sentiments that you

NOTE Confidence: 0.6049388

 $00{:}55{:}20.334 \dashrightarrow 00{:}55{:}22.840$  with them like children on the phone too.

NOTE Confidence: 0.6049388

00:55:22.840 --> 00:55:24.400 And I can't imagine it wouldn't

NOTE Confidence: 0.6049388

 $00:55:24.400 \longrightarrow 00:55:26.238$  because again at the end of the day,

 $00:55:26.240 \longrightarrow 00:55:26.894 \text{ I don't know}.$ 

NOTE Confidence: 0.6049388

 $00{:}55{:}26.894 \dashrightarrow 00{:}55{:}28.717$  I mean the the tissues don't know what

NOTE Confidence: 0.6049388

 $00:55:28.717 \longrightarrow 00:55:30.693$  it is that's holding them in that position.

NOTE Confidence: 0.6049388

 $00:55:30.700 \longrightarrow 00:55:31.252$  So the response.

NOTE Confidence: 0.6049388

 $00:55:31.252 \longrightarrow 00:55:31.988$  Would be the same.

NOTE Confidence: 0.6049388

 $00:55:31.990 \longrightarrow 00:55:33.110$  We just have to hit the threshold.

NOTE Confidence: 0.6049388

 $00:55:33.110 \longrightarrow 00:55:35.045$  It just has to be held in that position

NOTE Confidence: 0.6049388

 $00:55:35.045 \longrightarrow 00:55:36.965$  long enough for the response to happen.

NOTE Confidence: 0.6049388

 $00:55:36.970 \longrightarrow 00:55:38.895$  If these are intermittent short

NOTE Confidence: 0.6049388

 $00:55:38.895 \longrightarrow 00:55:40.050$  instances it's fine.

NOTE Confidence: 0.6049388

 $00:55:40.050 \longrightarrow 00:55:43.025$  But if it's long instances that it,

NOTE Confidence: 0.6049388

 $00:55:43.030 \longrightarrow 00:55:44.640$  it's sort of like the same way

NOTE Confidence: 0.6049388

00:55:44.640 --> 00:55:46.585 that you were just mentioning the

NOTE Confidence: 0.6049388

 $00{:}55{:}46.585 \dashrightarrow 00{:}55{:}48.177$  myo functional therapies and there's

NOTE Confidence: 0.6049388

 $00:55:48.177 \longrightarrow 00:55:50.268$  definitely some some benefit to them.

NOTE Confidence: 0.6049388

 $00{:}55{:}50.270 \dashrightarrow 00{:}55{:}52.614$  I'm not very well versed and I don't

 $00{:}55{:}52.614 \dashrightarrow 00{:}55{:}54.905$  think there's really a lot of robust

NOTE Confidence: 0.6049388

 $00{:}55{:}54.905 \dashrightarrow 00{:}55{:}56.545$  good peer reviewed literature out

NOTE Confidence: 0.6049388

00:55:56.612 --> 00:55:58.526 there unfortunately to to set up

NOTE Confidence: 0.6049388

00:55:58.526 --> 00:56:00.465 protocols for us on my functional

NOTE Confidence: 0.6049388

 $00:56:00.465 \longrightarrow 00:56:01.765$  therapy but for sure.

NOTE Confidence: 0.6049388

 $00:56:01.770 \longrightarrow 00:56:03.842$  When I see a sort of the anterior

NOTE Confidence: 0.6049388

 $00:56:03.842 \longrightarrow 00:56:05.848$  teeth not touching and I see a

NOTE Confidence: 0.6049388

 $00{:}56{:}05.848 \dashrightarrow 00{:}56{:}07.655$  tongue that's just sort of sitting

NOTE Confidence: 0.6049388

 $00:56:07.655 \longrightarrow 00:56:08.959$  there at all times,

NOTE Confidence: 0.6049388

 $00:56:08.960 \longrightarrow 00:56:10.256$  then I know the reason there.

NOTE Confidence: 0.6049388

 $00{:}56{:}10.260 \dashrightarrow 00{:}56{:}11.730$  So if that tongue would be trained

NOTE Confidence: 0.6049388

 $00{:}56{:}11.730 \dashrightarrow 00{:}56{:}13.247$  not to sit in between those teeth

NOTE Confidence: 0.6049388

 $00:56:13.247 \longrightarrow 00:56:15.019$  and sit on the roof of the mouth,

NOTE Confidence: 0.6049388

 $00{:}56{:}15.020 \dashrightarrow 00{:}56{:}16.670$  I see the teeth actually self

NOTE Confidence: 0.6049388

 $00:56:16.670 \longrightarrow 00:56:18.679$  correct most of the way if not all.

 $00:56:18.680 \longrightarrow 00:56:21.558$  So there is definitely some some

NOTE Confidence: 0.6049388

 $00:56:21.558 \longrightarrow 00:56:25.860$  benefit to to to a lot of it but.

NOTE Confidence: 0.6049388

 $00:56:25.860 \longrightarrow 00:56:27.492$  But like many other new things

NOTE Confidence: 0.6049388

 $00:56:27.492 \longrightarrow 00:56:29.243$  that we just don't know enough

NOTE Confidence: 0.6049388

00:56:29.243 --> 00:56:31.343 about and there hasn't been a good

NOTE Confidence: 0.6049388

 $00:56:31.343 \longrightarrow 00:56:32.539$  studies uh carried out.

NOTE Confidence: 0.6049388

 $00:56:32.540 \longrightarrow 00:56:34.948$  It's overused a lot of times with not

NOTE Confidence: 0.6049388

 $00:56:34.948 \longrightarrow 00:56:37.520$  having a good base knowledge about it.

NOTE Confidence: 0.93139855

 $00:56:39.570 \longrightarrow 00:56:40.380$  Thank you.

NOTE Confidence: 0.564208845

00:56:43.060 --> 00:56:44.148 All right, doctor Guaruja.

NOTE Confidence: 0.495000344

 $00:56:46.850 \longrightarrow 00:56:49.930$  OK, still need it, Sir. See.

NOTE Confidence: 0.712967818333333

00:56:52.290 --> 00:56:54.182 Doctor Barsi, absolutely fascinating.

NOTE Confidence: 0.712967818333333

00:56:54.182 --> 00:56:56.810 Thought so. Thank you for that.

NOTE Confidence: 0.712967818333333

 $00.56.56.810 \longrightarrow 00.56.57.989$  Thank you. There.

NOTE Confidence: 0.712967818333333

 $00:56:57.989 \longrightarrow 00:57:00.023$  There are some data which suggests

NOTE Confidence: 0.712967818333333

 $00:57:00.023 \longrightarrow 00:57:02.528$  that over the past several centuries,

 $00:57:02.530 \longrightarrow 00:57:04.882$  the human jaws may have shrunk

NOTE Confidence: 0.712967818333333

 $00:57:04.882 \longrightarrow 00:57:07.250$  or maxilla and our mandible.

NOTE Confidence: 0.712967818333333

 $00:57:07.250 \longrightarrow 00:57:10.764$  And that may be related to not

NOTE Confidence: 0.712967818333333

 $00:57:10.764 \longrightarrow 00:57:13.196$  eating some form. Yes. Yes.

NOTE Confidence: 0.712967818333333

 $00:57:13.196 \longrightarrow 00:57:15.974$  And then you suggested that mouth

NOTE Confidence: 0.712967818333333

 $00:57:15.974 \longrightarrow 00:57:18.075$  breathing itself can produce

NOTE Confidence: 0.712967818333333

00:57:18.075 --> 00:57:19.719 skeletal abnormalities which

NOTE Confidence: 0.712967818333333

 $00{:}57{:}19.719 \dashrightarrow 00{:}57{:}22.459$  can contribute to sleep apnea.

NOTE Confidence: 0.712967818333333

 $00{:}57{:}22.460 \dashrightarrow 00{:}57{:}24.962$  So do you feel lifestyle changes

NOTE Confidence: 0.712967818333333

 $00{:}57{:}24.962 \dashrightarrow 00{:}57{:}28.148$  like like eating more solid food or

NOTE Confidence: 0.712967818333333

00:57:28.148 --> 00:57:30.543 ensuring nasal patency or ensuring

NOTE Confidence: 0.712967818333333

00:57:30.543 --> 00:57:32.739 even habitual nose breathing?

NOTE Confidence: 0.712967818333333

 $00{:}57{:}32.740 \dashrightarrow 00{:}57{:}35.225$  Those can prevent sleep disordered

NOTE Confidence: 0.712967818333333

 $00{:}57{:}35.225 \dashrightarrow 00{:}57{:}37.213$  breathing in some children.

NOTE Confidence: 0.712967818333333

00:57:37.220 --> 00:57:38.956 I mean, I guess the keyword here

 $00:57:38.956 \longrightarrow 00:57:41.042$  is in some children, as you said,

NOTE Confidence: 0.712967818333333

 $00{:}57{:}41.042 \to 00{:}57{:}42.566$  the ones that would have otherwise,

NOTE Confidence: 0.712967818333333

 $00:57:42.570 \longrightarrow 00:57:44.160$  you know, have this anatomical

NOTE Confidence: 0.712967818333333

00:57:44.160 --> 00:57:45.868 contribution to it because, you know,

NOTE Confidence: 0.712967818333333

00:57:45.868 --> 00:57:47.760 you know better than me that that this is,

NOTE Confidence: 0.712967818333333

 $00{:}57{:}47.760 \dashrightarrow 00{:}57{:}49.620$  this is a multifactorial animal we're

NOTE Confidence: 0.712967818333333

 $00:57:49.620 \longrightarrow 00:57:51.856$  dealing with that we can't, you know,

NOTE Confidence: 0.712967818333333

 $00:57:51.856 \longrightarrow 00:57:54.320$  just blame the anatomy on all of it.

NOTE Confidence: 0.712967818333333

00:57:54.320 --> 00:57:55.536 But you're absolutely right.

NOTE Confidence: 0.71296781833333300:57:55.536 --> 00:57:56.242 I, I don't.

NOTE Confidence: 0.712967818333333

00:57:56.242 --> 00:57:58.180 But I don't know to what extent we could,

NOTE Confidence: 0.712967818333333

 $00:57:58.180 \longrightarrow 00:58:00.588$  we could ask a child of this day

NOTE Confidence: 0.712967818333333

 $00{:}58{:}00.588 \dashrightarrow 00{:}58{:}03.642$  and age to be on a hard diet similar

NOTE Confidence: 0.712967818333333

 $00:58:03.642 \longrightarrow 00:58:05.671$  to our ancestors versus, you know,

NOTE Confidence: 0.712967818333333

 $00:58:05.671 \longrightarrow 00:58:07.019$  where things weren't cooked.

NOTE Confidence: 0.712967818333333

 $00{:}58{:}07.020 \dashrightarrow 00{:}58{:}08.908$  You know so so I don't know realistically

 $00:58:08.908 \longrightarrow 00:58:10.660$  if what you're suggesting is doable

NOTE Confidence: 0.712967818333333

 $00{:}58{:}10.660 \dashrightarrow 00{:}58{:}12.508$  so I think unfortunately we're we're

NOTE Confidence: 0.712967818333333

00:58:12.558 --> 00:58:14.088 dealing with the beast that we're

NOTE Confidence: 0.712967818333333

00:58:14.088 --> 00:58:16.042 dealing with and we have to play the

NOTE Confidence: 0.712967818333333

00:58:16.042 --> 00:58:18.054 game and and you know the the jaws

NOTE Confidence: 0.712967818333333

 $00{:}58{:}18.054 \dashrightarrow 00{:}58{:}19.993$  are small but as absolutely I think

NOTE Confidence: 0.712967818333333

00:58:19.993 --> 00:58:21.864 nasal patency is huge I mean you

NOTE Confidence: 0.712967818333333

 $00:58:21.864 \longrightarrow 00:58:23.700$  know them not being able to bring

NOTE Confidence: 0.712967818333333

 $00:58:23.700 \longrightarrow 00:58:25.590$  the bring them out the their their

NOTE Confidence: 0.712967818333333

 $00:58:25.651 \longrightarrow 00:58:27.499$  the jaw falling back the tongue

NOTE Confidence: 0.712967818333333

 $00:58:27.499 \longrightarrow 00:58:29.620$  sort of not sitting on the so imagine

NOTE Confidence: 0.712967818333333

 $00:58:29.620 \longrightarrow 00:58:31.760$  if if the tongue is not sitting on

NOTE Confidence: 0.712967818333333

 $00{:}58{:}31.760 \dashrightarrow 00{:}58{:}33.790$  the palette now the the arch has

NOTE Confidence: 0.712967818333333

 $00{:}58{:}33.854 \dashrightarrow 00{:}58{:}35.852$  it's only under the influence of

NOTE Confidence: 0.712967818333333

 $00:58:35.852 \longrightarrow 00:58:37.929$  the the pressure from the cheeks.

 $00:58:37.930 \longrightarrow 00:58:39.202$  The tongue is not sitting there

NOTE Confidence: 0.712967818333333

 $00:58:39.202 \longrightarrow 00:58:40.050$  to balance it out.

NOTE Confidence: 0.712967818333333

 $00.58:40.050 \longrightarrow 00.58:41.666$  So this this arch is going to grow,

NOTE Confidence: 0.712967818333333

00:58:41.670 --> 00:58:43.448 the maxilla is going to grow narrow.

NOTE Confidence: 0.712967818333333

 $00:58:43.450 \longrightarrow 00:58:45.306$  So if if we're able to not allow

NOTE Confidence: 0.712967818333333

 $00.58.45.306 \longrightarrow 00.58.47.362$  for the for the lower jaw

NOTE Confidence: 0.712967818333333

 $00:58:47.362 \longrightarrow 00:58:49.374$  to bounce down and back and then the

NOTE Confidence: 0.712967818333333

 $00:58:49.374 \longrightarrow 00:58:51.535$  the the time not to be out sort of

NOTE Confidence: 0.712967818333333

 $00:58:51.535 \longrightarrow 00:58:53.570$  lower and be where it needs to be.

NOTE Confidence: 0.712967818333333

 $00:58:53.570 \longrightarrow 00:58:56.349$  Yes a lot of this would be

NOTE Confidence: 0.712967818333333

 $00{:}58{:}56.349 \dashrightarrow 00{:}58{:}57.143$  preventable absolutely.

NOTE Confidence: 0.712967818333333 00:58:57.150 --> 00:58:57.465 Wonderful.

NOTE Confidence: 0.712967818333333

 $00:58:57.465 \longrightarrow 00:58:59.355$  And and another very quick question.

NOTE Confidence: 0.712967818333333

 $00{:}58{:}59.360 \dashrightarrow 00{:}59{:}01.000$  So I don't read a lot of children,

NOTE Confidence: 0.712967818333333

 $00:59:01.000 \longrightarrow 00:59:03.634$  but curious if someone has some

NOTE Confidence: 0.712967818333333

 $00:59:03.634 \longrightarrow 00:59:06.754$  increase in adenoids and has a small

00:59:06.754 --> 00:59:09.846 mandible and large tongue, would you

NOTE Confidence: 0.712967818333333

 $00:59:09.846 \longrightarrow 00:59:14.004$  go for adenoidectomy or joy expanders?

NOTE Confidence: 0.712967818333333

 $00:59:14.010 \longrightarrow 00:59:15.290$  I think actually we do.

NOTE Confidence: 0.712967818333333 00:59:15.290 --> 00:59:16.304 I think, NOTE Confidence: 0.712967818333333

 $00:59:16.304 \longrightarrow 00:59:19.346$  I mean that's when I would

NOTE Confidence: 0.712967818333333

00:59:19.346 --> 00:59:21.629 really defer to our ENT,

NOTE Confidence: 0.712967818333333

00:59:21.630 --> 00:59:22.716 pediatric ENT physicians.

NOTE Confidence: 0.712967818333333

 $00:59:22.716 \longrightarrow 00:59:26.217$  We don't do just I mean if they if they

NOTE Confidence: 0.712967818333333

00:59:26.217 --> 00:59:28.696 think that I should be the one doing

NOTE Confidence: 0.712967818333333

 $00:59:28.696 \longrightarrow 00:59:30.768$  the sort of rapid maxillary expansion first.

NOTE Confidence: 0.712967818333333

 $00:59:30.770 \longrightarrow 00:59:31.850$  I get the referral from them.

NOTE Confidence: 0.712967818333333 00:59:31.850 --> 00:59:32.256 We tried, NOTE Confidence: 0.712967818333333

 $00{:}59{:}32.256 \dashrightarrow 00{:}59{:}33.677$  but I've had the opposite to that.

NOTE Confidence: 0.712967818333333

 $00:59:33.680 \longrightarrow 00:59:34.454$  They've had,

NOTE Confidence: 0.712967818333333

 $00:59:34.454 \longrightarrow 00:59:36.389$  they've done the annual tonsillectomy,

 $00:59:36.390 \longrightarrow 00:59:37.413$  it did not.

NOTE Confidence: 0.712967818333333

 $00:59:37.413 \longrightarrow 00:59:39.800$  It was only effective maybe a percentage

NOTE Confidence: 0.8883761316

 $00:59:39.875 \longrightarrow 00:59:42.413$  and then they're sent to me to do more

NOTE Confidence: 0.8883761316

 $00{:}59{:}42.413 \dashrightarrow 00{:}59{:}44.738$  work with the expansion or what not.

NOTE Confidence: 0.8883761316

00:59:44.740 --> 00:59:45.792 And then, you know,

NOTE Confidence: 0.8883761316

 $00:59:45.792 \longrightarrow 00:59:47.370$  they may still need even more.

NOTE Confidence: 0.8883761316

 $00:59:47.370 \longrightarrow 00:59:49.048$  They need to lose another, you know,

NOTE Confidence: 0.8883761316

00:59:49.048 --> 00:59:50.118 100 pounds too or something.

NOTE Confidence: 0.8883761316

 $00{:}59{:}50.120 --> 00{:}59{:}51.530$  So it's just, uh, you know,

NOTE Confidence: 0.8883761316

 $00:59:51.530 \longrightarrow 00:59:53.156$  that combination we do, we do,

NOTE Confidence: 0.8883761316

 $00:59:53.160 \longrightarrow 00:59:55.176$  we sort of try to address all of them,

NOTE Confidence: 0.8883761316

 $00:59:55.180 \longrightarrow 00:59:58.520$  sure. Yeah. Thank you.

NOTE Confidence: 0.838992889166667

00:59:58.810 --> 01:00:00.235 I think we've just about

NOTE Confidence: 0.838992889166667

 $01:00:00.235 \longrightarrow 01:00:02.330$  come to the end of our time.

NOTE Confidence: 0.838992889166667

 $01:00:02.330 \longrightarrow 01:00:04.178$  I would like to thank you again

NOTE Confidence: 0.838992889166667

 $01{:}00{:}04.178 \dashrightarrow 01{:}00{:}06.109$  for such a fascinating talk.

 $01:00:06.110 \longrightarrow 01:00:07.166$  I wonder, I wonder if there

NOTE Confidence: 0.838992889166667

 $01:00:07.166 \longrightarrow 01:00:08.132$  are any other questions people

NOTE Confidence: 0.838992889166667

 $01:00:08.132 \longrightarrow 01:00:09.227$  could just e-mail you directly.

NOTE Confidence: 0.838992889166667

 $01:00:09.230 \longrightarrow 01:00:09.958$  Would that be OK?

NOTE Confidence: 0.711247925

 $01:00:09.970 \longrightarrow 01:00:11.438$  Sure, absolutely. Happy to.

NOTE Confidence: 0.817684758571429

01:00:12.270 --> 01:00:15.354 Great. And with that, thank you

NOTE Confidence: 0.817684758571429

 $01:00:15.354 \longrightarrow 01:00:17.010$  and I wish everybody a good day.

NOTE Confidence: 0.868216195

 $01:00:17.840 \dashrightarrow 01:00:20.682$  Thank you so much for thank you

NOTE Confidence: 0.868216195

 $01:00:20.682 \longrightarrow 01:00:24.000$  so much everyone. Thank you.