WEBVTT

NOTE duration: "01:06:07.3600000"

NOTE recognizability:0.808

NOTE language:en-us

NOTE Confidence: 0.919102911111111

00:00:00.000 --> 00:00:02.970 Thank you everyone for joining

NOTE Confidence: 0.919102911111111

 $00:00:02.970 \longrightarrow 00:00:05.346$ our grand rounds today.

NOTE Confidence: 0.919102911111111

 $00{:}00{:}05{.}350 \dashrightarrow 00{:}00{:}08{.}941$ It is my honor and great pleasure

NOTE Confidence: 0.919102911111111

 $00:00:08.941 \longrightarrow 00:00:11.740$ to introduce Doctor Jason Mills.

NOTE Confidence: 0.919102911111111

 $00:00:11.740 \longrightarrow 00:00:14.953$ He is a Herman Brown endowed professor

NOTE Confidence: 0.919102911111111

 $00{:}00{:}14.953 \dashrightarrow 00{:}00{:}17.400$ at Baylor College of Medicine,

NOTE Confidence: 0.919102911111111

 $00:00:17.400 \longrightarrow 00:00:20.172$ Chief of Research in the section

NOTE Confidence: 0.919102911111111

 $00:00:20.172 \longrightarrow 00:00:22.020$ of gastroenterology and Hepatology,

NOTE Confidence: 0.919102911111111

 $00:00:22.020 \longrightarrow 00:00:24.515$ and the Co director of Digestive Disease

NOTE Confidence: 0.919102911111111

 $00{:}00{:}24.515 \dashrightarrow 00{:}00{:}27.500$ Center at the Texas Medical Center.

NOTE Confidence: 0.919102911111111

00:00:27.500 --> 00:00:31.066 So he graduated summa *** laude from

NOTE Confidence: 0.919102911111111

 $00:00:31.066 \longrightarrow 00:00:33.460$ Washington University in Saint Louis with

NOTE Confidence: 0.919102911111111

00:00:33.460 --> 00:00:38.140 double major in Russian and biology, right?

00:00:38.140 --> 00:00:41.339 Then he received the MD and PhD

NOTE Confidence: 0.919102911111111

 $00{:}00{:}41.340 \dashrightarrow 00{:}00{:}43.365$ from University of Pennsylvania and

NOTE Confidence: 0.919102911111111

 $00:00:43.365 \longrightarrow 00:00:45.990$ went back to Washu for his anatomic

NOTE Confidence: 0.919102911111111

 $00:00:46.068 \longrightarrow 00:00:49.990$ pathology residency and postdoctoral.

NOTE Confidence: 0.919102911111111

 $00:00:49.990 \longrightarrow 00:00:50.994$ Fellowship there.

NOTE Confidence: 0.919102911111111

 $00:00:50.994 \longrightarrow 00:00:54.508$ And he mentioned that he had a

NOTE Confidence: 0.919102911111111

 $00:00:54.508 \longrightarrow 00:00:56.921$ traumatizing experience with Doctor

NOTE Confidence: 0.919102911111111

 $00:00:56.921 \longrightarrow 00:01:00.840$ Peter Humphrey as pathologist here at Yale.

NOTE Confidence: 0.919102911111111

 $00:01:00.840 \longrightarrow 00:01:03.000$ Now when they were, you know,

NOTE Confidence: 0.919102911111111

 $00:01:03.000 \longrightarrow 00:01:05.499$ signing out a big stack of the

NOTE Confidence: 0.919102911111111

 $00{:}01{:}05.499 \dashrightarrow 00{:}01{:}07.618$ Hershey Springs case in the middle,

NOTE Confidence: 0.919102911111111

 $00:01:07.620 \longrightarrow 00:01:08.860$ they had a, you know,

NOTE Confidence: 0.919102911111111

 $00{:}01{:}08.860 \dashrightarrow 00{:}01{:}10.696$ frozen section and had to leave.

NOTE Confidence: 0.919102911111111

00:01:10.700 --> 00:01:12.988 And then when they came back and they

NOTE Confidence: 0.919102911111111

 $00:01:12.988 \longrightarrow 00:01:15.040$ didn't remember which stack half stack

NOTE Confidence: 0.919102911111111

 $00:01:15.040 \longrightarrow 00:01:17.497$ they have reviewed versus they have not.

 $00{:}01{:}17.500 \dashrightarrow 00{:}01{:}20.236$ So they had to go over again the.

NOTE Confidence: 0.919102911111111

 $00:01:20.240 \longrightarrow 00:01:23.126$ Except that's the entire case again.

NOTE Confidence: 0.919102911111111

 $00:01:23.130 \longrightarrow 00:01:25.482$ So they will have a reunion

NOTE Confidence: 0.919102911111111

 $00:01:25.482 \longrightarrow 00:01:27.050$ in the afternoon today.

NOTE Confidence: 0.919102911111111

 $00:01:27.050 \longrightarrow 00:01:30.336$ So you can have some conversation on that,

NOTE Confidence: 0.919102911111111 00:01:30.336 --> 00:01:31.069 right?

NOTE Confidence: 0.919102911111111

 $00:01:31.070 \longrightarrow 00:01:34.325$ And actually Jason was my PhD thesis

NOTE Confidence: 0.919102911111111

 $00{:}01{:}34.325 \dashrightarrow 00{:}01{:}36.920$ mentor at Washu and so I have known

NOTE Confidence: 0.919102911111111

 $00:01:36.920 \longrightarrow 00:01:39.962$ him for 18 years now and all my

NOTE Confidence: 0.919102911111111

 $00{:}01{:}39.962 \dashrightarrow 00{:}01{:}42.170$ interest in the GI research came

NOTE Confidence: 0.9191029111111111

 $00:01:42.170 \longrightarrow 00:01:46.408$ from him and he was a positive

NOTE Confidence: 0.919102911111111

 $00:01:46.410 \longrightarrow 00:01:48.881$ influence for me to pursue my career

NOTE Confidence: 0.919102911111111

 $00{:}01{:}48.881 \dashrightarrow 00{:}01{:}50.960$ in pathology on the first day.

NOTE Confidence: 0.919102911111111

00:01:50.960 --> 00:01:53.350 When I joined this laboratory,

NOTE Confidence: 0.919102911111111

 $00:01:53.350 \longrightarrow 00:01:55.870$ we sit down on the double headed

00:01:55.870 --> 00:01:58.352 microscope and he went over mouse

NOTE Confidence: 0.919102911111111

 $00{:}01{:}58.352 \rightarrow 00{:}02{:}00.552$ and human stomach Histology and

NOTE Confidence: 0.919102911111111

 $00:02:00.552 \dashrightarrow 00:02:03.239$ encouraged me to become a pathologist.

NOTE Confidence: 0.919102911111111

 $00:02:03.240 \longrightarrow 00:02:06.768$ And at that time I was very negative

NOTE Confidence: 0.919102911111111

 $00:02:06.770 \longrightarrow 00:02:09.605$ because I never thought about becoming a

NOTE Confidence: 0.919102911111111

 $00:02:09.605 \longrightarrow 00:02:12.328$ pathologist during my entire medical school.

NOTE Confidence: 0.919102911111111

 $00:02:12.330 \longrightarrow 00:02:15.710$ But see now I'm a I became a pathologist.

NOTE Confidence: 0.919102911111111

 $00{:}02{:}15.710 \dashrightarrow 00{:}02{:}17.850$ That's how influence influential

NOTE Confidence: 0.919102911111111

 $00:02:17.850 \longrightarrow 00:02:20.980$ he is and as pathologists.

NOTE Confidence: 0.919102911111111

 $00:02:20.980 \longrightarrow 00:02:22.940$ And some researchers here,

NOTE Confidence: 0.919102911111111

 $00:02:22.940 \longrightarrow 00:02:26.572$ we know well what metaplasia looks like,

NOTE Confidence: 0.919102911111111

 $00:02:26.572 \longrightarrow 00:02:28.148$ but we do not know.

NOTE Confidence: 0.919102911111111

00:02:28.148 --> 00:02:29.560 Well, you know, how it happens.

NOTE Confidence: 0.919102911111111

00:02:29.560 --> 00:02:32.759 What's the process mechanism on the line?

NOTE Confidence: 0.919102911111111

 $00:02:32.760 \longrightarrow 00:02:34.766$ So Doctor Miller says,

NOTE Confidence: 0.919102911111111

 $00:02:34.766 \longrightarrow 00:02:37.574$ focused on his research in the

 $00{:}02{:}37.574 \dashrightarrow 00{:}02{:}40.020$ cellular and molecular process

NOTE Confidence: 0.919102911111111

 $00:02:40.020 \longrightarrow 00:02:42.048$ changes during the metaplasia.

NOTE Confidence: 0.919102911111111

00:02:42.048 --> 00:02:44.076 And published more than,

NOTE Confidence: 0.919102911111111 00:02:44.080 --> 00:02:45.024 you know, NOTE Confidence: 0.919102911111111

 $00{:}02{:}45.024 \dashrightarrow 00{:}02{:}48.593$ hundred papers on the metaplasia and in

NOTE Confidence: 0.919102911111111

 $00:02:48.593 \longrightarrow 00:02:51.560$ addition to the seminal scientific works,

NOTE Confidence: 0.919102911111111

 $00:02:51.560 \longrightarrow 00:02:53.630$ he is very talented as he told

NOTE Confidence: 0.919102911111111

 $00{:}02{:}53.630 \dashrightarrow 00{:}02{:}55.240$ you that he majored in Russian,

NOTE Confidence: 0.919102911111111

 $00:02:55.240 \longrightarrow 00:02:58.872$ he is very fluent in Russian and French

NOTE Confidence: 0.919102911111111

 $00{:}02{:}58.872 \dashrightarrow 00{:}03{:}01.770$ and also he can speak some Chinese

NOTE Confidence: 0.9191029111111111

 $00:03:01.770 \longrightarrow 00:03:04.395$ and he knows many words in Korean.

NOTE Confidence: 0.919102911111111

 $00:03:04.400 \longrightarrow 00:03:08.978$ So with his talents in language,

NOTE Confidence: 0.919102911111111

 $00{:}03{:}08.980 \dashrightarrow 00{:}03{:}13.830$ he recently coined terminology collagenosis.

NOTE Confidence: 0.919102911111111

 $00{:}03{:}13.830 \dashrightarrow 00{:}03{:}16.826$ Which describes a universal program

NOTE Confidence: 0.919102911111111

 $00:03:16.826 \longrightarrow 00:03:20.510$ how mature cells reenter and change

00:03:20.604 --> 00:03:23.655 their subcellular structure and

NOTE Confidence: 0.919102911111111

 $00{:}03{:}23.655 \dashrightarrow 00{:}03{:}28.005$ re-enter cell cycle and becoming a.

NOTE Confidence: 0.919102911111111

00:03:28.010 --> 00:03:31.170 The regenerative cells which

NOTE Confidence: 0.919102911111111

00:03:31.170 --> 00:03:32.830 happens during the metaplasia,

NOTE Confidence: 0.919102911111111

 $00:03:32.830 \longrightarrow 00:03:36.225$ so he's on the title of his talk today

NOTE Confidence: 0.919102911111111

 $00{:}03{:}36.225 \dashrightarrow 00{:}03{:}38.835$ is the common features of metaplasia

NOTE Confidence: 0.919102911111111

 $00:03:38.835 \longrightarrow 00:03:41.708$ and tumorigenesis in the GI track which

NOTE Confidence: 0.919102911111111

 $00:03:41.710 \longrightarrow 00:03:43.850$ implies the polygenesis basically.

NOTE Confidence: 0.919102911111111

 $00{:}03{:}43.850 \dashrightarrow 00{:}03{:}46.740$ So please join me in welcoming Dr.

NOTE Confidence: 0.919102911111111 00:03:46.750 --> 00:03:47.060 Mills.

NOTE Confidence: 0.35584447

 $00:03:50.230 \longrightarrow 00:03:50.510$ That's. NOTE Confidence: 0.805820654166667

 $00:03:53.460 \longrightarrow 00:03:55.350$ Thanks. Thanks so much for the

NOTE Confidence: 0.805820654166667

 $00:03:55.350 \longrightarrow 00:03:57.190$ invitation and thanks to Juan Jay.

NOTE Confidence: 0.805820654166667

00:03:57.190 --> 00:03:59.068 I mean it's it's fantastic growth

NOTE Confidence: 0.805820654166667

00:03:59.068 --> 00:04:01.148 obviously to come here and and see

NOTE Confidence: 0.805820654166667

 $00{:}04{:}01.148 {\:{\mbox{--}}\!\!>}\ 00{:}04{:}02.690$ people again and meet and meet

 $00:04:02.690 \longrightarrow 00:04:04.679$ new people and but it it's really

NOTE Confidence: 0.805820654166667

00:04:04.679 --> 00:04:06.576 fantastic to see you know somebody

NOTE Confidence: 0.805820654166667

 $00:04:06.576 \longrightarrow 00:04:09.292$ that you saw kind of come immediately

NOTE Confidence: 0.805820654166667

00:04:09.292 --> 00:04:11.712 can just over from in fact I picked

NOTE Confidence: 0.805820654166667

00:04:11.712 --> 00:04:13.119 you up at the airport I think

NOTE Confidence: 0.805820654166667

00:04:13.119 --> 00:04:15.310 when you were interviewing for a

NOTE Confidence: 0.805820654166667

 $00:04:15.310 \longrightarrow 00:04:17.685$ Graduate School at Washington St.

NOTE Confidence: 0.805820654166667

 $00:04:17.690 \longrightarrow 00:04:19.104$ Louis and then to have him come

NOTE Confidence: 0.805820654166667

 $00:04:19.104 \longrightarrow 00:04:21.127$ to my lab and then not even be

NOTE Confidence: 0.805820654166667

 $00:04:21.127 \longrightarrow 00:04:22.487$ interested in pathology and coming

NOTE Confidence: 0.805820654166667

 $00:04:22.537 \longrightarrow 00:04:24.112$ to do a PhD and then to wind up.

NOTE Confidence: 0.805820654166667

 $00:04:24.120 \longrightarrow 00:04:26.262$ A pathologist and then here is an

NOTE Confidence: 0.805820654166667

 $00{:}04{:}26.262 \dashrightarrow 00{:}04{:}27.670$ assistant professor and Andre is

NOTE Confidence: 0.805820654166667

 $00:04:27.670 \longrightarrow 00:04:29.390$ the first out of my group to to

NOTE Confidence: 0.805820654166667

00:04:29.446 --> 00:04:31.058 become an assistant professor.

 $00:04:31.060 \longrightarrow 00:04:33.664$ So it's just you know it's fantastic

NOTE Confidence: 0.805820654166667

00:04:33.664 --> 00:04:36.094 honor and fun to see see how

NOTE Confidence: 0.805820654166667

 $00:04:36.094 \longrightarrow 00:04:37.576$ things are things grow and and

NOTE Confidence: 0.805820654166667

 $00:04:37.576 \longrightarrow 00:04:39.200$ it was a fantastic introduction

NOTE Confidence: 0.805820654166667

 $00{:}04{:}39.200 \dashrightarrow 00{:}04{:}41.342$ because you know essentially I just

NOTE Confidence: 0.805820654166667

00:04:41.342 --> 00:04:43.590 want to I usually don't do a lot

NOTE Confidence: 0.805820654166667

 $00:04:43.590 \longrightarrow 00:04:45.188$ of introduction for how I organize

NOTE Confidence: 0.805820654166667

00:04:45.188 --> 00:04:47.425 the talk but because you know I am

NOTE Confidence: 0.805820654166667

 $00:04:47.425 \longrightarrow 00:04:49.448$ a pathologist but also a cell and

NOTE Confidence: 0.805820654166667

 $00:04:49.448 \longrightarrow 00:04:50.546$ developmental biologist my talk

NOTE Confidence: 0.805820654166667

 $00{:}04{:}50.546 \dashrightarrow 00{:}04{:}52.500$ kind of it will go back and forth.

NOTE Confidence: 0.805820654166667

 $00:04:52.500 \longrightarrow 00:04:54.300$ The first part is all going to be sort

NOTE Confidence: 0.805820654166667

 $00:04:54.349 \longrightarrow 00:04:55.966$ of human. Well, it's your background.

NOTE Confidence: 0.805820654166667

 $00{:}04{:}55.966 \dashrightarrow 00{:}04{:}58.401$ And then the middle part is gonna go

NOTE Confidence: 0.805820654166667

 $00:04:58.401 \longrightarrow 00:05:00.333$ all the way down into ribosomes and,

NOTE Confidence: 0.805820654166667

00:05:00.340 --> 00:05:02.560 you know, very cell biological.

00:05:02.560 --> 00:05:04.604 But if you're interested in human pathology,

NOTE Confidence: 0.805820654166667

 $00{:}05{:}04.610 \dashrightarrow 00{:}05{:}06.416$ don't give up there because it'll

NOTE Confidence: 0.805820654166667

 $00:05:06.416 \longrightarrow 00:05:07.923$ come back also to human pathology.

NOTE Confidence: 0.805820654166667

 $00:05:07.923 \longrightarrow 00:05:09.910$ So that's on the sort of that organization.

NOTE Confidence: 0.805820654166667

 $00:05:09.910 \longrightarrow 00:05:11.954$ And then just as one day said,

NOTE Confidence: 0.805820654166667 00:05:11.960 --> 00:05:13.541 as a resident,

NOTE Confidence: 0.805820654166667

 $00:05:13.541 \longrightarrow 00:05:16.176$ I became fascinated with metaplasia.

NOTE Confidence: 0.805820654166667

 $00:05:16.180 \longrightarrow 00:05:17.128$ And, you know,

NOTE Confidence: 0.805820654166667

 $00:05:17.128 \longrightarrow 00:05:19.500$ how do these cells that are sort of

NOTE Confidence: 0.805820654166667

 $00:05:19.500 \longrightarrow 00:05:21.536$ normal cells show up in the wrong

NOTE Confidence: 0.805820654166667

 $00:05:21.536 \longrightarrow 00:05:23.198$ place and how does that happen

NOTE Confidence: 0.805820654166667

 $00:05:23.198 \longrightarrow 00:05:24.810$ at a cell biological?

NOTE Confidence: 0.805820654166667

 $00:05:24.810 \longrightarrow 00:05:25.593$ Point of view,

NOTE Confidence: 0.805820654166667

 $00{:}05{:}25.593 \dashrightarrow 00{:}05{:}26.898$ so that's my clinical interest.

NOTE Confidence: 0.805820654166667

 $00:05:26.900 \longrightarrow 00:05:29.252$ So we we're always doing sort of

00:05:29.252 --> 00:05:30.949 translational work on that side,

NOTE Confidence: 0.805820654166667

 $00:05:30.950 \longrightarrow 00:05:32.588$ but then on the research side,

NOTE Confidence: 0.805820654166667

 $00:05:32.590 \longrightarrow 00:05:38.170$ my cell biologist always side says.

NOTE Confidence: 0.805820654166667

00:05:38.170 --> 00:05:40.249 You know what what how does cells do that?

NOTE Confidence: 0.805820654166667

 $00:05:40.250 \longrightarrow 00:05:42.049$ How can cells like make this happen?

NOTE Confidence: 0.805820654166667

 $00:05:42.050 \longrightarrow 00:05:43.210$ So what are the mechanisms?

NOTE Confidence: 0.805820654166667

 $00:05:43.210 \longrightarrow 00:05:44.449$ So that's what the talk is about.

NOTE Confidence: 0.805820654166667

 $00:05:44.450 \longrightarrow 00:05:47.060$ So yes the cell biological

NOTE Confidence: 0.805820654166667

 $00{:}05{:}47.060 \dashrightarrow 00{:}05{:}48.964$ changes are the cell,

NOTE Confidence: 0.805820654166667

 $00:05:48.964 \longrightarrow 00:05:50.672$ biological processes polygenesis and

NOTE Confidence: 0.805820654166667

 $00{:}05{:}50.672 \dashrightarrow 00{:}05{:}55.998$ then you know the the context for the.

NOTE Confidence: 0.805820654166667

 $00:05:56.000 \longrightarrow 00:05:58.469$ Pathology is metaplasia.

NOTE Confidence: 0.805820654166667

 $00:05:58.470 \longrightarrow 00:06:01.320$ So.

NOTE Confidence: 0.805820654166667

 $00:06:01.320 \longrightarrow 00:06:02.958$ One just said why don't you put

NOTE Confidence: 0.805820654166667

00:06:02.958 --> 00:06:04.283 prognosis in your title so I

NOTE Confidence: 0.805820654166667

 $00{:}06{:}04.283 \dashrightarrow 00{:}06{:}05.429$ I added it last night so.

 $00:06:07.800 \longrightarrow 00:06:09.156$ OK. So you know as far

NOTE Confidence: 0.859913548333333

 $00:06:09.156 \longrightarrow 00:06:10.679$ as I said it's like the,

NOTE Confidence: 0.859913548333333

 $00:06:10.680 \longrightarrow 00:06:12.402$ the clinical drive for this is

NOTE Confidence: 0.859913548333333

 $00:06:12.402 \longrightarrow 00:06:13.980$ how do these metaplasia happen,

NOTE Confidence: 0.859913548333333

 $00{:}06{:}13.980 \dashrightarrow 00{:}06{:}15.500$ how do precancerous lesions arise

NOTE Confidence: 0.859913548333333

 $00:06:15.500 \longrightarrow 00:06:17.620$ along the GI tract and and how

NOTE Confidence: 0.859913548333333

 $00:06:17.620 \longrightarrow 00:06:18.975$ do they progress to tumors.

NOTE Confidence: 0.859913548333333

 $00:06:18.980 \longrightarrow 00:06:22.172$ So that's kind of what drives and

NOTE Confidence: 0.859913548333333

 $00{:}06{:}22.172 \dashrightarrow 00{:}06{:}25.024$ funds our work and lately you know

NOTE Confidence: 0.859913548333333

 $00:06:25.024 \longrightarrow 00:06:28.084$ it's not just us but with the advent

NOTE Confidence: 0.859913548333333

 $00:06:28.084 \longrightarrow 00:06:31.228$ of of single cell RNA seek in in

NOTE Confidence: 0.859913548333333

 $00:06:31.228 \longrightarrow 00:06:33.436$ multiple organs I think you know

NOTE Confidence: 0.859913548333333

 $00{:}06{:}33.436 \dashrightarrow 00{:}06{:}34.981$ we're beginning to realize that

NOTE Confidence: 0.859913548333333

 $00:06:34.981 \longrightarrow 00:06:36.815$ there's a lot more commonality

NOTE Confidence: 0.859913548333333

 $00{:}06{:}36.815 \dashrightarrow 00{:}06{:}38.279$ in metaplasia across multiple.

 $00:06:38.280 \longrightarrow 00:06:38.930$ The Oregon.

NOTE Confidence: 0.859913548333333

 $00:06:38.930 \longrightarrow 00:06:41.205$ So there might be commonality in in

NOTE Confidence: 0.859913548333333

 $00:06:41.205 \longrightarrow 00:06:43.013$ these precancerous lesions that that

NOTE Confidence: 0.859913548333333

00:06:43.013 --> 00:06:46.040 you know I was trained when I was an,

NOTE Confidence: 0.859913548333333

 $00:06:46.040 \longrightarrow 00:06:50.720$ you know an AP resident to think it was.

NOTE Confidence: 0.859913548333333

 $00:06:50.720 \longrightarrow 00:06:51.686$ Sort of process.

NOTE Confidence: 0.859913548333333

 $00:06:51.686 \longrightarrow 00:06:53.618$ Interest on metaplasia in the stomach

NOTE Confidence: 0.859913548333333

 $00:06:53.618 \longrightarrow 00:06:55.470$ and and certainly has nothing to

NOTE Confidence: 0.859913548333333

 $00:06:55.470 \longrightarrow 00:06:57.363$ do with how colon cancer starts

NOTE Confidence: 0.859913548333333

 $00:06:57.363 \longrightarrow 00:06:59.168$ or how pancreatic cancer starts.

NOTE Confidence: 0.859913548333333

 $00{:}06{:}59.170 \dashrightarrow 00{:}07{:}01.159$ On the other hand it's kind of like you

NOTE Confidence: 0.859913548333333

 $00:07:01.159 \longrightarrow 00:07:02.968$ know it's kind of becoming clear that

NOTE Confidence: 0.859913548333333

 $00{:}07{:}02.968 \dashrightarrow 00{:}07{:}04.850$ that there's a lot of similarities.

NOTE Confidence: 0.859913548333333

 $00:07:04.850 \longrightarrow 00:07:06.570$ So let's talk about that.

NOTE Confidence: 0.859913548333333

 $00:07:06.570 \longrightarrow 00:07:08.190$ So you know with with Jim

NOTE Confidence: 0.859913548333333

00:07:08.190 --> 00:07:09.270 Golden Ring at Vanderbilt,

 $00:07:09.270 \longrightarrow 00:07:11.455$ we had this review recently

NOTE Confidence: 0.859913548333333

 $00{:}07{:}11.455 \dashrightarrow 00{:}07{:}12.766$ in gastroenter ology talking

NOTE Confidence: 0.859913548333333

 $00:07:12.766 \longrightarrow 00:07:14.910$ about some of these concepts.

NOTE Confidence: 0.859913548333333

 $00:07:14.910 \longrightarrow 00:07:17.046$ In this one in particular we

NOTE Confidence: 0.859913548333333

 $00:07:17.046 \longrightarrow 00:07:18.470$ focused on the similarities

NOTE Confidence: 0.859913548333333

00:07:18.537 --> 00:07:20.665 between Barrett's metaplasia and

NOTE Confidence: 0.859913548333333

 $00:07:20.665 \longrightarrow 00:07:22.793$ gastric and intestinal metaplasia.

NOTE Confidence: 0.859913548333333

00:07:22.800 --> 00:07:23.696 And basically you know,

NOTE Confidence: 0.859913548333333

00:07:23.696 --> 00:07:24.816 if you think of Barretts,

NOTE Confidence: 0.859913548333333

 $00:07:24.820 \longrightarrow 00:07:26.820$ the ideology there is obviously

NOTE Confidence: 0.859913548333333

 $00:07:26.820 \longrightarrow 00:07:29.284$ quite different from the way you

NOTE Confidence: 0.859913548333333

 $00:07:29.284 \longrightarrow 00:07:31.249$ get intestinal metaplasia in the

NOTE Confidence: 0.859913548333333

 $00{:}07{:}31.249 \dashrightarrow 00{:}07{:}33.430$ stomach and that's because,

NOTE Confidence: 0.859913548333333

 $00{:}07{:}33.430 --> 00{:}07{:}34.950$ you know, we know that.

NOTE Confidence: 0.859913548333333

 $00:07:34.950 \longrightarrow 00:07:37.560$ Had a thing of of reflux of acid and

 $00:07:37.560 \longrightarrow 00:07:40.748$ and probably also importantly bile as well.

NOTE Confidence: 0.859913548333333

 $00{:}07{:}40.750 \dashrightarrow 00{:}07{:}42.742$ And then that takes your squamous

NOTE Confidence: 0.859913548333333

 $00:07:42.742 \longrightarrow 00:07:44.568$ epithelium right and turns it into

NOTE Confidence: 0.859913548333333

 $00:07:44.568 \longrightarrow 00:07:46.950$ this what in Barretts is called,

NOTE Confidence: 0.859913548333333 00:07:46.950 --> 00:07:47.926 you know, NOTE Confidence: 0.859913548333333

00:07:47.926 --> 00:07:51.342 a columnar mucosa at least at first,

NOTE Confidence: 0.859913548333333

 $00:07:51.350 \longrightarrow 00:07:53.270$ which is basically organized

NOTE Confidence: 0.859913548333333

 $00:07:53.270 \longrightarrow 00:07:55.670$ a pyloric gastric unit is.

NOTE Confidence: 0.859913548333333

 $00{:}07{:}55.670 \dashrightarrow 00{:}07{:}56.975$ So it's essentially just a

NOTE Confidence: 0.859913548333333

00:07:56.975 --> 00:07:58.280 pyloric metaplasia or a pseudo

NOTE Confidence: 0.859913548333333

 $00{:}07{:}58.334 \dashrightarrow 00{:}07{:}59.850$ pyloric metaplasia from squamous,

NOTE Confidence: 0.859913548333333

 $00:07:59.850 \longrightarrow 00:08:01.450$ although nobody ever calls it

NOTE Confidence: 0.859913548333333

 $00:08:01.450 \longrightarrow 00:08:02.610$ that in the esophagus,

NOTE Confidence: 0.859913548333333

 $00:08:02.610 \longrightarrow 00:08:05.380$ I want to point out that to researchers.

NOTE Confidence: 0.859913548333333

 $00:08:05.380 \longrightarrow 00:08:07.916$ Jim being the one on golden Ring that

NOTE Confidence: 0.859913548333333

 $00{:}08{:}07.916 \dashrightarrow 00{:}08{:}10.092$ coined this term at Vanderbilt that

 $00:08:10.092 \longrightarrow 00:08:12.276$ that that what that means is that

NOTE Confidence: 0.859913548333333

 $00:08:12.276 \longrightarrow 00:08:15.296$ that the cells at the bottom are stem cells,

NOTE Confidence: 0.859913548333333

00:08:15.300 --> 00:08:16.074 spasmolytic polypeptide

NOTE Confidence: 0.859913548333333

 $00:08:16.074 \longrightarrow 00:08:16.848$ expressing metaplasia.

NOTE Confidence: 0.859913548333333

00:08:16.848 --> 00:08:19.980 And so that's a term that was coined in,

NOTE Confidence: 0.859913548333333

 $00:08:19.980 \longrightarrow 00:08:22.758$ in the stomach actually originally in

NOTE Confidence: 0.859913548333333

 $00:08:22.758 \longrightarrow 00:08:24.610$ humans because spasmolytic polypeptide

NOTE Confidence: 0.859913548333333

 $00{:}08{:}24.671 \dashrightarrow 00{:}08{:}26.589$ is trefoil factor 2 and that shows

NOTE Confidence: 0.859913548333333

 $00:08:26.589 \longrightarrow 00:08:28.885$ up only in these pyloric sort of

NOTE Confidence: 0.859913548333333

 $00:08:28.885 \dashrightarrow 00:08:30.698$ lesions in the body of the stomach.

NOTE Confidence: 0.859913548333333

 $00:08:30.700 \longrightarrow 00:08:33.316$ So a lot of what we'll talk about

NOTE Confidence: 0.859913548333333

 $00:08:33.316 \longrightarrow 00:08:35.500$ involves this transition into this.

NOTE Confidence: 0.859913548333333

 $00{:}08{:}35.500 \dashrightarrow 00{:}08{:}38.332 \ \mathrm{Mucus \ secreting \ deep, \ antral,}$

NOTE Confidence: 0.859913548333333

00:08:38.332 --> 00:08:40.590 deep pyloric TF2 positive

NOTE Confidence: 0.859913548333333

 $00:08:40.590 \longrightarrow 00:08:42.270$ muck 6 positive lineage.

 $00:08:42.270 \longrightarrow 00:08:42.574$ OK,

NOTE Confidence: 0.859913548333333

 $00:08:42.574 \longrightarrow 00:08:43.790$ so in the stomach,

NOTE Confidence: 0.859913548333333

00:08:43.790 --> 00:08:45.323 when H pylori get tired of being

NOTE Confidence: 0.859913548333333

 $00:08:45.323 \longrightarrow 00:08:45.980$ in the Antrim,

NOTE Confidence: 0.859913548333333

 $00:08:45.980 \longrightarrow 00:08:47.564$ they want to expand their knee and they

NOTE Confidence: 0.859913548333333

 $00:08:47.564 \longrightarrow 00:08:49.346$ want to go into the body of the stomach.

NOTE Confidence: 0.859913548333333

00:08:49.350 --> 00:08:51.390 And it turns out that the way they do this,

NOTE Confidence: 0.859913548333333

 $00:08:51.390 \longrightarrow 00:08:54.034$ or we can model this with drugs.

NOTE Confidence: 0.859913548333333

 $00:08:54.034 \longrightarrow 00:08:56.008$ And in fact Juan Jade pioneered this.

NOTE Confidence: 0.859913548333333

00:08:56.010 --> 00:08:57.599 And there are hundreds of papers now

NOTE Confidence: 0.859913548333333

 $00{:}08{:}57.599 \dashrightarrow 00{:}08{:}59.309$ in the world using this technique,

NOTE Confidence: 0.891849746666667

 $00:08:59.310 \longrightarrow 00:09:03.078$ which is using high doses of tamoxifen can

NOTE Confidence: 0.891849746666667

 $00:09:03.078 \longrightarrow 00:09:05.819$ completely reprogram the stomach of a mouse.

NOTE Confidence: 0.891849746666667

 $00{:}09{:}05.820 \dashrightarrow 00{:}09{:}07.844$ The same way that H pylori can in

NOTE Confidence: 0.891849746666667

00:09:07.844 --> 00:09:09.938 humans and actually H pylori and mouse

NOTE Confidence: 0.891849746666667

 $00:09:09.938 \longrightarrow 00:09:12.273$ over a longer time course and what

 $00:09:12.273 \longrightarrow 00:09:14.143$ happens during that reprogramming is

NOTE Confidence: 0.891849746666667

 $00:09:14.143 \longrightarrow 00:09:16.641$ essentially what we talk about as

NOTE Confidence: 0.891849746666667

00:09:16.641 --> 00:09:18.926 pathologist as chronic atrophic gastritis,

NOTE Confidence: 0.891849746666667

 $00:09:18.930 \longrightarrow 00:09:21.198$ but is actually also a metaplasia

NOTE Confidence: 0.891849746666667

 $00:09:21.198 \longrightarrow 00:09:23.964$ because it turns the corpus units away

NOTE Confidence: 0.891849746666667

 $00:09:23.964 \longrightarrow 00:09:26.708$ from being oxyntic units with gas with

NOTE Confidence: 0.891849746666667

 $00:09:26.785 \longrightarrow 00:09:29.496$ the parietal cells and chief cells into

NOTE Confidence: 0.891849746666667

 $00{:}09{:}29.496 \dashrightarrow 00{:}09{:}31.126$ basically a pyloric like structure

NOTE Confidence: 0.891849746666667

 $00{:}09{:}31.126 \dashrightarrow 00{:}09{:}33.969$ with MUC 5 AC positive fove olar cells,

NOTE Confidence: 0.891849746666667

 $00:09:33.970 \longrightarrow 00:09:35.446$ a lower ismal.

NOTE Confidence: 0.891849746666667

 $00:09:35.446 \longrightarrow 00:09:37.906$ Proliferative center and again these

NOTE Confidence: 0.891849746666667

 $00{:}09{:}37.906 \dashrightarrow 00{:}09{:}40.814$ deep antral like cells which are

NOTE Confidence: 0.891849746666667

 $00{:}09{:}40.814 \dashrightarrow 00{:}09{:}43.784$ characterized in the stomach as

NOTE Confidence: 0.891849746666667

 $00{:}09{:}43.784 \dashrightarrow 00{:}09{:}45.566$ spasmolytic polypeptide expressing

NOTE Confidence: 0.891849746666667

 $00:09:45.566 \longrightarrow 00:09:46.463$ metaplasia. So.

00:09:46.463 --> 00:09:47.069 You know,

NOTE Confidence: 0.891849746666667

 $00{:}09{:}47.069 \dashrightarrow 00{:}09{:}49.190$ the first step basically of H pylori

NOTE Confidence: 0.891849746666667

00:09:49.256 --> 00:09:51.720 is to turn normal oxyntic glands into

NOTE Confidence: 0.891849746666667

00:09:51.720 --> 00:09:53.929 these pseudo pyloric metaplasia glands,

NOTE Confidence: 0.891849746666667

 $00:09:53.930 \longrightarrow 00:09:55.256$ which is much more what they're

NOTE Confidence: 0.891849746666667

 $00:09:55.256 \longrightarrow 00:09:56.480$ accustomed to in the antrum,

NOTE Confidence: 0.891849746666667

 $00:09:56.480 \longrightarrow 00:09:59.864$ and that's how they spread from the stomach.

NOTE Confidence: 0.891849746666667

 $00:09:59.870 \longrightarrow 00:10:01.562$ So basically what that means is

NOTE Confidence: 0.891849746666667

 $00{:}10{:}01.562 \dashrightarrow 00{:}10{:}03.833$ that that you know as we kind of

NOTE Confidence: 0.891849746666667

 $00{:}10{:}03.833 \dashrightarrow 00{:}10{:}05.459$ learn more and more about Barretts

NOTE Confidence: 0.891849746666667

 $00{:}10{:}05.515 \dashrightarrow 00{:}10{:}07.363$ and we do the single cell RNA seek

NOTE Confidence: 0.891849746666667

 $00:10:07.363 \longrightarrow 00:10:09.450$ and we do the genome studies and we

NOTE Confidence: 0.891849746666667

 $00:10:09.450 \longrightarrow 00:10:11.729$ try to look at the clonal origin,

NOTE Confidence: 0.891849746666667

 $00:10:11.730 \longrightarrow 00:10:13.690$ origin of the Barrett's lesions.

NOTE Confidence: 0.891849746666667

 $00:10:13.690 \longrightarrow 00:10:16.570$ And you know the best consensus

NOTE Confidence: 0.891849746666667

 $00:10:16.570 \longrightarrow 00:10:19.649$ is that these kind of columnar

 $00:10:19.650 \longrightarrow 00:10:21.378$ lesions that look gastric are the

NOTE Confidence: 0.891849746666667

 $00{:}10{:}21.378 \dashrightarrow 00{:}10{:}23.199$ first ones that appear in Barretts.

NOTE Confidence: 0.891849746666667

 $00{:}10{:}23.200 \dashrightarrow 00{:}10{:}25.958$ But even these can be traced back

NOTE Confidence: 0.891849746666667

00:10:25.958 --> 00:10:27.970 to roots in in oxyntic mucosa,

NOTE Confidence: 0.891849746666667

 $00:10:27.970 \longrightarrow 00:10:30.714$ in other words, if you do clonal.

NOTE Confidence: 0.891849746666667

00:10:30.714 --> 00:10:31.626 Genomic analysis,

NOTE Confidence: 0.891849746666667

 $00:10:31.630 \longrightarrow 00:10:34.303$ you see that these often can be found in

NOTE Confidence: 0.891849746666667

 $00:10:34.303 \longrightarrow 00:10:37.388$ a patient near where they're you know,

NOTE Confidence: 0.891849746666667

 $00{:}10{:}37.388 \dashrightarrow 00{:}10{:}39.558$ most proximal eccentric glands are.

NOTE Confidence: 0.891849746666667

 $00:10:39.560 \longrightarrow 00:10:41.696$ So the idea then is that bile or

NOTE Confidence: 0.891849746666667

 $00{:}10{:}41.696 \dashrightarrow 00{:}10{:}43.999$ acid can turn these oxyntic glands

NOTE Confidence: 0.891849746666667

 $00:10:43.999 \longrightarrow 00:10:45.695$ into these pyloric glands.

NOTE Confidence: 0.891849746666667

 $00{:}10{:}45.700 \dashrightarrow 00{:}10{:}47.806$ And then pretty clearly what happens

NOTE Confidence: 0.891849746666667

 $00:10:47.806 \longrightarrow 00:10:50.280$ then is they become intestinal used.

NOTE Confidence: 0.891849746666667

 $00:10:50.280 \longrightarrow 00:10:51.496$ And why do I say it's pretty clear?

 $00:10:51.500 \longrightarrow 00:10:53.908$ It's because if you look at all Barrett

NOTE Confidence: 0.891849746666667

 $00{:}10{:}53.908 \dashrightarrow 00{:}10{:}55.030$ specimens, especially if you have,

NOTE Confidence: 0.891849746666667

00:10:55.030 --> 00:10:56.150 you know, full thickness,

NOTE Confidence: 0.891849746666667

 $00:10:56.150 \longrightarrow 00:10:58.280$ they almost always have bases that

NOTE Confidence: 0.891849746666667

 $00:10:58.280 \longrightarrow 00:11:00.379$ are muck 6 positive or trefoil.

NOTE Confidence: 0.891849746666667

00:11:00.380 --> 00:11:02.580 Factor 2 positive or look just like these,

NOTE Confidence: 0.891849746666667

 $00:11:02.580 \longrightarrow 00:11:04.184$ you know spasmolytic polypeptide

NOTE Confidence: 0.891849746666667

 $00:11:04.184 \longrightarrow 00:11:06.189$ expressing metaplasia cells and it's

NOTE Confidence: 0.891849746666667

 $00{:}11{:}06.189 \dashrightarrow 00{:}11{:}08.182$ only the surface at least until you

NOTE Confidence: 0.891849746666667

 $00:11:08.182 \longrightarrow 00:11:09.844$ get a high grade dysplasia that

NOTE Confidence: 0.891849746666667

 $00{:}11{:}09.844 \dashrightarrow 00{:}11{:}11.602$ has a lot of intestinal lization

NOTE Confidence: 0.891849746666667

 $00:11:11.602 \longrightarrow 00:11:13.782$ and of course then the progression

NOTE Confidence: 0.891849746666667

 $00:11:13.782 \longrightarrow 00:11:16.170$ progression from here is into dysplasia.

NOTE Confidence: 0.891849746666667

00:11:16.170 --> 00:11:19.586 So our research really is into you know,

NOTE Confidence: 0.891849746666667

00:11:19.590 --> 00:11:21.014 how do you get from here to here,

NOTE Confidence: 0.891849746666667

 $00{:}11{:}21.020 \dashrightarrow 00{:}11{:}22.436$ how do you get from here to here

 $00:11:22.436 \longrightarrow 00:11:24.034$ and how do you get from here to

NOTE Confidence: 0.891849746666667

00:11:24.034 --> 00:11:25.370 here from a pathology standpoint,

NOTE Confidence: 0.891849746666667

 $00:11:25.370 \longrightarrow 00:11:27.470$ you know then that gives you cancer.

NOTE Confidence: 0.891849746666667

 $00:11:27.470 \longrightarrow 00:11:29.297$ One thing just as a take home

NOTE Confidence: 0.891849746666667

 $00:11:29.297 \longrightarrow 00:11:30.540$ is that we think.

NOTE Confidence: 0.891849746666667

 $00:11:30.540 \longrightarrow 00:11:32.622$ Critical event in all of these

NOTE Confidence: 0.891849746666667

 $00:11:32.622 \longrightarrow 00:11:34.670$ transitions very early on is 53

NOTE Confidence: 0.891849746666667

00:11:34.670 --> 00:11:36.749 mutation and we're going to dig right

NOTE Confidence: 0.891849746666667

 $00{:}11{:}36.749 \dashrightarrow 00{:}11{:}38.894$ into the cell biology as we we you

NOTE Confidence: 0.891849746666667

00:11:38.894 --> 00:11:41.240 know why we think that now clinically

NOTE Confidence: 0.891849746666667

00:11:41.240 --> 00:11:43.215 and Barretts and molecularly we're

NOTE Confidence: 0.891849746666667

 $00:11:43.215 \longrightarrow 00:11:45.274$ finding that that basically as soon as

NOTE Confidence: 0.891849746666667

 $00{:}11{:}45.274 \dashrightarrow 00{:}11{:}47.398$ you have a loss of heterozygosity for

NOTE Confidence: 0.891849746666667

 $00:11:47.398 \longrightarrow 00:11:49.715$ people 53 and and patients have

NOTE Confidence: 0.695209716363636

 $00:11:49.720 \longrightarrow 00:11:52.576$ loss of function for PD3 then those

 $00:11:52.576 \longrightarrow 00:11:54.700$ Barretts lesions behave differently.

NOTE Confidence: 0.695209716363636

 $00:11:54.700 \longrightarrow 00:11:56.324$ They're almost always become

NOTE Confidence: 0.695209716363636

 $00:11:56.324 \longrightarrow 00:11:58.760$ dysplastic and the rate of conversion

NOTE Confidence: 0.695209716363636

 $00:11:58.822 \longrightarrow 00:12:02.440$ to neoplasms much higher. So.

NOTE Confidence: 0.695209716363636

00:12:02.440 --> 00:12:04.358 What I'm saying is that I think,

NOTE Confidence: 0.695209716363636

 $00:12:04.360 \longrightarrow 00:12:05.660$ you know, basically based on

NOTE Confidence: 0.695209716363636

 $00:12:05.660 \longrightarrow 00:12:07.271$ the the lineage tracing and all

NOTE Confidence: 0.695209716363636

 $00:12:07.271 \longrightarrow 00:12:08.807$ these sort of parallels and the

NOTE Confidence: 0.695209716363636

00:12:08.807 --> 00:12:10.112 molecular work that we're doing

NOTE Confidence: 0.695209716363636

 $00:12:10.112 \longrightarrow 00:12:11.576$ that what we think happens is,

NOTE Confidence: 0.695209716363636

00:12:11.580 --> 00:12:13.278 you know, violent acid comes in,

NOTE Confidence: 0.695209716363636

 $00:12:13.280 \longrightarrow 00:12:14.975$ Barretts and it.

NOTE Confidence: 0.695209716363636

 $00{:}12{:}14.975 \dashrightarrow 00{:}12{:}17.800$ Takes out the squamous epithelium

NOTE Confidence: 0.695209716363636

 $00:12:17.800 \longrightarrow 00:12:21.709$ and then in the in the that sort

NOTE Confidence: 0.695209716363636

 $00:12:21.709 \longrightarrow 00:12:24.331$ of damaged bedding and in that

NOTE Confidence: 0.695209716363636

 $00{:}12{:}24.331 \dashrightarrow 00{:}12{:}26.466$ reflex setting you get migration

 $00:12:26.466 \longrightarrow 00:12:29.629$ of this kind of gastric epithelium.

NOTE Confidence: 0.695209716363636

 $00{:}12{:}29.630 \dashrightarrow 00{:}12{:}32.780$ And then the gastric epithelium

NOTE Confidence: 0.695209716363636

 $00:12:32.780 \longrightarrow 00:12:34.040$ becomes intestinalis.

NOTE Confidence: 0.695209716363636

00:12:34.040 --> 00:12:35.606 And so you can kind of see some of

NOTE Confidence: 0.695209716363636

00:12:35.606 --> 00:12:36.930 these examples from and a lot of

NOTE Confidence: 0.695209716363636

 $00:12:36.930 \longrightarrow 00:12:38.410$ the work that I was telling you,

NOTE Confidence: 0.695209716363636

 $00:12:38.410 \longrightarrow 00:12:40.786$ the molecular work showing the origins

NOTE Confidence: 0.695209716363636

 $00:12:40.786 \longrightarrow 00:12:43.420$ of the Barretts lesions in in,

NOTE Confidence: 0.695209716363636 00:12:43.420 --> 00:12:44.340 you know, NOTE Confidence: 0.695209716363636

00:12:44.340 --> 00:12:46.404 way back at some point in a patient

NOTE Confidence: 0.695209716363636

00:12:46.404 --> 00:12:48.278 in oxyntic mucosa is from Stuart

NOTE Confidence: 0.695209716363636

 $00{:}12{:}48.278 \dashrightarrow 00{:}12{:}49.903$ McDonald and Marnick Sanson and

NOTE Confidence: 0.695209716363636

 $00{:}12{:}49.903 \dashrightarrow 00{:}12{:}51.665$ Nick Wright who've been doing this

NOTE Confidence: 0.695209716363636

00:12:51.665 --> 00:12:54.378 for a decade or two in in London.

NOTE Confidence: 0.695209716363636

 $00:12:54.378 \longrightarrow 00:12:57.366$ So you can see like these oxyntic

00:12:57.366 --> 00:12:58.896 lesions in in sometimes distal

NOTE Confidence: 0.695209716363636

 $00{:}12{:}58.896 \dashrightarrow 00{:}13{:}00.945$ Barretts and then you can see this

NOTE Confidence: 0.695209716363636

00:13:00.945 --> 00:13:02.475 is just from their paper actually

NOTE Confidence: 0.695209716363636

 $00:13:02.475 \longrightarrow 00:13:04.169$ and you see these more pyloric.

NOTE Confidence: 0.695209716363636

00:13:04.170 --> 00:13:05.958 Regions where you have the spam

NOTE Confidence: 0.695209716363636

00:13:05.958 --> 00:13:08.050 mucous cells at the bottom and then

NOTE Confidence: 0.695209716363636

 $00:13:08.050 \longrightarrow 00:13:10.010$ you see spam mucous cells at the

NOTE Confidence: 0.695209716363636

 $00:13:10.075 \longrightarrow 00:13:12.247$ bottom as the tops become intestinalis

NOTE Confidence: 0.695209716363636

00:13:12.247 --> 00:13:15.930 used with goblet cells, so.

NOTE Confidence: 0.695209716363636

00:13:15.930 --> 00:13:17.158 So we've been working,

NOTE Confidence: 0.695209716363636

 $00{:}13{:}17.158 \dashrightarrow 00{:}13{:}19.000$ we started working on Barretts five

NOTE Confidence: 0.695209716363636

 $00:13:19.061 \longrightarrow 00:13:21.098$ or six years ago and started seeing

NOTE Confidence: 0.695209716363636

 $00:13:21.098 \longrightarrow 00:13:24.290$ that all come together with our stomach work.

NOTE Confidence: 0.695209716363636

00:13:24.290 --> 00:13:25.738 And then you know when you kind of

NOTE Confidence: 0.695209716363636

 $00:13:25.738 \longrightarrow 00:13:27.316$ do this sort of thing then you go

NOTE Confidence: 0.695209716363636

 $00:13:27.316 \longrightarrow 00:13:29.008$ back to the stomach and you think again,

 $00:13:29.010 \longrightarrow 00:13:31.392$ well do we really understand how

NOTE Confidence: 0.695209716363636

00:13:31.392 --> 00:13:32.980 the stomach metaplasia happens.

NOTE Confidence: 0.695209716363636

 $00:13:32.980 \longrightarrow 00:13:35.248$ And so we started really kind of

NOTE Confidence: 0.695209716363636

00:13:35.248 --> 00:13:37.298 digging into the different types

NOTE Confidence: 0.695209716363636

00:13:37.298 --> 00:13:38.807 of stomach metaplasia.

NOTE Confidence: 0.695209716363636

 $00:13:38.810 \longrightarrow 00:13:40.637$ You know that from a research side

NOTE Confidence: 0.695209716363636

 $00:13:40.637 \longrightarrow 00:13:42.782$ and and actually in in Asia it's a

NOTE Confidence: 0.695209716363636

 $00:13:42.782 \longrightarrow 00:13:44.087$ diagnostic thing where you really

NOTE Confidence: 0.695209716363636

00:13:44.145 --> 00:13:45.529 make a distinction between.

NOTE Confidence: 0.695209716363636

00:13:45.530 --> 00:13:47.156 Incomplete and test on that ablation,

NOTE Confidence: 0.695209716363636

00:13:47.160 --> 00:13:49.070 complete and test on metaplasia.

NOTE Confidence: 0.695209716363636 00:13:49.070 --> 00:13:49.630 In fact, NOTE Confidence: 0.695209716363636

00:13:49.630 --> 00:13:51.590 you know they're type ones and type

NOTE Confidence: 0.695209716363636

00:13:51.590 --> 00:13:53.417 twos based on use and patterns.

NOTE Confidence: 0.695209716363636

 $00:13:53.420 \longrightarrow 00:13:55.298$ But what does all that mean?

00:13:55.300 --> 00:13:55.529 Well,

NOTE Confidence: 0.695209716363636

 $00:13:55.529 \longrightarrow 00:13:57.132$ it turns out that really if you

NOTE Confidence: 0.695209716363636

 $00:13:57.132 \longrightarrow 00:13:59.120$ go back in the in the stomach and

NOTE Confidence: 0.695209716363636

 $00:13:59.120 \longrightarrow 00:14:00.901$ especially look at the borders of

NOTE Confidence: 0.695209716363636

 $00:14:00.901 \longrightarrow 00:14:02.397$ patches of intestinal metaplasia,

NOTE Confidence: 0.695209716363636

 $00:14:02.400 \longrightarrow 00:14:04.472$ a lot of the times they're they're

NOTE Confidence: 0.695209716363636

 $00:14:04.472 \longrightarrow 00:14:06.419$ incomplete and they have the same

NOTE Confidence: 0.695209716363636

 $00{:}14{:}06.419 \dashrightarrow 00{:}14{:}08.094$ kind of organizations Barretts with

NOTE Confidence: 0.695209716363636

00:14:08.100 --> 00:14:09.462 spasmolytic polypeptide expressing

NOTE Confidence: 0.695209716363636

00:14:09.462 --> 00:14:12.186 metaplasia type deep pyloric cells at

NOTE Confidence: 0.695209716363636

 $00:14:12.186 \longrightarrow 00:14:14.226$ the bottom and then internalization

NOTE Confidence: 0.695209716363636

 $00:14:14.226 \longrightarrow 00:14:15.750$ of of goblet cells.

NOTE Confidence: 0.695209716363636

 $00:14:15.750 \longrightarrow 00:14:17.773$ At the top and during COVID when

NOTE Confidence: 0.695209716363636

00:14:17.773 --> 00:14:20.219 I had more time to kind of mess

NOTE Confidence: 0.695209716363636

00:14:20.219 --> 00:14:22.391 around and look into history of

NOTE Confidence: 0.695209716363636

00:14:22.391 --> 00:14:24.751 stuff and I was trying to go back

 $00:14:24.760 \longrightarrow 00:14:27.329$ and and try to figure out where

NOTE Confidence: 0.695209716363636

 $00:14:27.329 \longrightarrow 00:14:29.710$ it was that everybody in the in

NOTE Confidence: 0.695209716363636

00:14:29.710 --> 00:14:31.310 the stomach became obsessed with

NOTE Confidence: 0.695209716363636

 $00:14:31.310 \longrightarrow 00:14:32.240$ intestinal metaplasia.

NOTE Confidence: 0.695209716363636

 $00:14:32.240 \longrightarrow 00:14:34.160$ You know is this something that's

NOTE Confidence: 0.695209716363636

00:14:34.160 --> 00:14:35.440 always happened because pretty

NOTE Confidence: 0.695209716363636

 $00:14:35.490 \longrightarrow 00:14:36.865$ clearly the first thing that

NOTE Confidence: 0.695209716363636

00:14:36.865 --> 00:14:38.240 happens in atrophy is this

NOTE Confidence: 0.807014336521739

 $00:14:38.290 \longrightarrow 00:14:39.490$ more pyloric metaplasia.

NOTE Confidence: 0.807014336521739

 $00:14:39.490 \longrightarrow 00:14:40.726$ Yet we never signed that out.

NOTE Confidence: 0.807014336521739

 $00:14:40.730 \longrightarrow 00:14:42.010$ We never diagnosed that.

NOTE Confidence: 0.807014336521739

00:14:42.010 --> 00:14:44.266 I started going back in history and

NOTE Confidence: 0.807014336521739

 $00:14:44.266 \longrightarrow 00:14:46.170$ and you find that people you know.

NOTE Confidence: 0.807014336521739

 $00{:}14{:}46.170 \dashrightarrow 00{:}14{:}48.395$ Have been talking about pyloric

NOTE Confidence: 0.807014336521739

00:14:48.395 --> 00:14:50.620 metaplasia actually since like the

 $00:14:50.692 \longrightarrow 00:14:53.239$ 1890s and it was only in the sort of

NOTE Confidence: 0.807014336521739

 $00:14:53.239 \longrightarrow 00:14:56.221$ 1960s or 70s that people became so

NOTE Confidence: 0.807014336521739

 $00:14:56.221 \longrightarrow 00:14:57.973$ interested in intestinal medication.

NOTE Confidence: 0.807014336521739

 $00:14:57.980 \longrightarrow 00:15:00.206$ It was about the time that endoscopic

NOTE Confidence: 0.807014336521739

 $00:15:00.206 \longrightarrow 00:15:01.937$ biopsies came around and and

NOTE Confidence: 0.807014336521739

 $00:15:01.937 \longrightarrow 00:15:03.737$ pathologists got only little snippets.

NOTE Confidence: 0.807014336521739

 $00:15:03.740 \longrightarrow 00:15:05.658$ And you couldn't sort of tell the

NOTE Confidence: 0.807014336521739

 $00:15:05.658 \longrightarrow 00:15:07.777$ orientation to tell whether there was basil,

NOTE Confidence: 0.807014336521739

00:15:07.780 --> 00:15:10.420 you know, pyloric glands or not.

NOTE Confidence: 0.807014336521739

00:15:10.420 --> 00:15:12.142 But even, you know in the 1890s

NOTE Confidence: 0.807014336521739

 $00{:}15{:}12.142 \dashrightarrow 00{:}15{:}14.141$ they kind of had this concept that

NOTE Confidence: 0.807014336521739

 $00{:}15{:}14.141 \dashrightarrow 00{:}15{:}16.180$ there were these sort of pyloric or.

NOTE Confidence: 0.807014336521739

00:15:16.180 --> 00:15:18.007 Or acid or mucin cell like glance

NOTE Confidence: 0.807014336521739

00:15:18.007 --> 00:15:20.053 at the bottom that these then might

NOTE Confidence: 0.807014336521739

00:15:20.053 --> 00:15:22.416 have might be feeding these kind of

NOTE Confidence: 0.807014336521739

 $00:15:22.416 \longrightarrow 00:15:23.919$ incomplete intestinal metaplasia.

 $00:15:23.920 \longrightarrow 00:15:27.441$ This is from a textbook on gastric

NOTE Confidence: 0.807014336521739

00:15:27.441 --> 00:15:29.838 pathology in 1897 just to kind

NOTE Confidence: 0.807014336521739

 $00:15:29.838 \longrightarrow 00:15:32.430$ of show this diagram with sort of

NOTE Confidence: 0.807014336521739

 $00:15:32.430 \longrightarrow 00:15:35.034$ spam metaplasia on the bottom and

NOTE Confidence: 0.807014336521739

 $00:15:35.034 \longrightarrow 00:15:36.989$ then internalization on the top.

NOTE Confidence: 0.807014336521739

00:15:36.990 --> 00:15:38.300 And then just you know,

NOTE Confidence: 0.807014336521739

 $00:15:38.300 \longrightarrow 00:15:40.370$ I as I do a lot of sort of translational

NOTE Confidence: 0.807014336521739

 $00{:}15{:}40.428 \to 00{:}15{:}41.989$ work and I have slides about my

NOTE Confidence: 0.807014336521739

 $00:15:41.989 \longrightarrow 00:15:43.902$ desk that I look at all the time

NOTE Confidence: 0.807014336521739

 $00:15:43.902 \longrightarrow 00:15:45.514$ and you know bring people in like

NOTE Confidence: 0.807014336521739

 $00:15:45.514 \longrightarrow 00:15:46.963$ Juan J and and sit and look.

NOTE Confidence: 0.807014336521739

00:15:46.970 --> 00:15:48.842 You can actually see this pretty

NOTE Confidence: 0.807014336521739

 $00{:}15{:}48.842 \dashrightarrow 00{:}15{:}50.888$ frequently if you look for it where

NOTE Confidence: 0.807014336521739

 $00{:}15{:}50.888 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}15{:}52.596$ you can see these kind of deep

NOTE Confidence: 0.807014336521739

00:15:52.660 --> 00:15:54.765 pyloric glands erupting into more

 $00:15:54.765 \longrightarrow 00:15:56.449$ superficial transitioning into this

NOTE Confidence: 0.807014336521739

 $00:15:56.449 \longrightarrow 00:15:58.742$ kind of incomplete metaplasia.

NOTE Confidence: 0.807014336521739

 $00:15:58.742 \longrightarrow 00:16:02.486$ OK, so that's stomach and esophagus.

NOTE Confidence: 0.807014336521739

 $00:16:02.490 \longrightarrow 00:16:04.394$ But it turns out now with single

NOTE Confidence: 0.807014336521739

 $00:16:04.394 \longrightarrow 00:16:06.638$ cell or in a site where you can

NOTE Confidence: 0.807014336521739

 $00{:}16{:}06.638 {\:\dashrightarrow\:} 00{:}16{:}08.799$ take apart each one of these cells

NOTE Confidence: 0.807014336521739

 $00:16:08.799 \longrightarrow 00:16:11.001$ during progression to pan in lesions

NOTE Confidence: 0.807014336521739

00:16:11.001 --> 00:16:12.905 again for some reason in you know

NOTE Confidence: 0.807014336521739

 $00{:}16{:}12.905 \dashrightarrow 00{:}16{:}14.480$ pathology we only talk about panning,

NOTE Confidence: 0.807014336521739

 $00:16:14.480 \longrightarrow 00:16:16.314$ but in in the mouse where we

NOTE Confidence: 0.807014336521739

 $00:16:16.314 \longrightarrow 00:16:18.349$ can sort of look at each step,

NOTE Confidence: 0.807014336521739

 $00:16:18.350 \longrightarrow 00:16:21.115$ there's an intermediate step called

NOTE Confidence: 0.807014336521739

 $00{:}16{:}21.115 \dashrightarrow 00{:}16{:}23.327$ acinar ductal metaplasia where

NOTE Confidence: 0.807014336521739

 $00:16:23.330 \longrightarrow 00:16:26.084$ the acinar cells shrink and become

NOTE Confidence: 0.807014336521739

 $00:16:26.084 \longrightarrow 00:16:28.530$ more cuboidal columnar cells and

NOTE Confidence: 0.807014336521739

 $00:16:28.530 \longrightarrow 00:16:29.598$ and proliferative.

 $00{:}16{:}29.600 \dashrightarrow 00{:}16{:}31.622$ In an acute or chronic pancreatitis

NOTE Confidence: 0.807014336521739

 $00:16:31.622 \longrightarrow 00:16:33.663$ setting and when you start to

NOTE Confidence: 0.807014336521739

 $00:16:33.663 \longrightarrow 00:16:35.541$ profile those cells by single cell

NOTE Confidence: 0.807014336521739

00:16:35.541 --> 00:16:37.358 RNA seek what's interesting and

NOTE Confidence: 0.807014336521739

 $00:16:37.358 \longrightarrow 00:16:39.608$ this was work done at Vanderbilt.

NOTE Confidence: 0.807014336521739

 $00:16:39.610 \longrightarrow 00:16:41.938$ With a from Kathy Delgiorno's group

NOTE Confidence: 0.807014336521739

 $00:16:41.938 \longrightarrow 00:16:44.619$ and and a number of collaborators

NOTE Confidence: 0.807014336521739

00:16:44.619 --> 00:16:46.188 including Ken Lau.

NOTE Confidence: 0.807014336521739

 $00{:}16{:}46.190 \dashrightarrow 00{:}16{:}47.534$ I don't think you were on this paper

NOTE Confidence: 0.807014336521739

 $00:16:47.534 \longrightarrow 00:16:50.580$ though on J while you were there, but.

NOTE Confidence: 0.807014336521739

 $00:16:50.580 \longrightarrow 00:16:53.788$ But what you see in these early pancreatic

NOTE Confidence: 0.807014336521739

 $00:16:53.788 \longrightarrow 00:16:57.098$ lesions is the same sorts of gastric cells.

NOTE Confidence: 0.807014336521739

 $00{:}16{:}57.100 \dashrightarrow 00{:}16{:}57.799$ Now of course,

NOTE Confidence: 0.807014336521739

00:16:57.799 --> 00:16:59.197 they're not organized into a gland,

NOTE Confidence: 0.807014336521739

 $00:16:59.200 \longrightarrow 00:17:00.726$ you know, they're all on these asinine.

00:17:00.730 --> 00:17:02.470 But by single cell RNA seek,

NOTE Confidence: 0.807014336521739

 $00{:}17{:}02.470 --> 00{:}17{:}03.860$ you see cells that look

NOTE Confidence: 0.807014336521739

 $00:17:03.860 \longrightarrow 00:17:04.972$ like foveolar pit cells.

NOTE Confidence: 0.807014336521739

 $00:17:04.980 \longrightarrow 00:17:07.902$ You see cells that look like

NOTE Confidence: 0.807014336521739

 $00:17:07.902 \longrightarrow 00:17:09.363$ these spasmolytic polypeptide

NOTE Confidence: 0.807014336521739

00:17:09.363 --> 00:17:11.189 pyloric metaplasia cells.

NOTE Confidence: 0.807014336521739

 $00:17:11.190 \longrightarrow 00:17:12.905$ So and you see the same kinds

NOTE Confidence: 0.807014336521739

 $00:17:12.905 \longrightarrow 00:17:14.323$ of cytokines that are starting

NOTE Confidence: 0.807014336521739

 $00:17:14.323 \longrightarrow 00:17:15.888$ to emerge as being universal.

NOTE Confidence: 0.807014336521739

00:17:15.890 --> 00:17:17.626 So I'm not going to talk about this,

NOTE Confidence: 0.807014336521739

 $00:17:17.630 \longrightarrow 00:17:19.694$ but aisle 13,

NOTE Confidence: 0.807014336521739

 $00:17:19.694 \longrightarrow 00:17:22.982$ aisle 33 shows up as mediating

NOTE Confidence: 0.807014336521739

 $00:17:22.982 \longrightarrow 00:17:25.850$ these metaplasia as in the esophagus

NOTE Confidence: 0.807014336521739

 $00:17:25.932 \longrightarrow 00:17:28.434$ and the stomach and even as we're

NOTE Confidence: 0.807014336521739

 $00:17:28.434 \longrightarrow 00:17:30.268$ going to say now in the intestines.

NOTE Confidence: 0.842524026842105

 $00{:}17{:}30.270 \dashrightarrow 00{:}17{:}32.286$ And so the other thing I think

00:17:32.286 --> 00:17:34.201 it's been really kind of exploding

NOTE Confidence: 0.842524026842105

 $00:17:34.201 \longrightarrow 00:17:36.163$ in in from the pathology side.

NOTE Confidence: 0.842524026842105

 $00:17:36.170 \longrightarrow 00:17:38.070$ Is that the right sided,

NOTE Confidence: 0.842524026842105

 $00:17:38.070 \longrightarrow 00:17:40.274$ you know serrated sessile.

NOTE Confidence: 0.842524026842105

00:17:40.274 --> 00:17:41.786 You know, polyps,

NOTE Confidence: 0.842524026842105

 $00:17:41.786 \longrightarrow 00:17:44.222$ we used to call them serrated

NOTE Confidence: 0.842524026842105

 $00:17:44.222 \longrightarrow 00:17:46.195$ sessile lesions also had this

NOTE Confidence: 0.842524026842105

 $00:17:46.195 \longrightarrow 00:17:48.120$ same kind of basic format.

NOTE Confidence: 0.842524026842105

00:17:48.120 --> 00:17:50.004 So in this case you're taking

NOTE Confidence: 0.842524026842105

00:17:50.004 --> 00:17:51.563 things that were 100% intestinal

NOTE Confidence: 0.842524026842105

00:17:51.563 --> 00:17:53.381 and then now they're moving towards

NOTE Confidence: 0.842524026842105

 $00:17:53.381 \longrightarrow 00:17:55.302$ the gastric side and they wind up

NOTE Confidence: 0.842524026842105

 $00{:}17{:}55.302 \dashrightarrow 00{:}17{:}57.083$ somewhere in the middle with this kind

NOTE Confidence: 0.842524026842105

 $00:17:57.083 \longrightarrow 00:17:58.503$ of pyloric morphology where again

NOTE Confidence: 0.842524026842105

 $00:17:58.503 \longrightarrow 00:18:00.080$ single cell RNA seek shows that.

00:18:00.080 --> 00:18:00.960 But then you know,

NOTE Confidence: 0.842524026842105

 $00{:}18{:}00.960 \dashrightarrow 00{:}18{:}03.576$ as I've been collecting these lesions

NOTE Confidence: 0.842524026842105

 $00:18:03.576 \longrightarrow 00:18:06.856$ and we've been looking at them

NOTE Confidence: 0.842524026842105

00:18:06.856 --> 00:18:09.040 morphologically and immunohistochemically,

NOTE Confidence: 0.842524026842105

 $00:18:09.040 \longrightarrow 00:18:10.816$ you again see you know and.

NOTE Confidence: 0.842524026842105

00:18:10.820 --> 00:18:13.004 And it's been described before too by

NOTE Confidence: 0.842524026842105

 $00:18:13.004 \longrightarrow 00:18:14.878$ others that there's muck 6 positive,

NOTE Confidence: 0.842524026842105

 $00:18:14.880 \longrightarrow 00:18:16.794$ which is exactly the same expression

NOTE Confidence: 0.842524026842105

00:18:16.794 --> 00:18:18.444 pattern as spam cells that

NOTE Confidence: 0.842524026842105

 $00:18:18.444 \longrightarrow 00:18:19.720$ emerge that are gastric,

NOTE Confidence: 0.842524026842105 00:18:19.720 --> 00:18:20.538 you know, NOTE Confidence: 0.842524026842105

 $00:18:20.538 \longrightarrow 00:18:22.583$ that are characteristic deep sort

NOTE Confidence: 0.842524026842105

 $00{:}18{:}22.583 \dashrightarrow 00{:}18{:}25.019$ of a cinar lesions within these SSL.

NOTE Confidence: 0.842524026842105

 $00:18:25.020 \longrightarrow 00:18:27.204$ And then there's an ad mix sort

NOTE Confidence: 0.842524026842105

00:18:27.204 --> 00:18:29.578 of muck 5 AC full Viola and

NOTE Confidence: 0.842524026842105

 $00{:}18{:}29.578 \dashrightarrow 00{:}18{:}31.050$ goblet cell surface lesions.

 $00:18:31.050 \longrightarrow 00:18:34.886$ So at least on the right sided.

NOTE Confidence: 0.842524026842105

 $00:18:34.890 \longrightarrow 00:18:36.954$ SSL type of lesion there seems to be

NOTE Confidence: 0.842524026842105

 $00:18:36.954 \longrightarrow 00:18:39.483$ the same kind of metaplasia but sort of

NOTE Confidence: 0.842524026842105

 $00:18:39.483 \longrightarrow 00:18:41.769$ coming from intestine back towards gastric.

NOTE Confidence: 0.842524026842105

 $00:18:41.770 \longrightarrow 00:18:43.300$ Now that polyps and tubular adenoma

NOTE Confidence: 0.842524026842105

 $00:18:43.300 \longrightarrow 00:18:45.380$ seem to take a different course that's

NOTE Confidence: 0.842524026842105

 $00:18:45.380 \longrightarrow 00:18:47.396$ kind of more traditionally stem cell

NOTE Confidence: 0.842524026842105

 $00:18:47.396 \longrightarrow 00:18:49.729$ based and doesn't fall within that category.

NOTE Confidence: 0.842524026842105

 $00:18:49.730 \longrightarrow 00:18:53.010$ But still now we got four different organs

NOTE Confidence: 0.842524026842105

00:18:53.010 --> 00:18:55.419 all converging towards this sort of,

NOTE Confidence: 0.842524026842105

00:18:55.420 --> 00:18:57.919 you know pyloric like which is actually

NOTE Confidence: 0.842524026842105

 $00:18:57.919 \longrightarrow 00:19:00.162$ probably maybe one of the primordial

NOTE Confidence: 0.842524026842105

 $00{:}19{:}00.162 \dashrightarrow 00{:}19{:}02.376$ embryonic states of the stomach and

NOTE Confidence: 0.842524026842105

 $00:19:02.376 \dashrightarrow 00:19:04.812$ that's probably why and repair the stomach.

NOTE Confidence: 0.842524026842105

 $00:19:04.812 \longrightarrow 00:19:06.558$ Kind of chooses to go back

 $00:19:06.558 \longrightarrow 00:19:08.070$ to this sort of lesion.

NOTE Confidence: 0.842524026842105

 $00{:}19{:}08.070 \dashrightarrow 00{:}19{:}10.650$ But once you have an established

NOTE Confidence: 0.842524026842105

00:19:10.650 --> 00:19:13.379 lesion that's mixed lineage where it's,

NOTE Confidence: 0.842524026842105

00:19:13.380 --> 00:19:14.670 you know, making both intestinal

NOTE Confidence: 0.842524026842105

00:19:14.670 --> 00:19:16.459 and gastric cells at the same time,

NOTE Confidence: 0.842524026842105

00:19:16.460 --> 00:19:18.294 you could see at least you know,

NOTE Confidence: 0.842524026842105

 $00:19:18.300 \longrightarrow 00:19:21.002$ reason why that might be a risk

NOTE Confidence: 0.842524026842105

 $00:19:21.002 \longrightarrow 00:19:22.780$ for progressing to cancer.

NOTE Confidence: 0.842524026842105

 $00:19:22.780 \longrightarrow 00:19:23.720$ And so part of that,

NOTE Confidence: 0.842524026842105 00:19:23.720 --> 00:19:24.522 you know, NOTE Confidence: 0.842524026842105

00:19:24.522 --> 00:19:26.857 manifest itself when you do genome

NOTE Confidence: 0.842524026842105

 $00{:}19{:}26.857 \dashrightarrow 00{:}19{:}28.819$ sequencing and you look for mutations.

NOTE Confidence: 0.842524026842105

 $00:19:28.820 \longrightarrow 00:19:30.220$ And that's why this is kind of

NOTE Confidence: 0.842524026842105

 $00:19:30.220 \longrightarrow 00:19:31.963$ some of the clinical data for why

NOTE Confidence: 0.842524026842105

00:19:31.963 --> 00:19:33.595 people do 3 mutations so important,

NOTE Confidence: 0.842524026842105

 $00:19:33.600 \longrightarrow 00:19:34.110$ which is that,

00:19:34.110 --> 00:19:34.450 you know,

NOTE Confidence: 0.842524026842105

 $00:19:34.450 \longrightarrow 00:19:35.974$ in these Barretts glands as they

NOTE Confidence: 0.842524026842105

 $00:19:35.974 \longrightarrow 00:19:37.268$ start to progress and clones

NOTE Confidence: 0.842524026842105

 $00:19:37.268 \longrightarrow 00:19:38.878$ emerge and they start to get the

NOTE Confidence: 0.842524026842105

 $00:19:38.878 \longrightarrow 00:19:40.379$ ones that are mixed intestinal,

NOTE Confidence: 0.842524026842105

 $00:19:40.380 \longrightarrow 00:19:42.396$ it seems like those are the ones that

NOTE Confidence: 0.842524026842105

 $00:19:42.396 \longrightarrow 00:19:44.348$ are prone to developing P53 mutation.

NOTE Confidence: 0.842524026842105

 $00:19:44.348 \longrightarrow 00:19:46.756$ It's those clones that then very rapidly,

NOTE Confidence: 0.842524026842105

 $00:19:46.760 \longrightarrow 00:19:48.200$ you know, from a heterozygote,

NOTE Confidence: 0.842524026842105

 $00{:}19{:}48.200 \dashrightarrow 00{:}19{:}50.186$ once there's a loss of heterozygosity,

NOTE Confidence: 0.842524026842105

 $00:19:50.190 \longrightarrow 00:19:52.830$ they almost immediately go into dysplasia.

NOTE Confidence: 0.842524026842105

 $00:19:52.830 \longrightarrow 00:19:56.148$ And and neoplasia and then and

NOTE Confidence: 0.842524026842105

 $00{:}19{:}56.148 {\:{\mbox{--}}\!>\:} 00{:}19{:}57.807$ metastatic and metastasis.

NOTE Confidence: 0.842524026842105

00:19:57.810 --> 00:19:58.177 OK.

NOTE Confidence: 0.842524026842105

00:19:58.177 --> 00:20:01.480 So that's the like if my talks at sandwich,

 $00:20:01.480 \longrightarrow 00:20:02.914$ that's this is the path introduction

NOTE Confidence: 0.842524026842105

 $00{:}20{:}02.914 \dashrightarrow 00{:}20{:}04.574$ that we're going to delve into what

NOTE Confidence: 0.842524026842105

 $00:20:04.574 \longrightarrow 00:20:06.100$ we think some of the mechanisms are

NOTE Confidence: 0.842524026842105

00:20:06.147 --> 00:20:07.673 for how we get these metaplasia and

NOTE Confidence: 0.842524026842105

00:20:07.673 --> 00:20:09.350 then we'll come back out again to

NOTE Confidence: 0.842524026842105

 $00{:}20{:}09.350 \dashrightarrow 00{:}20{:}11.194$ see some of the clinical trial work

NOTE Confidence: 0.842524026842105

 $00:20:11.194 \longrightarrow 00:20:13.226$ that we're doing to try to address it.

NOTE Confidence: 0.842524026842105

 $00:20:13.230 \longrightarrow 00:20:18.027$ So the question is to where are all these?

NOTE Confidence: 0.747923522

00:20:18.030 --> 00:20:19.470 Lesions coming from, you know,

NOTE Confidence: 0.747923522

 $00:20:19.470 \longrightarrow 00:20:21.222$ in these four different organs and

NOTE Confidence: 0.747923522

00:20:21.222 --> 00:20:23.573 you know the knee jerk response that I

NOTE Confidence: 0.747923522

00:20:23.573 --> 00:20:25.831 would have given you 15 years ago when

NOTE Confidence: 0.747923522

 $00{:}20{:}25.831 \dashrightarrow 00{:}20{:}27.895$ Juan Jason the lab was the stem cell.

NOTE Confidence: 0.747923522

 $00:20:27.900 \longrightarrow 00:20:29.305$ Everybody thinks stem cells are

NOTE Confidence: 0.747923522

 $00:20:29.305 \longrightarrow 00:20:31.046$ what gives rise to, you know,

NOTE Confidence: 0.747923522

 $00{:}20{:}31.046 \dashrightarrow 00{:}20{:}32.894$ lesions and that are proliferative

 $00:20:32.894 \longrightarrow 00:20:34.369$ and gives rise to cancer.

NOTE Confidence: 0.747923522

 $00{:}20{:}34.370 \dashrightarrow 00{:}20{:}35.916$ Well, but it turns out, you know,

NOTE Confidence: 0.747923522

00:20:35.916 --> 00:20:38.020 the stem cells are kind of tricky and

NOTE Confidence: 0.747923522

 $00:20:38.084 \longrightarrow 00:20:40.160$ in the pyloric versus oxyntic mucosa.

NOTE Confidence: 0.747923522

00:20:40.160 --> 00:20:41.840 So the, the professional stem cells

NOTE Confidence: 0.747923522

 $00{:}20{:}41.840 \dashrightarrow 00{:}20{:}43.679$ and the oxyntic costs are way up

NOTE Confidence: 0.747923522

 $00:20:43.679 \longrightarrow 00:20:45.005$ here close to the surface and

NOTE Confidence: 0.747923522

 $00:20:45.005 \longrightarrow 00:20:46.607$ then when you get this you know,

NOTE Confidence: 0.747923522

 $00:20:46.610 \longrightarrow 00:20:48.170$ change into this more pyloric.

NOTE Confidence: 0.747923522

00:20:48.170 --> 00:20:50.480 They're kind of down here.

NOTE Confidence: 0.747923522

 $00:20:50.480 \longrightarrow 00:20:52.345$ So there's a change there

NOTE Confidence: 0.747923522

 $00{:}20{:}52.345 \dashrightarrow 00{:}20{:}53.968$ already work towards the base.

NOTE Confidence: 0.747923522

 $00{:}20{:}53.968 \dashrightarrow 00{:}20{:}56.060$ But then there's another thing that we,

NOTE Confidence: 0.747923522

00:20:56.060 --> 00:20:56.440 you know,

NOTE Confidence: 0.747923522

 $00:20:56.440 \longrightarrow 00:20:57.580$ have to think about which is

 $00:20:57.580 \longrightarrow 00:20:58.837$ that say in the pancreas there

NOTE Confidence: 0.747923522

00:20:58.837 --> 00:21:00.079 aren't any stem cells at all.

NOTE Confidence: 0.747923522

 $00:21:00.080 \longrightarrow 00:21:01.710$ So where are those proliferative

NOTE Confidence: 0.747923522

 $00:21:01.710 \longrightarrow 00:21:02.688$ cells coming from?

NOTE Confidence: 0.747923522

00:21:02.690 --> 00:21:04.839 And and there's been a long strain,

NOTE Confidence: 0.747923522

 $00{:}21{:}04.840 \dashrightarrow 00{:}21{:}06.778$ relatively long for this kind of

NOTE Confidence: 0.747923522

00:21:06.778 --> 00:21:08.803 cell plasticity field of maybe 10-15

NOTE Confidence: 0.747923522

00:21:08.803 --> 00:21:11.148 years of good mouse work with human

NOTE Confidence: 0.747923522

 $00{:}21{:}11.148 \dashrightarrow 00{:}21{:}13.836$ correlation showing that most of the

NOTE Confidence: 0.747923522

00:21:13.836 --> 00:21:15.213 reparative metaplastic proliferating

NOTE Confidence: 0.747923522

 $00{:}21{:}15.213 \dashrightarrow 00{:}21{:}17.184$ proliferating cells in the pancreas

NOTE Confidence: 0.747923522

 $00:21:17.184 \longrightarrow 00:21:18.924$ that come about during pancreatitis.

NOTE Confidence: 0.747923522

00:21:18.930 --> 00:21:20.130 And pancreatic injuries actually

NOTE Confidence: 0.747923522

 $00:21:20.130 \longrightarrow 00:21:22.309$ all come from the acinar cells that

NOTE Confidence: 0.747923522

00:21:22.309 --> 00:21:23.929 are doing their digestive enzyme

NOTE Confidence: 0.747923522

 $00{:}21{:}23.929 \dashrightarrow 00{:}21{:}25.225$ secretion that that reprogram.

00:21:25.230 --> 00:21:25.454 Well,

NOTE Confidence: 0.747923522

 $00:21:25.454 \longrightarrow 00:21:27.470$ it turns out we have a ton of evidence

NOTE Confidence: 0.747923522

 $00:21:27.521 \longrightarrow 00:21:28.996$ now that actually similar things

NOTE Confidence: 0.747923522

 $00:21:28.996 \longrightarrow 00:21:30.780$ are happening down at the base.

NOTE Confidence: 0.747923522

 $00:21:30.780 \longrightarrow 00:21:32.964$ And the reason probably why you get

NOTE Confidence: 0.747923522

00:21:32.964 --> 00:21:35.040 this change from an oxyntic mucosa,

NOTE Confidence: 0.747923522

 $00:21:35.040 \longrightarrow 00:21:36.905$ this kind of organization with

NOTE Confidence: 0.747923522

 $00{:}21{:}36.905 \dashrightarrow 00{:}21{:}38.770$ proliferative cells at the base

NOTE Confidence: 0.747923522

 $00:21:38.836 \longrightarrow 00:21:39.739$ is because the,

NOTE Confidence: 0.747923522

 $00:21:39.740 \longrightarrow 00:21:41.707$ the fuel for these changes in in

NOTE Confidence: 0.747923522

 $00:21:41.707 \longrightarrow 00:21:43.595$ these lesions is actually at the

NOTE Confidence: 0.747923522

 $00{:}21{:}43.595 \dashrightarrow 00{:}21{:}45.230$ base and the differentiated cells

NOTE Confidence: 0.747923522

 $00{:}21{:}45.230 \dashrightarrow 00{:}21{:}47.498$ just as it happens in the pancreas,

NOTE Confidence: 0.747923522

 $00:21:47.500 \longrightarrow 00:21:48.664$ in the acinar cells,

NOTE Confidence: 0.747923522

 $00:21:48.664 \longrightarrow 00:21:50.119$ it's in the digestive enzymes.

 $00{:}21{:}50.120 \dashrightarrow 00{:}21{:}52.286$ Recruiting chief cells at the base.

NOTE Confidence: 0.747923522

 $00:21:52.290 \longrightarrow 00:21:54.924$ So that brings up this concept

NOTE Confidence: 0.747923522

 $00:21:54.924 \longrightarrow 00:21:57.829$ that how do you get from a,

NOTE Confidence: 0.747923522

 $00:21:57.830 \longrightarrow 00:21:59.626$ a, a differentiated cell,

NOTE Confidence: 0.747923522

00:21:59.626 --> 00:22:01.871 massive secretory cell like the

NOTE Confidence: 0.747923522

 $00{:}22{:}01.871 \dashrightarrow 00{:}22{:}04.007$ pancreatic acinar solar chief cell

NOTE Confidence: 0.747923522

 $00:22:04.007 \longrightarrow 00:22:06.425$ to a much smaller proliferating cell.

NOTE Confidence: 0.747923522

00:22:06.430 --> 00:22:08.370 And you know that actually,

NOTE Confidence: 0.747923522

 $00{:}22{:}08.370 \dashrightarrow 00{:}22{:}10.218$ you know stirred us to begin to

NOTE Confidence: 0.747923522

00:22:10.218 --> 00:22:12.119 explore the idea of cell plasticity,

NOTE Confidence: 0.747923522

 $00:22:12.120 \longrightarrow 00:22:13.730$ which is where this fits.

NOTE Confidence: 0.747923522

00:22:13.730 --> 00:22:15.122 And you know this,

NOTE Confidence: 0.747923522

 $00{:}22{:}15.122 \dashrightarrow 00{:}22{:}17.582$ this concept has exploded in the last

NOTE Confidence: 0.747923522

00:22:17.582 --> 00:22:20.228 five to 10 years and we had the first,

NOTE Confidence: 0.747923522

00:22:20.230 --> 00:22:22.534 I think the first ever meeting that I helped.

NOTE Confidence: 0.747923522

00:22:22.540 --> 00:22:22.939 Organized,

00:22:22.939 --> 00:22:26.530 which is a keystone meeting in 2019 on it,

NOTE Confidence: 0.747923522

 $00:22:26.530 \longrightarrow 00:22:27.853$ but then there was a follow up

NOTE Confidence: 0.747923522

 $00:22:27.853 \longrightarrow 00:22:29.420$ and now there are a number of

NOTE Confidence: 0.747923522

 $00:22:29.420 \longrightarrow 00:22:30.368$ meetings that are scheduled.

NOTE Confidence: 0.747923522

 $00:22:30.370 \longrightarrow 00:22:32.056$ We had a paper on nomenclature,

NOTE Confidence: 0.747923522

00:22:32.060 --> 00:22:34.020 but just to kind of put us all in the

NOTE Confidence: 0.747923522

 $00:22:34.077 \longrightarrow 00:22:35.802$ same cell and developmental biology

NOTE Confidence: 0.747923522

00:22:35.802 --> 00:22:38.270 page when we're talking about this lesions,

NOTE Confidence: 0.747923522

 $00:22:38.270 \longrightarrow 00:22:39.955$ you know the canonical stem

NOTE Confidence: 0.747923522

 $00:22:39.955 \longrightarrow 00:22:42.000$ cell idea of how you get.

NOTE Confidence: 0.747923522

 $00:22:42.000 \longrightarrow 00:22:43.730$ Differentiation in a tissue is

NOTE Confidence: 0.747923522

 $00:22:43.730 \longrightarrow 00:22:45.907$ that you have these stem cells

NOTE Confidence: 0.747923522

00:22:45.907 --> 00:22:47.764 that make faith choices, right.

NOTE Confidence: 0.747923522

00:22:47.764 --> 00:22:49.484 And as they differentiate and

NOTE Confidence: 0.747923522

 $00:22:49.484 \longrightarrow 00:22:50.860$ they're basically like marbles

00:22:50.918 --> 00:22:52.410 rolling down this Waddington,

NOTE Confidence: 0.747923522

 $00{:}22{:}52.410 \dashrightarrow 00{:}22{:}53.786$ this Conrad Waddington was

NOTE Confidence: 0.747923522

 $00:22:53.786 \longrightarrow 00:22:55.850$ the person who came up with

NOTE Confidence: 0.825815031333333

 $00:22:55.918 \longrightarrow 00:22:58.683$ this concept of a landscape of sort

NOTE Confidence: 0.825815031333333

 $00:22:58.683 \longrightarrow 00:23:00.522$ of differentiation choices and then

NOTE Confidence: 0.825815031333333

 $00:23:00.522 \longrightarrow 00:23:02.573$ the ball sort of slowly roll down

NOTE Confidence: 0.825815031333333

 $00:23:02.573 \longrightarrow 00:23:04.214$ and then you get your chief cells and

NOTE Confidence: 0.825815031333333

 $00:23:04.214 \longrightarrow 00:23:05.519$ parietal cells and a cinar cells at the

NOTE Confidence: 0.825815031333333

 $00:23:05.519 \longrightarrow 00:23:06.820$ base and then they just sit there.

NOTE Confidence: 0.825815031333333

 $00:23:06.820 \longrightarrow 00:23:08.514$ You know, the idea inherent to this

NOTE Confidence: 0.825815031333333

 $00:23:08.514 \longrightarrow 00:23:10.050$ concept is that it's a unidirectional

NOTE Confidence: 0.825815031333333

 $00:23:10.050 \longrightarrow 00:23:12.100$ flow of the balls roll down the hill.

NOTE Confidence: 0.825815031333333

 $00:23:12.100 \longrightarrow 00:23:13.837$ And so then if you need to get repair,

NOTE Confidence: 0.825815031333333

00:23:13.840 --> 00:23:14.760 any kind of repair done,

NOTE Confidence: 0.825815031333333

 $00:23:14.760 \longrightarrow 00:23:16.335$ then you need to take one of

NOTE Confidence: 0.825815031333333

 $00{:}23{:}16.335 \dashrightarrow 00{:}23{:}17.380$ these progenitors to repair.

 $00:23:17.380 \longrightarrow 00:23:19.306$ But it's pretty clearly not the

NOTE Confidence: 0.825815031333333

 $00{:}23{:}19.306 \dashrightarrow 00{:}23{:}21.540$ case because now we all know that.

NOTE Confidence: 0.825815031333333

 $00:23:21.540 \longrightarrow 00:23:23.164$ The balls can kind of go back up

NOTE Confidence: 0.825815031333333

 $00:23:23.164 \longrightarrow 00:23:24.662$ the hill and you can get just

NOTE Confidence: 0.825815031333333

 $00:23:24.662 \longrightarrow 00:23:26.200$ in the setting like I told you.

NOTE Confidence: 0.825815031333333

 $00:23:26.200 \longrightarrow 00:23:28.310$ If acinar cells they can

NOTE Confidence: 0.825815031333333

 $00:23:28.310 \longrightarrow 00:23:29.154$ become proliferative.

NOTE Confidence: 0.825815031333333

 $00:23:29.160 \longrightarrow 00:23:30.960$ You can get sort of the balls going

NOTE Confidence: 0.825815031333333

 $00:23:30.960 \longrightarrow 00:23:32.717$ over the grooves and being becoming

NOTE Confidence: 0.825815031333333

 $00{:}23{:}32.717 \dashrightarrow 00{:}23{:}34.744$ other cells like beta cells in the

NOTE Confidence: 0.825815031333333

 $00:23:34.744 \longrightarrow 00:23:36.370$ pancreatic islets can become alpha cells.

NOTE Confidence: 0.825815031333333

 $00{:}23{:}36.370 \dashrightarrow 00{:}23{:}39.070$ So these are trans differentiation

NOTE Confidence: 0.825815031333333

 $00:23:39.070 \longrightarrow 00:23:40.690$ and dedifferentiation events.

NOTE Confidence: 0.825815031333333

 $00:23:40.690 \longrightarrow 00:23:42.748$ And in fact when you really think

NOTE Confidence: 0.825815031333333

 $00:23:42.748 \longrightarrow 00:23:44.943$ where we care is pathologists and

 $00:23:44.943 \longrightarrow 00:23:47.013$ and pathology researchers about the

NOTE Confidence: 0.825815031333333

 $00{:}23{:}47.013 \dashrightarrow 00{:}23{:}49.410$ injury and inflammation standpoint.

NOTE Confidence: 0.825815031333333

00:23:49.410 --> 00:23:50.838 You know it's quite possible that

NOTE Confidence: 0.825815031333333

 $00:23:50.838 \longrightarrow 00:23:52.610$ none of these grooves even stay the

NOTE Confidence: 0.825815031333333

00:23:52.610 --> 00:23:53.890 same during inflammation in the

NOTE Confidence: 0.825815031333333

 $00:23:53.890 \longrightarrow 00:23:55.472$ entire niches changing and all the

NOTE Confidence: 0.825815031333333

 $00:23:55.472 \longrightarrow 00:23:56.752$ groups are changing the identities

NOTE Confidence: 0.825815031333333

 $00:23:56.752 \longrightarrow 00:23:58.781$ may change you know and as we do

NOTE Confidence: 0.825815031333333

00:23:58.781 --> 00:24:00.929 more single cell RNA seek we see that

NOTE Confidence: 0.825815031333333

00:24:00.929 --> 00:24:02.873 you know I cell identities are all

NOTE Confidence: 0.825815031333333

 $00{:}24{:}02.873 \dashrightarrow 00{:}24{:}04.840$ kind of overlapping you know and and

NOTE Confidence: 0.825815031333333

 $00:24:04.840 \longrightarrow 00:24:09.176$ these groups may not be so so clear.

NOTE Confidence: 0.825815031333333

 $00:24:09.180 \longrightarrow 00:24:11.630$ So there's a lot of interest in

NOTE Confidence: 0.825815031333333

00:24:11.630 --> 00:24:14.346 collagenosis and or in itself by in

NOTE Confidence: 0.825815031333333

 $00:24:14.346 \longrightarrow 00:24:16.336$ plasticity and differentiation and in

NOTE Confidence: 0.825815031333333

 $00:24:16.336 \longrightarrow 00:24:18.560$ fact that kind of got I was tickled

 $00:24:18.560 \longrightarrow 00:24:20.480$ to see that there was a last month

NOTE Confidence: 0.825815031333333

 $00{:}24{:}20.480 \dashrightarrow 00{:}24{:}22.295$ the call for in scientific reports

NOTE Confidence: 0.825815031333333

00:24:22.295 --> 00:24:24.431 for papers on on plasticity and

NOTE Confidence: 0.825815031333333

 $00:24:24.431 \longrightarrow 00:24:26.117$ specifically specifically pathogenesis.

NOTE Confidence: 0.825815031333333

 $00:24:26.120 \longrightarrow 00:24:26.502$ OK.

NOTE Confidence: 0.825815031333333

 $00:24:26.502 \longrightarrow 00:24:29.558$ So the why do we have this term

NOTE Confidence: 0.825815031333333

 $00:24:29.558 \longrightarrow 00:24:31.933$ pathogenesis and the reason is because

NOTE Confidence: 0.825815031333333

 $00{:}24{:}31.933 \dashrightarrow 00{:}24{:}34.723$ all of those balls are rolling around

NOTE Confidence: 0.825815031333333

 $00{:}24{:}34.723 \dashrightarrow 00{:}24{:}37.907$ on the hill that I was showing

NOTE Confidence: 0.825815031333333

 $00:24:37.910 \longrightarrow 00:24:39.494$ you had to do sort of with the.

NOTE Confidence: 0.825815031333333

00:24:39.500 --> 00:24:42.746 That, that tissue and developmental biology,

NOTE Confidence: 0.825815031333333

 $00:24:42.750 \longrightarrow 00:24:45.830$ the idea that every cell has got its

NOTE Confidence: 0.825815031333333

 $00{:}24{:}45.830 \dashrightarrow 00{:}24{:}47.982$ own identity and that in plasticity

NOTE Confidence: 0.825815031333333

 $00:24:47.982 \longrightarrow 00:24:49.448$ events the cells, you know,

NOTE Confidence: 0.825815031333333

00:24:49.448 --> 00:24:50.822 change identity and it matters if

 $00:24:50.822 \longrightarrow 00:24:51.943$ they become less differentiated

NOTE Confidence: 0.825815031333333

 $00:24:51.943 \longrightarrow 00:24:53.167$ than they're rolling up.

NOTE Confidence: 0.825815031333333

00:24:53.170 --> 00:24:54.580 And if they're trans differentiated,

NOTE Confidence: 0.825815031333333

00:24:54.580 --> 00:24:55.690 they're, you know,

NOTE Confidence: 0.825815031333333

 $00:24:55.690 \longrightarrow 00:24:57.170$ becoming another cell type.

NOTE Confidence: 0.825815031333333

 $00{:}24{:}57.170 \dashrightarrow 00{:}24{:}59.096$ But what if we're actually interested

NOTE Confidence: 0.825815031333333

 $00:24:59.096 \longrightarrow 00:25:01.660$ in the process of how you take a

NOTE Confidence: 0.825815031333333

 $00{:}25{:}01.660 \dashrightarrow 00{:}25{:}02.876$ differentiated cell and convert

NOTE Confidence: 0.825815031333333

00:25:02.876 --> 00:25:04.769 it to a proliferating cell?

NOTE Confidence: 0.82581503133333300:25:04.770 --> 00:25:05.406 You know,

NOTE Confidence: 0.825815031333333

 $00{:}25{:}05.406 \dashrightarrow 00{:}25{:}07.632$ that is not likely to be different

NOTE Confidence: 0.825815031333333

 $00{:}25{:}07.632 \to 00{:}25{:}09.874$ in every single organ, just like.

NOTE Confidence: 0.825815031333333

00:25:09.874 --> 00:25:11.848 If you need a program cell death,

NOTE Confidence: 0.825815031333333

 $00:25:11.850 \longrightarrow 00:25:13.656$ you have the apoptotic program and you

NOTE Confidence: 0.825815031333333

00:25:13.656 --> 00:25:15.199 have apoptosis and that's the same.

NOTE Confidence: 0.825815031333333

00:25:15.200 --> 00:25:17.230 And nobody thinks that apoptosis

 $00:25:17.230 \longrightarrow 00:25:19.680$ is different in every cell type.

NOTE Confidence: 0.825815031333333

 $00:25:19.680 \longrightarrow 00:25:21.820$ So this change in identity,

NOTE Confidence: 0.825815031333333

 $00:25:21.820 \longrightarrow 00:25:23.476$ these dedifferentiation events are

NOTE Confidence: 0.825815031333333

 $00:25:23.476 \longrightarrow 00:25:26.380$ likely to be similar across tissue types.

NOTE Confidence: 0.825815031333333

 $00:25:26.380 \longrightarrow 00:25:29.212$ So there must be a cell biological process

NOTE Confidence: 0.825815031333333

 $00:25:29.212 \longrightarrow 00:25:32.358$ or an osis that dictates these events.

NOTE Confidence: 0.825815031333333

 $00:25:32.360 \longrightarrow 00:25:35.070$ And so we came up with this idea that if

NOTE Confidence: 0.909255652083333

 $00:25:35.143 \longrightarrow 00:25:37.527$ we wanted to look at the cell biology

NOTE Confidence: 0.909255652083333

 $00:25:37.527 \longrightarrow 00:25:40.029$ of how these cells rearrange then.

NOTE Confidence: 0.909255652083333

 $00:25:40.030 \longrightarrow 00:25:40.885$ We should have a term

NOTE Confidence: 0.909255652083333

 $00:25:40.885 \longrightarrow 00:25:41.910$ so we can talk about it.

NOTE Confidence: 0.909255652083333

00:25:41.910 --> 00:25:43.866 And Paola is the Greek return,

NOTE Confidence: 0.909255652083333

 $00{:}25{:}43.870 \longrightarrow 00{:}25{:}45.290$ like in palindromes, you know,

NOTE Confidence: 0.909255652083333

 $00:25:45.290 \longrightarrow 00:25:49.820$ a site that goes back and forth.

NOTE Confidence: 0.909255652083333

 $00:25:49.820 \longrightarrow 00:25:51.878$ Can be read both ways right.

 $00:25:51.880 \longrightarrow 00:25:54.645$ And and Jen is the general,

NOTE Confidence: 0.909255652083333

00:25:54.650 --> 00:25:55.634 you know, generative.

NOTE Confidence: 0.909255652083333

00:25:55.634 --> 00:25:57.930 So Palingenesis is the return to the

NOTE Confidence: 0.909255652083333

 $00:25:57.996 \longrightarrow 00:25:59.694$ generative state, regenerative state.

NOTE Confidence: 0.909255652083333

 $00:25:59.694 \longrightarrow 00:26:02.630$ So but when we're talking about this then

NOTE Confidence: 0.909255652083333

00:26:02.692 --> 00:26:04.978 what we're talking about is basically.

NOTE Confidence: 0.909255652083333

 $00{:}26{:}04.980 \dashrightarrow 00{:}26{:}07.176$ How do you take these chief cells and make

NOTE Confidence: 0.909255652083333

 $00:26:07.176 \longrightarrow 00:26:09.098$ these metaplastic proliferative cells?

NOTE Confidence: 0.909255652083333

 $00:26:09.100 \longrightarrow 00:26:11.002$ So these are very Long live

NOTE Confidence: 0.909255652083333

 $00:26:11.002 \longrightarrow 00:26:12.400$ cells that don't proliferate.

NOTE Confidence: 0.909255652083333

 $00:26:12.400 \longrightarrow 00:26:14.600$ How do they become proliferative?

NOTE Confidence: 0.909255652083333

 $00:26:14.600 \longrightarrow 00:26:17.694$ So the take home is that it?

NOTE Confidence: 0.909255652083333 00:26:17.700 --> 00:26:19.110 It's a the. NOTE Confidence: 0.909255652083333

 $00:26:19.110 \longrightarrow 00:26:19.580$ Basic.

NOTE Confidence: 0.909255652083333

 $00:26:19.580 \longrightarrow 00:26:21.930$ Like so biological change that

NOTE Confidence: 0.909255652083333

 $00:26:21.930 \longrightarrow 00:26:24.671$ has to happen here is a change

 $00:26:24.671 \longrightarrow 00:26:27.730$ in the way the cell uses energy.

NOTE Confidence: 0.909255652083333

 $00:26:27.730 \longrightarrow 00:26:30.264$ When the cell is in the base

NOTE Confidence: 0.909255652083333

 $00:26:30.264 \longrightarrow 00:26:31.890$ of a gastric unit,

NOTE Confidence: 0.909255652083333

 $00:26:31.890 \longrightarrow 00:26:33.846$ then it uses energy to produce

NOTE Confidence: 0.909255652083333

 $00:26:33.846 \longrightarrow 00:26:35.150$ digestive enzymes and secrete.

NOTE Confidence: 0.909255652083333

 $00:26:35.150 \longrightarrow 00:26:37.142$ When it's in the base of a of

NOTE Confidence: 0.909255652083333

00:26:37.142 --> 00:26:38.709 a reparative metaplastic unit,

NOTE Confidence: 0.909255652083333

 $00:26:38.710 \longrightarrow 00:26:41.308$ then it uses energy to divide.

NOTE Confidence: 0.909255652083333

 $00:26:41.310 \longrightarrow 00:26:43.008$ So all of the in between.

NOTE Confidence: 0.909255652083333

 $00:26:43.010 \longrightarrow 00:26:45.602$ The Collagenosis part is how the

NOTE Confidence: 0.909255652083333

 $00:26:45.602 \longrightarrow 00:26:48.310$ cell adapts itself to go from

NOTE Confidence: 0.909255652083333

00:26:48.310 --> 00:26:50.102 a digestive enzyme secreting

NOTE Confidence: 0.909255652083333

 $00:26:50.102 \longrightarrow 00:26:53.100$ energetic cell to a proliferating.

NOTE Confidence: 0.909255652083333

 $00:26:53.100 \longrightarrow 00:26:56.856$ Non energetic but but non secretory.

NOTE Confidence: 0.909255652083333

 $00:26:56.860 \longrightarrow 00:26:59.247$ So and basically this is the basic

 $00:26:59.247 \longrightarrow 00:27:01.818$ scheme which seems to be conserved across,

NOTE Confidence: 0.909255652083333

 $00{:}27{:}01.820 \longrightarrow 00{:}27{:}04.676$ you know, from fly guts to, you know,

NOTE Confidence: 0.909255652083333

 $00:27:04.676 \longrightarrow 00:27:06.416$ pancreas to stomach to lung.

NOTE Confidence: 0.909255652083333

 $00:27:06.420 \longrightarrow 00:27:08.065$ Every time you are calling

NOTE Confidence: 0.909255652083333

 $00{:}27{:}08.065 \rightarrow 00{:}27{:}09.381$ differentiated cells back into

NOTE Confidence: 0.909255652083333

 $00:27:09.381 \longrightarrow 00:27:11.650$ the cell cycle and that is that

NOTE Confidence: 0.909255652083333

 $00:27:11.650 \longrightarrow 00:27:13.291$ there's a massive upregulation of

NOTE Confidence: 0.909255652083333

00:27:13.291 --> 00:27:15.265 autophagy and lysosome as the cell

NOTE Confidence: 0.909255652083333

 $00{:}27{:}15.265 {\: --> \:} 00{:}27{:}16.694$ reprograms its internal organs.

NOTE Confidence: 0.909255652083333

 $00:27:16.694 \longrightarrow 00:27:19.298$ Followed by a second stage where

NOTE Confidence: 0.909255652083333

 $00{:}27{:}19.298 \mathrel{--}{>} 00{:}27{:}22.138$ the genes that we recognize it

NOTE Confidence: 0.909255652083333

 $00:27:22.138 \longrightarrow 00:27:23.596$ as being metaplastic.

NOTE Confidence: 0.909255652083333

 $00:27:23.600 \longrightarrow 00:27:25.679$ And those are a lot of different

NOTE Confidence: 0.909255652083333

00:27:25.679 --> 00:27:27.336 genes like trefoil factor or

NOTE Confidence: 0.909255652083333

 $00:27:27.336 \longrightarrow 00:27:28.736$ spasmolytic polypeptide or some

NOTE Confidence: 0.909255652083333

 $00:27:28.736 \longrightarrow 00:27:30.840$ of the socks genes like Sox 9.

00:27:30.840 --> 00:27:33.378 Followed by this very important one,

NOTE Confidence: 0.909255652083333

 $00:27:33.380 \longrightarrow 00:27:35.095$ which is the stage when the cell

NOTE Confidence: 0.909255652083333

 $00:27:35.095 \longrightarrow 00:27:36.135$ decides whether to actually

NOTE Confidence: 0.909255652083333

 $00:27:36.135 \longrightarrow 00:27:37.659$ enter the cell cycle or not.

NOTE Confidence: 0.909255652083333

 $00:27:37.660 \longrightarrow 00:27:39.788$ And this is the key stage for cancer

NOTE Confidence: 0.909255652083333

 $00:27:39.788 \longrightarrow 00:27:41.288$ because you're taking these old

NOTE Confidence: 0.909255652083333

00:27:41.288 --> 00:27:43.106 long lived cells and you're bringing

NOTE Confidence: 0.909255652083333

 $00:27:43.106 \longrightarrow 00:27:44.768$ them back into the cell cycle.

NOTE Confidence: 0.909255652083333

 $00:27:44.770 \longrightarrow 00:27:46.569$ And so this is a checkpoint that

NOTE Confidence: 0.909255652083333

 $00:27:46.569 \longrightarrow 00:27:48.389$ we'll talk about as being important.

NOTE Confidence: 0.909255652083333

00:27:48.390 --> 00:27:50.094 And just to kind of put us on

NOTE Confidence: 0.909255652083333

00:27:50.094 --> 00:27:50.920 an ultrastructural footing,

NOTE Confidence: 0.909255652083333

 $00{:}27{:}50.920 \dashrightarrow 00{:}27{:}53.104$ what we're talking about is a very

NOTE Confidence: 0.909255652083333

 $00{:}27{:}53.104 \dashrightarrow 00{:}27{:}54.759$ large pancreatic acinar cell or

NOTE Confidence: 0.909255652083333

 $00:27:54.759 \longrightarrow 00:27:56.424$ digestive enzyme secreting chief cell

00:27:56.424 --> 00:27:58.450 with layer after layer of rough ER,

NOTE Confidence: 0.909255652083333

 $00:27:58.450 \longrightarrow 00:28:00.860$ all these secretory granules becoming

NOTE Confidence: 0.909255652083333

00:28:00.860 --> 00:28:02.788 this much smaller proliferative

NOTE Confidence: 0.909255652083333

 $00:28:02.788 \longrightarrow 00:28:03.990$ stem like cell.

NOTE Confidence: 0.909255652083333

 $00:28:03.990 \longrightarrow 00:28:06.302$ And this can happen in the mouse and

NOTE Confidence: 0.909255652083333

00:28:06.302 --> 00:28:09.940 you know about 42 hours basically.

NOTE Confidence: 0.909255652083333

 $00:28:09.940 \longrightarrow 00:28:11.613$ So the kinds of things that are

NOTE Confidence: 0.909255652083333

00:28:11.613 --> 00:28:13.132 going to happen and we're going

NOTE Confidence: 0.909255652083333

 $00:28:13.132 \longrightarrow 00:28:14.875$ to talk about are modeled in this

NOTE Confidence: 0.909255652083333

 $00:28:14.880 \longrightarrow 00:28:17.750$ little video that Jeff Brown is a

NOTE Confidence: 0.909255652083333

 $00{:}28{:}17.750 \dashrightarrow 00{:}28{:}18.980$ gastroenterologist and assistant

NOTE Confidence: 0.909255652083333

 $00:28:19.042 \longrightarrow 00:28:20.659$ professor at Washu now.

NOTE Confidence: 0.909255652083333

00:28:20.659 --> 00:28:21.158 Um,

NOTE Confidence: 0.909255652083333

00:28:21.158 --> 00:28:24.152 basically all this rough ER turns

NOTE Confidence: 0.909255652083333

 $00:28:24.152 \longrightarrow 00:28:26.616$ into autophagosomes and then starts

NOTE Confidence: 0.909255652083333

 $00:28:26.616 \longrightarrow 00:28:28.911$ to digest all the secretory

00:28:28.911 --> 00:28:31.794 apparatus and also gets rid of all

NOTE Confidence: 0.909255652083333

 $00:28:31.794 \longrightarrow 00:28:33.298$ that extra ER itself.

NOTE Confidence: 0.909255652083333

 $00:28:33.300 \longrightarrow 00:28:34.772$ The cell reshapes like

NOTE Confidence: 0.909255652083333

 $00:28:34.772 \longrightarrow 00:28:36.980$ this and then the next step

NOTE Confidence: 0.837158596315789

 $00:28:37.058 \longrightarrow 00:28:40.298$ is that's going to enter the the cell cycle.

NOTE Confidence: 0.837158596315789

00:28:40.300 --> 00:28:43.090 So how do we study this?

NOTE Confidence: 0.837158596315789

 $00:28:43.090 \longrightarrow 00:28:46.114$ So what we've taken to do doing is to

NOTE Confidence: 0.837158596315789

 $00{:}28{:}46.114 \dashrightarrow 00{:}28{:}48.540$ looking at these metaplasia models,

NOTE Confidence: 0.837158596315789

00:28:48.540 --> 00:28:50.420 both of which involve collagenosis,

NOTE Confidence: 0.837158596315789

 $00{:}28{:}50.420 \dashrightarrow 00{:}28{:}53.290$ both of which are drug induced and

NOTE Confidence: 0.837158596315789

 $00:28:53.290 \longrightarrow 00:28:55.130$ relatively short term like within days

NOTE Confidence: 0.837158596315789

00:28:55.130 --> 00:28:57.414 we can get these changes in both the

NOTE Confidence: 0.837158596315789

 $00{:}28{:}57.414 \dashrightarrow 00{:}28{:}59.600$ stomach and the pancreas at the same time.

NOTE Confidence: 0.837158596315789

 $00:28:59.600 \longrightarrow 00:29:00.867$ That way we can look at all

NOTE Confidence: 0.837158596315789

 $00:29:00.867 \longrightarrow 00:29:01.410$ the conserved features,

 $00:29:01.410 \longrightarrow 00:29:03.776$ not just what happens in the stomach.

NOTE Confidence: 0.837158596315789

 $00{:}29{:}03.780 \dashrightarrow 00{:}29{:}06.130$ And so we use two systems for the most part,

NOTE Confidence: 0.83715859631578900:29:06.130 --> 00:29:08.290 one of which.

NOTE Confidence: 0.837158596315789

00:29:08.290 --> 00:29:10.922 Juan Jay invented which is our discovery,

NOTE Confidence: 0.837158596315789

 $00:29:10.922 \longrightarrow 00:29:12.504$ which is that if you treat mice

NOTE Confidence: 0.837158596315789

 $00:29:12.504 \longrightarrow 00:29:13.847$ with high doses of tamoxifen,

NOTE Confidence: 0.837158596315789

 $00:29:13.850 \longrightarrow 00:29:16.524$ it has an estrogen and sex independent

NOTE Confidence: 0.837158596315789

 $00:29:16.524 \longrightarrow 00:29:18.550$ toxicity effect on the stomach,

NOTE Confidence: 0.837158596315789

 $00{:}29{:}18.550 \dashrightarrow 00{:}29{:}20.512$ which kills all the parietal cells

NOTE Confidence: 0.837158596315789

00:29:20.512 --> 00:29:22.810 within a couple of days basically,

NOTE Confidence: 0.837158596315789

 $00:29:22.810 \longrightarrow 00:29:24.905$ and reprograms the chief cells

NOTE Confidence: 0.837158596315789

 $00:29:24.905 \longrightarrow 00:29:27.000$ and the entire oxyntic mucosa

NOTE Confidence: 0.837158596315789

 $00{:}29{:}27.073 \dashrightarrow 00{:}29{:}29.168$ into this pyloric like mucosa.

NOTE Confidence: 0.837158596315789

 $00:29:29.170 \longrightarrow 00:29:31.354$ And the other is an established

NOTE Confidence: 0.837158596315789

 $00:29:31.354 \longrightarrow 00:29:32.810$ model of Cerulean,

NOTE Confidence: 0.837158596315789

 $00:29:32.810 \longrightarrow 00:29:35.673$ which is a CCK hormone analog treatment

 $00:29:35.673 \longrightarrow 00:29:38.338$ that turns the pancreas into this.

NOTE Confidence: 0.837158596315789

00:29:38.338 --> 00:29:39.810 Kind of duck like,

NOTE Confidence: 0.837158596315789

 $00:29:39.810 \longrightarrow 00:29:43.170$ but it's really just more again

NOTE Confidence: 0.837158596315789

 $00:29:43.170 \longrightarrow 00:29:44.850$ metaplastic proliferative phenotype.

NOTE Confidence: 0.837158596315789

 $00:29:44.850 \longrightarrow 00:29:46.824$ So this is the dosing scheme for

NOTE Confidence: 0.837158596315789

 $00:29:46.824 \longrightarrow 00:29:48.666$ high dose tamoxifen and this is

NOTE Confidence: 0.837158596315789

 $00:29:48.666 \longrightarrow 00:29:50.226$ what it looks like pathologically.

NOTE Confidence: 0.837158596315789

 $00:29:50.230 \longrightarrow 00:29:51.445$ Here's a normal mouse stomach

NOTE Confidence: 0.837158596315789

 $00:29:51.445 \longrightarrow 00:29:52.660$ with parietal cells up here,

NOTE Confidence: 0.837158596315789

 $00{:}29{:}52.660 {\:{\circ}{\circ}{\circ}}> 00{:}29{:}54.048$ digestive enzyme secreting chief

NOTE Confidence: 0.837158596315789

 $00:29:54.048 \longrightarrow 00:29:56.546$ cells here and within three days of

NOTE Confidence: 0.837158596315789

 $00:29:56.546 \longrightarrow 00:29:58.326$ those tamoxifen injections the cells,

NOTE Confidence: 0.837158596315789

 $00{:}29{:}58.330 \dashrightarrow 00{:}30{:}00.004$ the units become like tubes with

NOTE Confidence: 0.837158596315789

 $00{:}30{:}00.004 \dashrightarrow 00{:}30{:}01.792$ just mucus cells on top and

NOTE Confidence: 0.837158596315789

 $00:30:01.792 \longrightarrow 00:30:03.628$ mucous cells in the bottom and

00:30:03.628 --> 00:30:04.890 then proliferation throughout,

NOTE Confidence: 0.837158596315789

 $00{:}30{:}04.890 \dashrightarrow 00{:}30{:}06.135$ whereas normally proliferation

NOTE Confidence: 0.837158596315789

 $00:30:06.135 \longrightarrow 00:30:09.040$ is confined to this top area in.

NOTE Confidence: 0.837158596315789

 $00:30:09.040 \longrightarrow 00:30:12.120$ The normal stomach and pancreas,

NOTE Confidence: 0.837158596315789

 $00:30:12.120 \longrightarrow 00:30:14.430$ all of these acinar acini open up

NOTE Confidence: 0.837158596315789

 $00{:}30{:}14.430 \dashrightarrow 00{:}30{:}17.057$ and you get these kind of cuboidal

NOTE Confidence: 0.837158596315789

 $00:30:17.057 \longrightarrow 00:30:19.301$ cyst like proliferative cells also

NOTE Confidence: 0.837158596315789

 $00{:}30{:}19.301 \dashrightarrow 00{:}30{:}22.223$ if we do the cerulean treatment

NOTE Confidence: 0.837158596315789

 $00{:}30{:}22.223 \dashrightarrow 00{:}30{:}24.677$ there just to give him a plug.

NOTE Confidence: 0.837158596315789

 $00{:}30{:}24.680 \to 00{:}30{:}27.740$ To embarrass him a little bit.

NOTE Confidence: 0.837158596315789

 $00{:}30{:}27.740 \dashrightarrow 00{:}30{:}29.532$ So with this system then we've been

NOTE Confidence: 0.837158596315789

 $00:30:29.532 \longrightarrow 00:30:31.727$ able to and I'm just going to show

NOTE Confidence: 0.837158596315789

 $00:30:31.727 \longrightarrow 00:30:33.421$ you some highlights but you know

NOTE Confidence: 0.837158596315789

 $00:30:33.421 \longrightarrow 00:30:35.332$ because a lot of this is published

NOTE Confidence: 0.837158596315789

00:30:35.332 --> 00:30:37.404 because it the stomach system

NOTE Confidence: 0.837158596315789

 $00{:}30{:}37.404 \dashrightarrow 00{:}30{:}40.240$ is so synchronous and then we can

 $00{:}30{:}40.240 \dashrightarrow 00{:}30{:}42.472$ transmit translate that into lesions

NOTE Confidence: 0.837158596315789

 $00{:}30{:}42.472 \dashrightarrow 00{:}30{:}44.936$ in humans and and then confirm

NOTE Confidence: 0.837158596315789

 $00:30:44.936 \longrightarrow 00:30:47.225$ with the pancreatic system we've

NOTE Confidence: 0.837158596315789

 $00:30:47.225 \longrightarrow 00:30:50.057$ been really able to kind of pretty

NOTE Confidence: 0.837158596315789

 $00:30:50.057 \longrightarrow 00:30:52.256$ quickly delineate us and others

NOTE Confidence: 0.837158596315789

 $00:30:52.256 \longrightarrow 00:30:55.363$ the the program that happens in

NOTE Confidence: 0.837158596315789

 $00:30:55.363 \longrightarrow 00:30:58.057$ polygenesis and basically you take an.

NOTE Confidence: 0.837158596315789

 $00{:}30{:}58.060 \dashrightarrow 00{:}30{:}59.944$ A uninjured secretory cell and you

NOTE Confidence: 0.837158596315789

 $00:30:59.944 \longrightarrow 00:31:02.048$ cause some kind of injury that's

NOTE Confidence: 0.837158596315789

 $00{:}31{:}02.048 \dashrightarrow 00{:}31{:}03.998$ going to induce some metaplasia.

NOTE Confidence: 0.837158596315789

 $00:31:04.000 \longrightarrow 00:31:05.568$ And of course you know as we know

NOTE Confidence: 0.837158596315789

 $00:31:05.568 \longrightarrow 00:31:07.401$ the whole point of that is to induce

NOTE Confidence: 0.837158596315789

 $00:31:07.401 \dashrightarrow 00:31:09.250$ proliferation so that it repairs the damage.

NOTE Confidence: 0.837158596315789

 $00:31:09.250 \longrightarrow 00:31:10.774$ But the other thing that happens

NOTE Confidence: 0.837158596315789

 $00:31:10.774 \longrightarrow 00:31:12.678$ is about this kind of time course

 $00:31:12.678 \longrightarrow 00:31:14.073$ all the different the organelles

NOTE Confidence: 0.837158596315789

 $00:31:14.073 \longrightarrow 00:31:16.249$ that are specifically tied to the

NOTE Confidence: 0.837158596315789

 $00:31:16.249 \longrightarrow 00:31:17.817$ differentiated function are decreased.

NOTE Confidence: 0.837158596315789 00:31:17.820 --> 00:31:18.256 You know, NOTE Confidence: 0.837158596315789

 $00:31:18.256 \longrightarrow 00:31:20.000$ so things like the rough ER and and

NOTE Confidence: 0.837158596315789

 $00:31:20.050 \longrightarrow 00:31:21.938$ and and this is focused on the stomach,

NOTE Confidence: 0.837158596315789

 $00:31:21.940 \longrightarrow 00:31:23.905$ but they're equivalents in in

NOTE Confidence: 0.837158596315789

 $00:31:23.905 \longrightarrow 00:31:25.477$ pancreas and other organs,

NOTE Confidence: 0.837158596315789

 $00:31:25.480 \longrightarrow 00:31:29.048$ but things like pepsingen and and so on.

NOTE Confidence: 0.837158596315789

 $00:31:29.050 \longrightarrow 00:31:32.060$ And that occurs across these three stages.

NOTE Confidence: 0.837158596315789

 $00:31:32.060 \longrightarrow 00:31:34.454$ The first stage is this massive autophagy,

NOTE Confidence: 0.855814773846154

 $00:31:34.460 \longrightarrow 00:31:35.902$ which is of course what's helping to

NOTE Confidence: 0.855814773846154

 $00:31:35.902 \longrightarrow 00:31:37.799$ get rid of these differentiated organs.

NOTE Confidence: 0.855814773846154

 $00{:}31{:}37.800 \dashrightarrow 00{:}31{:}40.146$ The second stage is that METAPLASTIC

NOTE Confidence: 0.855814773846154

 $00:31:40.146 \longrightarrow 00:31:42.783$ gene expression where you start to see

NOTE Confidence: 0.855814773846154

 $00:31:42.783 \longrightarrow 00:31:45.121$ that the cells have rearranged how they.

00:31:45.130 --> 00:31:47.510 Actually Mark and label and

NOTE Confidence: 0.855814773846154

 $00:31:47.510 \longrightarrow 00:31:50.450$ then the final stage is this.

NOTE Confidence: 0.855814773846154

 $00:31:50.450 \longrightarrow 00:31:53.390$ Mtorc increase, which is critical for

NOTE Confidence: 0.855814773846154

 $00:31:53.390 \longrightarrow 00:31:57.336$ entering into the cell cycle and that is

NOTE Confidence: 0.855814773846154

 $00:31:57.336 \longrightarrow 00:31:59.522$ immediately after a stage of induction

NOTE Confidence: 0.855814773846154

 $00:31:59.522 \longrightarrow 00:32:01.370$ and then suppression of people 53.

NOTE Confidence: 0.855814773846154

00:32:01.370 --> 00:32:03.498 So this crossing point is very important

NOTE Confidence: 0.855814773846154

 $00{:}32{:}03.498 \dashrightarrow 00{:}32{:}05.489$ because the main thing that P53 does

NOTE Confidence: 0.855814773846154

 $00{:}32{:}05.489 \dashrightarrow 00{:}32{:}07.400$ is I'll show you is suppress mtorc.

NOTE Confidence: 0.855814773846154

 $00{:}32{:}07.400 \dashrightarrow 00{:}32{:}10.154$ So CP3 has to decrease for these cells to

NOTE Confidence: 0.855814773846154

 $00:32:10.154 \longrightarrow 00:32:13.110$ be licensed to read into the cell cycle.

NOTE Confidence: 0.855814773846154

00:32:13.110 --> 00:32:14.265 So you know we're going to head

NOTE Confidence: 0.855814773846154

00:32:14.265 --> 00:32:15.309 on this theme several times,

NOTE Confidence: 0.855814773846154

 $00{:}32{:}15.310 \dashrightarrow 00{:}32{:}17.137$ but I already hinted at it from

NOTE Confidence: 0.855814773846154

00:32:17.137 --> 00:32:19.099 what we know about Barretts and

 $00:32:19.099 \longrightarrow 00:32:20.954$ why this kind of reprogramming.

NOTE Confidence: 0.855814773846154

 $00:32:20.960 \longrightarrow 00:32:22.420$ Is so important in NYPD.

NOTE Confidence: 0.855814773846154

 $00:32:22.420 \longrightarrow 00:32:23.599$ Three is important.

NOTE Confidence: 0.855814773846154

 $00:32:23.599 \longrightarrow 00:32:25.957$ It's important for this licensing step.

NOTE Confidence: 0.855814773846154

 $00:32:25.960 \longrightarrow 00:32:28.010$ You don't let differentiated cells

NOTE Confidence: 0.855814773846154

 $00:32:28.010 \longrightarrow 00:32:30.600$ back into the cell cycle unless

NOTE Confidence: 0.855814773846154

00:32:30.600 --> 00:32:32.920 they've cleared up 53 checkpoint.

NOTE Confidence: 0.855814773846154

 $00:32:32.920 \longrightarrow 00:32:34.580$ So thinking about mtorc one,

NOTE Confidence: 0.855814773846154

 $00{:}32{:}34.580 \dashrightarrow 00{:}32{:}36.092$ it's the central energy regulator and

NOTE Confidence: 0.855814773846154

 $00:32:36.092 \longrightarrow 00:32:38.338$ this is a super simplistic version of it.

NOTE Confidence: 0.855814773846154

 $00:32:38.340 \longrightarrow 00:32:40.599$ But just so that we're on the same page,

NOTE Confidence: 0.855814773846154

 $00:32:40.600 \longrightarrow 00:32:42.772$ you know it's pretty much integrates

NOTE Confidence: 0.855814773846154

 $00:32:42.772 \longrightarrow 00:32:44.996$ the vast majority of the cells

NOTE Confidence: 0.855814773846154

 $00:32:44.996 \longrightarrow 00:32:46.771$ energetic inputs and outputs with

NOTE Confidence: 0.855814773846154

 $00:32:46.771 \longrightarrow 00:32:49.178$ the two main wings being related,

NOTE Confidence: 0.855814773846154

 $00{:}32{:}49.180 \dashrightarrow 00{:}32{:}50.820$ wings being protein translation

 $00:32:50.820 \longrightarrow 00:32:53.280$ and of course driving the cell

NOTE Confidence: 0.855814773846154

 $00{:}32{:}53.347 \dashrightarrow 00{:}32{:}55.437$ cycle via phosphorylation of the

NOTE Confidence: 0.855814773846154

00:32:55.437 --> 00:32:56.805 small ribosomal subunit 6.

NOTE Confidence: 0.855814773846154

 $00:32:56.805 \longrightarrow 00:32:59.010$ So this is going to be important

NOTE Confidence: 0.855814773846154

 $00{:}32{:}59.073 \dashrightarrow 00{:}33{:}01.236$ because this is a great marker for

NOTE Confidence: 0.855814773846154

00:33:01.236 --> 00:33:03.120 Mturk activity by immunostaining.

NOTE Confidence: 0.855814773846154

00:33:03.120 --> 00:33:04.968 Works great or an IF you can tell

NOTE Confidence: 0.855814773846154

 $00{:}33{:}04.968 \dashrightarrow 00{:}33{:}07.009$ how much import there is by how

NOTE Confidence: 0.855814773846154

 $00{:}33{:}07.009 \dashrightarrow 00{:}33{:}08.524$ much phosphorylated S6 there is,

NOTE Confidence: 0.855814773846154

 $00:33:08.530 \longrightarrow 00:33:09.781$ so Amtrak increases.

NOTE Confidence: 0.855814773846154

 $00:33:09.781 \longrightarrow 00:33:12.283$ This in itself is stimulated by

NOTE Confidence: 0.855814773846154

00:33:12.283 --> 00:33:14.904 low energy and by autophagy and

NOTE Confidence: 0.855814773846154

 $00{:}33{:}14.904 \dashrightarrow 00{:}33{:}17.029$ all of the breakdown products

NOTE Confidence: 0.855814773846154

 $00:33:17.103 \longrightarrow 00:33:19.336$ in in the lysosomes and a key.

NOTE Confidence: 0.855814773846154

 $00:33:19.340 \longrightarrow 00:33:21.948$ Inhibitor of mtorc is this gene called before

 $00:33:21.948 \longrightarrow 00:33:24.667$ or red one which we'll talk about also.

NOTE Confidence: 0.855814773846154

00:33:24.670 --> 00:33:27.393 So let's look at some of how

NOTE Confidence: 0.855814773846154

 $00:33:27.393 \longrightarrow 00:33:29.704$ what this looks like in actual

NOTE Confidence: 0.855814773846154

00:33:29.704 --> 00:33:31.439 ultrastructure and you can see

NOTE Confidence: 0.855814773846154

 $00:33:31.439 \longrightarrow 00:33:33.834$ that within 24 hours down now we're

NOTE Confidence: 0.855814773846154

 $00:33:33.834 \longrightarrow 00:33:36.310$ looking in chief cells that we have

NOTE Confidence: 0.855814773846154

 $00:33:36.310 \longrightarrow 00:33:38.230$ all these massive autophagosomes,

NOTE Confidence: 0.855814773846154

 $00:33:38.230 \longrightarrow 00:33:39.004$ auto lysosomes,

NOTE Confidence: 0.855814773846154

 $00:33:39.004 \longrightarrow 00:33:40.939$ all this auto degraded machinery

NOTE Confidence: 0.855814773846154

 $00:33:40.939 \longrightarrow 00:33:43.268$ that these cells start to rearrange

NOTE Confidence: 0.855814773846154

 $00{:}33{:}43.268 \dashrightarrow 00{:}33{:}44.744$ their their entire architecture

NOTE Confidence: 0.855814773846154

 $00:33:44.744 \longrightarrow 00:33:47.519$ and you can see just here this is

NOTE Confidence: 0.855814773846154

 $00:33:47.519 \longrightarrow 00:33:49.528$ quantified by how much lysosomes there.

NOTE Confidence: 0.855814773846154

 $00:33:49.528 \longrightarrow 00:33:52.722$ And then we use this 3D electron

NOTE Confidence: 0.855814773846154

 $00:33:52.722 \longrightarrow 00:33:55.126$ microscopic tactic called focused

NOTE Confidence: 0.855814773846154

 $00:33:55.126 \longrightarrow 00:33:57.530$ IMDb scanning electron microscopy

 $00:33:57.611 \longrightarrow 00:34:00.195$ to kind of look at it more detail.

NOTE Confidence: 0.855814773846154

 $00:34:00.200 \longrightarrow 00:34:02.336$ And you can see as we kind of

NOTE Confidence: 0.855814773846154

 $00:34:02.340 \longrightarrow 00:34:03.039$ spin this around,

NOTE Confidence: 0.855814773846154

 $00:34:03.039 \longrightarrow 00:34:05.107$ this is a single chief cell as this

NOTE Confidence: 0.855814773846154

 $00:34:05.107 \longrightarrow 00:34:07.047$ polygenesis process that's happening early.

NOTE Confidence: 0.855814773846154

00:34:07.050 --> 00:34:08.808 This is a capillary loop and

NOTE Confidence: 0.855814773846154

 $00:34:08.808 \longrightarrow 00:34:10.550$ these are the secretory granules,

NOTE Confidence: 0.855814773846154

 $00:34:10.550 \longrightarrow 00:34:11.999$ this is the nucleus and these are

NOTE Confidence: 0.855814773846154

 $00{:}34{:}11.999 \dashrightarrow 00{:}34{:}13.280$ all lysosomes and autophagosomes.

NOTE Confidence: 0.855814773846154

 $00:34:13.280 \longrightarrow 00:34:15.680$ So like half the cell becomes

NOTE Confidence: 0.855814773846154

 $00:34:15.680 \longrightarrow 00:34:19.260$ auto degradative as the.

NOTE Confidence: 0.855814773846154

 $00:34:19.260 \longrightarrow 00:34:23.054$ As this early stage in Polygenesis happens,

NOTE Confidence: 0.855814773846154

 $00{:}34{:}23.060 \dashrightarrow 00{:}34{:}26.520$ so that's what's happening to

NOTE Confidence: 0.855814773846154

 $00:34:26.520 \longrightarrow 00:34:29.288$ autophagosomes and and lysosomes.

NOTE Confidence: 0.855814773846154

 $00:34:29.290 \longrightarrow 00:34:31.298$ For that to happen Mturk has to decrease

 $00:34:31.298 \longrightarrow 00:34:33.072$ and here we're looking at mtorc

NOTE Confidence: 0.855814773846154

00:34:33.072 --> 00:34:34.890 activity using this phosphorus 6 and

NOTE Confidence: 0.796392662222222

 $00:34:34.944 \longrightarrow 00:34:36.638$ here we focus on the chief cells.

NOTE Confidence: 0.796392662222222

 $00:34:36.640 \longrightarrow 00:34:39.529$ And here within 12 hours all all of this

NOTE Confidence: 0.796392662222222

 $00:34:39.529 \longrightarrow 00:34:41.728$ phosphorus 6 or M torc activity is lost

NOTE Confidence: 0.796392662222222

 $00:34:41.728 \longrightarrow 00:34:44.272$ in the chief cells and then by maximum

NOTE Confidence: 0.796392662222222

 $00{:}34{:}44.272 \dashrightarrow 00{:}34{:}46.251$ metaplasia it all comes back again.

NOTE Confidence: 0.796392662222222

 $00:34:46.251 \longrightarrow 00:34:47.877$ So here it's working for secretion

NOTE Confidence: 0.796392662222222

 $00{:}34{:}47.877 \dashrightarrow 00{:}34{:}49.460$ and not for proliferation,

NOTE Confidence: 0.796392662222222

00:34:49.460 --> 00:34:51.120 here it's working for proliferation.

NOTE Confidence: 0.796392662222222

00:34:51.120 --> 00:34:53.464 And in between is when all that autophagy

NOTE Confidence: 0.796392662222222

 $00:34:53.464 \longrightarrow 00:34:55.611$ is happening and you can see even on

NOTE Confidence: 0.796392662222222

 $00{:}34{:}55.611 \dashrightarrow 00{:}34{:}57.498$ Western blots of mouse stomach you can

NOTE Confidence: 0.796392662222222

 $00:34:57.498 \longrightarrow 00:34:59.437$ see it happening on the other hand.

NOTE Confidence: 0.796392662222222

00:34:59.440 --> 00:35:01.876 We knock out this suppressive ddit 4,

NOTE Confidence: 0.796392662222222

 $00:35:01.880 \longrightarrow 00:35:04.200$ which I showed you in that cartoon with

 $00:35:04.200 \longrightarrow 00:35:06.937$ it gets induced early to suppress network.

NOTE Confidence: 0.796392662222222

 $00{:}35{:}06.940 \dashrightarrow 00{:}35{:}10.246$ You don't have the same decrease

NOTE Confidence: 0.796392662222222

 $00:35:10.246 \longrightarrow 00:35:12.740$ in mtorc activity and you don't

NOTE Confidence: 0.796392662222222

 $00:35:12.740 \longrightarrow 00:35:13.860$ have the same autophagy.

NOTE Confidence: 0.796392662222222

 $00:35:13.860 \longrightarrow 00:35:14.838$ So if you look at mtorc,

NOTE Confidence: 0.796392662222222

00:35:14.840 --> 00:35:17.400 basically it's much, you know.

NOTE Confidence: 0.796392662222222

 $00:35:17.400 \longrightarrow 00:35:19.086$ Normally it's like that and in

NOTE Confidence: 0.796392662222222

 $00:35:19.086 \longrightarrow 00:35:20.799$ the four knockout it's like that.

NOTE Confidence: 0.796392662222222

 $00:35:20.800 \longrightarrow 00:35:23.500$ So that leads to actually more,

NOTE Confidence: 0.796392662222222

 $00:35:23.500 \longrightarrow 00:35:24.972$ more proliferation,

NOTE Confidence: 0.796392662222222

00:35:24.972 --> 00:35:27.180 more metaplasia downstream.

NOTE Confidence: 0.796392662222222

00:35:27.180 --> 00:35:28.736 And conversely,

NOTE Confidence: 0.796392662222222

00:35:28.736 --> 00:35:31.848 when you inhibit mtorc.

NOTE Confidence: 0.796392662222222

 $00{:}35{:}31.850 \dashrightarrow 00{:}35{:}34.682$ That's how we know that the cell cycle

NOTE Confidence: 0.796392662222222

 $00:35:34.682 \longrightarrow 00:35:37.919$ reentry is critical because taking rapamycin,

00:35:37.920 --> 00:35:39.488 an M TORC inhibitor,

NOTE Confidence: 0.796392662222222

 $00:35:39.488 \longrightarrow 00:35:42.377$ and treating mice with it does not block

NOTE Confidence: 0.796392662222222

00:35:42.377 --> 00:35:44.231 the the metaplasia or the autophagy

NOTE Confidence: 0.796392662222222

 $00:35:44.231 \longrightarrow 00:35:46.228$ or those first couple of steps,

NOTE Confidence: 0.796392662222222

 $00:35:46.230 \longrightarrow 00:35:49.440$ but it it blocks the

NOTE Confidence: 0.796392662222222

 $00:35:49.440 \longrightarrow 00:35:50.724$ proliferation completely.

NOTE Confidence: 0.796392662222222

 $00:35:50.730 \longrightarrow 00:35:53.634$ So early on did it 4 suppresses mtorc.

NOTE Confidence: 0.796392662222222

 $00:35:53.640 \longrightarrow 00:35:56.268$ We have all that autophagy but on

NOTE Confidence: 0.796392662222222

 $00:35:56.268 \longrightarrow 00:35:58.081$ that last slide we also see that

NOTE Confidence: 0.796392662222222

 $00:35:58.081 \longrightarrow 00:36:00.244$ did it four goes away within the

NOTE Confidence: 0.796392662222222

 $00{:}36{:}00.244 \dashrightarrow 00{:}36{:}02.115$ first couple of stages and that's

NOTE Confidence: 0.796392662222222

 $00:36:02.115 \longrightarrow 00:36:04.138$ when 53 comes on and P53 continues

NOTE Confidence: 0.796392662222222

 $00:36:04.138 \longrightarrow 00:36:06.185$ to suppress M torque until or

NOTE Confidence: 0.796392662222222

 $00:36:06.185 \longrightarrow 00:36:08.298$ unless the cell then decides to

NOTE Confidence: 0.796392662222222

 $00:36:08.298 \longrightarrow 00:36:10.050$ come back and the cell cycle.

NOTE Confidence: 0.796392662222222

 $00:36:10.050 \longrightarrow 00:36:12.498$ So that part of the way we know that

00:36:12.498 --> 00:36:15.327 is that in P53 knockouts we also don't

NOTE Confidence: 0.796392662222222

 $00:36:15.327 \longrightarrow 00:36:17.947$ have this mtorc loss early on we

NOTE Confidence: 0.796392662222222

00:36:17.947 --> 00:36:20.161 have more proliferation both in the.

NOTE Confidence: 0.796392662222222

 $00:36:20.170 \longrightarrow 00:36:22.414$ The stomach and the pancreas and

NOTE Confidence: 0.796392662222222

 $00:36:22.414 \longrightarrow 00:36:25.339$ then what we know that the critical

NOTE Confidence: 0.796392662222222

 $00:36:25.339 \longrightarrow 00:36:28.140$ regulator of P53 that tells the cell

NOTE Confidence: 0.796392662222222

 $00:36:28.140 \longrightarrow 00:36:30.040$ whether the cell should increase

NOTE Confidence: 0.796392662222222

00:36:30.116 --> 00:36:32.412 M Turk and go back into the cell

NOTE Confidence: 0.796392662222222

 $00{:}36{:}32.412 \dashrightarrow 00{:}36{:}34.356$ cycle is a protein called ifrd one.

NOTE Confidence: 0.796392662222222

 $00:36:34.360 \longrightarrow 00:36:36.404$ And we'll show you how that works

NOTE Confidence: 0.796392662222222

 $00:36:36.404 \longrightarrow 00:36:38.688$ and how that P3 I 41 access works.

NOTE Confidence: 0.796392662222222

 $00:36:38.690 \longrightarrow 00:36:41.522$ But you can see it's massively

NOTE Confidence: 0.796392662222222

 $00{:}36{:}41.522 \dashrightarrow 00{:}36{:}42.642$ upregulated during collagenosis

NOTE Confidence: 0.796392662222222

 $00:36:42.642 \longrightarrow 00:36:44.889$ and then as the cells we enter

NOTE Confidence: 0.796392662222222

 $00:36:44.889 \longrightarrow 00:36:46.697$ the cell cycle it goes away.

 $00:36:46.700 \longrightarrow 00:36:48.891$ And in the absence of in the

NOTE Confidence: 0.796392662222222

 $00{:}36{:}48.891 \dashrightarrow 00{:}36{:}50.112$ absence of ID 11,

NOTE Confidence: 0.796392662222222

 $00:36:50.112 \longrightarrow 00:36:52.184$ all the cells wind up dying and

NOTE Confidence: 0.796392662222222

 $00:36:52.184 \longrightarrow 00:36:54.179$ not completing the process.

NOTE Confidence: 0.796392662222222

00:36:54.180 --> 00:36:56.035 But if you knock out paid 53,

NOTE Confidence: 0.796392662222222

 $00:36:56.040 \longrightarrow 00:36:57.192$ then they're rescued and

NOTE Confidence: 0.796392662222222

 $00:36:57.192 \longrightarrow 00:36:58.632$ they reenter the cell cycle.

NOTE Confidence: 0.796392662222222

 $00:36:58.640 \longrightarrow 00:37:00.033$ So that's how we know I pretty

NOTE Confidence: 0.796392662222222

 $00:37:00.033 \longrightarrow 00:37:00.920$ when it's upstream of 53.

NOTE Confidence: 0.796392662222222

 $00:37:00.920 \longrightarrow 00:37:02.696$ So we'll talk about how RD1

NOTE Confidence: 0.796392662222222

 $00{:}37{:}02.696 \dashrightarrow 00{:}37{:}05.069$ dictates to P3 to dictate M torque.

NOTE Confidence: 0.796392662222222

00:37:05.070 --> 00:37:07.920 A lot of this work was done by Max Yao,

NOTE Confidence: 0.796392662222222

 $00:37:07.920 \dashrightarrow 00:37:12.480$ who's in China now as an assistant professor.

NOTE Confidence: 0.796392662222222

 $00:37:12.480 \longrightarrow 00:37:15.104$ So let's talk now about some of the

NOTE Confidence: 0.796392662222222

 $00:37:15.104 \longrightarrow 00:37:16.911$ machinery that executes this process

NOTE Confidence: 0.796392662222222

 $00:37:16.911 \longrightarrow 00:37:20.029$ and the way that we've started to do this.

 $00{:}37{:}20.030 --> 00{:}37{:}20.788 \; {\rm Stepping \; back},$

NOTE Confidence: 0.796392662222222 00:37:20.788 --> 00:37:21.167 right,

NOTE Confidence: 0.796392662222222

00:37:21.167 --> 00:37:23.441 like if this process of taking

NOTE Confidence: 0.796392662222222

 $00:37:23.441 \longrightarrow 00:37:25.490$ a differentiated cell and bring

NOTE Confidence: 0.796392662222222

 $00:37:25.490 \longrightarrow 00:37:28.323$ it back into the cell cycle is,

NOTE Confidence: 0.796392662222222 00:37:28.323 --> 00:37:29.189 you know,

NOTE Confidence: 0.796392662222222

 $00:37:29.189 \longrightarrow 00:37:30.921$ a conserve process across

NOTE Confidence: 0.796392662222222

00:37:30.921 --> 00:37:32.220 multiple tissues just

NOTE Confidence: 0.774541726666667

 $00{:}37{:}32.294 \dashrightarrow 00{:}37{:}34.460$ like apoptosis, then there should be

NOTE Confidence: 0.774541726666667

 $00{:}37{:}34.460 \dashrightarrow 00{:}37{:}36.590$ genes that are dedicated to the process,

NOTE Confidence: 0.774541726666667

 $00:37:36.590 \longrightarrow 00:37:39.306$ just as there are genes dedicated to

NOTE Confidence: 0.774541726666667

 $00:37:39.306 \dashrightarrow 00:37:41.410$ apoptosis like BCL's and caspases and so on.

NOTE Confidence: 0.774541726666667

 $00{:}37{:}41.410 \dashrightarrow 00{:}37{:}45.322$ So we started doing screens in

NOTE Confidence: 0.774541726666667

 $00:37:45.322 \longrightarrow 00:37:47.278$ these regenerative metaplastic.

NOTE Confidence: 0.774541726666667

 $00:37:47.280 \longrightarrow 00:37:51.092$ Organs after after you know during

 $00:37:51.092 \longrightarrow 00:37:52.670$ the regenerative phase and look for

NOTE Confidence: 0.774541726666667

 $00:37:52.722 \longrightarrow 00:37:54.241$ genes that are all ex Co expressed

NOTE Confidence: 0.774541726666667

 $00{:}37{:}54.241 \dashrightarrow 00{:}37{:}56.130$ and and from these I FD one indeed it

NOTE Confidence: 0.774541726666667

 $00:37:56.130 \longrightarrow 00:37:57.848$ four came out I've already told you

NOTE Confidence: 0.774541726666667

00:37:57.848 --> 00:37:59.684 about them need it for suppressing

NOTE Confidence: 0.774541726666667

 $00:37:59.684 \longrightarrow 00:38:01.881$ mtorc I-41 suppressing P53 but we have

NOTE Confidence: 0.774541726666667

 $00:38:01.881 \longrightarrow 00:38:03.740$ other targets that we've been working

NOTE Confidence: 0.774541726666667

 $00:38:03.740 \longrightarrow 00:38:05.770$ on another really strong one is ATF

NOTE Confidence: 0.774541726666667

 $00:38:05.770 \longrightarrow 00:38:07.740$ three which I want to talk about and

NOTE Confidence: 0.774541726666667

 $00:38:07.740 \longrightarrow 00:38:09.416$ we're starting to piece together then

NOTE Confidence: 0.774541726666667

 $00{:}38{:}09.416 \dashrightarrow 00{:}38{:}11.216$ this architecture but this is what

NOTE Confidence: 0.774541726666667

 $00{:}38{:}11.216 \dashrightarrow 00{:}38{:}13.114$ we've learned so far in in this talk

NOTE Confidence: 0.774541726666667

 $00:38:13.114 \longrightarrow 00:38:15.140$ do you injury happens the cell starts

NOTE Confidence: 0.774541726666667

 $00{:}38{:}15.140 \dashrightarrow 00{:}38{:}17.510$ to undergo a topology did it for.

NOTE Confidence: 0.774541726666667

 $00:38:17.510 \longrightarrow 00:38:19.250$ Suppresses mtorc to turn it off

NOTE Confidence: 0.774541726666667

 $00:38:19.250 \longrightarrow 00:38:21.010$ to allow the autophagy to happen.

 $00:38:21.010 \longrightarrow 00:38:23.593$ I have heard one is induced that

NOTE Confidence: 0.774541726666667

 $00{:}38{:}23.593 \dashrightarrow 00{:}38{:}25.390$ eventually accumulates and suppresses

NOTE Confidence: 0.774541726666667

 $00:38:25.390 \longrightarrow 00:38:29.656$ P53 which allows cell cycle entry.

NOTE Confidence: 0.774541726666667

 $00:38:29.660 \longrightarrow 00:38:33.258$ So. Why then is mtorc so important?

NOTE Confidence: 0.774541726666667

 $00:38:33.260 \longrightarrow 00:38:34.130$ Because, you know,

NOTE Confidence: 0.774541726666667

00:38:34.130 --> 00:38:35.870 when we think about why Barretts

NOTE Confidence: 0.774541726666667

 $00:38:35.870 \longrightarrow 00:38:36.560$ becomes cancer,

NOTE Confidence: 0.774541726666667

 $00{:}38{:}36.560 \dashrightarrow 00{:}38{:}38.380$ why gastric intestinal metaplasia

NOTE Confidence: 0.774541726666667

00:38:38.380 --> 00:38:39.745 or you know,

NOTE Confidence: 0.774541726666667

 $00:38:39.750 \dashrightarrow 00:38:41.630$ pseudo pyloric metaplasia gives

NOTE Confidence: 0.774541726666667

 $00:38:41.630 \longrightarrow 00:38:44.660$ rise to cancer and we think about

NOTE Confidence: 0.774541726666667

00:38:44.660 --> 00:38:45.875 this pathogenesis process,

NOTE Confidence: 0.774541726666667

 $00{:}38{:}45.880 \dashrightarrow 00{:}38{:}46.556$ this conversion,

NOTE Confidence: 0.774541726666667 00:38:46.556 --> 00:38:47.232 you know, NOTE Confidence: 0.774541726666667

 $00:38:47.232 \longrightarrow 00:38:49.669$ being critical for that and mtorc being

00:38:49.669 --> 00:38:51.763 critical for that cell cycle reentry

NOTE Confidence: 0.774541726666667

 $00:38:51.763 \longrightarrow 00:38:54.000$ because that's what you need for cancer.

NOTE Confidence: 0.774541726666667

 $00:38:54.000 \longrightarrow 00:38:55.360$ Why is it so important?

NOTE Confidence: 0.774541726666667 00:38:55.360 --> 00:38:55.619 Well,

NOTE Confidence: 0.774541726666667

 $00:38:55.619 \longrightarrow 00:38:57.432$ here's what we delve like the deepest

NOTE Confidence: 0.774541726666667

00:38:57.432 --> 00:38:58.842 into the structure and organelles

NOTE Confidence: 0.774541726666667

 $00{:}38{:}58.842 \dashrightarrow 00{:}39{:}01.150$ before we kind of come back out again.

NOTE Confidence: 0.774541726666667

 $00:39:01.150 \dashrightarrow 00:39:04.734$ Our thinking now is that it's all about

NOTE Confidence: 0.774541726666667

 $00:39:04.734 \dashrightarrow 00:39:06.190$ ribosomes when you're a chief cell.

NOTE Confidence: 0.774541726666667

 $00:39:06.190 \longrightarrow 00:39:08.662$ I showed you that electron microscope

NOTE Confidence: 0.774541726666667

 $00{:}39{:}08.662 \dashrightarrow 00{:}39{:}11.007$ micrograph where it's just layer after

NOTE Confidence: 0.774541726666667

00:39:11.007 --> 00:39:13.527 layer after layer of rough ER and all

NOTE Confidence: 0.774541726666667

 $00:39:13.597 \longrightarrow 00:39:17.098$ that roughly RISER line by ribosomes.

NOTE Confidence: 0.774541726666667

 $00:39:17.100 \dashrightarrow 00:39:19.916$ That are making digestive enzymes to go into,

NOTE Confidence: 0.774541726666667 00:39:19.920 --> 00:39:20.386 you know, NOTE Confidence: 0.774541726666667

 $00:39:20.386 \dashrightarrow 00:39:23.010$ the lumen of the R and then to be secreted.

00:39:23.010 --> 00:39:24.666 When you become a proliferative cell,

NOTE Confidence: 0.774541726666667

00:39:24.670 --> 00:39:26.272 you don't need all that secretory

NOTE Confidence: 0.774541726666667

 $00:39:26.272 \longrightarrow 00:39:28.370$ roufi R you need ribosomes in the

NOTE Confidence: 0.774541726666667

 $00:39:28.370 \longrightarrow 00:39:30.320$ cytosol to make more ribosomes than

NOTE Confidence: 0.774541726666667

 $00:39:30.320 \longrightarrow 00:39:32.149$ histones to make a copy of the cell.

NOTE Confidence: 0.774541726666667

 $00:39:32.150 \longrightarrow 00:39:35.174$ And the key driver for ribosome

NOTE Confidence: 0.774541726666667

00:39:35.174 --> 00:39:37.570 Biogenesis is M torque OK,

NOTE Confidence: 0.774541726666667

 $00:39:37.570 \longrightarrow 00:39:39.838$ and the reason why ribosome Biogenesis

NOTE Confidence: 0.774541726666667

 $00:39:39.838 \longrightarrow 00:39:42.629$ needs so much energy is because it's

NOTE Confidence: 0.774541726666667

 $00{:}39{:}42.629 {\:{\circ}{\circ}{\circ}}>00{:}39{:}44.649$ an incredibly complex process of

NOTE Confidence: 0.774541726666667

00:39:44.649 --> 00:39:46.835 assembling all of these ribosomal

NOTE Confidence: 0.774541726666667

 $00:39:46.835 \longrightarrow 00:39:49.112$ proteins and ribosomal RNA's that

NOTE Confidence: 0.774541726666667

 $00{:}39{:}49.112 \dashrightarrow 00{:}39{:}51.517$ require all three RNA polymerases

NOTE Confidence: 0.774541726666667

 $00:39:51.517 \longrightarrow 00:39:53.480$ and translation into these.

NOTE Confidence: 0.774541726666667

 $00:39:53.480 \longrightarrow 00:39:57.158$ Large and small 1640 subunits which

00:39:57.158 --> 00:39:59.594 come together as a single subunit,

NOTE Confidence: 0.774541726666667

 $00{:}39{:}59.600 \to 00{:}40{:}01.075$ multiple modifications happen and all

NOTE Confidence: 0.774541726666667

 $00{:}40{:}01.075 \dashrightarrow 00{:}40{:}03.449$ of its sort of starts in the nucleolus.

NOTE Confidence: 0.774541726666667

 $00:40:03.450 \longrightarrow 00:40:05.880$ So that's our basic ribosome review.

NOTE Confidence: 0.774541726666667

 $00:40:05.880 \longrightarrow 00:40:06.978$ And then as I talked about,

NOTE Confidence: 0.774541726666667

 $00:40:06.980 \longrightarrow 00:40:08.738$ there's a big difference between this

NOTE Confidence: 0.774541726666667

00:40:08.738 --> 00:40:10.698 pool and this side of solid pool,

NOTE Confidence: 0.774541726666667 00:40:10.700 --> 00:40:11.040 right, NOTE Confidence: 0.774541726666667

 $00:40:11.040 \longrightarrow 00:40:13.420$ because this is for secretion and this

NOTE Confidence: 0.774541726666667

00:40:13.420 --> 00:40:16.089 is more for division and housekeeping.

NOTE Confidence: 0.774541726666667

 $00{:}40{:}16.090 \to 00{:}40{:}20.274$ So to get from the ribosome to translation,

NOTE Confidence: 0.774541726666667

 $00:40:20.280 \longrightarrow 00:40:21.946$ we have to realize that the M

NOTE Confidence: 0.774541726666667

 $00:40:21.946 \longrightarrow 00:40:24.146$ RNA is going to be loaded up

NOTE Confidence: 0.774541726666667

 $00{:}40{:}24.146 \dashrightarrow 00{:}40{:}25.214$ the preinitiation complexes.

NOTE Confidence: 0.774541726666667

 $00:40:25.220 \longrightarrow 00:40:26.822$ That's going to bring the two

NOTE Confidence: 0.774541726666667

 $00:40:26.822 \longrightarrow 00:40:27.356$ subunits together.

 $00:40:27.360 \longrightarrow 00:40:28.685$ So the two subunits only

NOTE Confidence: 0.774541726666667

 $00:40:28.685 \longrightarrow 00:40:30.010$ come together with M RNA

NOTE Confidence: 0.763685607272727

00:40:30.072 --> 00:40:32.950 normally, OK. So they're kept together

NOTE Confidence: 0.763685607272727

 $00:40:32.950 \longrightarrow 00:40:34.960$ with M RNA as they translate.

NOTE Confidence: 0.763685607272727

 $00:40:34.960 \longrightarrow 00:40:36.864$ And then the way most of our

NOTE Confidence: 0.763685607272727

 $00:40:36.864 \longrightarrow 00:40:38.356$ translation happens is not with

NOTE Confidence: 0.763685607272727

00:40:38.356 --> 00:40:39.901 single ribosomes but multiple ones

NOTE Confidence: 0.763685607272727

 $00:40:39.901 \longrightarrow 00:40:41.874$ like pearls on a string, line up,

NOTE Confidence: 0.763685607272727

 $00{:}40{:}41.874 \dashrightarrow 00{:}40{:}43.638$ line up and those are called polysomes.

NOTE Confidence: 0.763685607272727

00:40:43.640 --> 00:40:44.954 We're not going to go too much into this,

NOTE Confidence: 0.763685607272727

 $00:40:44.960 \longrightarrow 00:40:46.640$ but you can tell the difference.

NOTE Confidence: 0.763685607272727

 $00:40:46.640 \longrightarrow 00:40:48.215$ Between Monisms and polysomes by

NOTE Confidence: 0.763685607272727

 $00{:}40{:}48.215 \dashrightarrow 00{:}40{:}50.128$ spinning them down and the longer

NOTE Confidence: 0.763685607272727

 $00{:}40{:}50.128 \dashrightarrow 00{:}40{:}52.074$ you know ones or polysomes so they

NOTE Confidence: 0.763685607272727

00:40:52.074 --> 00:40:53.966 take lower longer to spin spin out.

 $00:40:53.970 \longrightarrow 00:40:57.106$ So the last review slide here on ribosomes.

NOTE Confidence: 0.763685607272727

 $00:40:57.110 \longrightarrow 00:40:59.406$ The reason why they require so much,

NOTE Confidence: 0.763685607272727

 $00:40:59.410 \longrightarrow 00:41:01.664$ they require 80% of the cells energy.

NOTE Confidence: 0.763685607272727

00:41:01.670 --> 00:41:03.366 So that's why it's so important how you,

NOTE Confidence: 0.763685607272727

 $00:41:03.370 \longrightarrow 00:41:05.956$ you know, regulate ribosome Biogenesis and

NOTE Confidence: 0.763685607272727

 $00:41:05.956 \longrightarrow 00:41:09.966$ 60% of your RNA in each cell is ribosomes.

NOTE Confidence: 0.763685607272727

 $00:41:09.970 \longrightarrow 00:41:12.088$ So there's huge proportions of the

NOTE Confidence: 0.763685607272727

 $00:41:12.088 \longrightarrow 00:41:13.500$ transcription and translation that

NOTE Confidence: 0.763685607272727

 $00{:}41{:}13.554 \dashrightarrow 00{:}41{:}15.090$ goes into ribosome Biogenesis.

NOTE Confidence: 0.763685607272727

 $00:41:15.090 \longrightarrow 00:41:17.430$ So what happens to ribosomes

NOTE Confidence: 0.763685607272727

 $00:41:17.430 \longrightarrow 00:41:18.024$ during palingenesis?

NOTE Confidence: 0.763685607272727

 $00:41:18.024 \longrightarrow 00:41:20.400$ So we knew already that they had to

NOTE Confidence: 0.763685607272727

 $00:41:20.462 \longrightarrow 00:41:22.568$ be coming off the rough ER and we saw

NOTE Confidence: 0.763685607272727

 $00{:}41{:}22.568 \dashrightarrow 00{:}41{:}24.607$ that's what all the autophagy was doing.

NOTE Confidence: 0.763685607272727

00:41:24.610 --> 00:41:26.045 But you can also just document it,

NOTE Confidence: 0.763685607272727

 $00:41:26.050 \longrightarrow 00:41:27.151$ there's many ways.

 $00:41:27.151 \longrightarrow 00:41:29.353$ To to show that you're losing

NOTE Confidence: 0.763685607272727

 $00:41:29.353 \longrightarrow 00:41:30.898$ both large and small.

NOTE Confidence: 0.763685607272727

 $00:41:30.900 \longrightarrow 00:41:32.706$ Subunits of ribosomes are just Western

NOTE Confidence: 0.763685607272727

 $00{:}41{:}32.706 \dashrightarrow 00{:}41{:}34.788$ blots early on in the process and

NOTE Confidence: 0.763685607272727

 $00{:}41{:}34.788 \dashrightarrow 00{:}41{:}36.706$ then they come back on again later.

NOTE Confidence: 0.763685607272727

 $00:41:36.710 \longrightarrow 00:41:38.648$ So there's a loss and then

NOTE Confidence: 0.763685607272727

 $00:41:38.648 \longrightarrow 00:41:39.294$ regeneration process.

NOTE Confidence: 0.763685607272727

 $00:41:39.300 \longrightarrow 00:41:42.475$ But you can also see some of the

NOTE Confidence: 0.763685607272727

 $00{:}41{:}42.475 \dashrightarrow 00{:}41{:}43.800$ ribosomes getting taken up into

NOTE Confidence: 0.763685607272727

 $00{:}41{:}43.800 \dashrightarrow 00{:}41{:}45.697$ the the rough ER and you can also

NOTE Confidence: 0.763685607272727

00:41:45.697 --> 00:41:47.470 see them kind of spinning off the

NOTE Confidence: 0.763685607272727

 $00:41:47.470 \longrightarrow 00:41:48.870$ ER here into the sideshow.

NOTE Confidence: 0.763685607272727

 $00{:}41{:}48.870 \dashrightarrow 00{:}41{:}51.020$ And in fact Juan J was one of the first

NOTE Confidence: 0.763685607272727

 $00{:}41{:}51.085 \dashrightarrow 00{:}41{:}53.077$ to show this by knocking out a gene

NOTE Confidence: 0.763685607272727

00:41:53.077 --> 00:41:54.736 that that regulates all that rough

 $00:41:54.736 \longrightarrow 00:41:56.627$ ER when he was a graduate student.

NOTE Confidence: 0.763685607272727

00:41:56.627 --> 00:41:58.443 So this is kind of what we think

NOTE Confidence: 0.76368560727272700:41:58.443 --> 00:41:59.240 is happening.

NOTE Confidence: 0.763685607272727

 $00:41:59.240 \longrightarrow 00:42:01.858$ In terms of stages of of pathogenesis,

NOTE Confidence: 0.763685607272727

 $00:42:01.860 \longrightarrow 00:42:05.528$ normally you have all these rough ER.

NOTE Confidence: 0.763685607272727

 $00:42:05.530 \longrightarrow 00:42:08.170$ Ribosomes making peptides and then,

NOTE Confidence: 0.763685607272727 00:42:08.170 --> 00:42:08.812 you know, NOTE Confidence: 0.763685607272727

 $00:42:08.812 \longrightarrow 00:42:10.738$ there's an injury and these autophagosomes

NOTE Confidence: 0.763685607272727

 $00{:}42{:}10.738 \dashrightarrow 00{:}42{:}12.975$ start to take up the raffia and the

NOTE Confidence: 0.763685607272727

 $00:42:12.975 \longrightarrow 00:42:14.642$ ribosomes all come off OK what's the

NOTE Confidence: 0.763685607272727

00:42:14.642 --> 00:42:16.058 problem with the ribosomes coming off?

NOTE Confidence: 0.763685607272727

 $00:42:16.060 \longrightarrow 00:42:17.329$ As soon as they come off the M RNA,

NOTE Confidence: 0.763685607272727

 $00:42:17.330 \longrightarrow 00:42:19.574$ then they fall apart into their

NOTE Confidence: 0.763685607272727

 $00{:}42{:}19.574 \dashrightarrow 00{:}42{:}21.710$ subunits and into ribosomal proteins,

NOTE Confidence: 0.763685607272727

 $00:42:21.710 \longrightarrow 00:42:23.920$ and those can stimulate P53.

NOTE Confidence: 0.763685607272727

 $00{:}42{:}23.920 \dashrightarrow 00{:}42{:}25.033$ I'm going to show you that again

 $00:42:25.033 \longrightarrow 00:42:26.130$ a couple of different times,

NOTE Confidence: 0.763685607272727

 $00:42:26.130 \longrightarrow 00:42:28.629$ but that's probably why this whole ribosome

NOTE Confidence: 0.763685607272727

 $00:42:28.629 \longrightarrow 00:42:31.208$ is the center of this mtorc P53 axis.

NOTE Confidence: 0.763685607272727

 $00:42:31.210 \longrightarrow 00:42:32.983$ But this is just to show you that we

NOTE Confidence: 0.763685607272727

 $00:42:32.983 \longrightarrow 00:42:34.827$ also get a lot of ribosome Biogenesis,

NOTE Confidence: 0.763685607272727

 $00:42:34.830 \longrightarrow 00:42:35.664$ so we're losing.

NOTE Confidence: 0.763685607272727

 $00:42:35.664 \longrightarrow 00:42:37.610$ Have some and then later we see

NOTE Confidence: 0.763685607272727

 $00{:}42{:}37.668 \dashrightarrow 00{:}42{:}39.578$ huge increases in nucleolar size,

NOTE Confidence: 0.763685607272727

 $00:42:39.580 \longrightarrow 00:42:41.596$ which you can see here in quantify

NOTE Confidence: 0.763685607272727

 $00:42:41.596 \longrightarrow 00:42:44.099$ in both the stomach and the pancreas.

NOTE Confidence: 0.763685607272727

00:42:44.100 --> 00:42:46.284 So what that means is we're losing

NOTE Confidence: 0.763685607272727

 $00:42:46.284 \longrightarrow 00:42:48.230$ ribosomes here and then the nucleoli

NOTE Confidence: 0.763685607272727

 $00{:}42{:}48.230 \dashrightarrow 00{:}42{:}50.132$ are getting turned on or making

NOTE Confidence: 0.763685607272727

 $00:42:50.132 \longrightarrow 00:42:51.399$ more ribosomes here.

NOTE Confidence: 0.763685607272727

 $00:42:51.400 \longrightarrow 00:42:54.484$ But that's not the entire story as we see,

00:42:54.484 --> 00:42:56.474 because I 41's going to play an important

NOTE Confidence: 0.763685607272727

 $00:42:56.474 \longrightarrow 00:42:58.478$ part in between those two things.

NOTE Confidence: 0.763685607272727

 $00:42:58.480 \longrightarrow 00:43:00.160$ So to be able to study these things,

NOTE Confidence: 0.763685607272727

 $00:43:00.160 \longrightarrow 00:43:01.714$ we already have one tool which

NOTE Confidence: 0.763685607272727 00:43:01.714 --> 00:43:02.750 is the ID one

NOTE Confidence: 0.789456304545455

00:43:02.810 --> 00:43:05.560 knockout. But Charles Chow in the lab,

NOTE Confidence: 0.789456304545455

 $00:43:05.560 \longrightarrow 00:43:09.296$ who's an instructor looking for a job soon,

NOTE Confidence: 0.789456304545455

00:43:09.300 --> 00:43:10.980 also made a knockout of ribosome

NOTE Confidence: 0.789456304545455

00:43:10.980 --> 00:43:12.400 Biogenesis for the first time,

NOTE Confidence: 0.789456304545455

 $00:43:12.400 \longrightarrow 00:43:14.008$ surprisingly that he can.

NOTE Confidence: 0.789456304545455

 $00:43:14.008 \longrightarrow 00:43:16.018$ Reduced ribosome Biogenesis knockout by

NOTE Confidence: 0.789456304545455

00:43:16.018 --> 00:43:18.074 knocking out this key modifier that's

NOTE Confidence: 0.789456304545455

 $00:43:18.074 \longrightarrow 00:43:20.440$ critical for the small subunit of ribosomes.

NOTE Confidence: 0.789456304545455

 $00:43:20.440 \longrightarrow 00:43:22.400$ And when he does that you that you

NOTE Confidence: 0.789456304545455

 $00:43:22.400 \longrightarrow 00:43:24.153$ can no longer make ribosomes and

NOTE Confidence: 0.789456304545455

 $00:43:24.153 \longrightarrow 00:43:26.355$ when you do that and you induce

 $00:43:26.355 \longrightarrow 00:43:28.401$ collagenosis all the cells die unless

NOTE Confidence: 0.789456304545455

 $00{:}43{:}28.401 \dashrightarrow 00{:}43{:}30.740$ you also put them on a P53 knock out.

NOTE Confidence: 0.789456304545455

00:43:30.740 --> 00:43:33.434 So again PD3 knockout is critical

NOTE Confidence: 0.789456304545455

 $00:43:33.434 \longrightarrow 00:43:36.649$ that's sensing the death of of cells

NOTE Confidence: 0.789456304545455

 $00:43:36.649 \longrightarrow 00:43:38.874$ that don't make ribosomes anymore.

NOTE Confidence: 0.789456304545455

 $00:43:38.880 \longrightarrow 00:43:41.220$ So this particular gene which is

NOTE Confidence: 0.789456304545455

 $00:43:41.220 \longrightarrow 00:43:43.610$ involved in the ribosome Biogenesis.

NOTE Confidence: 0.789456304545455

 $00{:}43{:}43.610 \dashrightarrow 00{:}43{:}45.522$ Suppresses P53 presumably because

NOTE Confidence: 0.789456304545455

 $00:43:45.522 \longrightarrow 00:43:47.434$ it makes both subunits.

NOTE Confidence: 0.789456304545455

 $00:43:47.440 \longrightarrow 00:43:48.736$ So they're both subunits are there.

NOTE Confidence: 0.789456304545455

 $00{:}43{:}48.740 \dashrightarrow 00{:}43{:}50.420$ It stops the people to three

NOTE Confidence: 0.789456304545455

 $00:43:50.420 \longrightarrow 00:43:51.540$ induction that happens with

NOTE Confidence: 0.789456304545455

 $00{:}43{:}51.596 \dashrightarrow 00{:}43{:}53.248$ ribosome will breakdown products,

NOTE Confidence: 0.789456304545455

 $00:43:53.250 \longrightarrow 00:43:56.256$ but I have 41 is occurring here

NOTE Confidence: 0.789456304545455

 $00{:}43{:}56.256 \dashrightarrow 00{:}43{:}58.678$ earlier I showed you and it's also

00:43:58.678 --> 00:44:00.449 responsible for suppressing P53.

NOTE Confidence: 0.789456304545455

 $00:44:00.450 \longrightarrow 00:44:01.714$ How does that work?

NOTE Confidence: 0.789456304545455

 $00:44:01.714 \longrightarrow 00:44:03.710$ Well, it turns out that it's in between.

NOTE Confidence: 0.789456304545455

00:44:03.710 --> 00:44:05.138 That's just to remind you of

NOTE Confidence: 0.789456304545455

 $00:44:05.138 \longrightarrow 00:44:06.769$ that and that NAP 10 is there,

NOTE Confidence: 0.789456304545455

 $00:44:06.770 \longrightarrow 00:44:08.121$ but I heard you once turning on

NOTE Confidence: 0.789456304545455

 $00:44:08.121 \longrightarrow 00:44:09.370$ earlier and doing the suppression.

NOTE Confidence: 0.789456304545455

00:44:09.370 --> 00:44:11.570 So how does it work?

NOTE Confidence: 0.789456304545455

00:44:11.570 --> 00:44:13.250 So it turns on it, you know,

NOTE Confidence: 0.789456304545455

 $00:44:13.250 \longrightarrow 00:44:14.250$ it turns on here.

NOTE Confidence: 0.789456304545455

00:44:14.250 --> 00:44:15.974 And what it does,

NOTE Confidence: 0.789456304545455

00:44:15.974 --> 00:44:17.267 it turns out.

NOTE Confidence: 0.789456304545455

 $00:44:17.270 \longrightarrow 00:44:20.050$ Is that I 41 fits right here right where the

NOTE Confidence: 0.789456304545455

 $00:44:20.113 \longrightarrow 00:44:22.633$ M RNA would go between the two subunits.

NOTE Confidence: 0.789456304545455

 $00:44:22.640 \longrightarrow 00:44:24.344$ So when I offered you one

NOTE Confidence: 0.789456304545455

00:44:24.344 --> 00:44:25.790 attaches just like M RNA,

 $00:44:25.790 \longrightarrow 00:44:27.428$ it can keep the two ribosomal

NOTE Confidence: 0.789456304545455

 $00:44:27.428 \longrightarrow 00:44:28.890$ subunits together as a whole.

NOTE Confidence: 0.789456304545455

00:44:28.890 --> 00:44:30.786 So instead of having this happen

NOTE Confidence: 0.789456304545455

 $00:44:30.786 \longrightarrow 00:44:32.050$ during those early stages,

NOTE Confidence: 0.789456304545455

 $00:44:32.050 \longrightarrow 00:44:33.665$ which then leads to breakdown

NOTE Confidence: 0.789456304545455

00:44:33.665 --> 00:44:34.958 in P53 activation,

NOTE Confidence: 0.789456304545455

 $00:44:34.958 \longrightarrow 00:44:39.630 \text{ I } 41 \text{ can come right there in that pocket.}$

NOTE Confidence: 0.789456304545455

 $00:44:39.630 \longrightarrow 00:44:41.275$ And as they come off the ribosomes,

NOTE Confidence: 0.789456304545455

 $00:44:41.280 \longrightarrow 00:44:42.080$ they're preserved.

NOTE Confidence: 0.789456304545455

 $00{:}44{:}42.080 \dashrightarrow 00{:}44{:}44.480$ So essentially 53 is blocked because

NOTE Confidence: 0.789456304545455

00:44:44.480 --> 00:44:47.131 you don't get breakdown of all the

NOTE Confidence: 0.789456304545455

 $00:44:47.131 \longrightarrow 00:44:48.916$ ribosomes during the first stage.

NOTE Confidence: 0.789456304545455

 $00{:}44{:}48.920 \dashrightarrow 00{:}44{:}51.674$ So on the one hand you could have this,

NOTE Confidence: 0.789456304545455

 $00:44:51.680 \longrightarrow 00:44:53.894$ but when you have ribosome Biogenesis

NOTE Confidence: 0.789456304545455

 $00:44:53.894 \longrightarrow 00:44:57.079$ you can stop P53 by making new ribosomes,

 $00:44:57.080 \longrightarrow 00:44:59.152$ and if you have 41 then you salvage

NOTE Confidence: 0.789456304545455

 $00:44:59.152 \longrightarrow 00:45:00.605$ the existing ribosomes so both

NOTE Confidence: 0.789456304545455

 $00:45:00.605 \longrightarrow 00:45:02.690$ of those then converge on P53.

NOTE Confidence: 0.789456304545455

 $00:45:02.690 \longrightarrow 00:45:06.470$ OK, so that is the *******.

NOTE Confidence: 0.789456304545455

 $00:45:06.470 \longrightarrow 00:45:07.730$ Organellar and molecular stuff.

NOTE Confidence: 0.789456304545455

 $00:45:07.730 \longrightarrow 00:45:10.411$ So now let's come kind of back out to

NOTE Confidence: 0.789456304545455

 $00:45:10.411 \longrightarrow 00:45:12.478$ how this all comes out in tumors and

NOTE Confidence: 0.789456304545455

00:45:12.478 --> 00:45:14.606 and come back out towards the pathology.

NOTE Confidence: 0.789456304545455

 $00:45:14.610 \longrightarrow 00:45:16.465$ So with all this background

NOTE Confidence: 0.789456304545455

 $00:45:16.465 \longrightarrow 00:45:17.949$ then it's pretty clear,

NOTE Confidence: 0.789456304545455

 $00{:}45{:}17.950 \dashrightarrow 00{:}45{:}19.942$ you know that the cells spent a lot

NOTE Confidence: 0.789456304545455

 $00:45:19.942 \longrightarrow 00:45:21.864$ of time trying to regulate them to

NOTE Confidence: 0.789456304545455

 $00:45:21.864 \longrightarrow 00:45:24.091$ work via PD3 and via this protein deed

NOTE Confidence: 0.789456304545455

 $00:45:24.091 \longrightarrow 00:45:26.211$ at 4:00 to be able to ensure that

NOTE Confidence: 0.789456304545455

 $00:45:26.211 \longrightarrow 00:45:27.968$ the there's no tumors that come out

NOTE Confidence: 0.789456304545455

00:45:27.968 --> 00:45:29.911 of this taking these old cells and

00:45:29.911 --> 00:45:31.930 driving them back into the cell cycle.

NOTE Confidence: 0.789456304545455

 $00:45:31.930 \longrightarrow 00:45:34.720$ So what if we get rid of the ability to

NOTE Confidence: 0.789456304545455

 $00:45:34.795 \longrightarrow 00:45:37.658$ stop mtorc and regulate this process so.

NOTE Confidence: 0.789456304545455

 $00:45:37.660 \longrightarrow 00:45:40.132$ You know what if we take out them

NOTE Confidence: 0.789456304545455

 $00:45:40.132 \longrightarrow 00:45:41.599$ torque regulation and then in

NOTE Confidence: 0.789456304545455

 $00:45:41.599 \longrightarrow 00:45:43.426$ in a system where we can induce

NOTE Confidence: 0.789456304545455

00:45:43.487 --> 00:45:45.337 metaplasia multiple times and the

NOTE Confidence: 0.789456304545455

 $00{:}45{:}45.337 \dashrightarrow 00{:}45{:}47.453$ thinking would be then that what's

NOTE Confidence: 0.789456304545455

00:45:47.453 --> 00:45:49.294 going to happen is we kind of

NOTE Confidence: 0.839834078

 $00{:}45{:}49.300 \dashrightarrow 00{:}45{:}50.836$ in jure each time and we don't

NOTE Confidence: 0.839834078

 $00{:}45{:}50.836 --> 00{:}45{:}51.860$ have much error checking.

NOTE Confidence: 0.839834078

 $00:45:51.860 \longrightarrow 00:45:53.680$ Then you go through collagenosis,

NOTE Confidence: 0.839834078

 $00{:}45{:}53.680 \to 00{:}45{:}55.192$ then you heal, then you go through

NOTE Confidence: 0.839834078

 $00{:}45{:}55.192 \dashrightarrow 00{:}45{:}56.080$ pathogenesis and you heal.

NOTE Confidence: 0.839834078

00:45:56.080 --> 00:45:58.264 But each time you can accumulate

00:45:58.264 --> 00:46:00.442 mutations until finally you get to

NOTE Confidence: 0.839834078

 $00:46:00.442 \longrightarrow 00:46:02.410$ the mutations like Karas or something

NOTE Confidence: 0.839834078

 $00:46:02.410 \longrightarrow 00:46:04.462$ like that that drives a tumor and

NOTE Confidence: 0.839834078

 $00:46:04.462 \longrightarrow 00:46:06.268$ then you know you no longer go

NOTE Confidence: 0.839834078

 $00:46:06.268 \longrightarrow 00:46:07.906$ back to being a chief seller and.

NOTE Confidence: 0.839834078

 $00:46:07.910 \longrightarrow 00:46:08.750$ Lesson or so.

NOTE Confidence: 0.839834078

 $00:46:08.750 \longrightarrow 00:46:11.068$ So I already showed you how we kind

NOTE Confidence: 0.839834078

 $00:46:11.068 \longrightarrow 00:46:13.112$ of we do these screens and coming

NOTE Confidence: 0.839834078

 $00:46:13.112 \longrightarrow 00:46:15.596$ back to dead at 4 so that you know

NOTE Confidence: 0.839834078

 $00:46:15.596 \longrightarrow 00:46:17.380$ knocks out the ability of the cell

NOTE Confidence: 0.839834078

 $00{:}46{:}17.380 \dashrightarrow 00{:}46{:}19.177$ to decrease M torque and it knocks

NOTE Confidence: 0.839834078

 $00:46:19.177 \longrightarrow 00:46:20.885$ out its ability to be able to

NOTE Confidence: 0.839834078

 $00{:}46{:}20.885 \longrightarrow 00{:}46{:}22.922$ sense the P53 damage and to be able

NOTE Confidence: 0.839834078

 $00{:}46{:}22.922 \dashrightarrow 00{:}46{:}24.719$ to stop cells from coming back.

NOTE Confidence: 0.839834078

00:46:24.720 --> 00:46:26.645 And cell cycle basically just kind of

NOTE Confidence: 0.839834078

00:46:26.645 --> 00:46:28.636 skips past all this error checking

 $00:46:28.636 \longrightarrow 00:46:30.116$ right into the proliferation.

NOTE Confidence: 0.839834078

 $00{:}46{:}30.120 \dashrightarrow 00{:}46{:}31.758$ So you see a lot more proliferation

NOTE Confidence: 0.839834078

 $00:46:31.758 \longrightarrow 00:46:33.258$ when you knock out deed it for.

NOTE Confidence: 0.839834078

00:46:33.260 --> 00:46:35.006 And So what happens is essentially

NOTE Confidence: 0.839834078

 $00:46:35.006 \longrightarrow 00:46:36.849$ you can take mutations and carry

NOTE Confidence: 0.839834078

 $00{:}46{:}36.849 \dashrightarrow 00{:}46{:}38.414$ them right into these dysplasias.

NOTE Confidence: 0.839834078

00:46:38.420 --> 00:46:40.298 And so functionally what Max did

NOTE Confidence: 0.839834078

 $00:46:40.298 \longrightarrow 00:46:42.896$ in the lab was do multiple rounds

NOTE Confidence: 0.839834078

 $00{:}46{:}42.896 \to 00{:}46{:}45.026$ of Immunogen which causes gastric

NOTE Confidence: 0.839834078

 $00{:}46{:}45.026 \dashrightarrow 00{:}46{:}47.614$ tumors kind of slowly in the stomach

NOTE Confidence: 0.839834078

 $00:46:47.614 \longrightarrow 00:46:49.876$ in these cells that could no longer

NOTE Confidence: 0.839834078

 $00{:}46{:}49.876 \dashrightarrow 00{:}46{:}51.962$ in these mice that could no longer

NOTE Confidence: 0.839834078

00:46:51.962 --> 00:46:53.805 regulate the the collagenosis and

NOTE Confidence: 0.839834078

 $00:46:53.805 \longrightarrow 00:46:55.660$ that mtor checkpoint versus control

NOTE Confidence: 0.839834078

 $00:46:55.660 \longrightarrow 00:46:57.638$ cells that could still did multiple

 $00:46:57.638 \longrightarrow 00:46:59.540$ rounds of tamoxifen to do multiple

NOTE Confidence: 0.839834078

 $00:46:59.540 \longrightarrow 00:47:01.290$ rounds of metaplasia and repair.

NOTE Confidence: 0.839834078

 $00:47:01.290 \longrightarrow 00:47:03.330$ And what he saw as we predicted was

NOTE Confidence: 0.839834078

 $00:47:03.330 \longrightarrow 00:47:05.827$ a lot more tumors in the deed at 4

NOTE Confidence: 0.839834078

 $00:47:05.827 \longrightarrow 00:47:07.732$ knockouts and a lot bigger tumors

NOTE Confidence: 0.839834078

 $00:47:07.732 \longrightarrow 00:47:09.766$ in fact just for the pathology.

NOTE Confidence: 0.839834078

 $00:47:09.770 \longrightarrow 00:47:11.810$ This is one that arose as a huge

NOTE Confidence: 0.839834078

 $00:47:11.810 \longrightarrow 00:47:13.999$ sort of polypoid tumor that was

NOTE Confidence: 0.839834078

 $00{:}47{:}13.999 \dashrightarrow 00{:}47{:}16.009$ more intestinal type between the

NOTE Confidence: 0.839834078

 $00:47:16.009 \longrightarrow 00:47:17.438$ Antrim and the corpus,

NOTE Confidence: 0.839834078

 $00:47:17.440 \longrightarrow 00:47:20.450$ but then had a had a focus of the diffuse

NOTE Confidence: 0.839834078

 $00:47:20.527 \longrightarrow 00:47:23.096$ signet ring cells that you can see.

NOTE Confidence: 0.839834078

 $00:47:23.100 \longrightarrow 00:47:24.668$ And it's rare in the mouse to get

NOTE Confidence: 0.839834078

 $00:47:24.668 \longrightarrow 00:47:26.399$ such an obviously metastatic tumor.

NOTE Confidence: 0.839834078

 $00:47:26.400 \longrightarrow 00:47:28.368$ You can see them kind of in this

NOTE Confidence: 0.839834078

 $00:47:28.368 \longrightarrow 00:47:30.261$ PAS stain going right through the

 $00:47:30.261 \longrightarrow 00:47:32.265$ muscle area and into this aerosan

NOTE Confidence: 0.839834078

00:47:32.331 --> 00:47:33.738 intelink vascular space.

NOTE Confidence: 0.839834078

00:47:33.740 --> 00:47:36.440 So in other words, if you can't do this,

NOTE Confidence: 0.839834078

 $00:47:36.440 \longrightarrow 00:47:38.114$ check here to make sure these

NOTE Confidence: 0.839834078

 $00:47:38.114 \longrightarrow 00:47:40.199$ cells are OK and send them back,

NOTE Confidence: 0.839834078

 $00:47:40.200 \longrightarrow 00:47:41.310$ you know, to repair them.

NOTE Confidence: 0.839834078

 $00:47:41.310 \longrightarrow 00:47:43.746$ They come back to repair with mutations

NOTE Confidence: 0.839834078

 $00:47:43.746 \longrightarrow 00:47:45.860$ and then eventually they form tumors.

NOTE Confidence: 0.839834078

00:47:45.860 --> 00:47:50.256 OK, so last thing, the human thing.

NOTE Confidence: 0.839834078

00:47:50.260 --> 00:47:53.140 You coming back all the way back to human,

NOTE Confidence: 0.839834078

 $00:47:53.140 \longrightarrow 00:47:56.020$ the human part of the talk.

NOTE Confidence: 0.839834078

00:47:56.020 --> 00:47:56.447 Again,

NOTE Confidence: 0.839834078

 $00{:}47{:}56.447 \dashrightarrow 00{:}47{:}59.009$ we've been again going back to

NOTE Confidence: 0.839834078

00:47:59.009 --> 00:48:01.420 Barretts and trying to study this,

NOTE Confidence: 0.839834078

 $00:48:01.420 \longrightarrow 00:48:03.250$ how these processes happen and how

 $00:48:03.250 \longrightarrow 00:48:05.060$ people heal from these processes.

NOTE Confidence: 0.839834078

00:48:05.060 --> 00:48:05.363 Unfortunately,

NOTE Confidence: 0.839834078

 $00{:}48{:}05.363 \dashrightarrow 00{:}48{:}07.181$ this great mouse models that we

NOTE Confidence: 0.839834078

00:48:07.181 --> 00:48:08.891 can use for tumorigenesis and

NOTE Confidence: 0.839834078

00:48:08.891 --> 00:48:10.746 metaplasia and stomach don't apply

NOTE Confidence: 0.839834078

00:48:10.746 --> 00:48:12.599 because mice don't get variants,

NOTE Confidence: 0.839834078

 $00:48:12.600 \longrightarrow 00:48:13.800$ they don't reflux at all,

NOTE Confidence: 0.839834078

00:48:13.800 --> 00:48:15.204 they don't have any bile or

NOTE Confidence: 0.839834078

 $00{:}48{:}15.204 \dashrightarrow 00{:}48{:}16.700$ acid ever in their esophagus.

NOTE Confidence: 0.839834078

00:48:16.700 --> 00:48:18.806 So there's no really good rodent

NOTE Confidence: 0.839834078

00:48:18.806 --> 00:48:19.859 models for this.

NOTE Confidence: 0.839834078

00:48:19.860 --> 00:48:21.606 So you know, you have to study the human.

NOTE Confidence: 0.839834078

 $00{:}48{:}21.610 \dashrightarrow 00{:}48{:}24.208$ And so I've been collaborating in

NOTE Confidence: 0.839834078

00:48:24.208 --> 00:48:25.940 this amazing collaboration with.

NOTE Confidence: 0.839834078

 $00{:}48{:}25.940 \dashrightarrow 00{:}48{:}28.175$ Rhonda Souza and Stu Spechler's

NOTE Confidence: 0.839834078

 $00:48:28.175 \longrightarrow 00:48:29.963$ group and Rob odds.

00:48:29.970 --> 00:48:31.242 Also, you know, pathologist,

NOTE Confidence: 0.702047116

 $00:48:31.242 \longrightarrow 00:48:31.885$ yeah, pathologist.

NOTE Confidence: 0.702047116

 $00:48:31.885 \longrightarrow 00:48:34.160$ To look at, at their models of

NOTE Confidence: 0.702047116

00:48:34.160 --> 00:48:36.088 Barretts and some clinical trials,

NOTE Confidence: 0.702047116

 $00:48:36.090 \longrightarrow 00:48:36.834$ I'll just show you.

NOTE Confidence: 0.702047116

 $00:48:36.834 \longrightarrow 00:48:38.419$ Here's where I had them down to Houston.

NOTE Confidence: 0.702047116

 $00:48:38.420 \longrightarrow 00:48:40.990$ There's Rob and and me.

NOTE Confidence: 0.702047116

 $00:48:40.990 \longrightarrow 00:48:42.310$ And there's actually, there's my.

NOTE Confidence: 0.702047116

 $00:48:42.310 \longrightarrow 00:48:44.542$ There's the same microscope that Wanj

NOTE Confidence: 0.702047116

 $00{:}48{:}44.542 \dashrightarrow 00{:}48{:}48.470$ learned on, taken down to down to Houston.

NOTE Confidence: 0.702047116

 $00{:}48{:}48.470 \dashrightarrow 00{:}48{:}50.171$ And Rhonda like is fond of saying

NOTE Confidence: 0.702047116

 $00{:}48{:}50.171 \dashrightarrow 00{:}48{:}52.048$ that humans are the best model system.

NOTE Confidence: 0.702047116

 $00:48:52.050 \longrightarrow 00:48:53.607$ So it with Barretts we have to do that.

NOTE Confidence: 0.702047116

 $00:48:53.610 \longrightarrow 00:48:56.965$ So, So what in this model what

NOTE Confidence: 0.702047116

 $00:48:56.965 \longrightarrow 00:48:59.590$ they've done is they you know with

 $00:48:59.590 \longrightarrow 00:49:02.005$ the dysplastic Barretts you can treat

NOTE Confidence: 0.702047116

 $00:49:02.005 \longrightarrow 00:49:04.401$ it by radiofrequency ablation just to

NOTE Confidence: 0.702047116

 $00:49:04.401 \longrightarrow 00:49:06.195$ basically take out all the Barretts

NOTE Confidence: 0.702047116

 $00:49:06.195 \longrightarrow 00:49:09.058$ and take it down to the ulcer bed and

NOTE Confidence: 0.702047116

 $00:49:09.058 \longrightarrow 00:49:10.894$ granulation tissue and then for some

NOTE Confidence: 0.702047116

 $00:49:10.894 \longrightarrow 00:49:12.586$ reason it heals back as squamous.

NOTE Confidence: 0.702047116

00:49:12.590 --> 00:49:14.220 So basically what you're doing

NOTE Confidence: 0.702047116

 $00:49:14.220 \longrightarrow 00:49:15.198$ is radiofrequency ablation,

NOTE Confidence: 0.702047116

00:49:15.200 --> 00:49:15.730 the Barretts,

NOTE Confidence: 0.702047116

 $00:49:15.730 \longrightarrow 00:49:18.460$ and it goes to this just ulcer bed basically.

NOTE Confidence: 0.702047116

 $00:49:18.460 \longrightarrow 00:49:20.910$ What's leftover?

NOTE Confidence: 0.702047116

00:49:20.910 --> 00:49:23.465 And then you know what happens though,

NOTE Confidence: 0.702047116

 $00:49:23.470 \longrightarrow 00:49:25.066$ you know after this ulceration is it

NOTE Confidence: 0.702047116

 $00:49:25.066 \longrightarrow 00:49:26.655$ comes back as a squamous and what

NOTE Confidence: 0.702047116

 $00:49:26.655 \longrightarrow 00:49:28.474$ they did was they took a bunch

NOTE Confidence: 0.702047116

 $00:49:28.474 \longrightarrow 00:49:29.926$ of patients and enrolled them should

 $00:49:29.926 \longrightarrow 00:49:31.565$ also say for the this study and

NOTE Confidence: 0.702047116

 $00:49:31.565 \longrightarrow 00:49:33.530$ then did the pre and then one week,

NOTE Confidence: 0.702047116

 $00:49:33.530 \longrightarrow 00:49:35.246$ two week and four week biopsies

NOTE Confidence: 0.702047116

 $00:49:35.246 \longrightarrow 00:49:36.953$ all the way proximal to distal

NOTE Confidence: 0.702047116

00:49:36.953 --> 00:49:38.724 from before the margin of RFA to

NOTE Confidence: 0.702047116

 $00:49:38.724 \longrightarrow 00:49:40.629$ the gastric margin after the RFA.

NOTE Confidence: 0.702047116

00:49:40.630 --> 00:49:42.454 And you know try to look at how

NOTE Confidence: 0.702047116

 $00:49:42.454 \longrightarrow 00:49:44.665$ the healing process, how all this,

NOTE Confidence: 0.702047116

 $00{:}49{:}44.665 \dashrightarrow 00{:}49{:}47.215$ you know mucosa became squamous again.

NOTE Confidence: 0.92109934625

 $00:49:49.370 \longrightarrow 00:49:51.546$ So that's kind of what it looks like.

NOTE Confidence: 0.92109934625

00:49:51.550 --> 00:49:52.792 You know, the question is where

NOTE Confidence: 0.92109934625

 $00:49:52.792 \longrightarrow 00:49:54.049$ does all that squamous come from?

NOTE Confidence: 0.92109934625

 $00{:}49{:}54.050 \dashrightarrow 00{:}49{:}55.874$ And the only source of squamous or even

NOTE Confidence: 0.92109934625

 $00:49:55.874 \longrightarrow 00:49:57.380$ epithelial cells that you could think of

NOTE Confidence: 0.92109934625

 $00:49:57.380 \longrightarrow 00:49:58.968$ would be at this proximal margin, right.

 $00:49:58.968 \longrightarrow 00:50:00.258$ But it turns out that's

NOTE Confidence: 0.92109934625

 $00:50:00.258 \longrightarrow 00:50:01.290$ actually not what happens.

NOTE Confidence: 0.92109934625

 $00:50:01.290 \longrightarrow 00:50:03.125$ What happens is it comes

NOTE Confidence: 0.92109934625

 $00:50:03.125 \longrightarrow 00:50:04.593$ back as squamous throughout.

NOTE Confidence: 0.92109934625

 $00:50:04.600 \longrightarrow 00:50:07.132$ So there's some source of squamous

NOTE Confidence: 0.92109934625

 $00:50:07.132 \longrightarrow 00:50:09.874$ epithelium that's obviously trans or D or

NOTE Confidence: 0.92109934625

00:50:09.874 --> 00:50:12.132 some kind of differentiating, you know,

NOTE Confidence: 0.92109934625

 $00:50:12.132 \longrightarrow 00:50:14.487$ that's feeding the squamous.

NOTE Confidence: 0.92109934625

00:50:14.490 --> 00:50:17.190 And you know we have a couple of clues,

NOTE Confidence: 0.92109934625

 $00:50:17.190 \longrightarrow 00:50:19.626$ one of which well we talked about.

NOTE Confidence: 0.92109934625

 $00:50:19.630 \longrightarrow 00:50:21.597$ But one of which I'll show you

NOTE Confidence: 0.92109934625

00:50:21.597 --> 00:50:22.784 evidence for here, you know,

NOTE Confidence: 0.92109934625

 $00:50:22.784 \longrightarrow 00:50:23.988$ so the idea is that coming from

NOTE Confidence: 0.92109934625

 $00{:}50{:}23.988 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}50{:}25.322$ the proximal squamous, you know,

NOTE Confidence: 0.92109934625

00:50:25.322 --> 00:50:26.834 there's a come from the distal gastric,

NOTE Confidence: 0.92109934625

 $00:50:26.840 \longrightarrow 00:50:28.436$ but then why would that be squamous?

00:50:28.440 --> 00:50:29.800 But it turns out it just comes in

NOTE Confidence: 0.92109934625

 $00{:}50{:}29.800 \dashrightarrow 00{:}50{:}31.169$ all these little islands like this.

NOTE Confidence: 0.92109934625

00:50:31.170 --> 00:50:32.060 And so if you focus,

NOTE Confidence: 0.92109934625

 $00:50:32.060 \longrightarrow 00:50:35.021$ here's one of these islands of this

NOTE Confidence: 0.92109934625

 $00{:}50{:}35.021 \dashrightarrow 00{:}50{:}37.200$ NEO squamous healing epithelium.

NOTE Confidence: 0.92109934625

00:50:37.200 --> 00:50:37.905 And, you know,

NOTE Confidence: 0.92109934625

00:50:37.905 --> 00:50:39.840 where does this come from on either side?

NOTE Confidence: 0.92109934625

 $00:50:39.840 \longrightarrow 00:50:41.280$ Basically it's going to go down

NOTE Confidence: 0.92109934625

 $00:50:41.280 \longrightarrow 00:50:42.540$ to like a single cell.

NOTE Confidence: 0.92109934625

 $00:50:42.540 \longrightarrow 00:50:45.123$ It turns out that there's pretty good

NOTE Confidence: 0.92109934625

 $00:50:45.123 \longrightarrow 00:50:46.900$ evidence both morphologically and also

NOTE Confidence: 0.92109934625

 $00:50:46.900 \longrightarrow 00:50:48.415$ with their advanced endoscopy that

NOTE Confidence: 0.92109934625

00:50:48.415 --> 00:50:50.710 if you look under each of these new.

NOTE Confidence: 0.92109934625

 $00{:}50{:}50.710 \dashrightarrow 00{:}50{:}52.642$ Kind of ulcerated surface as a single

NOTE Confidence: 0.92109934625

00:50:52.642 --> 00:50:54.610 cell layer of squamous is forming.

00:50:54.610 --> 00:50:57.010 They're all underneath ducts

NOTE Confidence: 0.92109934625

 $00{:}50{:}57.010 \dashrightarrow 00{:}50{:}58.507$ from submucosal glands.

NOTE Confidence: 0.92109934625

00:50:58.507 --> 00:50:59.398 So you know,

NOTE Confidence: 0.92109934625

00:50:59.398 --> 00:51:01.745 just for those of you don't remember

NOTE Confidence: 0.92109934625

 $00:51:01.745 \longrightarrow 00:51:03.729$ your human esophageal theology.

NOTE Confidence: 0.92109934625

 $00:51:03.730 \longrightarrow 00:51:05.008$ These are the 70 coastal glands,

NOTE Confidence: 0.92109934625

 $00:51:05.010 \longrightarrow 00:51:07.122$ and they have ducts that reach

NOTE Confidence: 0.92109934625

 $00:51:07.122 \longrightarrow 00:51:08.796$ up to the squamous epithelium.

NOTE Confidence: 0.92109934625

 $00{:}51{:}08.796 \dashrightarrow 00{:}51{:}10.392$ And normally like if you blade

NOTE Confidence: 0.92109934625

00:51:10.392 --> 00:51:11.430 all this with RFA,

NOTE Confidence: 0.92109934625

 $00:51:11.430 \longrightarrow 00:51:13.019$ then there's still a source of epithelium.

NOTE Confidence: 0.92109934625

00:51:13.020 --> 00:51:15.330 At least you know distally for

NOTE Confidence: 0.92109934625

 $00:51:15.330 \longrightarrow 00:51:17.530$ some of these squamous islands.

NOTE Confidence: 0.92109934625

00:51:17.530 --> 00:51:19.378 But the other source is probably some of

NOTE Confidence: 0.92109934625

 $00:51:19.378 \longrightarrow 00:51:21.028$ these deeper Barretts that escapes the.

NOTE Confidence: 0.92109934625

00:51:21.030 --> 00:51:23.370 RFA as we have a lot of work showing

 $00:51:23.370 \longrightarrow 00:51:25.538$ that there's transitions in there.

NOTE Confidence: 0.92109934625

 $00{:}51{:}25.540 \dashrightarrow 00{:}51{:}27.187$ So like in fact that's what we're doing now.

NOTE Confidence: 0.92109934625

00:51:27.190 --> 00:51:28.850 We're doing spatial transcriptomics,

NOTE Confidence: 0.92109934625

00:51:28.850 --> 00:51:31.340 we're growing organoids and we're doing

NOTE Confidence: 0.92109934625

 $00:51:31.402 \longrightarrow 00:51:33.418$ a lot of IHC and Multiplex IFF to kind

NOTE Confidence: 0.92109934625

 $00:51:33.418 \longrightarrow 00:51:35.560$ of show how these transitions happen.

NOTE Confidence: 0.92109934625

00:51:35.560 --> 00:51:38.930 So that's that. So summarizing.

NOTE Confidence: 0.92109934625

 $00:51:38.930 \longrightarrow 00:51:41.360$ Take homes.

NOTE Confidence: 0.92109934625

 $00:51:41.360 \longrightarrow 00:51:42.925$ This kind of pyloric metaplasia

NOTE Confidence: 0.92109934625

00:51:42.925 --> 00:51:44.883 is some kind of like maybe

NOTE Confidence: 0.92109934625

 $00:51:44.883 \longrightarrow 00:51:46.538$ or metaplasia that you see,

NOTE Confidence: 0.92109934625

00:51:46.540 --> 00:51:47.330 you know,

NOTE Confidence: 0.92109934625

 $00{:}51{:}47.330 \dashrightarrow 00{:}51{:}50.095$ intestine in the cases of SL going

NOTE Confidence: 0.92109934625

 $00{:}51{:}50.095 \dashrightarrow 00{:}51{:}52.465$ towards that you see the body of.

NOTE Confidence: 0.92109934625

 $00{:}51{:}52.470 \dashrightarrow 00{:}51{:}55.428$ I don't mean gastritis and H

 $00:51:55.428 \longrightarrow 00:51:57.400$ pylori induced atrophic gastritis,

NOTE Confidence: 0.92109934625

 $00:51:57.400 \longrightarrow 00:52:00.382$ it's the what seems to be

NOTE Confidence: 0.92109934625

 $00:52:00.382 \longrightarrow 00:52:01.873$ happening in Barretts.

NOTE Confidence: 0.92109934625

 $00:52:01.880 \longrightarrow 00:52:04.240$ And the root of this and although we

NOTE Confidence: 0.92109934625

 $00:52:04.240 \longrightarrow 00:52:06.507$ don't know this yet in the SL how

NOTE Confidence: 0.92109934625

 $00:52:06.507 \longrightarrow 00:52:08.882$ that happens but but at least in the

NOTE Confidence: 0.92109934625

 $00:52:08.882 \longrightarrow 00:52:10.724$ pancreas and the stomach for sure

NOTE Confidence: 0.92109934625

00:52:10.730 --> 00:52:13.187 and probably in Barretts is the cell

NOTE Confidence: 0.92109934625

 $00:52:13.187 \longrightarrow 00:52:15.039$ biological process that's driving this,

NOTE Confidence: 0.92109934625

 $00:52:15.040 \longrightarrow 00:52:16.285$ the palingenesis process.

NOTE Confidence: 0.92109934625

00:52:16.285 --> 00:52:19.190 And that basically is about cells converting

NOTE Confidence: 0.92109934625

 $00{:}52{:}19.253 \dashrightarrow 00{:}52{:}21.325$ energy from one state to the other.

NOTE Confidence: 0.92109934625

00:52:21.330 --> 00:52:23.594 Now you know this is a pathology grand

NOTE Confidence: 0.92109934625

 $00:52:23.594 \longrightarrow 00:52:25.538$ rounds and I'll tell you that when

NOTE Confidence: 0.92109934625

00:52:25.538 --> 00:52:27.682 I was doing a lot of this looking

NOTE Confidence: 0.92109934625

 $00:52:27.682 \longrightarrow 00:52:29.741$ at where this metaplasia happened

00:52:29.741 --> 00:52:32.327 and where what people thought about

NOTE Confidence: 0.84734664

 $00:52:32.398 \longrightarrow 00:52:33.510$ it 100 years ago.

NOTE Confidence: 0.84734664

00:52:33.510 --> 00:52:34.810 Well, over 100 years ago,

NOTE Confidence: 0.84734664

00:52:34.810 --> 00:52:36.694 George Adami was a famous pathologist

NOTE Confidence: 0.84734664

00:52:36.694 --> 00:52:39.076 who at the time was at McGill said,

NOTE Confidence: 0.84734664

00:52:39.076 --> 00:52:41.078 you know, it looks like in tissues

NOTE Confidence: 0.84734664

00:52:41.078 --> 00:52:43.227 that are going to become cancerous,

NOTE Confidence: 0.84734664

 $00:52:43.230 \longrightarrow 00:52:45.030$ there's all this reprogram,

NOTE Confidence: 0.84734664

 $00:52:45.030 \longrightarrow 00:52:48.230$ you didn't use that term of cells

NOTE Confidence: 0.84734664

 $00:52:48.230 \longrightarrow 00:52:50.930$ from mature cells to dividing cells,

NOTE Confidence: 0.84734664

 $00:52:50.930 \longrightarrow 00:52:52.204$ and that seems to fuel the cancer.

NOTE Confidence: 0.84734664

 $00:52:52.210 \dashrightarrow 00:52:54.106$ So he kind of anticipated all of this.

NOTE Confidence: 0.84734664

 $00{:}52{:}54.110 \dashrightarrow 00{:}52{:}56.112$ And he said that what must happen

NOTE Confidence: 0.84734664

 $00:52:56.112 \longrightarrow 00:52:58.259$ is the cell converts its energy

NOTE Confidence: 0.84734664

 $00:52:58.259 \longrightarrow 00:53:00.289$ use from secretion to division.

00:53:00.290 --> 00:53:01.606 So, you know, it's kind of funny.

NOTE Confidence: 0.84734664

 $00:53:01.610 \longrightarrow 00:53:03.461$ Then we forgot that for like 9000.

NOTE Confidence: 0.84734664

 $00:53:03.461 \longrightarrow 00:53:03.672$ Years.

NOTE Confidence: 0.84734664

 $00:53:03.672 \longrightarrow 00:53:04.516$ And then, you know,

NOTE Confidence: 0.84734664

 $00:53:04.520 \longrightarrow 00:53:06.236$ we've come back to that old

NOTE Confidence: 0.84734664

00:53:06.236 --> 00:53:07.708 pathologists who just by looking

NOTE Confidence: 0.84734664

 $00:53:07.708 \longrightarrow 00:53:09.556$ at a bunch of tissues made the

NOTE Confidence: 0.84734664

 $00:53:09.556 \longrightarrow 00:53:11.314$ same kind of analysis that it

NOTE Confidence: 0.84734664

 $00{:}53{:}11.314 \dashrightarrow 00{:}53{:}13.066$ was the same in multiple tissues,

NOTE Confidence: 0.84734664

00:53:13.070 --> 00:53:13.506 you know,

NOTE Confidence: 0.84734664

 $00:53:13.506 \longrightarrow 00:53:15.576$ even as a picture of a liver cell with

NOTE Confidence: 0.84734664

00:53:15.576 --> 00:53:17.190 its kind of autophagy before they

NOTE Confidence: 0.84734664

 $00:53:17.190 \longrightarrow 00:53:19.070$ even knew what the organelles were.

NOTE Confidence: 0.84734664

 $00:53:19.070 \longrightarrow 00:53:21.102$ So a lot of that depends on ribosomes

NOTE Confidence: 0.84734664

 $00:53:21.102 \longrightarrow 00:53:23.452$ and and so the metaplasia depends on

NOTE Confidence: 0.84734664

 $00:53:23.452 \longrightarrow 00:53:25.800$ this collagenosis which depends on ribosome.

 $00:53:25.800 \longrightarrow 00:53:28.047$ So these are all areas where you

NOTE Confidence: 0.84734664

 $00{:}53{:}28.047 \dashrightarrow 00{:}53{:}29.922$ could target potentially both to.

NOTE Confidence: 0.84734664

 $00:53:29.922 \longrightarrow 00:53:30.834$ First metaplasia,

NOTE Confidence: 0.84734664

 $00:53:30.834 \longrightarrow 00:53:33.570$ but also if cancers emerge from

NOTE Confidence: 0.84734664

00:53:33.656 --> 00:53:35.700 those this aberrant checking

NOTE Confidence: 0.84734664

 $00:53:35.700 \longrightarrow 00:53:37.744$ of pathogenesis or P53,

NOTE Confidence: 0.84734664

00:53:37.750 --> 00:53:39.140 then maybe with they proliferate

NOTE Confidence: 0.84734664

 $00:53:39.140 \longrightarrow 00:53:40.252$ by going through that.

NOTE Confidence: 0.74812823

 $00:53:48.360 \longrightarrow 00:53:52.950$ The city. Ohh, it's all the eye.

NOTE Confidence: 0.74812823

00:53:52.950 --> 00:53:55.267 And where we got some of the

NOTE Confidence: 0.74812823

 $00{:}53{:}55.267 \dashrightarrow 00{:}53{:}57.704$ mice and this is our group down

NOTE Confidence: 0.74812823

00:53:57.704 --> 00:53:59.806 in Texas with my wife's lab,

NOTE Confidence: 0.74812823

 $00:53:59.806 \longrightarrow 00:54:01.930$ she's mysorekar and on the mills,

NOTE Confidence: 0.74812823

00:54:01.930 --> 00:54:04.210 so we're the M&M labs together, so.

NOTE Confidence: 0.87300657

 $00:54:10.950 \longrightarrow 00:54:11.920$ Yes, you know. And then.

00:54:14.080 --> 00:54:16.220 So, so I don't know,

NOTE Confidence: 0.852713134

 $00:54:16.220 \longrightarrow 00:54:18.636$ but I think there are papers already too.

NOTE Confidence: 0.852713134

00:54:18.640 --> 00:54:21.220 But I'm, I I bet you it's the same aisle 13,

NOTE Confidence: 0.852713134

00:54:21.220 --> 00:54:24.244 aisle 33 access which drives it

NOTE Confidence: 0.852713134

 $00:54:24.244 \longrightarrow 00:54:26.777$ seemingly in in Barretts and

NOTE Confidence: 0.852713134

 $00:54:26.777 \longrightarrow 00:54:30.460$ in pancreas and and in stomach.

NOTE Confidence: 0.852713134

00:54:30.460 --> 00:54:32.770 The, the very idea Polygenist

NOTE Confidence: 0.852713134

 $00.54.32.770 \longrightarrow 00.54.34.156$ is absolutely reversible.

NOTE Confidence: 0.852713134

 $00:54:34.160 \longrightarrow 00:54:35.189$ Yeah, 100% it's,

NOTE Confidence: 0.852713134

00:54:35.189 --> 00:54:38.070 it's a normal way to recruit stem cells,

NOTE Confidence: 0.852713134

 $00:54:38.070 \longrightarrow 00:54:39.200$ especially for organs that don't

NOTE Confidence: 0.852713134

 $00:54:39.200 \longrightarrow 00:54:40.730$ have stem cells like the pancreas.

NOTE Confidence: 0.852713134

 $00{:}54{:}40.730 \dashrightarrow 00{:}54{:}42.158$ That's the only way the pancreas

NOTE Confidence: 0.852713134

 $00:54:42.158 \longrightarrow 00:54:43.976$ can kind of repair itself is by

NOTE Confidence: 0.852713134

 $00:54:43.976 \longrightarrow 00:54:45.068$ recruiting the acinar cells.

NOTE Confidence: 0.852713134

 $00:54:45.070 \longrightarrow 00:54:46.988$ And then normally they come right back.

 $00:54:46.990 \longrightarrow 00:54:49.090$ It's only when you know they acquire

NOTE Confidence: 0.852713134

 $00{:}54{:}49.090 \to 00{:}54{:}50.870$ enough mutations that they don't read,

NOTE Confidence: 0.852713134

00:54:50.870 --> 00:54:51.822 differentiate and they think

NOTE Confidence: 0.852713134

 $00:54:51.822 \longrightarrow 00:54:53.250$ it's an idea to keep growing.

NOTE Confidence: 0.852713134

 $00:54:53.250 \longrightarrow 00:54:55.308$ You know, that it becomes irreversible.

NOTE Confidence: 0.852713134

 $00:54:55.310 \longrightarrow 00:54:56.520$ And that's why we think,

NOTE Confidence: 0.852713134

00:54:56.520 --> 00:54:57.656 you know, chronic inflammation,

NOTE Confidence: 0.852713134

00:54:57.656 --> 00:54:59.590 which is the first question you had,

NOTE Confidence: 0.852713134

 $00:54:59.590 \longrightarrow 00:55:00.946$ is so important.

NOTE Confidence: 0.852713134

 $00:55:00.946 \longrightarrow 00:55:02.754$ Because it keeps stimulating

NOTE Confidence: 0.852713134

 $00:55:02.754 \longrightarrow 00:55:04.770$ this collagenosis until of these

NOTE Confidence: 0.852713134

 $00:55:04.770 \longrightarrow 00:55:05.950$ kind of old cells.

NOTE Confidence: 0.852713134

 $00{:}55{:}05.950 \dashrightarrow 00{:}55{:}07.056$ You know, if you think about it,

NOTE Confidence: 0.852713134

 $00:55:07.060 \longrightarrow 00:55:08.782$ they don't really do much error

NOTE Confidence: 0.852713134

 $00:55:08.782 \longrightarrow 00:55:10.316$ checking of their chromatin under

 $00:55:10.316 \longrightarrow 00:55:11.309$ normal circumstances because

NOTE Confidence: 0.852713134

00:55:11.309 --> 00:55:13.295 they're just making a handful of,

NOTE Confidence: 0.852713134

00:55:13.300 --> 00:55:13.820 you know,

NOTE Confidence: 0.852713134

 $00:55:13.820 \longrightarrow 00:55:15.380$ digestive enzymes over and over again.

NOTE Confidence: 0.852713134

 $00:55:15.380 \longrightarrow 00:55:16.700$ And most of their ribosomes

NOTE Confidence: 0.852713134

 $00:55:16.700 \longrightarrow 00:55:18.020$ are already taken care of,

NOTE Confidence: 0.852713134

 $00:55:18.020 \longrightarrow 00:55:20.020$ so they're most of their chromatin is inert.

NOTE Confidence: 0.852713134

 $00:55:20.020 \longrightarrow 00:55:22.036$ So then you ask them to rearrange everything,

NOTE Confidence: 0.852713134

00:55:22.040 --> 00:55:23.444 come back into cell cycle and

NOTE Confidence: 0.852713134

 $00:55:23.444 \longrightarrow 00:55:25.279$ expose a bunch of cell cycle genes,

NOTE Confidence: 0.852713134

 $00:55:25.280 \longrightarrow 00:55:26.420$ which is very dangerous.

NOTE Confidence: 0.852713134

 $00:55:26.420 \longrightarrow 00:55:28.690$ So they need this error checking and it

NOTE Confidence: 0.852713134

 $00:55:28.690 \longrightarrow 00:55:30.475$ just seems like we've evolved only one.

NOTE Confidence: 0.852713134

 $00:55:30.480 \longrightarrow 00:55:32.195$ Protein which is P53 to do all

NOTE Confidence: 0.852713134

 $00:55:32.195 \longrightarrow 00:55:32.930$ that error checking.

NOTE Confidence: 0.852713134

 $00:55:32.930 \longrightarrow 00:55:36.017$ So each time you go through that cycle of

 $00:55:36.017 \longrightarrow 00:55:38.648$ you're asking people to three to work.

NOTE Confidence: 0.852713134

 $00:55:38.650 \longrightarrow 00:55:40.432$ And the more you do it the more chances

NOTE Confidence: 0.852713134

 $00:55:40.432 \longrightarrow 00:55:41.978$ you're taking until you get a you

NOTE Confidence: 0.852713134

00:55:41.978 --> 00:55:43.449 know clone that doesn't have it work.

NOTE Confidence: 0.852713134

00:55:43.450 --> 00:55:45.538 And then you start having more

NOTE Confidence: 0.852713134

 $00:55:45.538 \longrightarrow 00:55:46.930$ errors in each replication.

NOTE Confidence: 0.852713134

 $00:55:46.930 \longrightarrow 00:55:48.772$ And then when that happens then

NOTE Confidence: 0.852713134

00:55:48.772 --> 00:55:50.578 eventually you'll get a make or

NOTE Confidence: 0.852713134

 $00:55:50.578 \longrightarrow 00:55:52.377$ a rass or you know something else

NOTE Confidence: 0.852713134

 $00:55:52.377 \longrightarrow 00:55:54.430$ that drives it outside the geotrack.

NOTE Confidence: 0.852713134 00:55:54.430 --> 00:55:54.701 Yeah. NOTE Confidence: 0.852713134

 $00{:}55{:}54.701 \dashrightarrow 00{:}55{:}56.598$ Actually you know I 41 is conserved

NOTE Confidence: 0.852713134

 $00{:}55{:}56.598 \dashrightarrow 00{:}55{:}58.248$ all the way through plants.

NOTE Confidence: 0.852713134

 $00:55:58.250 \longrightarrow 00:56:00.590$ It's the the the it's.

NOTE Confidence: 0.852713134

 $00:56:00.590 \longrightarrow 00:56:01.202$ Amazing protein.

 $00:56:01.202 \longrightarrow 00:56:03.038$ It goes right between the ribosomes.

NOTE Confidence: 0.852713134

 $00:56:03.040 \longrightarrow 00:56:04.380$ That's why it's so conserved.

NOTE Confidence: 0.852713134

00:56:04.380 --> 00:56:07.476 And it has 0 phenotype in any Organism,

NOTE Confidence: 0.852713134

 $00:56:07.480 \longrightarrow 00:56:11.698$ from plants to flies to yeast.

NOTE Confidence: 0.852713134

 $00:56:11.700 \longrightarrow 00:56:13.135$ Even if it's not in all yeast.

NOTE Confidence: 0.852713134

 $00:56:13.140 \longrightarrow 00:56:15.384$ Because I think it's more multicellular

NOTE Confidence: 0.852713134

00:56:15.384 --> 00:56:17.314 thing when you knock it out until

NOTE Confidence: 0.852713134

 $00:56:17.314 \longrightarrow 00:56:19.612$ you injure and ask them to kind of

NOTE Confidence: 0.852713134

 $00{:}56{:}19.612 \dashrightarrow 00{:}56{:}21.112$ reprogram and respond to injury.

NOTE Confidence: 0.852713134

00:56:21.120 --> 00:56:22.912 So there's flying effort you want and

NOTE Confidence: 0.852713134

 $00{:}56{:}22.912 \dashrightarrow 00{:}56{:}24.971$ if you knock it out then you can't

NOTE Confidence: 0.852713134

 $00:56:24.971 \longrightarrow 00:56:26.669$ recruit stem cells and the fly gut.

NOTE Confidence: 0.567696278571429

 $00:56:28.760 \longrightarrow 00:56:30.940$ Deliver after partial hepatectomy

NOTE Confidence: 0.567696278571429

 $00:56:30.940 \longrightarrow 00:56:33.980$ of you knockout I31 you screw up

NOTE Confidence: 0.567696278571429

 $00:56:33.980 \longrightarrow 00:56:37.144$ the ability to to get all that GI

NOTE Confidence: 0.567696278571429

00:56:37.144 --> 00:56:39.584 tract again and parasites kidney.

 $00:56:39.590 \longrightarrow 00:56:41.590$ That's a non GI Oregon also and in

NOTE Confidence: 0.567696278571429

 $00:56:41.590 \longrightarrow 00:56:43.612$ fact all this is tied to aging in

NOTE Confidence: 0.567696278571429

 $00:56:43.612 \longrightarrow 00:56:45.380$ the sense that as you get older

NOTE Confidence: 0.567696278571429

 $00:56:45.380 \longrightarrow 00:56:47.088$ you seem to be able to lose.

NOTE Confidence: 0.567696278571429

 $00{:}56{:}47.090 \dashrightarrow 00{:}56{:}48.446$ You lose these markers in these

NOTE Confidence: 0.567696278571429

 $00:56:48.446 \longrightarrow 00:56:50.167$ genes and in the bladder we

NOTE Confidence: 0.567696278571429

00:56:50.167 --> 00:56:51.697 know that actually where each time

NOTE Confidence: 0.567696278571429

 $00{:}56{:}51.697 \dashrightarrow 00{:}56{:}53.442$ you go through UTI of shedding you

NOTE Confidence: 0.567696278571429

 $00:56:53.442 \longrightarrow 00:56:55.280$ need to recruit new stem cells.

NOTE Confidence: 0.567696278571429

00:56:55.280 --> 00:56:58.587 As you age you lose I 41 and

NOTE Confidence: 0.567696278571429

 $00:56:58.587 \longrightarrow 00:57:00.129$ you're less able to do this.

NOTE Confidence: 0.567696278571429

00:57:00.130 --> 00:57:02.994 That's work from the My wife side actually

NOTE Confidence: 0.567696278571429

 $00:57:02.994 \dashrightarrow 00:57:04.987$ because she's a a bladder expert.

NOTE Confidence: 0.808378845625

00:57:14.930 --> 00:57:15.978 Yeah, right. So, yeah,

NOTE Confidence: 0.808378845625

 $00:57:15.978 \longrightarrow 00:57:17.923$ the question is why are some metaplasia

00:57:17.923 --> 00:57:19.838 is dangerous and some not, right?

NOTE Confidence: 0.808378845625

 $00:57:19.838 \longrightarrow 00:57:22.462$ You know, I have no idea because that's

NOTE Confidence: 0.808378845625

00:57:22.462 --> 00:57:24.783 the same thing with stomach, right?

NOTE Confidence: 0.808378845625

00:57:24.783 --> 00:57:26.195 I mean, autoimmune gastritis

NOTE Confidence: 0.808378845625

 $00{:}57{:}26.195 \dashrightarrow 00{:}57{:}27.254$ causes massive metaplasia.

NOTE Confidence: 0.808378845625

00:57:27.260 --> 00:57:29.549 And you know, there's a huge controversy

NOTE Confidence: 0.808378845625

00:57:29.549 --> 00:57:31.520 about whether it increases risk of

NOTE Confidence: 0.808378845625

00:57:31.520 --> 00:57:33.690 gastric cancer or not in the absence

NOTE Confidence: 0.808378845625

 $00:57:33.748 \longrightarrow 00:57:35.470$ of Co infection with H pylori.

NOTE Confidence: 0.808378845625

 $00:57:35.470 \longrightarrow 00:57:36.890$ And I think probably the

NOTE Confidence: 0.808378845625

00:57:36.890 --> 00:57:38.026 consensus is it doesn't.

NOTE Confidence: 0.808378845625

00:57:38.030 --> 00:57:40.352 So even the very same metaplasia

NOTE Confidence: 0.808378845625

 $00{:}57{:}40.352 --> 00{:}57{:}41.900$ and H pylori context.

NOTE Confidence: 0.808378845625

 $00{:}57{:}41.900 \dashrightarrow 00{:}57{:}44.258$ You know it's risky, but but it's not in

NOTE Confidence: 0.808378845625

 $00:57:44.258 \longrightarrow 00:57:48.720$ the autoimmune gastritis context, so.

NOTE Confidence: 0.808378845625

00:57:48.720 --> 00:57:51.936 I, I, I don't know, uh, I, you know,

 $00:57:51.936 \longrightarrow 00:57:54.209$ I think 1 aspect would be the

NOTE Confidence: 0.808378845625

 $00:57:54.209 \longrightarrow 00:57:56.559$ repetitive nature and the chronicity.

NOTE Confidence: 0.808378845625

 $00:57:56.560 \longrightarrow 00:57:58.324$ Another aspect, you know,

NOTE Confidence: 0.808378845625

 $00:57:58.324 \longrightarrow 00:57:59.647$ in the stomach,

NOTE Confidence: 0.808378845625

 $00:57:59.650 \longrightarrow 00:58:01.338$ I've always thought of that H pylori is

NOTE Confidence: 0.808378845625

00:58:01.338 --> 00:58:03.240 also got oncogenes that it, you know,

NOTE Confidence: 0.808378845625

00:58:03.240 --> 00:58:04.840 pretty much injects into cells.

NOTE Confidence: 0.808378845625

 $00:58:04.840 \longrightarrow 00:58:08.557$ And also there's this sense of kind

NOTE Confidence: 0.808378845625

 $00{:}58{:}08.557 \dashrightarrow 00{:}58{:}11.764$ of progression and that that

NOTE Confidence: 0.808378845625

 $00{:}58{:}11.764 \dashrightarrow 00{:}58{:}13.605$ that glands on the border between

NOTE Confidence: 0.808378845625

 $00{:}58{:}13.605 \dashrightarrow 00{:}58{:}15.644$ the Antrim and the corpus going to go

NOTE Confidence: 0.808378845625

 $00:58:15.644 \longrightarrow 00:58:17.233$ through this more and more and more

NOTE Confidence: 0.808378845625

 $00{:}58{:}17.288 \dashrightarrow 00{:}58{:}19.096$ as autoimmune gastritis, I think.

NOTE Confidence: 0.808378845625

00:58:19.096 --> 00:58:19.742 You know,

NOTE Confidence: 0.808378845625

 $00:58:19.742 \longrightarrow 00:58:21.034$ kind of happens sporadically,

 $00:58:21.040 \longrightarrow 00:58:21.670$ hits an area,

NOTE Confidence: 0.808378845625

 $00{:}58{:}21.670 \dashrightarrow 00{:}58{:}23.658$ then comes back and it's kind of back and

NOTE Confidence: 0.808378845625

 $00{:}58{:}23.658 {\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}}{\:\raisebox{--}{\text{--}}} 00{:}58{:}25.289$ forth in different areas as opposed to

NOTE Confidence: 0.808378845625

00:58:25.289 --> 00:58:27.217 the same area going over and over again,

NOTE Confidence: 0.808378845625 00:58:27.220 --> 00:58:29.090 but.

NOTE Confidence: 0.808378845625

 $00:58:29.090 \longrightarrow 00:58:30.308$ I've never been asked that question.

NOTE Confidence: 0.808378845625

00:58:30.310 --> 00:58:31.626 It's a really good about the cervix,

NOTE Confidence: 0.808378845625

 $00{:}58{:}31.630 \dashrightarrow 00{:}58{:}33.898$ you know like in areas where you

NOTE Confidence: 0.808378845625

 $00{:}58{:}33.898 \to 00{:}58{:}35.602$ get metaplasia that don't that

NOTE Confidence: 0.808378845625

 $00:58:35.602 \longrightarrow 00:58:37.010$ may even be protective.

NOTE Confidence: 0.808378845625

00:58:37.010 --> 00:58:39.034 I mean you know in the stomach a

NOTE Confidence: 0.808378845625

 $00:58:39.034 \longrightarrow 00:58:40.394$ complete intestinal metaplasia seems

NOTE Confidence: 0.808378845625

 $00:58:40.394 \longrightarrow 00:58:42.409$ almost protective against gastric cancer.

NOTE Confidence: 0.808378845625

 $00:58:42.410 \longrightarrow 00:58:45.690$ So that's another interesting fact.

NOTE Confidence: 0.808378845625

00:58:45.690 --> 00:58:48.108 And and I think in autoimmune

NOTE Confidence: 0.808378845625

 $00{:}58{:}48.108 \dashrightarrow 00{:}58{:}49.720$ gastritis there's more complete

 $00:58:49.795 \longrightarrow 00:58:51.447$ than there is incomplete.

NOTE Confidence: 0.808378845625

 $00:58:51.450 \longrightarrow 00:58:53.112$ But I think it's definitely risky

NOTE Confidence: 0.808378845625

 $00:58:53.112 \longrightarrow 00:58:55.128$ to have the kind of metaplasia where

NOTE Confidence: 0.808378845625

 $00:58:55.128 \longrightarrow 00:58:57.326$ you have a mixed phenotype where it's

NOTE Confidence: 0.808378845625

 $00:58:57.326 \longrightarrow 00:58:59.790$ both gastric and intestinal and it keeps.

NOTE Confidence: 0.808378845625

00:58:59.790 --> 00:59:02.090 Happening it almost, you know,

NOTE Confidence: 0.808378845625

 $00:59:02.090 \longrightarrow 00:59:03.410$ is asking for trouble.

NOTE Confidence: 0.808378845625

 $00:59:03.410 \longrightarrow 00:59:05.390$ So maybe pure metaplasia are better.

NOTE Confidence: 0.808378845625

 $00:59:05.390 \longrightarrow 00:59:06.446 \text{ I don't know}.$

NOTE Confidence: 0.808378845625

 $00:59:06.446 \longrightarrow 00:59:07.854$ It's a good question.

NOTE Confidence: 0.808378845625 00:59:07.860 --> 00:59:08.240 Haven't.

NOTE Confidence: 0.559212765

 $00:59:10.510 \longrightarrow 00:59:11.160$ Haven't asked.

NOTE Confidence: 0.70453817

 $00:59:13.220 \longrightarrow 00:59:15.690$ OK. Question on the.

NOTE Confidence: 0.25466174

 $00:59:18.090 \longrightarrow 00:59:22.780$ Building. And you describe.

NOTE Confidence: 0.25466174

 $00:59:22.780 \longrightarrow 00:59:23.780$ But when you look at.

 $00:59:26.390 \longrightarrow 00:59:27.749$ Or the before.

NOTE Confidence: 0.9236553

 $00:59:30.990 \longrightarrow 00:59:33.800$ Yeah, yeah. He.

NOTE Confidence: 0.56206702125

 $00:59:36.560 \longrightarrow 00:59:40.172$ Your life experiences that are known

NOTE Confidence: 0.56206702125

 $00:59:40.172 \longrightarrow 00:59:42.680$ to alters. So the question is, drew,

NOTE Confidence: 0.56206702125

 $00:59:42.680 \longrightarrow 00:59:44.948$ are there germline variants of genes

NOTE Confidence: 0.56206702125

00:59:44.948 --> 00:59:49.040 like D at 4 the AG is the autophagy

NOTE Confidence: 0.56206702125

00:59:49.040 --> 00:59:51.036 genes that affect susceptibility?

NOTE Confidence: 0.56206702125

 $00:59:51.040 \longrightarrow 00:59:53.620$ I. That's a good question.

NOTE Confidence: 0.56206702125

 $00:59:53.620 \longrightarrow 00:59:54.890$ I don't know did it.

NOTE Confidence: 0.56206702125

00:59:54.890 --> 00:59:56.725 Four is very controversial also

NOTE Confidence: 0.56206702125

 $00:59:56.725 \longrightarrow 00:59:58.193$ from the cancer standpoint,

NOTE Confidence: 0.56206702125

 $00:59:58.200 \longrightarrow 00:59:59.994$ it seems like half the literature

NOTE Confidence: 0.56206702125

 $00:59:59.994 \longrightarrow 01:00:01.855$ says that mutations are variants or

NOTE Confidence: 0.56206702125

 $01{:}00{:}01.855 \dashrightarrow 01{:}00{:}03.667$ pro tumorigenic and half are anti.

NOTE Confidence: 0.56206702125

 $01:00:03.670 \longrightarrow 01:00:05.930$ But the issue with pathogenesis

NOTE Confidence: 0.56206702125

 $01{:}00{:}05.930 \dashrightarrow 01{:}00{:}08.618$ and tumorigenesis is you know it's

 $01:00:08.618 \dashrightarrow 01:00:10.880$ a cycle normally so umm and it's

NOTE Confidence: 0.56206702125

 $01:00:10.880 \longrightarrow 01:00:12.470$ sort of aberration in the cycling

NOTE Confidence: 0.56206702125

 $01:00:12.470 \longrightarrow 01:00:14.487$ that we think is giving the tumors.

NOTE Confidence: 0.56206702125

 $01{:}00{:}14.490 \dashrightarrow 01{:}00{:}17.010$ So just kind of completely knocking

NOTE Confidence: 0.56206702125

01:00:17.010 --> 01:00:19.140 it down might not would probably

NOTE Confidence: 0.56206702125

01:00:19.140 --> 01:00:20.490 give you a premature aging thing

NOTE Confidence: 0.56206702125

01:00:20.490 --> 01:00:22.008 if in fact that's what I said,

NOTE Confidence: 0.56206702125

 $01:00:22.010 \longrightarrow 01:00:23.132$ I pretty one has no phenotype

NOTE Confidence: 0.56206702125

 $01:00:23.132 \longrightarrow 01:00:24.269$ but actually it has an aging.

NOTE Confidence: 0.56206702125

 $01:00:24.270 \longrightarrow 01:00:27.721$ Genotype so as you age then and

NOTE Confidence: 0.56206702125

01:00:27.721 --> 01:00:30.449 you get inability to regenerate

NOTE Confidence: 0.56206702125

 $01:00:30.449 \longrightarrow 01:00:33.360$ the that tends to be where you

NOTE Confidence: 0.56206702125

 $01{:}00{:}33.360 \dashrightarrow 01{:}00{:}34.920$ manifest your pathogenesis defects

NOTE Confidence: 0.56206702125

 $01:00:34.987 \longrightarrow 01:00:37.062$ because you probably wouldn't be

NOTE Confidence: 0.56206702125

 $01:00:37.062 \longrightarrow 01:00:39.137$ able to necessarily you've never

 $01{:}00{:}39.209 \dashrightarrow 01{:}00{:}41.243$ traced people that don't get tumors

NOTE Confidence: 0.56206702125

 $01:00:41.243 \longrightarrow 01:00:43.497$ based on you know lacking that but

NOTE Confidence: 0.56206702125

 $01:00:43.497 \longrightarrow 01:00:45.590$ obviously people do three is a key

NOTE Confidence: 0.56206702125

01:00:45.652 --> 01:00:47.948 checkpoint and that is the you know

NOTE Confidence: 0.56206702125

01:00:47.948 --> 01:00:49.759 incredibly tight the tumor genesis

NOTE Confidence: 0.56206702125

 $01:00:49.760 \longrightarrow 01:00:52.520$ the in terms I'll be a little bit

NOTE Confidence: 0.56206702125

 $01:00:52.520 \longrightarrow 01:00:54.978$ more specific though about autophagy.

NOTE Confidence: 0.56206702125

 $01\text{:}00\text{:}54.980 \dashrightarrow 01\text{:}00\text{:}58.326$ Which is that we have tried with a

NOTE Confidence: 0.56206702125

 $01:00:58.326 \longrightarrow 01:01:00.902$ G57 and 1601 variant to show effects

NOTE Confidence: 0.56206702125

01:01:00.902 --> 01:01:03.789 and haven't really been successful.

NOTE Confidence: 0.56206702125

 $01:01:03.790 \longrightarrow 01:01:05.698$ Where we have genetically been able

NOTE Confidence: 0.56206702125

 $01:01:05.698 \longrightarrow 01:01:06.970$ to completely shut palingenesis

NOTE Confidence: 0.56206702125

 $01:01:07.020 \longrightarrow 01:01:08.581$ down both in the pancreas and the

NOTE Confidence: 0.56206702125

 $01:01:08.581 \longrightarrow 01:01:10.250$ stomach is by affecting lysosomes.

NOTE Confidence: 0.56206702125

01:01:10.250 --> 01:01:11.858 So if you want to really get dive

NOTE Confidence: 0.56206702125

 $01:01:11.858 \longrightarrow 01:01:13.409$ into the autophagy aspect of it,

 $01:01:13.410 \longrightarrow 01:01:14.370$ we actually think it.

NOTE Confidence: 0.56206702125

01:01:14.370 --> 01:01:16.490 It's from the EPG 5 which is the

NOTE Confidence: 0.56206702125

01:01:16.490 --> 01:01:17.738 fusion of autophagosomes and

NOTE Confidence: 0.56206702125

 $01:01:17.738 \longrightarrow 01:01:19.489$ lysosome steps down there are the

NOTE Confidence: 0.56206702125

 $01:01:19.489 \longrightarrow 01:01:21.064$ most important and a lot of it

NOTE Confidence: 0.56206702125

01:01:21.064 --> 01:01:22.460 maybe non canonical autophagy.

NOTE Confidence: 0.56206702125

 $01:01:22.460 \longrightarrow 01:01:25.190$ So a knockout the best knockout.

NOTE Confidence: 0.56206702125

 $01:01:25.190 \longrightarrow 01:01:26.382$ They had to stop.

NOTE Confidence: 0.56206702125

 $01:01:26.382 \longrightarrow 01:01:28.766$ The whole process is as in the

NOTE Confidence: 0.56206702125

 $01:01:28.766 \longrightarrow 01:01:31.406$ phosphorylation that phosphorylase that puts

NOTE Confidence: 0.56206702125

 $01{:}01{:}31.406 \dashrightarrow 01{:}01{:}34.200$ phosphate phosphate groups on Mano six,

NOTE Confidence: 0.56206702125

01:01:34.200 --> 01:01:35.635 you know to make Manor 6 phosphate.

NOTE Confidence: 0.56206702125

 $01:01:35.640 \longrightarrow 01:01:37.120$ So none of the digestive,

NOTE Confidence: 0.56206702125

 $01:01:37.120 \longrightarrow 01:01:39.360$ the license only enzymes go to the lysosome.

NOTE Confidence: 0.56206702125

 $01:01:39.360 \longrightarrow 01:01:40.785$ Those mice are completely resistant

01:01:40.785 --> 01:01:42.834 to you know which is not necessarily

NOTE Confidence: 0.56206702125

 $01{:}01{:}42.834 \dashrightarrow 01{:}01{:}44.544$ a good thing because it means

NOTE Confidence: 0.56206702125

 $01:01:44.544 \longrightarrow 01:01:46.084$ they can't repair in the pancreas

NOTE Confidence: 0.56206702125

 $01:01:46.084 \longrightarrow 01:01:47.891$ is kind of if you keep forcing

NOTE Confidence: 0.56206702125

 $01:01:47.891 \longrightarrow 01:01:50.046$ pancreatitis or pancreas is turned

NOTE Confidence: 0.56206702125

 $01:01:50.046 \longrightarrow 01:01:52.504$ to snot basically because they can't

NOTE Confidence: 0.56206702125

 $01:01:52.504 \longrightarrow 01:01:54.575$ you know repair the damage so.

NOTE Confidence: 0.56206702125

01:01:54.575 --> 01:01:55.760 In our experience,

NOTE Confidence: 0.56206702125

01:01:55.760 --> 01:01:58.130 it's really lysosomes I you know,

NOTE Confidence: 0.56206702125

01:01:58.130 --> 01:01:59.294 it's massive autophagy.

NOTE Confidence: 0.56206702125

 $01:01:59.294 \longrightarrow 01:02:00.070$ Clearly LC3,

NOTE Confidence: 0.56206702125

 $01:02:00.070 \longrightarrow 01:02:02.870$ it's all the classic but the main.

NOTE Confidence: 0.56206702125

 $01:02:02.870 \longrightarrow 01:02:04.641$ The thing seems to be required is

NOTE Confidence: 0.56206702125

 $01{:}02{:}04.641 \dashrightarrow 01{:}02{:}06.169$ the flux through the lyso somes.

NOTE Confidence: 0.480954455

 $01:02:08.800 \longrightarrow 01:02:09.470$ Short question.

NOTE Confidence: 0.6431545

 $01{:}02{:}11.550 --> 01{:}02{:}11.850 \ {\rm Cheap}.$

 $01:02:17.630 \longrightarrow 01:02:19.674$ Yeah. So, so the question is whether

NOTE Confidence: 0.823314832142857

 $01:02:19.674 \dashrightarrow 01:02:21.568$ parietal cells can do the same thing.

NOTE Confidence: 0.823314832142857

 $01:02:21.570 \longrightarrow 01:02:23.793$ And in fact, as part of the more general

NOTE Confidence: 0.823314832142857

01:02:23.793 --> 01:02:25.609 question of is it like universal and

NOTE Confidence: 0.823314832142857

 $01{:}02{:}25.609 \dashrightarrow 01{:}02{:}27.415$ the parietal cells are great test case

NOTE Confidence: 0.823314832142857

 $01:02:27.415 \longrightarrow 01:02:29.570$ of the only cell that we've never seen

NOTE Confidence: 0.823314832142857

01:02:29.570 --> 01:02:32.090 couldn't do any kind of plasticity.

NOTE Confidence: 0.823314832142857

01:02:32.090 --> 01:02:33.674 And actually Juan Jay also did

NOTE Confidence: 0.823314832142857

 $01:02:33.674 \longrightarrow 01:02:35.230$ the that the experiment early on.

NOTE Confidence: 0.823314832142857

 $01:02:35.230 \longrightarrow 01:02:37.374$ So if he did when he was doing

NOTE Confidence: 0.823314832142857

 $01:02:37.374 \longrightarrow 01:02:39.609$ the the tamoxifen to be marked,

NOTE Confidence: 0.823314832142857

 $01:02:39.610 \longrightarrow 01:02:41.418$ all the parietal cells,

NOTE Confidence: 0.823314832142857

 $01:02:41.418 \longrightarrow 01:02:45.179$ they all died basically and they they didn't,

NOTE Confidence: 0.823314832142857

 $01:02:45.180 \dashrightarrow 01:02:47.916$ they never seem to. D differentiate.

NOTE Confidence: 0.823314832142857

01:02:47.920 --> 01:02:49.397 Actually we have a pretty good idea

01:02:49.397 --> 01:02:51.362 because some of our work is just on

NOTE Confidence: 0.823314832142857

 $01:02:51.362 \longrightarrow 01:02:52.390$ the regular differentiation parietal

NOTE Confidence: 0.823314832142857

 $01:02:52.390 \longrightarrow 01:02:54.208$ cells and there seems to be a

NOTE Confidence: 0.823314832142857

01:02:54.208 --> 01:02:55.220 checkpoint and their differentiation,

NOTE Confidence: 0.823314832142857

 $01:02:55.220 \longrightarrow 01:02:57.056$ after which they are no longer

NOTE Confidence: 0.823314832142857

01:02:57.056 --> 01:02:59.188 plastic at all, but up to about

NOTE Confidence: 0.823314832142857

01:02:59.188 --> 01:03:00.698 halfway into becoming a parietal,

NOTE Confidence: 0.823314832142857

 $01:03:00.700 \longrightarrow 01:03:03.040$ so then they can take detours.

NOTE Confidence: 0.823314832142857

01:03:03.040 --> 01:03:04.660 And in fact,

NOTE Confidence: 0.823314832142857

01:03:04.660 --> 01:03:07.900 working with Shilpa Jane at Baylor,

NOTE Confidence: 0.823314832142857

 $01{:}03{:}07.900 \dashrightarrow 01{:}03{:}09.442$ we've been collecting some of the

NOTE Confidence: 0.823314832142857

 $01:03:09.442 \longrightarrow 01:03:10.803$ interesting sort of parietal hyperplasia

NOTE Confidence: 0.823314832142857

 $01:03:10.803 \longrightarrow 01:03:12.495$ that happen in a neuroendocrine setting

NOTE Confidence: 0.823314832142857

 $01{:}03{:}12.495 \dashrightarrow 01{:}03{:}14.139$ or an autoimmune gastritis setting,

NOTE Confidence: 0.823314832142857

01:03:14.140 --> 01:03:16.030 and you can definitely see some pretty

NOTE Confidence: 0.823314832142857

 $01:03:16.030 \longrightarrow 01:03:17.660$ odd using markers that we know of.

 $01{:}03{:}17.660 \dashrightarrow 01{:}03{:}19.495$ Pre parietal cells some odd

NOTE Confidence: 0.823314832142857

01:03:19.495 --> 01:03:21.330 sort of parietal cell variance,

NOTE Confidence: 0.823314832142857

 $01:03:21.330 \longrightarrow 01:03:23.010$ but I don't think those are coming backwards.

NOTE Confidence: 0.823314832142857

01:03:23.010 --> 01:03:24.702 I think those are actually coming

NOTE Confidence: 0.823314832142857

 $01:03:24.702 \longrightarrow 01:03:26.808$ from the stem cell and then in

NOTE Confidence: 0.823314832142857

01:03:26.808 --> 01:03:28.333 the setting bottom you gastritis.

NOTE Confidence: 0.823314832142857

 $01:03:28.340 \longrightarrow 01:03:30.224$ They take a detour because they're

NOTE Confidence: 0.823314832142857

 $01:03:30.224 \longrightarrow 01:03:32.295$ going to be destroyed basically by

NOTE Confidence: 0.823314832142857

 $01:03:32.295 \longrightarrow 01:03:34.180$ the anti parietal cell antibodies.

NOTE Confidence: 0.823314832142857

 $01:03:34.180 \longrightarrow 01:03:36.244$ So yeah, not all cells can do it.

NOTE Confidence: 0.823314832142857

 $01{:}03{:}36.250 \dashrightarrow 01{:}03{:}39.538$ Seems like protocells are quite resistant.

NOTE Confidence: 0.823314832142857

 $01:03:39.540 \longrightarrow 01:03:40.368$ A lot of questions.

NOTE Confidence: 0.8811298

01:03:45.310 --> 01:03:45.890 Yeah.

NOTE Confidence: 0.72511107

01:03:51.070 --> 01:03:53.520 He said great. It's great to like,

NOTE Confidence: 0.72511107

 $01:03:53.520 \longrightarrow 01:03:56.340$ you know, don't present that often,

 $01:03:56.340 \longrightarrow 01:04:01.020$ but before a bunch of pathologists, so.

NOTE Confidence: 0.72511107

 $01:04:01.020 \longrightarrow 01:04:04.240$ Yeah, is the neuroendocrine proliferation,

NOTE Confidence: 0.72511107

 $01:04:04.240 \longrightarrow 01:04:05.997$ you know those little tumors or little

NOTE Confidence: 0.72511107

01:04:05.997 --> 01:04:07.991 growths or you know that you get with

NOTE Confidence: 0.72511107

 $01:04:07.991 \longrightarrow 01:04:09.610$ chronic bridal cell loss or chronic,

NOTE Confidence: 0.72511107

01:04:09.610 --> 01:04:11.054 you know, PPI's and.

NOTE Confidence: 0.72511107

01:04:11.054 --> 01:04:13.308 You know, is are those metaplastic?

NOTE Confidence: 0.72511107

01:04:13.308 --> 01:04:15.034 They sure look funny, right?

NOTE Confidence: 0.72511107

 $01:04:15.034 \longrightarrow 01:04:15.810$ I mean, you know,

NOTE Confidence: 0.72511107

 $01:04:15.810 \longrightarrow 01:04:18.612$ they don't look like they're normal

NOTE Confidence: 0.72511107

 $01{:}04{:}18.612 \dashrightarrow 01{:}04{:}20.820$ endocrine cells sitting lining up

NOTE Confidence: 0.72511107

 $01:04:20.820 \longrightarrow 01:04:23.432$ with the rest of the epithelium,

NOTE Confidence: 0.72511107

 $01:04:23.432 \longrightarrow 01:04:25.001$ because normally integrins

NOTE Confidence: 0.72511107

 $01:04:25.001 \longrightarrow 01:04:27.750$ cells are always surrounded by.

NOTE Confidence: 0.72511107

 $01:04:27.750 \longrightarrow 01:04:28.990$ Other non neuroendocrine epithelial

NOTE Confidence: 0.72511107

 $01:04:28.990 \longrightarrow 01:04:31.191$ cells and then you know in these

 $01:04:31.191 \longrightarrow 01:04:32.646$ lesions you get these little,

NOTE Confidence: 0.72511107

01:04:32.650 --> 01:04:36.049 you know, expansions.

NOTE Confidence: 0.72511107

 $01:04:36.050 \longrightarrow 01:04:39.566$ And I yeah great great question.

NOTE Confidence: 0.72511107

01:04:39.570 --> 01:04:41.481 How would they you know the the

NOTE Confidence: 0.72511107

 $01:04:41.481 \longrightarrow 01:04:43.491$ only the one thing that that might

NOTE Confidence: 0.72511107

 $01:04:43.491 \longrightarrow 01:04:45.880$ speak to that is one of the detours

NOTE Confidence: 0.72511107

 $01:04:45.880 \longrightarrow 01:04:47.818$ it seems like those riddles can

NOTE Confidence: 0.72511107

 $01{:}04{:}47.818 \dashrightarrow 01{:}04{:}49.695$ make but I just said is towards

NOTE Confidence: 0.72511107

 $01:04:49.695 \longrightarrow 01:04:50.920$ more of an endocrine lineage.

NOTE Confidence: 0.72511107

 $01:04:50.920 \longrightarrow 01:04:53.412$ So you know maybe maybe that's why

NOTE Confidence: 0.72511107

01:04:53.412 --> 01:04:55.790 I never really thought about it.

NOTE Confidence: 0.72511107

 $01:04:55.790 \longrightarrow 01:04:57.742$ We had a mouse model where we drove

NOTE Confidence: 0.72511107

 $01{:}04{:}57.742 \dashrightarrow 01{:}04{:}59.730$ large tea energen you know to drive

NOTE Confidence: 0.72511107

 $01:04:59.730 \longrightarrow 01:05:01.712$ proliferation and to to try to get

NOTE Confidence: 0.72511107

 $01:05:01.712 \longrightarrow 01:05:03.420$ a bunch of pre parietal cells but

 $01:05:03.420 \longrightarrow 01:05:04.685$ what happened with time this is

NOTE Confidence: 0.72511107

01:05:04.685 --> 01:05:06.340 when I was in Jeff Gordon's lab.

NOTE Confidence: 0.72511107

 $01:05:06.340 \longrightarrow 01:05:08.884$ What happened with time was they all

NOTE Confidence: 0.72511107

 $01:05:08.884 \longrightarrow 01:05:10.858$ turned into endocrine tumors in the stomach.

NOTE Confidence: 0.72511107

 $01:05:10.860 \longrightarrow 01:05:12.610$ So they actually went through.

NOTE Confidence: 0.72511107

 $01{:}05{:}12.610 \dashrightarrow 01{:}05{:}15.090$ So it's like they hit a certain wall

NOTE Confidence: 0.72511107

 $01:05:15.090 \longrightarrow 01:05:17.110$ of parietal cell differentiation and

NOTE Confidence: 0.72511107

 $01:05:17.110 \longrightarrow 01:05:19.780$ then took a detour towards endocrine.

NOTE Confidence: 0.72511107

 $01{:}05{:}19.780 {\:{\circ}{\circ}{\circ}}>01{:}05{:}21.360$ Then it became endocrine proliferations,

NOTE Confidence: 0.72511107

 $01:05:21.360 \longrightarrow 01:05:23.520$ and then they became metastatic

NOTE Confidence: 0.72511107

 $01:05:23.520 \longrightarrow 01:05:24.306$ neuroendocrine tumors.

NOTE Confidence: 0.72511107

01:05:24.306 --> 01:05:25.878 So I don't know,

NOTE Confidence: 0.72511107

 $01:05:25.880 \longrightarrow 01:05:27.800$ maybe we just solved a mystery.

NOTE Confidence: 0.72511107

01:05:27.800 --> 01:05:29.928 Maybe it's because the reason why they

NOTE Confidence: 0.72511107

 $01:05:29.928 \longrightarrow 01:05:32.456$ happen so much is not just because of

NOTE Confidence: 0.72511107

01:05:32.456 --> 01:05:34.760 hypergastrinemia and the G cell stimulation,

 $01:05:34.760 \longrightarrow 01:05:36.146$ but also because.

NOTE Confidence: 0.72511107

 $01{:}05{:}36.146 {\:\dashrightarrow\:} 01{:}05{:}38.918$ The pre parietal cells themselves can

NOTE Confidence: 0.72511107

 $01:05:38.918 \longrightarrow 01:05:41.928$ fuel endocrine cells in that setting.

NOTE Confidence: 0.72511107

 $01:05:41.930 \longrightarrow 01:05:43.530$ Yeah, and take a detour.

NOTE Confidence: 0.72511107

 $01:05:43.530 \longrightarrow 01:05:46.032$ They clearly can in the mouse we showed.

NOTE Confidence: 0.72511107

 $01:05:46.032 \longrightarrow 01:05:46.796$ That means it's hard,

NOTE Confidence: 0.72511107

01:05:46.800 --> 01:05:48.104 it's artificial because we're

NOTE Confidence: 0.72511107

01:05:48.104 --> 01:05:50.060 expressing large T but but still,

NOTE Confidence: 0.72511107

 $01:05:50.060 \longrightarrow 01:05:51.716$ they start off as pre parietal cells and

NOTE Confidence: 0.72511107

01:05:51.716 --> 01:05:53.410 then you could watch them even become,

NOTE Confidence: 0.72511107

01:05:53.410 --> 01:05:54.156 you know,

NOTE Confidence: 0.72511107

 $01:05:54.156 \longrightarrow 01:05:56.767$ through EM and staining become endocrine.

NOTE Confidence: 0.72511107

 $01:05:56.770 \longrightarrow 01:05:57.460$ So yeah,

NOTE Confidence: 0.72511107

 $01:05:57.460 \longrightarrow 01:05:57.805$ maybe,

NOTE Confidence: 0.72511107

01:05:57.805 --> 01:05:59.530 maybe that's maybe your two

01:05:59.530 --> 01:06:00.710 questions are linked.

NOTE Confidence: 0.890194292

 $01{:}06{:}06.090 \dashrightarrow 01{:}06{:}07.360$ All right. Thank you, every body. Yeah.