

WEBVTT

NOTE duration:"00:02:06.0800000"

NOTE recognizability:0.861

NOTE language:en-us

NOTE Confidence: 0.8613666

00:00:00.000 --> 00:00:01.500 Hello, my name is Madison,

NOTE Confidence: 0.8613666

00:00:01.500 --> 00:00:03.978 and today I'll be talking about my poster

NOTE Confidence: 0.8613666

00:00:03.978 --> 00:00:06.120 called The Role of Social Support and

NOTE Confidence: 0.8613666

00:00:06.177 --> 00:00:08.542 Loneliness in the Relationship Between

NOTE Confidence: 0.8613666

00:00:08.542 --> 00:00:10.434 borderline personality disorder and

NOTE Confidence: 0.8613666

00:00:10.434 --> 00:00:13.720 suicide risk among Incarcerated Adults.

NOTE Confidence: 0.8613666

00:00:13.720 --> 00:00:15.922 UPD is a mental disorder that

NOTE Confidence: 0.8613666

00:00:15.922 --> 00:00:17.936 is very over represented within

NOTE Confidence: 0.8613666

00:00:17.936 --> 00:00:19.840 the criminal justice system.

NOTE Confidence: 0.8613666

00:00:19.840 --> 00:00:21.875 Oftentimes, it's associated with severe

NOTE Confidence: 0.8613666

00:00:21.875 --> 00:00:23.503 parasuicidal or suicidal behavior.

NOTE Confidence: 0.8613666

00:00:23.510 --> 00:00:25.886 The suicidal behavior presents a management

NOTE Confidence: 0.8613666

00:00:25.886 --> 00:00:28.000 concern within jails and prisons.

NOTE Confidence: 0.8613666

00:00:28.000 --> 00:00:30.075 This highlights the importance of  
NOTE Confidence: 0.8613666

00:00:30.075 --> 00:00:31.735 understanding mechanisms that increase  
NOTE Confidence: 0.8613666

00:00:31.735 --> 00:00:33.709 suicide risk for incarcerated people.  
NOTE Confidence: 0.8613666

00:00:33.710 --> 00:00:36.110 With BPD, prior research has identified  
NOTE Confidence: 0.8613666

00:00:36.110 --> 00:00:38.159 interpersonal factors such as lack  
NOTE Confidence: 0.8613666

00:00:38.159 --> 00:00:40.074 of perceived social support and  
NOTE Confidence: 0.8613666

00:00:40.074 --> 00:00:42.144 loneliness as contributors to suicidal  
NOTE Confidence: 0.8613666

00:00:42.144 --> 00:00:44.048 behavior among non incarcerated.  
NOTE Confidence: 0.8613666

00:00:44.050 --> 00:00:47.194 People with BPD This study seeks  
NOTE Confidence: 0.8613666

00:00:47.194 --> 00:00:49.970 to examine this relationship among  
NOTE Confidence: 0.8613666

00:00:49.970 --> 00:00:52.310 people who are incarcerated.  
NOTE Confidence: 0.8613666

00:00:52.310 --> 00:00:54.326 We had 184 people who participated  
NOTE Confidence: 0.8613666

00:00:54.326 --> 00:00:57.275 in our study and they were all asked  
NOTE Confidence: 0.8613666

00:00:57.275 --> 00:00:59.190 to complete a structured interview  
NOTE Confidence: 0.8613666

00:00:59.190 --> 00:01:01.619 for the DSM 4 Access to Disorders,  
NOTE Confidence: 0.8613666

00:01:01.620 --> 00:01:03.768 the Beck Scale for suicidal Ideation,

NOTE Confidence: 0.8613666  
00:01:03.770 --> 00:01:05.198 the Multidimensional scale for  
NOTE Confidence: 0.8613666  
00:01:05.198 --> 00:01:06.269 Perceived Social support,  
NOTE Confidence: 0.8613666  
00:01:06.270 --> 00:01:08.060 and the UCLA Loneliness Scale.  
NOTE Confidence: 0.8613666  
00:01:08.060 --> 00:01:10.251 You can see here that all of  
NOTE Confidence: 0.8613666  
00:01:10.251 --> 00:01:12.000 our variables were correlated.  
NOTE Confidence: 0.8613666  
00:01:12.000 --> 00:01:14.960 We had a total of 69 people who  
NOTE Confidence: 0.8613666  
00:01:14.960 --> 00:01:17.974 met criteria for BPD and then below  
NOTE Confidence: 0.8613666  
00:01:17.974 --> 00:01:20.159 you can see other descriptive  
NOTE Confidence: 0.8613666  
00:01:20.251 --> 00:01:22.439 statistics for our sample.  
NOTE Confidence: 0.8613666  
00:01:22.440 --> 00:01:24.672 The first model that examined the  
NOTE Confidence: 0.8613666  
00:01:24.672 --> 00:01:27.131 mediating effect of social support in  
NOTE Confidence: 0.8613666  
00:01:27.131 --> 00:01:29.396 their relationship between BPD diagnosis  
NOTE Confidence: 0.8613666  
00:01:29.396 --> 00:01:31.809 and suicidal ideation was significant,  
NOTE Confidence: 0.8613666  
00:01:31.810 --> 00:01:34.666 and the model looking at the mediating  
NOTE Confidence: 0.8613666  
00:01:34.666 --> 00:01:37.419 effect of loneliness in the relationship  
NOTE Confidence: 0.8613666

00:01:37.419 --> 00:01:39.839 between BPD diagnosis and pseudo  
NOTE Confidence: 0.8613666

00:01:39.839 --> 00:01:42.340 suicidal ideation was also significant.  
NOTE Confidence: 0.8613666

00:01:42.340 --> 00:01:44.115 This indicates that individuals with  
NOTE Confidence: 0.8613666

00:01:44.115 --> 00:01:46.431 BPD who are incarcerated could benefit  
NOTE Confidence: 0.8613666

00:01:46.431 --> 00:01:48.383 from interventions that address  
NOTE Confidence: 0.8613666

00:01:48.383 --> 00:01:50.335 interpersonal relationships and loneliness.  
NOTE Confidence: 0.8613666

00:01:50.340 --> 00:01:52.908 These interventions may help to reduce  
NOTE Confidence: 0.8613666

00:01:52.908 --> 00:01:55.085 suicidal or parasuicidal behaviors among  
NOTE Confidence: 0.8613666

00:01:55.085 --> 00:01:57.497 individuals with BPD who are incarcerated.  
NOTE Confidence: 0.8613666

00:01:57.500 --> 00:01:59.232 Future research should examine  
NOTE Confidence: 0.8613666

00:01:59.232 --> 00:02:01.397 other mechanisms to the relationship  
NOTE Confidence: 0.8613666

00:02:01.397 --> 00:02:03.480 between BPD and suicide among  
NOTE Confidence: 0.8613666

00:02:03.480 --> 00:02:05.068 individuals who are incarcerated.  
NOTE Confidence: 0.8613666

00:02:05.070 --> 00:02:06.080 Thank you.