WEBVTT

00:00:00.000 --> 00:00:03.654 Funding for Yale Cancer Answers is provided NOTE Confidence: 0.950186938571429 $00{:}00{:}03.654 \dashrightarrow 00{:}00{:}07.579$ by Smilow Cancer Hospital and Astra Zeneca. NOTE Confidence: 0.950186938571429 $00:00:07.580 \rightarrow 00:00:09.810$ Welcome to Yale Cancer Answers with NOTE Confidence: 0.950186938571429 $00:00:09.810 \rightarrow 00:00:12.497$ your host doctor Anees Chappar. NOTE Confidence: 0.950186938571429 $00:00:12.497 \rightarrow 00:00:14.382$ Yale Cancer Answers features the latest NOTE Confidence: 0.950186938571429 $00:00:14.382 \rightarrow 00:00:16.699$ information on cancer care by welcoming NOTE Confidence: 0.950186938571429 $00:00:16.699 \rightarrow 00:00:19.303$ oncologists and specialists who are on the NOTE Confidence: 0.950186938571429 $00:00:19.303 \rightarrow 00:00:21.449$ forefront of the battle to fight cancer. NOTE Confidence: 0.950186938571429 $00:00:21.450 \rightarrow 00:00:24.162$ This week it's a conversation about the care NOTE Confidence: 0.950186938571429 $00:00:24.162 \rightarrow 00:00:26.595$ of adolescents and young adults with sickle NOTE Confidence: 0.950186938571429 $00:00:26.595 \rightarrow 00:00:28.810$ cell disease with Doctor Cece Calhoun. NOTE Confidence: 0.950186938571429 00:00:28.810 --> 00:00:31.645 Dr Calhoun is an assistant professor of NOTE Confidence: 0.950186938571429 $00:00:31.645 \rightarrow 00:00:33.785$ medicine and hematology and assistant NOTE Confidence: 0.950186938571429 00:00:33.785 --> 00:00:35.935 professor of Pediatrics in hematology NOTE Confidence: 0.950186938571429 $00:00:35.935 \rightarrow 00:00:38.837$ oncology at the Yale School of Medicine, NOTE Confidence: 0.950186938571429

 $00:00:38.840 \longrightarrow 00:00:41.654$ where Doctor Chagpar is a

NOTE Confidence: 0.950186938571429

00:00:41.654 --> 00:00:43.780 professor of surgical oncology.

NOTE Confidence: 0.963814074736842

 $00:00:43.790 \longrightarrow 00:00:45.652$ Cece, maybe we could start off by

NOTE Confidence: 0.963814074736842

 $00:00:45.652 \rightarrow 00:00:47.649$ you telling us a little bit about

NOTE Confidence: 0.963814074736842

 $00:00:47.649 \longrightarrow 00:00:49.920$ yourself and what you do.

NOTE Confidence: 0.98679355125

 $00{:}00{:}49{.}930 \dashrightarrow 00{:}00{:}52{.}426$ I like to call myself a lifespan

NOTE Confidence: 0.98679355125

 $00:00:52.430 \rightarrow 00:00:54.735$ hematologist, and both my clinical

NOTE Confidence: 0.98679355125

 $00{:}00{:}54.735 \dashrightarrow 00{:}00{:}57.040$ and research interests center around

NOTE Confidence: 0.98679355125

00:00:57.107 --> 00:00:59.578 the care of young adults with sickle

NOTE Confidence: 0.98679355125

 $00{:}00{:}59{.}578$ --> $00{:}01{:}01{.}709$ cell disease as they transition

NOTE Confidence: 0.98679355125

 $00:01:01.709 \longrightarrow 00:01:04.074$ from pediatric to adult care.

NOTE Confidence: 0.98679355125

 $00:01:04.080 \longrightarrow 00:01:05.454$ We know it's a really high

NOTE Confidence: 0.98679355125

 $00{:}01{:}05{.}454 \dashrightarrow 00{:}01{:}06{.}370$ risk time for them.

NOTE Confidence: 0.98679355125

 $00{:}01{:}06{.}370 \dashrightarrow 00{:}01{:}08{.}350$ And so all the work that I do both in

NOTE Confidence: 0.98679355125

 $00:01:08.411 \rightarrow 00:01:10.441$ the clinic and in the research setting

NOTE Confidence: 0.98679355125

 $00:01:10.441 \longrightarrow 00:01:12.440$ is about making that process better.

- NOTE Confidence: 0.9137076166666667
- 00:01:12.920 --> 00:01:15.206 Is sickle cell disease a cancer?
- NOTE Confidence: 0.9137076166666667
- $00:01:15.210 \longrightarrow 00:01:16.895$ Tell us more about what
- NOTE Confidence: 0.9137076166666667
- $00:01:16.895 \longrightarrow 00:01:18.243$ exactly sickle cell disease is
- NOTE Confidence: 0.9137076166666667
- $00:01:18.250 \longrightarrow 00:01:21.274$ and why it's being seen
- NOTE Confidence: 0.9137076166666667
- $00:01:21.274 \longrightarrow 00:01:23.160$ by an oncologist?
- NOTE Confidence: 0.973517131764706
- $00{:}01{:}23.170 \dashrightarrow 00{:}01{:}25.762$ That's a great question, so actually sickle
- NOTE Confidence: 0.973517131764706
- $00{:}01{:}25.762 \dashrightarrow 00{:}01{:}28.489$ cell disease is an inherited condition
- NOTE Confidence: 0.973517131764706
- $00:01:28.489 \longrightarrow 00:01:31.939$ of the red blood cells and so many
- NOTE Confidence: 0.973517131764706
- $00:01:31.939 \dashrightarrow 00:01:33.854$ people are familiar with anemia
- NOTE Confidence: 0.973517131764706
- $00:01:33.854 \rightarrow 00:01:36.508$ and conditions of that sort,
- NOTE Confidence: 0.973517131764706
- $00:01:36.510 \longrightarrow 00:01:37.985$ which affect red blood
- NOTE Confidence: 0.973517131764706
- $00{:}01{:}37{.}985 \dashrightarrow 00{:}01{:}38{.}870$ cells and hemoglobin.
- NOTE Confidence: 0.973517131764706
- $00{:}01{:}38{.}870 \dashrightarrow 00{:}01{:}41{.}707$ And that's what sickle cell disease is
- NOTE Confidence: 0.973517131764706
- $00{:}01{:}41{.}707 \dashrightarrow 00{:}01{:}43{.}729$ a condition of, and it's genetic.
- NOTE Confidence: 0.973517131764706
- $00:01:43.730 \longrightarrow 00:01:45.626$ So patients are born with it,
- NOTE Confidence: 0.973517131764706

 $00{:}01{:}45.630 \dashrightarrow 00{:}01{:}47.798$ and what it manifests as is a normal

NOTE Confidence: 0.973517131764706

 $00{:}01{:}47.798 \dashrightarrow 00{:}01{:}49.698$ red blood cells are kind of squishy.

NOTE Confidence: 0.973517131764706

 $00:01:49.700 \longrightarrow 00:01:52.132$ I like to think of them as Jelly

NOTE Confidence: 0.973517131764706

 $00:01:52.132 \rightarrow 00:01:53.549$ doughnuts because I like food.

NOTE Confidence: 0.973517131764706

 $00:01:53.550 \rightarrow 00:01:55.300$ But when you have sickle cell disease

NOTE Confidence: 0.973517131764706

 $00{:}01{:}55{.}300 \dashrightarrow 00{:}01{:}56{.}700$ because of a genetic mutation

NOTE Confidence: 0.973517131764706

 $00:01:56.700 \longrightarrow 00:01:58.500$ your red blood cells

NOTE Confidence: 0.973517131764706

 $00:01:58.500 \rightarrow 00:02:00.112$ are not squishy and malleable,

NOTE Confidence: 0.973517131764706

 $00:02:00.112 \longrightarrow 00:02:02.127$ they can be really stiff

NOTE Confidence: 0.973517131764706

 $00{:}02{:}02{:}02{:}127 \dashrightarrow 00{:}02{:}04{.}298$ and misshapen like a sickle.

NOTE Confidence: 0.973517131764706

 $00{:}02{:}04.300 \dashrightarrow 00{:}02{:}06.470$ They can be shaped like a sickle or a banana,

NOTE Confidence: 0.973517131764706

 $00:02:06.470 \longrightarrow 00:02:08.168$ and so if you think of

NOTE Confidence: 0.973517131764706

00:02:08.168 --> 00:02:09.780 your blood cells as pipes,

NOTE Confidence: 0.973517131764706

 $00:02:09.780 \rightarrow 00:02:11.901$ imagine if you had your Jelly doughnuts

NOTE Confidence: 0.973517131764706

00:02:11.901 -> 00:02:14.020 kind of going through those pipes,

NOTE Confidence: 0.973517131764706

 $00:02:14.020 \longrightarrow 00:02:15.248$ bouncing off the walls,

 $00:02:15.248 \rightarrow 00:02:17.490$ taking oxygen to where it needs to go,

NOTE Confidence: 0.973517131764706

 $00:02:17.490 \longrightarrow 00:02:19.290$ and you replace those cells

NOTE Confidence: 0.973517131764706

00:02:19.290 --> 00:02:20.370 with sticky stuff,

NOTE Confidence: 0.973517131764706

 $00:02:20.370 \longrightarrow 00:02:22.356$ fragile misshapen red blood cells like

NOTE Confidence: 0.973517131764706

 $00{:}02{:}22.356 \dashrightarrow 00{:}02{:}24.469$ sickle cells that are scratching up

NOTE Confidence: 0.973517131764706

 $00:02:24.469 \rightarrow 00:02:26.665$ the red blood vessels sticking together,

NOTE Confidence: 0.973517131764706

00:02:26.670 --> 00:02:28.286 causing blockages, impeding flow,

NOTE Confidence: 0.973517131764706

 $00:02:28.286 \longrightarrow 00:02:30.710$ and then you can imagine all

NOTE Confidence: 0.973517131764706

 $00{:}02{:}30{.}786 \dashrightarrow 00{:}02{:}32{.}578$ the complications that patients

NOTE Confidence: 0.973517131764706

 $00:02:32.578 \longrightarrow 00:02:34.370$ with sickle cell face.

NOTE Confidence: 0.973517131764706

 $00:02:34.370 \longrightarrow 00:02:38.821$ Most saliently or what patients have

NOTE Confidence: 0.973517131764706

 $00{:}02{:}38.821 \dashrightarrow 00{:}02{:}41.350$ to really deal with is a lot of pain.

NOTE Confidence: 0.973517131764706

 $00{:}02{:}41.350 \dashrightarrow 00{:}02{:}42.620$ That's the thing that brings

NOTE Confidence: 0.973517131764706

 $00{:}02{:}42.620 \dashrightarrow 00{:}02{:}43.636$ them to the hospital.

NOTE Confidence: 0.973517131764706

 $00:02:43.640 \rightarrow 00:02:46.350$ And acute meaning an unplanned basis,

 $00:02:46.350 \longrightarrow 00:02:48.051$ but any part of our body where

NOTE Confidence: 0.973517131764706

 $00{:}02{:}48.051 \dashrightarrow 00{:}02{:}49.788$ there are blood vessels,

NOTE Confidence: 0.973517131764706

 $00:02:49.790 \longrightarrow 00:02:50.456$ those misshapen

NOTE Confidence: 0.973517131764706

 $00:02:50.456 \rightarrow 00:02:52.787$ cells can get clogged up in those

NOTE Confidence: 0.973517131764706

 $00:02:52.787 \dashrightarrow 00:02:55.266$ blood vessels and cause problems.

NOTE Confidence: 0.973517131764706

 $00{:}02{:}55{.}270 \dashrightarrow 00{:}02{:}56{.}622$ It's important for patients

NOTE Confidence: 0.973517131764706

 $00{:}02{:}56.622 \dashrightarrow 00{:}02{:}58.650$ with sickle cell disease to have

NOTE Confidence: 0.973517131764706

 $00:02:58.712 \longrightarrow 00:03:00.652$ regular care by an oncologist

NOTE Confidence: 0.973517131764706

 $00{:}03{:}00{.}652 \dashrightarrow 00{:}03{:}02{.}204$ who also understands hematology,

NOTE Confidence: 0.973517131764706

 $00{:}03{:}02{.}210 \dashrightarrow 00{:}03{:}04{.}514$ the blood, to make sure that all their

NOTE Confidence: 0.973517131764706

 $00:03:04.514 \rightarrow 00:03:06.450$ organs are in tip top condition

NOTE Confidence: 0.973517131764706

 $00:03:06.450 \rightarrow 00:03:08.394$ and that we treat anything before

NOTE Confidence: 0.973517131764706

 $00:03:08.459 \longrightarrow 00:03:09.539$ there's a problem.

NOTE Confidence: 0.98555431125

 $00:03:09.730 \longrightarrow 00:03:12.466$ Now, I would think that if

NOTE Confidence: 0.98555431125

00:03:12.466 --> 00:03:14.880 you're a pediatric patient and

NOTE Confidence: 0.98555431125

 $00:03:14.880 \longrightarrow 00:03:17.390$ this is an inherited condition,

 $00:03:17.390 \longrightarrow 00:03:19.638$ you might have a sense of whether or

NOTE Confidence: 0.98555431125

 $00:03:19.638 \dashrightarrow 00:03:21.80$ not you have sickle cell disease

NOTE Confidence: 0.98555431125

 $00:03:21.870 \longrightarrow 00:03:24.228$ based on whether your parents did.

NOTE Confidence: 0.98555431125

 $00:03:24.230 \rightarrow 00:03:26.988$ But somebody had to start with the

NOTE Confidence: 0.98555431125

 $00:03:26.988 \dashrightarrow 00:03:29.049$ genetic mutation to begin with.

NOTE Confidence: 0.98555431125

00:03:29.050 --> 00:03:30.874 So how many of your patients

NOTE Confidence: 0.98555431125

 $00:03:30.874 \rightarrow 00:03:32.773$ actually know that they have sickle

NOTE Confidence: 0.98555431125

 $00{:}03{:}32{.}773 \dashrightarrow 00{:}03{:}34{.}633$ cell disease from the time that

NOTE Confidence: 0.98555431125

 $00:03:34.633 \longrightarrow 00:03:36.720$ they were born

NOTE Confidence: 0.98555431125

 $00:03:36.720 \rightarrow 00:03:39.942$ and how many of them present to you acutely?

 $00{:}03{:}41{.}670 \dashrightarrow 00{:}03{:}43{.}820$ In the United

NOTE Confidence: 0.986541653333333

 $00:03:43.830 \dashrightarrow 00:03:46.766$ States we have the benefit of the new born

NOTE Confidence: 0.986541653333333

 $00:03:46.766 \dashrightarrow 00:03:49.587$ screen that all babies born in hospitals,

NOTE Confidence: 0.986541653333333

 $00:03:49.590 \longrightarrow 00:03:50.965$ when they

NOTE Confidence: 0.986541653333333

 $00{:}03{:}50{.}965 \dashrightarrow 00{:}03{:}52{.}934$ get their heel poked and get that

NOTE Confidence: 0.986541653333333

 $00:03:52.934 \longrightarrow 00:03:54.548$ little spot of blood that can test

- NOTE Confidence: 0.986541653333333
- $00:03:54.550 \rightarrow 00:03:56.476$ for a variety of genetic conditions
- NOTE Confidence: 0.986541653333333
- $00{:}03{:}56{.}476 \dashrightarrow 00{:}03{:}58{.}165$ and sickle cell disease is
- NOTE Confidence: 0.986541653333333
- $00:03:58.165 \longrightarrow 00:03:59.557$ included in those conditions.
- NOTE Confidence: 0.986541653333333
- $00:03:59.560 \rightarrow 00:04:02.710$ So if a child has an abnormal newborn screen,
- NOTE Confidence: 0.986541653333333
- $00{:}04{:}02.710 \dashrightarrow 00{:}04{:}04.758$ often times the pediatrician will
- NOTE Confidence: 0.986541653333333
- $00{:}04{:}04{.}758 \dashrightarrow 00{:}04{:}07{.}675$ refer them to a hematologist for
- NOTE Confidence: 0.986541653333333
- $00:04:07.675 \dashrightarrow 00:04:09.450$ further evaluation and work up.
- NOTE Confidence: 0.986541653333333
- $00:04:09.450 \longrightarrow 00:04:11.628$ And sometimes, even if it's abnormal
- NOTE Confidence: 0.986541653333333
- $00:04:11.628 \longrightarrow 00:04:14.410$ to show sickle cell trait,
- NOTE Confidence: 0.986541653333333
- $00:04:14.410 \rightarrow 00:04:16.450$ which means that you don't have the disease,
- NOTE Confidence: 0.986541653333333
- $00:04:16.450 \longrightarrow 00:04:18.028$ but you can be a carrier,
- NOTE Confidence: 0.986541653333333
- $00:04:18.030 \dashrightarrow 00:04:19.850$ and if your partner has the disease,
- NOTE Confidence: 0.986541653333333
- $00{:}04{:}19.850 \dashrightarrow 00{:}04{:}21.369$ you can have a child with sickle
- NOTE Confidence: 0.986541653333333
- 00:04:21.369 --> 00:04:21.803 cell disease.
- NOTE Confidence: 0.986541653333333
- $00:04:21.810 \longrightarrow 00:04:23.706$ We can figure that out from
- NOTE Confidence: 0.986541653333333

 $00:04:23.706 \longrightarrow 00:04:24.654$ the new born screen.

NOTE Confidence: 0.986541653333333

 $00:04:24.660 \longrightarrow 00:04:27.148$ So these days we know pretty early on

NOTE Confidence: 0.986541653333333

 $00{:}04{:}27.148 \dashrightarrow 00{:}04{:}29.447$ which is critical to the survival

NOTE Confidence: 0.986541653333333

 $00:04:29.447 \rightarrow 00:04:32.323$ of our young children or infants and

NOTE Confidence: 0.986541653333333

 $00{:}04{:}32{.}323 \dashrightarrow 00{:}04{:}34{.}366$ toddlers and in other countries

NOTE Confidence: 0.986541653333333

 $00:04:34.366 \rightarrow 00:04:37.610$ the newborn screen isn't quite as universal,

NOTE Confidence: 0.986541653333333

 $00{:}04{:}37{.}610 \dashrightarrow 00{:}04{:}39{.}476$ and so sometimes children could present

NOTE Confidence: 0.986541653333333

 $00:04:39.476 \dashrightarrow 00:04:41.549$ with swelling of the hands and feet.

NOTE Confidence: 0.986541653333333

 $00:04:41.550 \rightarrow 00:04:43.570$ That's something called dactylitis,

NOTE Confidence: 0.986541653333333

 $00:04:43.570 \longrightarrow 00:04:46.095$ which is pretty rare these

NOTE Confidence: 0.986541653333333

 $00{:}04{:}46.095 \dashrightarrow 00{:}04{:}48.268$ days as a presenting sign.

NOTE Confidence: 0.986541653333333

 $00{:}04{:}48{.}270 \dashrightarrow 00{:}04{:}50{.}846$ And then there's some patients with more

NOTE Confidence: 0.986541653333333

 $00{:}04{:}50.846$ --> $00{:}04{:}53.250$ milder forms of sickle cell disease

NOTE Confidence: 0.986541653333333

 $00:04:53.250 \rightarrow 00:04:55.704$ that don't know until they're older

NOTE Confidence: 0.986541653333333

 $00:04:55.710 \rightarrow 00:04:56.786$ children or young adults,

NOTE Confidence: 0.986541653333333

 $00:04:56.786 \rightarrow 00:04:59.333$ but most of the time we get them in

 $00:04:59.333 \rightarrow 00:05:01.079$ our catchment when they are young

NOTE Confidence: 0.986541653333333

 $00{:}05{:}01{.}079 \dashrightarrow 00{:}05{:}02{.}860$ because of their newborn screen and

NOTE Confidence: 0.986541653333333

 $00{:}05{:}02.860 \dashrightarrow 00{:}05{:}04.678$ can really wrap our arms around them

NOTE Confidence: 0.986541653333333

 $00:05:04.678 \rightarrow 00:05:06.036$ and give them the care they need.

NOTE Confidence: 0.978533178636364

00:05:06.290 --> 00:05:08.621 Let's suppose you're a newborn baby and

NOTE Confidence: 0.978533178636364

 $00:05:08.621 \rightarrow 00:05:11.259$ you had your heel poked and they tell

NOTE Confidence: 0.978533178636364

 $00:05:11.259 \rightarrow 00:05:13.730$ you that you have sickle cell disease.

NOTE Confidence: 0.978533178636364

 $00:05:13.730 \longrightarrow 00:05:15.776$ Well, presumably they don't tell you

NOTE Confidence: 0.978533178636364

 $00{:}05{:}15.776 \dashrightarrow 00{:}05{:}18.218$ they tell your parents and you get

NOTE Confidence: 0.978533178636364

 $00:05:18.218 \longrightarrow 00:05:19.913$ referred to a pediatric oncologist.

NOTE Confidence: 0.978533178636364

 $00:05:19.920 \longrightarrow 00:05:22.069$ If that means that your red blood

NOTE Confidence: 0.978533178636364

 $00{:}05{:}22.069 \dashrightarrow 00{:}05{:}24.601$ cells are now more

NOTE Confidence: 0.978533178636364

 $00:05:24.601 \rightarrow 00:05:26.526$ like bananas than squishy Jelly

NOTE Confidence: 0.978533178636364

 $00:05:26.530 \dashrightarrow 00:05:29.204$ Donuts, what can you do about that?

NOTE Confidence: 0.978533178636364

 $00:05:29.210 \longrightarrow 00:05:30.800$ I mean, is it reversible?

 $00:05:31.080 \rightarrow 00:05:33.640$ At this time the only cure for sickle

NOTE Confidence: 0.982871064

 $00{:}05{:}33{.}640 \dashrightarrow 00{:}05{:}35{.}628$ cell disease or way to reverse

NOTE Confidence: 0.982871064

 $00:05:35.628 \rightarrow 00:05:37.548$ those cells is by replacing your

NOTE Confidence: 0.982871064

 $00:05:37.616 \rightarrow 00:05:39.726$ bone marrow with another persons,

NOTE Confidence: 0.982871064

 $00:05:39.730 \longrightarrow 00:05:41.806$ but that's pretty rare.

NOTE Confidence: 0.982871064

 $00:05:41.810 \rightarrow 00:05:43.594$ Later in the show, you get to talk

NOTE Confidence: 0.982871064

 $00{:}05{:}43{.}594 \dashrightarrow 00{:}05{:}45{.}404$ a little bit more about the rapies

NOTE Confidence: 0.982871064

 $00:05:45.404 \rightarrow 00:05:47.366$ coming down the pipeline for patients,

NOTE Confidence: 0.982871064

 $00{:}05{:}47{.}370 \dashrightarrow 00{:}05{:}49{.}326$ but right now that's the only

NOTE Confidence: 0.982871064

 $00:05:49.326 \longrightarrow 00:05:51.090$ way to reverse.

NOTE Confidence: 0.982871064

00:05:51.090 --> 00:05:53.113 However, if you are a little baby

NOTE Confidence: 0.982871064

 $00{:}05{:}53{.}113 \dashrightarrow 00{:}05{:}54{.}980$ and your parents find out that

NOTE Confidence: 0.982871064

00:05:54.980 --> 00:05:56.535 you have sickle cell disease

NOTE Confidence: 0.982871064

 $00:05:56.540 \rightarrow 00:05:58.670$ the benefit of coming and talking

NOTE Confidence: 0.982871064

 $00{:}05{:}58{.}670 \dashrightarrow 00{:}06{:}00{.}473$ to a pediatric oncologist and

NOTE Confidence: 0.982871064

 $00:06:00.473 \dashrightarrow 00:06:02.068$ hematologist who knows about this

- NOTE Confidence: 0.982871064
- $00:06:02.068 \rightarrow 00:06:04.550$ is that you now have a team member,
- NOTE Confidence: 0.982871064
- $00:06:04.550 \longrightarrow 00:06:05.910$ somebody on your team that
- NOTE Confidence: 0.982871064
- $00:06:05.910 \longrightarrow 00:06:06.998$ can help your baby,
- NOTE Confidence: 0.982871064
- 00:06:07.000 00:06:08.410 or you if you're the baby,
- NOTE Confidence: 0.982871064
- $00:06:08.410 \longrightarrow 00:06:09.690$ stay healthy and safe.
- NOTE Confidence: 0.982871064
- $00{:}06{:}09{.}690 \dashrightarrow 00{:}06{:}12{.}538$ And what that looks like as a
- NOTE Confidence: 0.982871064
- $00:06:12.538 \rightarrow 00:06:15.112$ toddler is getting them started on
- NOTE Confidence: 0.982871064
- $00:06:15.112 \longrightarrow 00:06:16.791$ penicillin prophylactically or in
- NOTE Confidence: 0.982871064
- $00:06:16.791 \longrightarrow 00:06:18.666$ advance before there's any problems
- NOTE Confidence: 0.982871064
- $00:06:18.670 \longrightarrow 00:06:21.838$ because we found that as
- NOTE Confidence: 0.982871064
- $00:06:21.838 \longrightarrow 00:06:25.137$ recently as the late 70s,
- NOTE Confidence: 0.982871064
- $00{:}06{:}25{.}140 \dashrightarrow 00{:}06{:}26{.}850$ there was kind of a peak
- NOTE Confidence: 0.982871064
- 00:06:26.850 --> 00:06:29.070 in infancy and toddlerhood of death,
- NOTE Confidence: 0.982871064
- $00{:}06{:}29{.}070 \dashrightarrow 00{:}06{:}31{.}015$ because patients with sickle cell
- NOTE Confidence: 0.982871064
- $00:06:31.015 \dashrightarrow 00:06:32.960$ were getting really bad infections,
- NOTE Confidence: 0.982871064

 $00{:}06{:}32{.}960 \dashrightarrow 00{:}06{:}34{.}856$ but we found that if we vaccinate them

NOTE Confidence: 0.982871064

00:06:34.856 --> 00:06:36.849 and give them prophylactic penicillin,

NOTE Confidence: 0.982871064

 $00:06:36.850 \longrightarrow 00:06:38.600$ they live well into adulthood.

NOTE Confidence: 0.982871064

00:06:38.600 - 00:06:39.407 The challenge becomes,

NOTE Confidence: 0.982871064

00:06:39.407 -> 00:06:41.290 how do we help them when they

NOTE Confidence: 0.982871064

 $00:06:41.346 \longrightarrow 00:06:42.586$ go from infant to adults?

NOTE Confidence: 0.982871064

 $00{:}06{:}42.590 \dashrightarrow 00{:}06{:}43.994$ And that's what I work on in my work.

NOTE Confidence: 0.98259738

 $00:06:44.370 \longrightarrow 00:06:46.863$ So just to back up a little bit when

NOTE Confidence: 0.98259738

 $00{:}06{:}46.863 \dashrightarrow 00{:}06{:}49.148$ you say prophylactic penicillin,

NOTE Confidence: 0.98259738

 $00:06:49.150 \longrightarrow 00:06:51.124$ do you mean like every day for

NOTE Confidence: 0.98259738

 $00:06:51.124 \longrightarrow 00:06:52.938$ the rest of their life?

NOTE Confidence: 0.989668970833333

 $00:06:53.390 \longrightarrow 00:06:55.814$ So definitely every day for the

NOTE Confidence: 0.989668970833333

 $00{:}06{:}55{.}814 \dashrightarrow 00{:}06{:}58{.}389$ first five years of their life.

NOTE Confidence: 0.989668970833333

 $00{:}06{:}58{.}390 \dashrightarrow 00{:}07{:}00{.}846$ But what it does is it

NOTE Confidence: 0.989668970833333

 $00{:}07{:}00{.}846 \dashrightarrow 00{:}07{:}02{.}900$ protects them against really bad

NOTE Confidence: 0.989668970833333

 $00:07:02.900 \longrightarrow 00:07:05.185$ infections like pneumococcus you know

- NOTE Confidence: 0.989668970833333
- $00:07:05.185 \longrightarrow 00:07:07.480$ patients with sickle cell disease,

 $00:07:07.480 \longrightarrow 00:07:09.285$ their spleen doesn't really work

NOTE Confidence: 0.989668970833333

 $00:07:09.285 \rightarrow 00:07:11.485$ as well as somebody without sickle

NOTE Confidence: 0.989668970833333

00:07:11.485 - 00:07:13.802 cell and because of that they are

NOTE Confidence: 0.989668970833333

 $00:07:13.802 \dashrightarrow 00:07:15.645$ susceptible to certain types of

NOTE Confidence: 0.989668970833333

00:07:15.645 -> 00:07:17.137 infections and that penicillin

NOTE Confidence: 0.989668970833333

 $00:07:17.137 \dashrightarrow 00:07:19.368$ every day just like a vitamin helps

NOTE Confidence: 0.989668970833333

 $00:07:19.368 \longrightarrow 00:07:21.030$ them to stay healthy and safe.

NOTE Confidence: 0.984842465833333

 $00{:}07{:}21.720 \dashrightarrow 00{:}07{:}24.275$ So why is there this transition then

NOTE Confidence: 0.984842465833333

00:07:24.275 --> 00:07:26.520 from childhood to young adulthood?

NOTE Confidence: 0.984842465833333

 $00{:}07{:}26.520 \dashrightarrow 00{:}07{:}28.506$ What's the difference in terms of

NOTE Confidence: 0.984842465833333

00:07:28.510 --> 00:07:30.298 the disease and how it's managed

NOTE Confidence: 0.984842465833333

 $00:07:30.298 \dashrightarrow 00:07:31.999$ that requires a specialist like you?

NOTE Confidence: 0.98446344875

00:07:33.080 --> 00:07:36.104 Well, I think it's a variety of things.

NOTE Confidence: 0.98446344875

 $00:07:36.110 \longrightarrow 00:07:37.730$ It's not just the disease,

 $00:07:37.730 \rightarrow 00:07:39.641$ but it's becoming a young person

NOTE Confidence: 0.98446344875

 $00{:}07{:}39{.}641 \dashrightarrow 00{:}07{:}41{.}276$ and learning how to navigate the

NOTE Confidence: 0.98446344875

00:07:41.276 --> 00:07:43.047 health care system on your own

NOTE Confidence: 0.98446344875

 $00{:}07{:}43.050 \dashrightarrow 00{:}07{:}44.740$ and earlier we talked

NOTE Confidence: 0.98446344875

 $00{:}07{:}44.740 \dashrightarrow 00{:}07{:}46.430$ about new borns and

NOTE Confidence: 0.98446344875

 $00{:}07{:}46{.}430 \dashrightarrow 00{:}07{:}48{.}482$ if you were a new born and found out

NOTE Confidence: 0.98446344875

 $00:07:48.490 \rightarrow 00:07:51.026$ you had sickle cell disease that your parents

NOTE Confidence: 0.98446344875

 $00:07:51.026 \rightarrow 00:07:53.250$ would help you take you to the doctor.

NOTE Confidence: 0.98446344875

00:07:53.250 --> 00:07:54.390 Manage your care,

NOTE Confidence: 0.98446344875

 $00:07:54.390 \longrightarrow 00:07:56.290$ give you that prophylactic penicillin.

NOTE Confidence: 0.98446344875

 $00{:}07{:}56.290 \dashrightarrow 00{:}07{:}57.784$ But the beautiful part about being

NOTE Confidence: 0.98446344875

00:07:57.784 --> 00:07:59.708 a young adult is you can start to

NOTE Confidence: 0.98446344875

 $00:07:59.708 \rightarrow 00:08:01.520$ assume some of that care for yourself,

NOTE Confidence: 0.98446344875

 $00:08:01.520 \longrightarrow 00:08:02.561$ so it's pretty

NOTE Confidence: 0.98446344875

00:08:02.561 --> 00:08:04.990 multi Factorial is a word I always

NOTE Confidence: 0.98446344875

 $00{:}08{:}05{.}060 \dashrightarrow 00{:}08{:}07{.}553$ like to use and I like to

 $00{:}08{:}07{.}553 \dashrightarrow 00{:}08{:}10{.}041$ think that I was a pretty smart young

NOTE Confidence: 0.98446344875

00:08:10.041 --> 00:08:12.052 adult like I made some good decisions.

NOTE Confidence: 0.98446344875

00:08:12.052 --> 00:08:13.144 I'm a doctor now,

NOTE Confidence: 0.98446344875

 $00:08:13.150 \longrightarrow 00:08:15.474$ but I still did some foolish things

NOTE Confidence: 0.98446344875

 $00:08:15.474 \longrightarrow 00:08:17.770$ as a 16-17 eighteen year old and

NOTE Confidence: 0.98446344875

 $00:08:17.770 \longrightarrow 00:08:19.400$ that's without a chronic disease.

NOTE Confidence: 0.98446344875

 $00:08:19.400 \longrightarrow 00:08:21.180$ So in sickle cell disease,

NOTE Confidence: 0.98446344875

 $00:08:21.180 \longrightarrow 00:08:23.441$ what we can do as lifespan hematologists

NOTE Confidence: 0.98446344875

 $00{:}08{:}23{.}441 \dashrightarrow 00{:}08{:}25{.}533$ and as health care providers is

NOTE Confidence: 0.98446344875

 $00:08:25.533 \rightarrow 00:08:27.651$ really help our patients as their

NOTE Confidence: 0.98446344875

 $00:08:27.651 \rightarrow 00:08:29.234$ disease complications may become

NOTE Confidence: 0.98446344875

 $00{:}08{:}29{.}234 \dashrightarrow 00{:}08{:}31{.}568$ a little more severe as they're

NOTE Confidence: 0.98446344875

 $00{:}08{:}31{.}568$ --> $00{:}08{:}33{.}040$ learning to manage themselves.

NOTE Confidence: 0.98446344875

 $00{:}08{:}33{.}040 \dashrightarrow 00{:}08{:}35{.}200$ As they're learning to navigate a

NOTE Confidence: 0.98446344875

 $00:08:35.200 \rightarrow 00:08:37.189$ pretty complex health care system,

 $00:08:37.190 \rightarrow 00:08:39.494$ and as they're just trying to be productive,

NOTE Confidence: 0.98446344875

 $00{:}08{:}39{.}500 \dashrightarrow 00{:}08{:}40{.}778$ happy young adults.

NOTE Confidence: 0.980201562307692

 $00:08:42.240 \longrightarrow 00:08:44.648$ What kinds of things do you

NOTE Confidence: 0.980201562307692

 $00:08:44.648 \rightarrow 00:08:46.590$ talk about with your patients?

NOTE Confidence: 0.980201562307692

00:08:46.590 --> 00:08:47.950 It sounds like

NOTE Confidence: 0.980201562307692

 $00:08:47.950 \longrightarrow 00:08:49.310$ after their five years old,

NOTE Confidence: 0.980201562307692

00:08:49.310 --> 00:08:51.600 they're no longer on penicillin,

NOTE Confidence: 0.980201562307692

 $00{:}08{:}51{.}600 \dashrightarrow 00{:}08{:}53{.}938$ but there's still no way to reverse

NOTE Confidence: 0.980201562307692

 $00{:}08{:}53{.}938 \dashrightarrow 00{:}08{:}55{.}666$ the condition, so you're still

NOTE Confidence: 0.980201562307692

00:08:55.666 --> 00:08:58.130 at risk of all of those sticky,

NOTE Confidence: 0.980201562307692

 $00{:}08{:}58{.}130 \dashrightarrow 00{:}08{:}59{.}622$ misshapen blood cells forming

NOTE Confidence: 0.980201562307692

 $00:08:59.622 \rightarrow 00:09:01.487$ clots all over your body,

NOTE Confidence: 0.980201562307692

 $00:09:01.490 \longrightarrow 00:09:03.162$ which presumably can cause

NOTE Confidence: 0.980201562307692

 $00{:}09{:}03.162 \dashrightarrow 00{:}09{:}04.834$ all kinds of problems.

NOTE Confidence: 0.980201562307692

00:09:04.840 --> 00:09:07.440 Is it just a matter

NOTE Confidence: 0.980201562307692

 $00:09:07.440 \dashrightarrow 00:09:09.623$ of telling your patients what to

- NOTE Confidence: 0.980201562307692
- $00:09:09.623 \rightarrow 00:09:12.260$ watch for and when to seek help?
- NOTE Confidence: 0.980201562307692
- $00:09:12.260 \dashrightarrow 00:09:15.156$ Or are there things that they can do
- NOTE Confidence: 0.980201562307692
- $00{:}09{:}15{.}156 \dashrightarrow 00{:}09{:}18{.}467$ to reduce the risk of clots and
- NOTE Confidence: 0.980201562307692
- $00:09:18.467 \rightarrow 00:09:21.010$ other problems that it can cause?
- NOTE Confidence: 0.986505172727273
- $00:09:21.730 \dashrightarrow 00:09:23.992$ Absolutely, so I want to answer
- NOTE Confidence: 0.986505172727273
- $00:09:23.992 \longrightarrow 00:09:26.010$ your question in two parts.
- NOTE Confidence: 0.986505172727273
- 00:09:26.010 --> 00:09:28.284 First, what other parts of the
- NOTE Confidence: 0.986505172727273
- $00:09:28.284 \rightarrow 00:09:30.390$ body does sickle cell affect?
- NOTE Confidence: 0.986505172727273
- $00:09:30.390 \longrightarrow 00:09:33.180$ How does that show up for
- NOTE Confidence: 0.986505172727273
- $00:09:33.180 \longrightarrow 00:09:35.400$ patients across their lives?
- NOTE Confidence: 0.986505172727273
- $00:09:35.400 \rightarrow 00:09:38.464$ One of the things that our patients most
- NOTE Confidence: 0.986505172727273
- $00{:}09{:}38{.}464 \dashrightarrow 00{:}09{:}41{.}227$ deal with is pain every single day.
- NOTE Confidence: 0.986505172727273
- $00{:}09{:}41{.}230 \dashrightarrow 00{:}09{:}43{.}036$ So when those blood vessels get clogged
- NOTE Confidence: 0.986505172727273
- 00:09:43.036 --> 00:09:45.364 up by those sickle cells and those juicy
- NOTE Confidence: 0.986505172727273
- 00:09:45.364 --> 00:09:47.320 Jelly doughnut cells can't get through,
- NOTE Confidence: 0.986505172727273

 $00:09:47.320 \longrightarrow 00:09:48.488$ that means oxygen isn't

NOTE Confidence: 0.986505172727273

 $00{:}09{:}48{.}488 \dashrightarrow 00{:}09{:}50{.}240$ going to where it needs to

NOTE Confidence: 0.986505172727273

 $00:09:50.240 \longrightarrow 00:09:51.200$ in our bodies.

NOTE Confidence: 0.986505172727273

 $00:09:51.200 \longrightarrow 00:09:52.480$ And because of that,

NOTE Confidence: 0.986505172727273

 $00{:}09{:}52{.}480 \dashrightarrow 00{:}09{:}54{.}880$ that can result in pretty bad bone pain

NOTE Confidence: 0.986505172727273

 $00{:}09{:}54.880 \dashrightarrow 00{:}09{:}56.978$ for patients with sickle cell disease,

NOTE Confidence: 0.986505172727273

 $00:09:56.980 \dashrightarrow 00:09:59.348$ and this is the thing that really affects

NOTE Confidence: 0.986505172727273

 $00:09:59.348 \rightarrow 00:10:01.344$ their quality of life as young students

NOTE Confidence: 0.986505172727273

 $00:10:01.344 \rightarrow 00:10:03.448$ trying to learn and keep up in school.

NOTE Confidence: 0.986505172727273

 $00:10:03.450 \longrightarrow 00:10:04.955$ If you have to be admitted to

NOTE Confidence: 0.986505172727273

 $00{:}10{:}04.955 \dashrightarrow 00{:}10{:}05.910$ the hospital several times

NOTE Confidence: 0.986505172727273

 $00:10:05.910 \longrightarrow 00:10:08.448$ a year you can imagine how

NOTE Confidence: 0.986505172727273

 $00{:}10{:}08.448 \dashrightarrow 00{:}10{:}11.278$ frustrating that can be as a scholar.

NOTE Confidence: 0.986505172727273

 $00:10:11.280 \longrightarrow 00:10:13.264$ Other parts of the body that are affected

NOTE Confidence: 0.986505172727273

 $00:10:13.264 \rightarrow 00:10:15.556$ by sickle cell disease are numerous.

NOTE Confidence: 0.986505172727273

 $00:10:15.560 \rightarrow 00:10:16.740$ Though patients with sickle

 $00:10:16.740 \longrightarrow 00:10:18.215$ cell disease can have something

NOTE Confidence: 0.986505172727273

00:10:18.215 --> 00:10:19.499 called acute chest syndrome,

NOTE Confidence: 0.986505172727273

 $00:10:19.500 \longrightarrow 00:10:21.612$ which is a really bad infection of the

NOTE Confidence: 0.986505172727273

 $00:10:21.612 \rightarrow 00:10:23.499$ lungs that can be very challenging,

NOTE Confidence: 0.986505172727273

 $00:10:23.500 \rightarrow 00:10:27.124$ they can even have strokes as young people,

NOTE Confidence: 0.986505172727273

 $00{:}10{:}27.130 \dashrightarrow 00{:}10{:}28.908$ which is one of the reasons that

NOTE Confidence: 0.986505172727273

 $00{:}10{:}28{.}908 \dashrightarrow 00{:}10{:}30{.}865$ compelled me as a Med student to

NOTE Confidence: 0.986505172727273

 $00:10:30.865 \rightarrow 00:10:32.575$ pursue hematology was seeing a sickle

NOTE Confidence: 0.986505172727273

 $00{:}10{:}32.637 \dashrightarrow 00{:}10{:}34.485$ cell patient eight years old who had

NOTE Confidence: 0.986505172727273

 $00{:}10{:}34{.}485 \dashrightarrow 00{:}10{:}36{.}245$ a stroke in Pediatrics.

NOTE Confidence: 0.986505172727273

00:10:36.245 --> 00:10:38.419 And in order to kind of get a jump on these things,

NOTE Confidence: 0.986505172727273

 $00:10:38.420 \longrightarrow 00:10:40.196$ we do several things,

NOTE Confidence: 0.986505172727273

 $00{:}10{:}40.196 \dashrightarrow 00{:}10{:}41.528$ we do screenings.

NOTE Confidence: 0.986505172727273

 $00{:}10{:}41{.}530 \dashrightarrow 00{:}10{:}43{.}470$ Something called a transcranial Doppler,

NOTE Confidence: 0.986505172727273

 $00{:}10{:}43.470 \dashrightarrow 00{:}10{:}45.090$ which is basically like an ultrasound

00:10:45.090 - 00:10:47.382 of your head where you can look at the

NOTE Confidence: 0.986505172727273

 $00{:}10{:}47.382 \dashrightarrow 00{:}10{:}48.830$ blood vessels and make sure you're

NOTE Confidence: 0.986505172727273

 $00:10:48.830 \longrightarrow 00:10:50.510$ not at risk for having a stroke.

NOTE Confidence: 0.986505172727273

 $00:10:50.510 \longrightarrow 00:10:53.905$ We always make sure that our patients

NOTE Confidence: 0.986505172727273

 $00{:}10{:}53{.}905 \dashrightarrow 00{:}10{:}56{.}110$ have their eyes checked because

NOTE Confidence: 0.986505172727273

 $00{:}10{:}56{.}110 \dashrightarrow 00{:}10{:}57{.}830$ sometimes in sickle cell disease

NOTE Confidence: 0.986505172727273

 $00{:}10{:}57{.}885 \dashrightarrow 00{:}11{:}00{.}148$ you can have vision changes and a

NOTE Confidence: 0.986505172727273

 $00:11:00.148 \longrightarrow 00:11:02.118$ regular follow up with a hematologist

NOTE Confidence: 0.986505172727273

 $00:11:02.118 \longrightarrow 00:11:04.810$ can help you notice any changes

NOTE Confidence: 0.986505172727273

 $00:11:04.810 \longrightarrow 00:11:06.726$ before they cause problems.

NOTE Confidence: 0.986505172727273

00:11:06.730 $\operatorname{-->}$ 00:11:08.543 One of the biggest things and one

NOTE Confidence: 0.986505172727273

 $00{:}11{:}08{.}543 \dashrightarrow 00{:}11{:}10{.}542$ of the things we know works and

NOTE Confidence: 0.986505172727273

00:11:10.542 --> 00:11:11.415 helps prolong life

NOTE Confidence: 0.986505172727273

 $00:11:11.420 \longrightarrow 00:11:13.828$ in sickle cell patients is a use of

NOTE Confidence: 0.986505172727273

 $00:11:13.828 \rightarrow 00:11:15.759$ a medication called Hydroxyurea.

NOTE Confidence: 0.986505172727273

00:11:15.760 --> 00:11:18.288 Now, some of your listeners may be familiar,

 $00{:}11{:}18{.}290 \dashrightarrow 00{:}11{:}21{.}391$ because sometimes this can be used in

NOTE Confidence: 0.986505172727273

00:11:21.391 --> 00:11:24.016 patients who have certain cancer diagnosis,

NOTE Confidence: 0.986505172727273

00:11:24.016 --> 00:11:26.176 but in sickle cell disease,

NOTE Confidence: 0.986505172727273

 $00{:}11{:}26.180 \dashrightarrow 00{:}11{:}28.450$ the dose that we use is much lower and the

NOTE Confidence: 0.986505172727273

 $00:11:28.510 \longrightarrow 00:11:30.562$ way that we use it as a bit different.

NOTE Confidence: 0.986505172727273

 $00:11:30.570 \longrightarrow 00:11:32.922$ And we know that it kind of helps

NOTE Confidence: 0.986505172727273

00:11:32.922 --> 00:11:35.312 you have more juicy fat

NOTE Confidence: 0.986505172727273

 $00:11:35.312 \rightarrow 00:11:37.636$ cells then bananas and so your body

NOTE Confidence: 0.986505172727273

 $00:11:37.636 \rightarrow 00:11:39.846$ overall does better in the long term.

NOTE Confidence: 0.982428856923077

 $00:11:41.230 \longrightarrow 00:11:43.526$ So just to follow up on a few

NOTE Confidence: 0.982428856923077

 $00:11:43.526 \longrightarrow 00:11:45.158$ things that you just said.

NOTE Confidence: 0.982428856923077

 $00:11:45.160 \longrightarrow 00:11:47.530$ First off taking that last

NOTE Confidence: 0.982428856923077

00:11:47.530 --> 00:11:49.900 comment about Hydroxyurea making

NOTE Confidence: 0.982428856923077

00:11:49.900 --> 00:11:52.036 You have more fat and juicy like

NOTE Confidence: 0.982428856923077

 $00{:}11{:}52.036 \dashrightarrow 00{:}11{:}54.616$ blood cells rather than sickling bananas,

- $00:11:54.620 \longrightarrow 00:11:57.154$ is it true that if you
- NOTE Confidence: 0.982428856923077
- 00:11:57.154 --> 00:11:59.020 have sickle cell disease,
- NOTE Confidence: 0.982428856923077
- 00:11:59.020 --> 00:12:01.106 not all of your blood cells are
- NOTE Confidence: 0.982428856923077
- $00:12:01.106 \rightarrow 00:12:03.194$ bananas and it is possible to
- NOTE Confidence: 0.982428856923077
- $00:12:03.194 \rightarrow 00:12:05.450$ increase the number of Jelly doughnut
- NOTE Confidence: 0.982428856923077
- $00{:}12{:}05{.}450 \dashrightarrow 00{:}12{:}07{.}766$ blood cells that you have instead
- NOTE Confidence: 0.982428856923077
- $00:12:07.766 \longrightarrow 00:12:09.641$ of bananas?
- NOTE Confidence: 0.97928670125
- 00:12:10.660 --> 00:12:13.985 Absolutely, and that is up until
- NOTE Confidence: 0.97928670125
- 00:12:13.985 --> 00:12:16.095 recently, the only FDA
- NOTE Confidence: 0.97928670125
- $00:12:16.095 \rightarrow 00:12:18.104$ approved medication that we have had
- NOTE Confidence: 0.97928670125
- $00:12:18.104 \longrightarrow 00:12:19.958$ for our patients is Hydroxy urea
- NOTE Confidence: 0.97928670125
- $00:12:19.960 \rightarrow 00:12:22.840$ to increase the amount of non sickle cells,
- NOTE Confidence: 0.97928670125
- $00{:}12{:}22{.}840 \dashrightarrow 00{:}12{:}25{.}492$ Jelly doughnut cells and ensure that
- NOTE Confidence: 0.97928670125
- 00:12:25.492 --> 00:12:27.663 you're pain complications are lower
- NOTE Confidence: 0.97928670125
- $00{:}12{:}27.663 \dashrightarrow 00{:}12{:}30.029$ and that your organs can really get
- NOTE Confidence: 0.97928670125
- $00:12:30.029 \rightarrow 00:12:32.070$ the oxygen they need to thrive.

 $00:12:32.600 \longrightarrow 00:12:34.712$ So an obvious question is why

NOTE Confidence: 0.978295229545455

 $00{:}12{:}34{.}712 \dashrightarrow 00{:}12{:}36{.}766$ not use more and make

NOTE Confidence: 0.978295229545455

00:12:36.766 --> 00:12:39.059 all of your blood cells Jelly Donuts?

NOTE Confidence: 0.978295229545455

 $00:12:39.060 \longrightarrow 00:12:40.568$ But hold that thought.

NOTE Confidence: 0.978295229545455

00:12:40.568 --> 00:12:43.681 Because first we need to take a short

NOTE Confidence: 0.978295229545455

00:12:43.681 --> 00:12:46.211 break for medical minute. Stay tuned

NOTE Confidence: 0.978295229545455

 $00{:}12{:}46{.}211 \dashrightarrow 00{:}12{:}48{.}173$ to learn more about adolescents and

NOTE Confidence: 0.978295229545455

 $00{:}12{:}48.173 \dashrightarrow 00{:}12{:}50.165$ young adults with sickle cell disease

NOTE Confidence: 0.978295229545455

 $00{:}12{:}50{.}165 \dashrightarrow 00{:}12{:}52{.}300$ with my guest doctor CeCe Calhoun.

NOTE Confidence: 0.945679804

00:12:52.790 --> 00:12:54.920 Funding for Yale Cancer Answers

NOTE Confidence: 0.945679804

00:12:54.920 --> 00:12:57.050 comes from Smilow Cancer Hospital.

NOTE Confidence: 0.945679804

00:12:57.050 --> 00:12:59.558 Fifteen care centers offer access to

NOTE Confidence: 0.945679804

 $00{:}12{:}59{.}558 \dashrightarrow 00{:}13{:}01{.}230$ on cologists committed to providing

NOTE Confidence: 0.945679804

 $00{:}13{:}01{.}293 \dashrightarrow 00{:}13{:}03{.}645$ patients with cancer and blood diseases.

NOTE Confidence: 0.945679804

00:13:03.650 --> 00:13:05.510 Individualized innovative care.

 $00:13:05.510 \longrightarrow 00:13:08.922$ Find us. Milo Care Center near

NOTE Confidence: 0.945679804

00:13:08.922 --> 00:13:10.460 you at yale cancercenter.org.

NOTE Confidence: 0.986365794166666

 $00:13:12.550 \longrightarrow 00:13:15.035$ There are over 16.9 million

NOTE Confidence: 0.986365794166666

 $00:13:15.035 \rightarrow 00:13:17.981$ cancer survivors in the US and

NOTE Confidence: 0.986365794166666

 $00:13:17.981 \longrightarrow 00:13:19.898$ over 240,000 here in Connecticut.

NOTE Confidence: 0.986365794166666

00:13:19.898 --> 00:13:21.446 Completing treatment for cancer

NOTE Confidence: 0.986365794166666

00:13:21.446 --> 00:13:23.709 is a very exciting milestone,

NOTE Confidence: 0.986365794166666

 $00{:}13{:}23{.}710 \dashrightarrow 00{:}13{:}25{.}660$ but cancer and its treatment can

NOTE Confidence: 0.986365794166666

 $00:13:25.660 \rightarrow 00:13:27.730$ be a life changing experience.

NOTE Confidence: 0.986365794166666

00:13:27.730 --> 00:13:30.124 The return to normal activities in

NOTE Confidence: 0.986365794166666

 $00:13:30.124 \rightarrow 00:13:32.139$ relationships may be difficult and

NOTE Confidence: 0.986365794166666

 $00:13:32.139 \longrightarrow 00:13:33.919$ cancer survivors may face other

NOTE Confidence: 0.986365794166666

00:13:33.919 --> 00:13:36.020 long term side effects of cancer,

NOTE Confidence: 0.986365794166666

00:13:36.020 --> 00:13:37.745 including heart problems,

NOTE Confidence: 0.986365794166666

 $00:13:37.745 \longrightarrow 00:13:38.320$ osteoporosis,

NOTE Confidence: 0.986365794166666

 $00:13:38.320 \rightarrow 00:13:41.195$ fertility issues and an increased

- NOTE Confidence: 0.986365794166666
- 00:13:41.195 --> 00:13:43.180 risk of second cancers.
- NOTE Confidence: 0.986365794166666
- $00{:}13{:}43.180 \dashrightarrow 00{:}13{:}45.785$ Resources for cancer survivors are
- NOTE Confidence: 0.986365794166666
- $00:13:45.785 \rightarrow 00:13:47.869$ available at federally designated
- NOTE Confidence: 0.986365794166666
- $00:13:47.869 \rightarrow 00:13:49.119$ Comprehensive cancer centers
- NOTE Confidence: 0.986365794166666
- $00{:}13{:}49{.}119 \dashrightarrow 00{:}13{:}51{.}099$ such as the Yale Cancer Center
- NOTE Confidence: 0.986365794166666
- $00{:}13{:}51{.}099 \dashrightarrow 00{:}13{:}53{.}458$ and at Smilow Cancer Hospital to
- NOTE Confidence: 0.986365794166666
- 00:13:53.458 --> 00:13:55.493 keep cancer survivors well and
- NOTE Confidence: 0.986365794166666
- 00:13:55.493 --> 00:13:57.256 focused on healthy living.
- NOTE Confidence: 0.986365794166666
- 00:13:57.256 --> 00:13:59.516 The Smilow Cancer Hospital Survivorship
- NOTE Confidence: 0.986365794166666
- 00:13:59.516 --> 00:14:01.676 Clinic focuses on providing guidance
- NOTE Confidence: 0.986365794166666
- $00{:}14{:}01.676 \dashrightarrow 00{:}14{:}04.052$ and direction to empower survivors to
- NOTE Confidence: 0.986365794166666
- $00:14:04.052 \rightarrow 00:14:06.438$ take steps to maximize their health,
- NOTE Confidence: 0.986365794166666
- 00:14:06.440 --> 00:14:08.740 quality of life and longevity.
- NOTE Confidence: 0.986365794166666
- 00:14:08.740 --> 00:14:11.172 More information is available
- NOTE Confidence: 0.986365794166666
- 00:14:11.172 --> 00:14:12.628 at yalecancercenter.org. You're
- NOTE Confidence: 0.986365794166666

- 00:14:12.628 --> 00:14:13.900 listening to Connecticut
- NOTE Confidence: 0.986365794166666
- 00:14:13.900 --> 00:14:14.830 Public Radio.
- NOTE Confidence: 0.907110633333333
- $00{:}14{:}15{.}320 \dashrightarrow 00{:}14{:}17{.}480$ Welcome back to Yale Cancer Answers.
- NOTE Confidence: 0.907110633333333
- $00{:}14{:}17{.}480 \dashrightarrow 00{:}14{:}19{.}914$ This is Doctor Anees Chagpar and I'm
- NOTE Confidence: 0.907110633333333
- 00:14:19.914 --> 00:14:22.560 joined tonight by my guest Dr. Cece Calhoun.
- NOTE Confidence: 0.907110633333333
- $00{:}14{:}22{.}560 \dashrightarrow 00{:}14{:}25{.}024$ We're talking about the care of adolescents
- NOTE Confidence: 0.907110633333333
- $00:14:25.024 \rightarrow 00:14:27.175$ and young adults with sickle cell
- NOTE Confidence: 0.907110633333333
- $00{:}14{:}27.175 \dashrightarrow 00{:}14{:}29.245$ disease and bright before the break
- NOTE Confidence: 0.907110633333333
- $00{:}14{:}29{.}250 \dashrightarrow 00{:}14{:}32{.}533$ CeCe was mentioning that while sickle cell
- NOTE Confidence: 0.907110633333333
- $00:14:32.533 \rightarrow 00:14:35.080$ disease is completely
- NOTE Confidence: 0.907110633333333
- 00:14:35.080 --> 00:14:37.700 irreversible,
- NOTE Confidence: 0.907110633333333
- $00:14:37.700 \longrightarrow 00:14:40.316$ that actually using a drug called
- NOTE Confidence: 0.907110633333333
- 00:14:40.316 --> 00:14:43.075 Hydroxyurea can help your body to
- NOTE Confidence: 0.907110633333333
- 00:14:43.075 --> 00:14:45.873 create more of these quote juicy
- NOTE Confidence: 0.907110633333333
- $00:14:45.873 \rightarrow 00:14:48.904$ cells which are normal red blood cells
- NOTE Confidence: 0.907110633333333
- $00:14:48.904 \rightarrow 00:14:52.034$ and less of these quote banana like

- NOTE Confidence: 0.907110633333333
- $00:14:52.034 \rightarrow 00:14:54.350$ cells which are the sickle cells.
- NOTE Confidence: 0.907110633333333
- $00:14:54.350 \longrightarrow 00:14:56.948$ So my question to you was.
- NOTE Confidence: 0.907110633333333
- $00:14:56.950 \longrightarrow 00:15:01.062$ before we had the break, is why
- NOTE Confidence: 0.907110633333333
- 00:15:01.062 --> 00:15:03.834 not just give more Hydroxyurea?
- NOTE Confidence: 0.907110633333333
- $00:15:03.840 \rightarrow 00:15:06.522$ I mean if it helps your body to produce
- NOTE Confidence: 0.907110633333333
- $00:15:06.522 \rightarrow 00:15:09.270$ more normal cells and less sickle cells,
- NOTE Confidence: 0.907110633333333
- $00:15:09.270 \longrightarrow 00:15:10.908$ wouldn't that be a way to kind
- NOTE Confidence: 0.907110633333333
- $00:15:10.908 \longrightarrow 00:15:12.299$ of reverse it?
- NOTE Confidence: 0.97454897
- $00{:}15{:}13.770 \dashrightarrow 00{:}15{:}16.045$ I would love if it could be
- NOTE Confidence: 0.97454897
- 00:15:16.045 --> 00:15:17.930 totally reversed by Hydroxyurea
- NOTE Confidence: 0.97454897
- $00:15:17.930 \longrightarrow 00:15:19.898$ but we know that when our
- NOTE Confidence: 0.97454897
- $00{:}15{:}19{.}898 \dashrightarrow 00{:}15{:}21{.}694$ patients are a we some, take their
- NOTE Confidence: 0.97454897
- $00:15:21.694 \rightarrow 00:15:23.704$ medications every day as prescribed,
- NOTE Confidence: 0.97454897
- $00{:}15{:}23.710 \dashrightarrow 00{:}15{:}26.164$ there's still an upper limit to
- NOTE Confidence: 0.97454897
- $00:15:26.164 \longrightarrow 00:15:29.040$ how many of those juicy fat
- NOTE Confidence: 0.97454897

- $00:15:29.040 \longrightarrow 00:15:31.440$ cells they can replace.
- NOTE Confidence: 0.97454897
- 00:15:31.440 --> 00:15:33.904 They can produce to replace the banana cells,
- NOTE Confidence: 0.97454897
- $00{:}15{:}33{.}910 \dashrightarrow 00{:}15{:}36{.}574$ so there's a threshold of how
- NOTE Confidence: 0.97454897
- $00:15:36.574 \longrightarrow 00:15:38.700$ effective the drug can be,
- NOTE Confidence: 0.97454897
- $00:15:38.700 \longrightarrow 00:15:39.948$ but it can really,
- NOTE Confidence: 0.97454897
- $00:15:39.948 \longrightarrow 00:15:41.508$ really help enough to help
- NOTE Confidence: 0.97454897
- $00:15:41.508 \rightarrow 00:15:43.140$ your organs stay healthy.
- NOTE Confidence: 0.962217094
- $00:15:43.880 \rightarrow 00:15:46.352$ So this Hydroxyurea is something
- NOTE Confidence: 0.962217094
- $00:15:46.352 \rightarrow 00:15:48.315$ that you're taking every day?
- NOTE Confidence: 0.962217094
- $00:15:48.315 \rightarrow 00:15:49.669$ For your whole life?
- NOTE Confidence: 0.962217094
- $00:15:49.669 \longrightarrow 00:15:52.941$ And the other thing
- NOTE Confidence: 0.962217094
- $00{:}15{:}52{.}941 \dashrightarrow 00{:}15{:}55{.}652$ that you mentioned before the break
- NOTE Confidence: 0.962217094
- 00:15:55.652 --> 00:15:59.178 and I wanted to pick up on as well
- NOTE Confidence: 0.962217094
- $00:15:59.180 \rightarrow 00:16:02.180$ was this concept of pain and the fact
- NOTE Confidence: 0.962217094
- $00:16:02.180 \rightarrow 00:16:05.171$ that many of these patients they present
- NOTE Confidence: 0.962217094
- $00:16:05.171 \rightarrow 00:16:08.449$ with pain and they have pain every day

- NOTE Confidence: 0.962217094
- $00:16:08.450 \longrightarrow 00:16:11.922$ which impairs their ability to
- NOTE Confidence: 0.962217094
- $00:16:11.922 \rightarrow 00:16:14.808$ concentrate at school or maybe place
- NOTE Confidence: 0.962217094
- $00:16:14.810 \longrightarrow 00:16:18.626$ boards so what do you do about that?
- NOTE Confidence: 0.962217094
- $00:16:18.630 \rightarrow 00:16:20.555$ I mean, are these patients
- NOTE Confidence: 0.962217094
- $00:16:20.555 \rightarrow 00:16:22.095$ treated with daily painkillers?
- NOTE Confidence: 0.962217094
- $00:16:22.100 \longrightarrow 00:16:24.333$ Or do you tell them to simply
- NOTE Confidence: 0.962217094
- $00:16:24.333 \longrightarrow 00:16:26.742$ wait until they have pain and
- NOTE Confidence: 0.962217094
- $00:16:26.742 \longrightarrow 00:16:28.570$ then prescribe pain medication?
- NOTE Confidence: 0.962217094
- $00{:}16{:}28{.}570 \dashrightarrow 00{:}16{:}31{.}009$ I mean how do they get through their day
- NOTE Confidence: 0.962217094
- 00:16:31.009 --> 00:16:33.677 to day life if they're in pain everyday?
- NOTE Confidence: 0.9824606785
- $00:16:34.510 \rightarrow 00:16:37.863$ Yeah, so sickle cell patients are warriors
- NOTE Confidence: 0.9824606785
- $00{:}16{:}37{.}863 \dashrightarrow 00{:}16{:}41{.}570$ and you'll often see that described because NOTE Confidence: 0.9824606785
- $00:16:41.570 \rightarrow 00:16:44.840$ despite having pain of variable severity,
- NOTE Confidence: 0.9824606785
- 00:16:44.840 --> 00:16:47.688 they managed to live life and be productive.
- NOTE Confidence: 0.9824606785
- $00:16:47.690 \rightarrow 00:16:50.498$ That's one of the most awesome things
- NOTE Confidence: 0.9824606785

- $00:16:50.498 \rightarrow 00:16:52.810$ about working with sickle cell patients.
- NOTE Confidence: 0.9824606785
- 00:16:52.810 --> 00:16:55.060 So in terms of pain prevention,
- NOTE Confidence: 0.9824606785
- $00:16:55.060 \longrightarrow 00:16:56.280$ what can we do?
- NOTE Confidence: 0.9824606785
- 00:16:56.280 --> 00:16:58.506 Number one Hydroxyurea and get more juicy
- NOTE Confidence: 0.9824606785
- $00{:}16{:}58{.}506 \dashrightarrow 00{:}17{:}00{.}788$ cells around so you have less pain.
- NOTE Confidence: 0.9824606785
- $00{:}17{:}00.790 \dashrightarrow 00{:}17{:}03.130$ And recently there are a couple
- NOTE Confidence: 0.9824606785
- $00:17:03.130 \longrightarrow 00:17:05.230$ of medications on the market
- NOTE Confidence: 0.9824606785
- $00:17:05.230 \longrightarrow 00:17:07.560$ that help with pain prevention.
- NOTE Confidence: 0.9824606785
- $00{:}17{:}07.560 \dashrightarrow 00{:}17{:}10.518$ Also just keeping yourself well hydrated.
- NOTE Confidence: 0.9824606785
- $00{:}17{:}10.520 \dashrightarrow 00{:}17{:}12.308$ My patients are so wonderful in
- NOTE Confidence: 0.9824606785
- $00:17:12.308 \longrightarrow 00:17:14.289$ that they often know their bodies.
- NOTE Confidence: 0.9824606785
- $00:17:14.290 \longrightarrow 00:17:15.214$ They know their triggers.
- $00{:}17{:}15{.}910 \dashrightarrow 00{:}17{:}18{.}276$ And what situations make their pain worse.
- NOTE Confidence: 0.9824606785
- 00:17:18.280 --> 00:17:19.468 And what kind of things can
- NOTE Confidence: 0.9824606785
- $00{:}17{:}19.468 \dashrightarrow 00{:}17{:}20.260$ make their pain better.
- NOTE Confidence: 0.9824606785
- $00:17:20.260 \longrightarrow 00:17:22.808$ So really being attuned to those things
- NOTE Confidence: 0.9824606785

00:17:22.810 --> 00:17:25.156 in terms of addressing pain acutely

NOTE Confidence: 0.9824606785

 $00:17:25.156 \rightarrow 00:17:28.008$ when it happens and it's not planned,

NOTE Confidence: 0.9824606785

 $00:17:28.010 \rightarrow 00:17:31.916$ we have a couple of things in our toolkit.

NOTE Confidence: 0.9824606785

00:17:31.920 --> 00:17:33.900 Yes, pain medication is something

NOTE Confidence: 0.9824606785

 $00:17:33.900 \rightarrow 00:17:36.530$ that we give frequently for pain,

NOTE Confidence: 0.9824606785

00:17:36.530 --> 00:17:38.658 but we can also use red

NOTE Confidence: 0.9824606785

 $00{:}17{:}38.658 \dashrightarrow 00{:}17{:}40.858$ blood cell transfusions if we need to.

NOTE Confidence: 0.9824606785

 $00:17:40.860 \rightarrow 00:17:43.116$ If somebody is having pain often,

NOTE Confidence: 0.9824606785

 $00:17:43.120 \longrightarrow 00:17:46.126$ but many times we can't predict

NOTE Confidence: 0.9824606785

 $00:17:46.130 \longrightarrow 00:17:47.350$ when the pain will come,

NOTE Confidence: 0.9824606785

 $00:17:47.350 \longrightarrow 00:17:49.246$ or how severe it will be,

NOTE Confidence: 0.9824606785

 $00:17:49.250 \rightarrow 00:17:51.000$ and so because of that our patients

NOTE Confidence: 0.9824606785

 $00{:}17{:}51.000 \dashrightarrow 00{:}17{:}53.160$ have to get care in the ED sometimes

NOTE Confidence: 0.9824606785

 $00:17:53.160 \longrightarrow 00:17:54.840$ to get treatment for their pain.

NOTE Confidence: 0.968010386363636

00:17:55.550 --> 00:17:57.060 You mentioned something

NOTE Confidence: 0.968010386363636

00:17:57.060 --> 00:17:59.290 that I found kind of intriguing.

- NOTE Confidence: 0.968010386363636
- $00:17:59.290 \longrightarrow 00:18:01.474$ You said that we have medications
- NOTE Confidence: 0.968010386363636
- $00:18:01.474 \longrightarrow 00:18:03.740$ for pain prevention, like what?
- NOTE Confidence: 0.974010345
- 00:18:04.270 --> 00:18:07.006 Hot off the press I know,
- NOTE Confidence: 0.974010345
- $00{:}18{:}07{.}010 \dashrightarrow 00{:}18{:}09{.}565$ so recently there's been
- NOTE Confidence: 0.974010345
- $00{:}18{:}09{.}565 \dashrightarrow 00{:}18{:}11{.}609$ an FDA approved medication,
- NOTE Confidence: 0.974010345
- 00:18:11.610 --> 00:18:13.780 Adakveo or crizanlizumab
- NOTE Confidence: 0.974010345
- 00:18:15.900 --> 00:18:18.716 but I try not to say
- NOTE Confidence: 0.974010345
- $00:18:18.716 \longrightarrow 00:18:20.700$ that because crizanlizumab,
- NOTE Confidence: 0.974010345
- $00{:}18{:}20{.}700 \dashrightarrow 00{:}18{:}23{.}724$ but that can be used to prevent pain
- NOTE Confidence: 0.974010345
- $00:18:23.724 \rightarrow 00:18:26.659$ as an infusion given once monthly.
- NOTE Confidence: 0.974010345
- $00{:}18{:}32{.}010 \dashrightarrow 00{:}18{:}33{.}870$ And another medication that's recently been
- NOTE Confidence: 0.974010345
- $00{:}18{:}33{.}870 \dashrightarrow 00{:}18{:}36{.}449$ approved is something called Oxbryta
- NOTE Confidence: 0.974010345
- $00:18:36.450 \rightarrow 00:18:38.900$ and really, what that does is increase
- NOTE Confidence: 0.974010345
- $00{:}18{:}38{.}900 \dashrightarrow 00{:}18{:}40{.}779$ patients with sickle cell disease,
- NOTE Confidence: 0.974010345
- $00:18:40.780 \longrightarrow 00:18:41.512$ their hemoglobin,
- NOTE Confidence: 0.974010345

 $00:18:41.512 \longrightarrow 00:18:44.440$ and so the thought is if their

NOTE Confidence: 0.974010345

 $00:18:44.520 \longrightarrow 00:18:46.750$ hemoglobin is better they

NOTE Confidence: 0.974010345

 $00:18:46.750 \longrightarrow 00:18:49.025$ may in turn have less pain,

NOTE Confidence: 0.974010345

 $00{:}18{:}49{.}030 \dashrightarrow 00{:}18{:}51{.}610$ but the primary medication that

NOTE Confidence: 0.974010345

 $00{:}18{:}51{.}610 \dashrightarrow 00{:}18{:}54{.}750$ is out there for pain

NOTE Confidence: 0.974010345

 $00:18:54.750 \longrightarrow 00:18:56.680$ prevention is Adakveo.

NOTE Confidence: 0.98545874

00:18:57.490 --> 00:18:59.225 That sounds like a

NOTE Confidence: 0.98545874

00:18:59.225 --> 00:19:00.621 pretty good deal, right?

NOTE Confidence: 0.98545874

 $00{:}19{:}00{.}621 \dashrightarrow 00{:}19{:}02{.}727$ If instead of having pain everyday,

NOTE Confidence: 0.98545874

 $00{:}19{:}02{.}730 \dashrightarrow 00{:}19{:}05{.}018$ if you had an infusion once a month,

NOTE Confidence: 0.98545874

00:19:05.020 --> 00:19:07.092 does that infusion kind of really get

NOTE Confidence: 0.98545874

 $00:19:07.092 \rightarrow 00:19:09.458$ rid of the chances of having pain?

NOTE Confidence: 0.98545874

 $00:19:09.460 \longrightarrow 00:19:10.540$ Or not really?

NOTE Confidence: 0.920879997692308

 $00{:}19{:}11{.}510 \dashrightarrow 00{:}19{:}14{.}590$ I think that the medication is pretty

NOTE Confidence: 0.920879997692308

 $00{:}19{:}14.590 \dashrightarrow 00{:}19{:}17.925$ new and patients themselves are

NOTE Confidence: 0.920879997692308

 $00:19:17.925 \longrightarrow 00:19:19.145$ are individuals,

- NOTE Confidence: 0.920879997692308
- $00:19:19.150 \longrightarrow 00:19:20.686$ and so I've had some patients
- NOTE Confidence: 0.920879997692308
- $00:19:20.686 \longrightarrow 00:19:21.970$ who it's worked great for.
- NOTE Confidence: 0.920879997692308
- $00{:}19{:}21{.}970 \dashrightarrow 00{:}19{:}23{.}476$ I've had some patients that we
- NOTE Confidence: 0.920879997692308
- $00:19:23.476 \longrightarrow 00:19:25.229$ just have to try other things.
- NOTE Confidence: 0.920879997692308
- $00{:}19{:}25{.}230 \dashrightarrow 00{:}19{:}27{.}280$ I think the wonderful thing
- NOTE Confidence: 0.920879997692308
- 00:19:27.280 --> 00:19:28.920 about being a physician
- NOTE Confidence: 0.920879997692308
- $00:19:28.920 \rightarrow 00:19:30.132$ scientist and sickle cell,
- NOTE Confidence: 0.920879997692308
- 00:19:30.132 --> 00:19:32.232 or even being a patient right now
- NOTE Confidence: 0.920879997692308
- $00{:}19{:}32{.}232 \dashrightarrow 00{:}19{:}33{.}786$ who has sickle cell is that it is
- NOTE Confidence: 0.920879997692308
- $00:19:33.786 \dashrightarrow 00:19:35.750$ such a fertile time for discovery.
- NOTE Confidence: 0.920879997692308
- 00:19:35.750 --> 00:19:37.568 In terms of sickle cell disease,
- NOTE Confidence: 0.920879997692308
- $00:19:37.570 \longrightarrow 00:19:38.894$ how to prevent complications
- NOTE Confidence: 0.920879997692308
- $00{:}19{:}38{.}894 \dashrightarrow 00{:}19{:}40{.}549$ and how to cure it.
- NOTE Confidence: 0.920879997692308
- $00{:}19{:}40{.}550 \dashrightarrow 00{:}19{:}42{.}608$ So you just have to work with
- NOTE Confidence: 0.920879997692308
- $00:19:42.608 \longrightarrow 00:19:43.866$ your hematologist to find
- NOTE Confidence: 0.920879997692308

 $00:19:43.866 \rightarrow 00:19:45.416$ the right regimen for you.

NOTE Confidence: 0.984839055714286

00:19:46.120 --> 00:19:48.150 So I want to pick up on

NOTE Confidence: 0.984839055714286

 $00:19:48.150 \longrightarrow 00:19:50.698$ that discovery and some of the

NOTE Confidence: 0.984839055714286

 $00:19:50.698 \longrightarrow 00:19:52.526$ new advances that are going on

NOTE Confidence: 0.984839055714286

 $00{:}19{:}52{.}526 \dashrightarrow 00{:}19{:}54{.}170$ in terms of sickle cell research.

NOTE Confidence: 0.984839055714286

 $00{:}19{:}54{.}170 \dashrightarrow 00{:}19{:}56{.}922$ But before that I had one other question

NOTE Confidence: 0.984839055714286

 $00:19:56.922 \longrightarrow 00:19:58.945$ about the complications

NOTE Confidence: 0.984839055714286

 $00:19:58.945 \rightarrow 00:20:01.465$ you had mentioned before the break.

NOTE Confidence: 0.984839055714286

 $00{:}20{:}01{.}470 \dashrightarrow 00{:}20{:}04{.}060$ One of the impetuses for you to

NOTE Confidence: 0.984839055714286

 $00:20:04.060 \rightarrow 00:20:05.606$ become a pediatric climatologist

NOTE Confidence: 0.984839055714286

00:20:05.606 --> 00:20:08.864 was an 8 year old who had a stroke,

NOTE Confidence: 0.984839055714286

 $00{:}20{:}08.870 \dashrightarrow 00{:}20{:}12.310$ which just I mean is heartbreaking to me.

NOTE Confidence: 0.984839055714286

 $00{:}20{:}12.310 \dashrightarrow 00{:}20{:}14.970$ But clearly if you think about these

NOTE Confidence: 0.984839055714286

00:20:15.042 --> 00:20:17.038 sickle cells, it makes sense, right?

NOTE Confidence: 0.984839055714286

00:20:17.038 - > 00:20:18.730 These sickle cells kind of glom

NOTE Confidence: 0.984839055714286

 $00:20:18.730 \longrightarrow 00:20:20.122$ together and they cut off blood

- NOTE Confidence: 0.984839055714286
- $00:20:20.122 \longrightarrow 00:20:21.909$ supply to a part of your brain
- NOTE Confidence: 0.984839055714286
- $00:20:21.909 \longrightarrow 00:20:22.985$ that's called the stroke.
- NOTE Confidence: 0.984839055714286
- $00:20:22.990 \longrightarrow 00:20:25.258$ Now when we think about
- NOTE Confidence: 0.984839055714286
- $00{:}20{:}25{.}258 \dashrightarrow 00{:}20{:}26{.}837$ older patients who
- NOTE Confidence: 0.984839055714286
- 00:20:26.837 --> 00:20:29.308 may be at risk of stroke or who may
- NOTE Confidence: 0.984839055714286
- $00:20:29.308 \longrightarrow 00:20:31.316$ be at risk of heart attack or who
- NOTE Confidence: 0.984839055714286
- $00:20:31.316 \rightarrow 00:20:33.028$ may be at risk of other clotting,
- NOTE Confidence: 0.984839055714286
- $00:20:33.030 \longrightarrow 00:20:35.082$ whether it's in their lungs or
- NOTE Confidence: 0.984839055714286
- $00:20:35.082 \rightarrow 00:20:37.180$ in their legs or whatever,
- NOTE Confidence: 0.984839055714286
- $00:20:37.180 \longrightarrow 00:20:39.600$ we often use blood thinners,
- NOTE Confidence: 0.984839055714286
- $00:20:39.600 \longrightarrow 00:20:41.640$ so are sickle cell patients put
- NOTE Confidence: 0.984839055714286
- $00{:}20{:}41.640 \dashrightarrow 00{:}20{:}44.006$ on blood thinners to
- NOTE Confidence: 0.984839055714286
- $00:20:44.006 \rightarrow 00:20:45.416$ prevent these complications?
- NOTE Confidence: 0.984839055714286
- $00{:}20{:}45{.}420 \dashrightarrow 00{:}20{:}46{.}765$ Since we know that they're
- NOTE Confidence: 0.984839055714286
- $00:20:46.765 \longrightarrow 00:20:48.110$ at risk of getting clots.
- NOTE Confidence: 0.978102746875

 $00:20:48.330 \rightarrow 00:20:51.151$ So the blockages that occur in sickle

NOTE Confidence: 0.978102746875

 $00{:}20{:}51{.}151 \dashrightarrow 00{:}20{:}54{.}031$ cell disease are a little bit different

NOTE Confidence: 0.978102746875

00:20:54.031 - 00:20:56.970 than your normal blood clot, which is

NOTE Confidence: 0.978102746875

 $00:20:56.970 \rightarrow 00:20:59.960$ caused by a different series of events,

NOTE Confidence: 0.978102746875

 $00:20:59.960 \rightarrow 00:21:02.200$ and so for patients with sickle cell disease,

NOTE Confidence: 0.978102746875

 $00:21:02.200 \longrightarrow 00:21:03.574$ though they are at an increased

NOTE Confidence: 0.978102746875

 $00{:}21{:}03.574 \dashrightarrow 00{:}21{:}04.900$ risk to have those

NOTE Confidence: 0.978102746875

 $00:21:04.900 \rightarrow 00:21:07.196$ traditionally, what we think of blood clots,

NOTE Confidence: 0.978102746875

 $00{:}21{:}07{.}200 \dashrightarrow 00{:}21{:}09{.}160$ we don't put them on blood thinners

NOTE Confidence: 0.978102746875

00:21:09.160 - 00:21:11.038 to try to prevent complications

NOTE Confidence: 0.978102746875

 $00:21:11.038 \longrightarrow 00:21:12.986$ with sickle cell disease.

NOTE Confidence: 0.978102746875

 $00{:}21{:}12{.}990 \dashrightarrow 00{:}21{:}14.803$ We know those blockages can be stuck

NOTE Confidence: 0.978102746875

00:21:14.803 - 00:21:16.730 like a clot, or they can be transient,

NOTE Confidence: 0.978102746875

 $00:21:16.730 \longrightarrow 00:21:18.150$ they come and go because of the

NOTE Confidence: 0.978102746875

 $00:21:18.150 \longrightarrow 00:21:19.286$ cells sticking together.

NOTE Confidence: 0.978102746875

 $00:21:19.290 \longrightarrow 00:21:20.949$ It's not like the other proteins in

- NOTE Confidence: 0.978102746875
- $00{:}21{:}20{.}949 \dashrightarrow 00{:}21{:}22{.}699$ your body are swimming over there,
- NOTE Confidence: 0.978102746875
- $00:21:22.700 \longrightarrow 00:21:23.956$ making a huge clot.
- NOTE Confidence: 0.978102746875
- $00:21:23.956 \rightarrow 00:21:26.769$ What we do in our young people
- NOTE Confidence: 0.978102746875
- $00:21:26.769 \longrightarrow 00:21:28.125$ to maximize stroke prevention
- NOTE Confidence: 0.978102746875
- $00{:}21{:}28{.}125 \dashrightarrow 00{:}21{:}30{.}150$ is we do screenings like the
- NOTE Confidence: 0.978102746875
- 00:21:30.150 --> 00:21:31.774 Transcranial Doppler I mentioned.
- NOTE Confidence: 0.978102746875
- 00:21:31.774 --> 00:21:34.210 And if we notice any kind
- NOTE Confidence: 0.978102746875
- $00:21:34.284 \longrightarrow 00:21:35.800$ of abnormality at all,
- NOTE Confidence: 0.978102746875
- $00:21:35.800 \longrightarrow 00:21:37.558$ we have a couple of options.
- NOTE Confidence: 0.978102746875
- $00:21:37.560 \longrightarrow 00:21:40.682$ One we can start them on chronic
- NOTE Confidence: 0.978102746875
- $00:21:40.682 \longrightarrow 00:21:43.110$ transfusion to decrease the
- NOTE Confidence: 0.978102746875
- $00{:}21{:}43.110 \dashrightarrow 00{:}21{:}45.835$ amount of sickle cells circulating in their
- NOTE Confidence: 0.978102746875
- $00:21:45.835 \rightarrow 00:21:48.208$ blood and give them more normal cells.
- NOTE Confidence: 0.978102746875
- 00:21:48.210 --> 00:21:50.457 Or if some body has been
- NOTE Confidence: 0.978102746875
- $00:21:50.457 \longrightarrow 00:21:52.264$ on transfusions,
- NOTE Confidence: 0.978102746875

 $00:21:52.264 \rightarrow 00:21:54.204$ their transcranial dopplers looks fine,

NOTE Confidence: 0.978102746875

 $00{:}21{:}54{.}210 \dashrightarrow 00{:}21{:}56{.}754$ we can switch them to again Hydroxy urea

NOTE Confidence: 0.978102746875

00:21:56.754 --> 00:21:59.089 put more Jelly Donuts around,

NOTE Confidence: 0.978102746875

 $00:21:59.090 \longrightarrow 00:22:00.802$ have less sickle cells,

NOTE Confidence: 0.978102746875

 $00{:}22{:}00{.}802 \dashrightarrow 00{:}22{:}02{.}942$ decrease the risk of complications,

NOTE Confidence: 0.978102746875

 $00{:}22{:}02{.}950 \dashrightarrow 00{:}22{:}04{.}810$ and that's again why it's important

NOTE Confidence: 0.978102746875

 $00:22:04.810 \longrightarrow 00:22:05.740$ to connect with your

NOTE Confidence: 0.978102746875

 $00:22:05.740 \longrightarrow 00:22:07.080$ friendly hematologist so we

NOTE Confidence: 0.978102746875

 $00{:}22{:}07{.}080 \dashrightarrow 00{:}22{:}09{.}090$ can help you on that journey.

NOTE Confidence: 0.9752394125

00:22:09.460 --> 00:22:11.212 Yeah, but presumably you would have

NOTE Confidence: 0.9752394125

 $00{:}22{:}11{.}212 \dashrightarrow 00{:}22{:}13{.}129$ already been on the Hydroxy urea

NOTE Confidence: 0.9752394125

 $00:22:13.130 \longrightarrow 00:22:16.160$ so if that transcranial Doppler finds

NOTE Confidence: 0.9752394125

 $00:22:16.160 \longrightarrow 00:22:19.840$ that you're at increased risk

NOTE Confidence: 0.9752394125

 $00:22:19.840 \longrightarrow 00:22:21.772$ I guess the transfusion

NOTE Confidence: 0.9752394125

00:22:21.772 --> 00:22:23.086 is your only alternative,

NOTE Confidence: 0.9752394125

 $00:22:23.086 \longrightarrow 00:22:26.200$ but the issue there is if you keep

NOTE Confidence: 0.9752394125

 $00:22:26.273 \rightarrow 00:22:28.985$ getting transfusions on a regular basis,

NOTE Confidence: 0.9752394125

 $00{:}22{:}28{.}990 \dashrightarrow 00{:}22{:}31{.}552$ doesn't that increase your risk of

NOTE Confidence: 0.9752394125

 $00:22:31.552 \rightarrow 00:22:33.260$ transfusion reactions and potentially

NOTE Confidence: 0.9752394125

 $00:22:33.322 \rightarrow 00:22:34.934$ ultimately developing antibodies such

NOTE Confidence: 0.9752394125

 $00{:}22{:}34{.}934 \dashrightarrow 00{:}22{:}37{.}746$ that there are fewer and fewer blood

NOTE Confidence: 0.9752394125

 $00:22:37.746 \longrightarrow 00:22:39.726$ types that you can actually take?

 $00:22:42.360 \longrightarrow 00:22:43.500$ Absolutely.

NOTE Confidence: 0.98044038625

00:22:43.500 --> 00:22:46.920 For patients who have chronic transfusions,

NOTE Confidence: 0.98044038625

 $00{:}22{:}46{.}920 \dashrightarrow 00{:}22{:}48{.}930$ they're a variety of risks that

NOTE Confidence: 0.98044038625

 $00:22:48.930 \longrightarrow 00:22:50.270$ come along with that.

NOTE Confidence: 0.98044038625

 $00{:}22{:}50{.}270 \dashrightarrow 00{:}22{:}51{.}560$ There's obviously a clear benefit

NOTE Confidence: 0.98044038625

 $00:22:51.560 \longrightarrow 00:22:53.432$ in that it keeps you safe

NOTE Confidence: 0.98044038625

 $00:22:53.432 \longrightarrow 00:22:54.747$ and protects you against stroke

NOTE Confidence: 0.98044038625

 $00:22:54.747 \rightarrow 00:22:56.050$ and may decrease your pain.

NOTE Confidence: 0.98044038625

00:22:56.050 --> 00:22:57.498 But you're absolutely right,

NOTE Confidence: 0.98044038625

 $00:22:57.498 \longrightarrow 00:22:58.584$ our bodies recognize

- NOTE Confidence: 0.98044038625
- $00:22:58.584 \rightarrow 00:23:00.150$ things that aren't foreign,
- NOTE Confidence: 0.98044038625
- $00:23:00.150 \longrightarrow 00:23:03.300$ and that's why we really work in tandem
- NOTE Confidence: 0.98044038625
- $00:23:03.300 \longrightarrow 00:23:05.125$ and together with our transfusion
- NOTE Confidence: 0.98044038625
- $00:23:05.125 \rightarrow 00:23:06.910$ medicine colleagues to do extended
- NOTE Confidence: 0.98044038625
- $00:23:06.910 \rightarrow 00:23:08.806$ typing in patients with sickle cell
- NOTE Confidence: 0.98044038625
- $00{:}23{:}08.806 \dashrightarrow 00{:}23{:}10.639$ disease to prevent that risk of
- NOTE Confidence: 0.98044038625
- $00:23:10.640 \longrightarrow 00:23:12.145$ developing antibodies.
- NOTE Confidence: 0.98044038625
- 00:23:14.190 --> 00:23:16.045 Another big risk is something
- NOTE Confidence: 0.98044038625
- 00:23:16.045 --> 00:23:17.158 called iron overload,
- NOTE Confidence: 0.98044038625
- $00{:}23{:}17.160 \dashrightarrow 00{:}23{:}19.582$ where excess iron from the blood deposits
- NOTE Confidence: 0.98044038625
- 00:23:19.582 --> 00:23:22.010 in different organs like your liver,
- NOTE Confidence: 0.98044038625
- $00{:}23{:}22.010 \dashrightarrow 00{:}23{:}23.590$ your heart, or your eyes.
- NOTE Confidence: 0.98044038625
- $00:23:23.590 \rightarrow 00:23:26.355$ So we measure that regularly and again,
- NOTE Confidence: 0.98044038625
- 00:23:26.360 --> 00:23:28.820 medicine is so cool because we're
- NOTE Confidence: 0.98044038625
- $00:23:28.820 \rightarrow 00:23:30.911$ always ideally moving forward and
- NOTE Confidence: 0.98044038625

 $00:23:30.911 \longrightarrow 00:23:33.599$ there's also a procedure

NOTE Confidence: 0.98044038625

00:23:33.599 --> 00:23:35.150 called Erythrocytosis

NOTE Confidence: 0.98044038625

 $00:23:35.150 \longrightarrow 00:23:36.836$ which I don't too much mind

NOTE Confidence: 0.98044038625

 $00:23:36.836 \rightarrow 00:23:37.960$ saying five times fast,

NOTE Confidence: 0.98044038625

00:23:37.960 --> 00:23:40.074 but I like it, which can help

NOTE Confidence: 0.98044038625

 $00{:}23{:}40.074 \dashrightarrow 00{:}23{:}41.560$ decrease that risk of iron overload.

NOTE Confidence: 0.98044038625

00:23:49.070 --> 00:23:50.953 Let's talk a little bit

NOTE Confidence: 0.976624390526316

 $00{:}23{:}50{.}953 \dashrightarrow 00{:}23{:}52{.}930$ about some of the exciting advances

NOTE Confidence: 0.976624390526316

 $00{:}23{:}52{.}930 \dashrightarrow 00{:}23{:}55{.}132$ in terms of sickle cell disease.

NOTE Confidence: 0.976624390526316

 $00{:}23{:}55{.}140 \dashrightarrow 00{:}23{:}56{.}908$ Tell us about what you think are the

NOTE Confidence: 0.976624390526316

 $00{:}23{:}56{.}908 \dashrightarrow 00{:}23{:}58{.}520$ most exciting things that are on the

NOTE Confidence: 0.976624390526316

 $00{:}23{:}58{.}520 \dashrightarrow 00{:}24{:}00{.}195$ for efront that you think are really going

NOTE Confidence: 0.976624390526316

 $00:24:00.195 \rightarrow 00:24:01.945$ to make a difference for your patients.

NOTE Confidence: 0.981700256521739

00:24:03.070 --> 00:24:06.110 I think there are a lot of

NOTE Confidence: 0.981700256521739

 $00{:}24{:}06{.}195 \dashrightarrow 00{:}24{:}09{.}527$ medications in the works to address pain

NOTE Confidence: 0.981700256521739

 $00{:}24{:}09{.}527 \dashrightarrow 00{:}24{:}12{.}598$ and complications of sickle cell disease.

- NOTE Confidence: 0.981700256521739
- $00{:}24{:}12.600 \dashrightarrow 00{:}24{:}15.885$ But one of the things I think that is
- NOTE Confidence: 0.981700256521739
- $00{:}24{:}15.885 \dashrightarrow 00{:}24{:}19.507$ most exciting is the idea of a cure
- NOTE Confidence: 0.981700256521739
- 00:24:19.507 00:24:22.318 through gene therapy,
- NOTE Confidence: 0.981700256521739
- $00:24:22.318 \longrightarrow 00:24:23.766$ and that's pretty awesome.
- NOTE Confidence: 0.981700256521739
- $00:24:23.770 \longrightarrow 00:24:27.820$ There's been some media, the
- $00{:}24{:}29{.}980 \dashrightarrow 00{:}24{:}32{.}154$ New York Times has published about it
- NOTE Confidence: 0.981700256521739
- $00:24:32.154 \longrightarrow 00:24:34.158$ and the Washington Post as
- NOTE Confidence: 0.981700256521739
- $00{:}24{:}34{.}158 \dashrightarrow 00{:}24{:}37{.}174$ well about how we can use different
- NOTE Confidence: 0.981700256521739
- $00:24:37.174 \rightarrow 00:24:38.998$ scientific technologies like CRISPR
- NOTE Confidence: 0.981700256521739
- $00:24:38.998 \rightarrow 00:24:41.152$ technology or use different vectors
- NOTE Confidence: 0.981700256521739
- NOTE Confidence: 0.981700256521739
- $00{:}24{:}43.690 \dashrightarrow 00{:}24{:}46.162$ stem cells and correct that defect
- NOTE Confidence: 0.981700256521739
- $00:24:46.162 \longrightarrow 00:24:49.111$ in their DNA that caused them to
- NOTE Confidence: 0.981700256521739
- 00:24:49.111 --> 00:24:51.535 be making sickle cells and then
- NOTE Confidence: 0.981700256521739
- $00:24:51.535 \rightarrow 00:24:54.404$ give it back to them in a safe way,
- NOTE Confidence: 0.981700256521739
- $00:24:54.410 \longrightarrow 00:24:56.042$ and then when those new and

NOTE Confidence: 0.981700256521739

 $00:24:56.042 \longrightarrow 00:24:57.550$ improved cells from their bodies

NOTE Confidence: 0.981700256521739

 $00:24:57.550 \longrightarrow 00:24:58.681$ replicate

NOTE Confidence: 0.981700256521739

00:24:58.681 -> 00:25:00.566 they are no longer affected

NOTE Confidence: 0.981700256521739

 $00:25:00.566 \rightarrow 00:25:02.249$ by sickle cell disease.

NOTE Confidence: 0.981700256521739

 $00:25:02.250 \rightarrow 00:25:04.546$ They may still make some sickle cells,

NOTE Confidence: 0.981700256521739

00:25:04.550 - 00:25:06.482 but will effectively be cured or

NOTE Confidence: 0.981700256521739

 $00{:}25{:}06{.}482 \dashrightarrow 00{:}25{:}08{.}654$ be like some body who just has the

NOTE Confidence: 0.981700256521739

 $00:25:08.654 \rightarrow 00:25:10.340$ trait and that's one of the things

NOTE Confidence: 0.981700256521739

 $00:25:10.340 \longrightarrow 00:25:11.770$ I think that's most exciting.

NOTE Confidence: 0.981700256521739

 $00:25:11.770 \longrightarrow 00:25:13.180$ The possibility of a cure

NOTE Confidence: 0.988097628333333

 $00:25:13.350 \longrightarrow 00:25:15.840$ in our future.

00:25:18.090 --> 00:25:21.078 And is that 10-15, 30-50 years from now?

NOTE Confidence: 0.97579093

 $00:25:21.300 \longrightarrow 00:25:23.586$ No, the time is totally now,

NOTE Confidence: 0.97579093

 $00:25:23.590 \longrightarrow 00:25:25.458$ so there are clinical,

NOTE Confidence: 0.97579093

 $00{:}25{:}25{.}458 \dashrightarrow 00{:}25{:}27{.}793$ active clinical trials going on

NOTE Confidence: 0.97579093

 $00:25:27.800 \rightarrow 00:25:29.930$ to better understand the safety

- NOTE Confidence: 0.97579093
- $00{:}25{:}29{.}930 \dashrightarrow 00{:}25{:}32{.}060$ and efficacy of this process
- NOTE Confidence: 0.97579093
- $00:25:32.140 \longrightarrow 00:25:34.429$ for patients and so
- NOTE Confidence: 0.97579093
- $00:25:34.429 \longrightarrow 00:25:36.480$ that's happening now.
- NOTE Confidence: 0.97579093
- $00:25:36.480 \longrightarrow 00:25:38.688$ Wow, that's
- NOTE Confidence: 0.989792367142857
- 00:25:38.700 00:25:41.486 super exciting. What else is going on?
- NOTE Confidence: 0.945825903333334
- $00{:}25{:}42{.}420 \dashrightarrow 00{:}25{:}45{.}164$ So I think the other main things are
- NOTE Confidence: 0.945825903333334
- $00:25:45.164 \longrightarrow 00:25:47.211$ the development of oral medications
- NOTE Confidence: 0.945825903333334
- $00{:}25{:}47{.}211 \dashrightarrow 00{:}25{:}49{.}785$ to improve pain and to decrease
- NOTE Confidence: 0.945825903333334
- $00:25:49.785 \longrightarrow 00:25:51.939$ complications from sickle cell disease.
- NOTE Confidence: 0.945825903333334
- $00:25:51.940 \rightarrow 00:25:53.011$ That one medication,
- NOTE Confidence: 0.945825903333334
- 00:25:53.011 --> 00:25:56.020 Adakveo, the way that it works,
- NOTE Confidence: 0.945825903333334
- $00{:}25{:}56{.}020 \dashrightarrow 00{:}25{:}57{.}624$ it's something called
- NOTE Confidence: 0.945825903333334
- $00{:}25{:}57{.}624 \dashrightarrow 00{:}25{:}58{.}827$ a B selection inhibitor.
- NOTE Confidence: 0.945825903333334
- $00{:}25{:}58{.}830 \dashrightarrow 00{:}26{:}00{.}775$ And so they're more medications
- NOTE Confidence: 0.945825903333334
- $00{:}26{:}00{.}775 \dashrightarrow 00{:}26{:}03{.}309$ coming around that look at that.
- NOTE Confidence: 0.945825903333334

 $00{:}26{:}03{.}310 \dashrightarrow 00{:}26{:}06{.}946$ And there's some additional

NOTE Confidence: 0.945825903333334

 $00:26:06.946 \rightarrow 00:26:09.698$ oral medications coming that target

NOTE Confidence: 0.945825903333334

 $00{:}26{:}09.698 \dashrightarrow 00{:}26{:}12.018$ different mechanisms and other blood

NOTE Confidence: 0.945825903333334

 $00:26:12.018 \rightarrow 00:26:14.110$ problems like thalassemia and

NOTE Confidence: 0.945825903333334

 $00{:}26{:}14.110 \dashrightarrow 00{:}26{:}16.658$ they want to see if those medications

NOTE Confidence: 0.945825903333334

 $00{:}26{:}16.660 \dashrightarrow 00{:}26{:}18.412$ can work well in

NOTE Confidence: 0.945825903333334

 $00{:}26{:}18{.}412 \dashrightarrow 00{:}26{:}20{.}090$ patients with sickle cell disease.

NOTE Confidence: 0.945825903333334

 $00:26:20.090 \rightarrow 00:26:22.241$ So I think that fact that we are shining

NOTE Confidence: 0.945825903333334

 $00:26:22.241 \rightarrow 00:26:24.531$ a light on this community of people

NOTE Confidence: 0.945825903333334

 $00{:}26{:}24{.}531 \dashrightarrow 00{:}26{:}27{.}258$ with sickle cell disease and that we as

NOTE Confidence: 0.945825903333334

00:26:27.258 --> 00:26:28.938 a scientific community have committed

NOTE Confidence: 0.945825903333334

 $00:26:28.940 \longrightarrow 00:26:31.460$ to making their quality of life better,

NOTE Confidence: 0.945825903333334

 $00:26:31.460 \rightarrow 00:26:33.780$ that's the thing that's most exciting to me,

NOTE Confidence: 0.945825903333334

00:26:33.780 --> 00:26:36.130 because oftentimes I think my

NOTE Confidence: 0.945825903333334

00:26:36.130 --> 00:26:38.480 patients feel unseen and unheard,

NOTE Confidence: 0.945825903333334

 $00{:}26{:}38{.}480 \dashrightarrow 00{:}26{:}42{.}520$ and so it's great to see so many people,

- NOTE Confidence: 0.945825903333334
- $00:26:42.520 \longrightarrow 00:26:44.050$ brilliant people standing up for them
- NOTE Confidence: 0.945825903333334
- $00:26:44.050 \rightarrow 00:26:45.968$ and helping to make their lives better.
- NOTE Confidence: 0.987636803529412
- $00{:}26{:}46{.}320 \dashrightarrow 00{:}26{:}46{.}994$ That's a we some.
- NOTE Confidence: 0.987636803529412
- $00{:}26{:}46{.}994 \dashrightarrow 00{:}26{:}50{.}145$ I guess the last question that I have is
- NOTE Confidence: 0.987636803529412
- $00:26:50.145 \rightarrow 00:26:52.437$ really with regards to clinical trials.
- NOTE Confidence: 0.987636803529412
- $00:26:52.440 \longrightarrow 00:26:55.555$ I mean, it sounds like there's so
- NOTE Confidence: 0.987636803529412
- $00:26:55.555 \rightarrow 00:26:58.288$ many great things on the horizon.
- NOTE Confidence: 0.987636803529412
- $00:26:58.290 \longrightarrow 00:27:01.458$ Do you find that young people
- NOTE Confidence: 0.987636803529412
- $00{:}27{:}01{.}458 \dashrightarrow 00{:}27{:}04{.}302$ adolescents are interested in clinical
- NOTE Confidence: 0.987636803529412
- 00:27:04.302 --> 00:27:07.507 trials and willing to participate?
- NOTE Confidence: 0.987636803529412
- $00:27:07.510 \rightarrow 00:27:10.320$ Are there barriers to participation?
- NOTE Confidence: 0.987636803529412
- $00:27:10.320 \longrightarrow 00:27:11.946$ How has that been going along?
- NOTE Confidence: 0.976098925833333
- $00{:}27{:}12.510 \dashrightarrow 00{:}27{:}14.580$ Yeah, so any body who has lived
- NOTE Confidence: 0.976098925833333
- $00{:}27{:}14.580 \dashrightarrow 00{:}27{:}16.930$ with sickle cell or chronic pain,
- NOTE Confidence: 0.976098925833333
- 00:27:16.930 --> 00:27:18.755 I think is enthusiastic about
- NOTE Confidence: 0.976098925833333

 $00:27:18.755 \longrightarrow 00:27:21.229$ finding a way to have a better

NOTE Confidence: 0.976098925833333

 $00{:}27{:}21{.}229 \dashrightarrow 00{:}27{:}23{.}338$ life and to come have a better

NOTE Confidence: 0.976098925833333

 $00:27:23.338 \rightarrow 00:27:25.961$ quality of life and to find a cure.

NOTE Confidence: 0.976098925833333

00:27:25.961 - 00:27:27.995 When it comes to clinical trials,

NOTE Confidence: 0.976098925833333

 $00{:}27{:}28.000 \dashrightarrow 00{:}27{:}31.704$ there's a careful balance

NOTE Confidence: 0.976098925833333

 $00{:}27{:}31.704 \dashrightarrow 00{:}27{:}33.911$ between understanding clinical

NOTE Confidence: 0.976098925833333

 $00{:}27{:}33{.}911 \dashrightarrow 00{:}27{:}36{.}368$ studies and not wanting to feel like

NOTE Confidence: 0.976098925833333

 $00:27:36.368 \rightarrow 00:27:37.852$ an experiment and understanding

NOTE Confidence: 0.976098925833333

 $00{:}27{:}37.852 \dashrightarrow 00{:}27{:}39.994$ how the medical system can wrap

NOTE Confidence: 0.976098925833333

 $00:27:39.994 \longrightarrow 00:27:41.788$ around you to keep you safe.

NOTE Confidence: 0.976098925833333

 $00{:}27{:}41.790 \dashrightarrow 00{:}27{:}43.810$ As we understand more about

NOTE Confidence: 0.976098925833333

 $00:27:43.810 \longrightarrow 00:27:46.510$ how to help you have a cure.

NOTE Confidence: 0.976098925833333

 $00{:}27{:}46{.}510 \dashrightarrow 00{:}27{:}49{.}429$ And so when I think about

NOTE Confidence: 0.976098925833333

 $00:27:49.430 \longrightarrow 00:27:50.450$ my young people,

NOTE Confidence: 0.976098925833333

 $00:27:50.450 \longrightarrow 00:27:52.490$ are they interested in clinical trials?

NOTE Confidence: 0.976098925833333

 $00:27:52.490 \longrightarrow 00:27:55.316$ I think that they have a lot of excellent

- NOTE Confidence: 0.976098925833333
- $00{:}27{:}55{.}316$ --> $00{:}27{:}57{.}294$ questions about the benefits and
- NOTE Confidence: 0.976098925833333
- 00:27:57.294 --> 00:27:59.694 risks of participating in clinical trials.
- NOTE Confidence: 0.976098925833333
- 00:27:59.700 --> 00:28:01.340 But many of them ultimately,
- NOTE Confidence: 0.976098925833333
- $00{:}28{:}01{.}340 \dashrightarrow 00{:}28{:}04{.}175$ when we sit and talk and take the time,
- NOTE Confidence: 0.976098925833333
- $00{:}28{:}04{.}180 \dashrightarrow 00{:}28{:}05{.}902$ they understand that it is their
- NOTE Confidence: 0.976098925833333
- $00:28:05.902 \rightarrow 00:28:07.759$ contribution to not only their health,
- NOTE Confidence: 0.976098925833333
- $00:28:07.760 \rightarrow 00:28:09.769$ but the community of sickle cell patients.
- NOTE Confidence: 0.976098925833333
- $00:28:09.770 \longrightarrow 00:28:11.653$ And that's the beauty of having providers
- NOTE Confidence: 0.976098925833333
- $00{:}28{:}11.653 \dashrightarrow 00{:}28{:}13.700$ that have known you through the lifespan.
- NOTE Confidence: 0.976098925833333
- $00:28:13.700 \longrightarrow 00:28:14.880$ You have a relationship.
- NOTE Confidence: 0.976098925833333
- $00:28:14.880 \longrightarrow 00:28:17.010$ They know that I care for them.
- NOTE Confidence: 0.976098925833333
- 00:28:17.010 --> 00:28:18.054 They can trust me.
- NOTE Confidence: 0.976098925833333
- $00{:}28{:}18.054 \dashrightarrow 00{:}28{:}20.409$ And so when I offer them this option,
- $00{:}28{:}23{.}270 \dashrightarrow 00{:}28{:}24{.}745$ then there's a little bit
- NOTE Confidence: 0.976098925833333
- $00:28:24.745 \longrightarrow 00:28:25.925$ more willingness to enroll.
- NOTE Confidence: 0.96922971
- $00{:}28{:}26{.}960 \dashrightarrow 00{:}28{:}29{.}006$ Dr Cece Calhoun is an assistant

- NOTE Confidence: 0.96922971
- 00:28:29.006 --> 00:28:31.120 professor of medicine in hematology

NOTE Confidence: 0.96922971

 $00{:}28{:}31{.}120 \dashrightarrow 00{:}28{:}32{.}908$ and assistant professor of

NOTE Confidence: 0.96922971

00:28:32.908 --> 00:28:34.249 Pediatrics in hematology,

NOTE Confidence: 0.96922971

 $00:28:34.250 \rightarrow 00:28:37.085$ oncology at the Yale School of Medicine.

NOTE Confidence: 0.96922971

00:28:37.090 --> 00:28:38.390 If you have questions,

NOTE Confidence: 0.96922971

 $00{:}28{:}38{.}390 \dashrightarrow 00{:}28{:}39{.}690$ the address is canceranswers@yale.edu

NOTE Confidence: 0.96922971

 $00:28:39.690 \longrightarrow 00:28:42.490$ and past editions of

NOTE Confidence: 0.96922971

 $00:28:42.490 \longrightarrow 00:28:45.403$ the program are available in audio and

NOTE Confidence: 0.96922971

 $00:28:45.403 \rightarrow 00:28:48.210$ written form at yalecancercenter.org.

NOTE Confidence: 0.96922971

00:28:48.210 --> 00:28:50.234 We hope you'll join us next week to

NOTE Confidence: 0.96922971

 $00{:}28{:}50{.}234 \dashrightarrow 00{:}28{:}52{.}187$ learn more about the fight against

NOTE Confidence: 0.96922971

00:28:52.187 --> 00:28:53.922 cancer here on Connecticut Public

NOTE Confidence: 0.96922971

 $00{:}28{:}53{.}922 \dashrightarrow 00{:}28{:}55{.}645$ radio funding for Yale Cancer

NOTE Confidence: 0.96922971

 $00{:}28{:}55{.}645 \dashrightarrow 00{:}28{:}57{.}295$ Answers is provided by Smilow

NOTE Confidence: 0.96922971

 $00{:}28{:}57{.}295 \dashrightarrow 00{:}28{:}59{.}998$ Cancer Hospital and Astra Zeneca.